

## Index

- acceleration, 106–127, 259–276
- allometric constraint–muscle recruitment hypothesis, 230, 231
- allometric growth, 38, 39
- allometry, 26, 36, 37, 48–49
- Alouatta seniculus* (howling monkey), 211
- analysis of variance (ANOVA), 397
- Andrews plots, 380, 382
- angiosperm, 200, 201
- ansa coli, 369, 371
- anthropoid, 230–254
- Aotus trivirgatus* (night monkey, owl monkey), 145–146, 212, 214, 230–254, 362
- apes, 2, 169–173, 183–190
  - African, 168, 398–399, 404
  - Asian, 398–399
- arboreal, 107–125, 127, 135, 136–137, 173
- Arctocebus calabarensis* (angwantibo), 144–145
- Ashton, E. H., 2, 3
- astronauts, 134
- Ateles* (spider monkey), 125, 211, 358, 362, 384, 404
- ATP (adenosine triphosphatase), 106, 138, 140
- australopithecine, 2–3, 4, 393
- Australopithecus afarensis* AL-228, 286
- Avahi* (woolly lemur), 362
  - laniger* (eastern woolly lemur), 213
- axial force, 298–299
- balancing side (b-s), 230
- bats, 404
- behavior, 99–127
- biogeographic history, 362
- biogeographic regions (areas), 354, 355, 357, 358, 359, 362, 364
- biomechanics, 418
- biometry, 2
- bipedalism, 4, 263, 274, 275, 281–291, 393
  - energy costs, 287, 288
  - stride frequency, 314–316
  - stride length, 309–311
  - striding gait, 173
  - threat display–appeasement behavior complex, 291
- bipedalization
  - predictions of theories, 283
  - theories of, 281–282
- biporionic width, 60
- bite force, 230, 231, 232, 250, 251, 252, 335, 338, 340, 342, 343
- bizygomatic width, 60
- body size, 49, 354, 355
- brachiators, 215, 216, 217, 219
- brain, 206–222, 400–403, 406
- braking, 102, 107, 125, 259, 273
- b-s *see* balancing side
- Cacajao* (uakari), 384
- Callicebus* (titi monkey), 362
  - moloch* (dusty titi monkey), 212
- Callimico goeldii* (Goeldi's monkey), 212
- Callithrix jacchus* (common marmoset), 212
- calvarial length, 50, 60
- Canis familiaris* (domestic dog), 259–276
- canonical correlate analysis, 384–385, 405
- canonical variate analysis, 162–163, 164, 167, 190, 380
- carrying hypothesis, 283–290
- Cave, A. J. E., 417
- cebid, 106, 113, 121, 123, 124
- Cebuella pygmaea* (pygmy marmoset), 212
- cells (plant), 194–203
  - axis, 197
  - buckling, 197, 201
  - framework, 195
  - elongated, 201
  - lumen, 197, 201
  - volume fraction (cell fiber content) ( $V_c$ ), 195, 196, 197, 198, 200, 201, 202, 203
  - wall, 193, 194, 195–203; secondary, 197, 202
- cellulose, 195, 197, 202
- center of mass (COM), 300–301
  - height during standing and walking, 304, 306–309
  - horizontal and angular displacement, 316
  - vertical excursion, 304–306, 325–326, 328

- center of pressure, 261, 269, 270, 272, 275  
*Cercocebus* (mangabey), 39–40  
     (*Lophocebus albigena* (gray-cheeked mangabey), 211  
 cercopithecoid, 2  
*Cercopithecus* (guenons), 99–127  
     *ascanius* (red-tailed monkey), 106–127, 211  
     *diana*, 126  
     *mitis* (blue monkey), 211  
 cerebellum, 208, 211, 218, 219, 220, 222  
 cheirogaleids, 358  
*Cheirogaleus* (dwarf lemur), 362  
     *medius* (fat-tailed dwarf lemur), 213  
     *major* (greater dwarf lemur), 213  
 chewing side *see* working-side  
*Chlorocebus* (*Cercopithecus*) *aethiops* (vervet, green monkey), 106–127  
 clavicle, 137  
 climbers, 207, 212, 213, 214, 215, 216, 217, 218, 221, 355  
 Colobinae, 358, 360  
     adult allometry, 33  
     ontogenetic allometry, 38  
     sexual size differences, 30–31, 33  
     taxonomy, 25, 39–40, 46, 61  
*Colobus* (colobus monkeys), 25–26, 31–39  
     (*Ptilocolobus badius* (red colobus), 25–26, 31–39, 211  
 comminute, 203  
 complexity, 402–409  
 contraction, coefficient of, 110  
 cosines, direction, 261–276  
 covariance, 380  
 craniometric differences, 73, 78, 79  
 craniometric variation, 66, 73, 82, 92  
 cranium  
     length of, 50, 60  
     width of, 60  
 creases method, 387  
 critical stress intensity factor ( $K_{IC}$ ), 195, 198, 199  
 cross-sectional data, 13, 19, 22  
 crus, 114, 125  
 cuboid bone, 169–170, 172–173  
  
 data visualization, 206, 207  
*Daubentonia madagascariensis* (aye-aye), 213, 215, 369, 372, 374, 375, 407  
     autapomorphy, 369–370  
     cranium, 371, 373  
     dentition, 373  
     primitive features, 370, 371  
     relationships, 369–370, 371  
     intriid affinities, 374–375  
 deceleration, 125, 260–274  
 defenses of plants  
     anti-ingestion, 199  
     anti-mastication, 200, 203  
     chemical, 199  
     mechanical, 198–199, 200;  
         displacement-limited, 198, 199, 200;  
         stress-limited, 198, 199, 200, 201, 203  
 demes *see* variation, intraspecific  
 dental comb, 369–374  
 design of observation, 395–396  
 development, 401  
 diagonal  
     couplets, 263  
     gait, 272, 275  
     sequence, 263  
*Didelphis virginiana* (North American opossum), 19  
 diencephalon, 208, 218, 219, 220, 222  
 dimension-free parameter, 260, 261  
 direction, 258–276  
 discriminant function analysis, 47–48, 380  
 displacement, 269–271  
 display hypothesis,  
 diurnality, 355, 358  
 divergence time, 360, 361, 364  
 “Division of Labor”, 100, 120  
 domain  
     deformation, 194, 195  
     fracture, 194, 195  
 drive, 259, 273, 274, 276  
 dynamic similarity, 136  
  
 early *Homo*, 66–93  
 ecological  
     clock, 362, 365, 366  
     clustering, 358  
     distance ( $D^2$ ), 359–365  
     diversity, 354, 355, 359, 365, 366  
 elasticity, 106  
     recoil, 105  
     storage, 106  
     strain energy, 105  
 electromyography (EMG), 232  
 encephalization, 206  
 energy expense of contraction, 102–127  
*Erythrocebus patas* (patas monkey), 121, 125, 126, 211  
 evolution, 206–222, 380  
     of humans, 2–3  
     of land vertebrates, 136  
 evolutionary morphology, 125–126  
 excursion  
     lower limb: angular, 309–311, 326; vertical, 304–306, 326  
     muscle ( $h$ ), 101

- excursion/velocity, 106–125  
 experimental design, 395–396
- fasciculus length, 99–120, 127  
*in situ* (measured) ( $l_f'$ ), 109, 111  
 resting (adjusted) ( $l_f'$ ), 109, 111, 116
- faunivory, 355, 358  
 Fayum, 2  
 $F_b$ , 251  
 feeding, 287–288  
   hypothesis, 283–290  
   postures, 287  
*Felis domesticus* (domestic cat), 121  
 fiber, plant, 193–202  
   content *see* cells, volume fraction  
   toughness, 196  
 first digit, 175  
 Fisher, R. A., 396  
 fixed-contact-point model, 311–313, 314–327  
 $F_{mb}$ , 251  
 $F_{mw}$ , 251  
 folivory, 355, 357, 358  
 food particle size, 193  
 force, 258–276  
   curves, 261, 264, 265, 266; asymmetry, 262;  
   symmetry, 265  
   ground reaction, 267  
   plate, 259, 260, 261, 266, 269  
 forelimb, 3, 4, 134–137, 149–150, 259–276,  
 398  
 forward cross, 263  
 fossil, 66–93, 393, 409  
 fossil species recognition (FSR), 70–93  
 fossils, named  
   KMN-ER-1470, 66, 74, 79, 82, 86, 87, 93  
   KMN-ER-1813, 66, 74, 78, 79, 80, 82, 86,  
   89, 93  
   OH-7, 66  
   OH-8, 163, 165, 167, 168–169, 171–173,  
   186–190  
   OH-13, 66, 89, 93  
   OH-16, 66, 87  
   OH-24, 66, 74, 78, 79, 80, 82, 86  
   Stw-53, 66, 74, 78, 79, 80, 82, 86, 89, 93
- Fourier  
   analysis, 260–272, 379, 381, 382  
   coefficient, 260, 261, 262, 263, 264, 265,  
   266, 267  
   curves, 395  
   equation, 263  
   function, 262
- fracture, plant, 200, 201, 202  
   domain, 194  
   events, 195  
   intercellular cracks, 202  
   of cell wall, 196, 201  
   of food particles, 193  
   onset of, 195  
   point of initiation, 195  
   radial, 202
- fragmentation, 193–201  
 frugivory, 355, 358  
 function, 400–403, 406, 409
- gait, 263–275  
   cycle, 260, 261, 266, 267, 272, 274  
*Galago* (bushbaby), 144–145, 146, 150–151,  
 358, 361, 406  
   *senegalensis* (Senegal bushbaby), 213  
*Galagoides demidoffi* (Demidoff's bushbaby),  
 213  
 geometric morphometrics, 26–29, 31, 393  
 geometry, 380–382  
 glycolysis, 138, 139  
 gomphotheres, 200  
*Gorilla gorilla* (gorillas), 66–93, 162, 173,  
 209, 211, 404  
   *gorilla*, 67, 75, 76, 79, 81, 82, 83, 84, 85, 86  
   *berengei*, 67, 75, 76, 81, 82, 83  
   *diehli*, 67, 75, 76, 81, 82, 83  
   *graueri*, 67, 75, 76, 81, 82, 83  
 gravity, 134–137, 149–150, 298  
 grinding, 231  
 ground-dwelling, 135  
 growth, 12, 13–15, 400–402, 403  
   parameters, 16–17, 19–20, 22  
   of humans, 13–15, 16
- $h/l_b$  (excursion/adjusted belly length),  
 111–124  
*Hapalemur griseus* (gray bamboo lemur), 368  
 Haplorhini, 212, 213, 214, 217, 368–369, 370,  
 371  
 hemicellulose, 195  
 heterochrony, 16  
 hierarchical levels, 72, 73, 76, 77, 78, 86, 89,  
 379  
 hind limb, 4, 258–276, 398  
 hip, 398  
 hippocampus, 208, 218  
 hominoid, 398–399  
*Homo* (humans), 2, 5, 173, 183–190, 209  
   *habilis*, 3, 4, 66–93  
   *rudolfensis*, 79, 88  
*Hylobates* (gibbons), 2, 3, 146, 211, 358, 361,  
 384, 404  
 hypothesis-free, 206
- immunocytochemistry, 147–153  
 impulse, 265, 266  
   acceleration, 273, 274  
   braking, 273  
   propulsive, 273  
 indentation (hardness) test, 195

- index, 380  
 crural, 112, 119  
 distal, 112  
 dorsal, 112, 119  
 femoral robusticity, 112, 119  
 indices, statistical, 163, 166, 167, 190  
*Indri indri* (indri), 213, 362, 374  
 indriids, 358  
 ingestion, 199, 200  
 insectivores, 404  
 integration, 386  
 interaction, statistical, 18–19  
 intercellular fracture (cracks), 198  
 “intercept toughness”, 196, 197  
 inverted-pendulum model, 298–302, 303,  
 311–314  
 jaw joint, 335–349  
 jaw lever system, 338, 339, 340, 341, 348  
 Kendall’s shape space, 28–29  
 Kenya, 66, 74, 89  
*K<sub>IC</sub>* *see* critical stress intensity factor  
 knuckle walking, 173  
*Lagothrix* (woolly monkey), 125, 211,  
 404  
 landmark  
 configurations, 27–28, 29, 31  
 points, 380  
 lateral transverse bending (wishboning),  
 232–254  
 Le Gros Clark, W. E., 1  
 leaping, 354, 355, 358  
*Lemur* (lemur), 146, 148, 150  
*catta* (ring-tailed lemur), 232–254, 368  
*(Eulemur) fulvus* (brown lemur), 101, 106,  
 121, 213  
*Lepilemur* (sportive lemur), 362  
*ruficaudatus* (red-tailed sportive lemur),  
 213  
 lignin, 195, 202  
 limb extensor, 136  
 limbs  
 inside, 259, 262–264, 271, 275  
 outside, 259, 263, 264, 271, 275  
*see also* forelimb; hind limb  
 linear model, 18  
 loading, 230, 232, 243, 254  
 locomotion, 3, 99–126, 134, 135, 146,  
 206–222, 259, 260, 261–263, 266, 273,  
 274, 297–328  
 logarithmic transformation, 167  
 longitudinal data, 12–13, 19, 22  
*Lophocebus* (mangabey), 40  
*Loris* (loris), 144–145, 146, 358, 361, 384  
*tardigradus* (slender loris), 213  
 lorisines, 144, 145  
 lumbar lordosis, 285–286  
 lumping, taxonomic, 3  
*Macaca* (macaques), 142, 148, 150, 151, 152,  
 230–254, 399  
*fascicularis* (crab-eating macaque), 234  
*fuscata* (Japanese macaque), 234  
*mulatta* (rhesus macaque), 149, 150  
 mammal, 12, 16  
*Mandrillus* (mandrill), 39  
 marsupial, 19, 21  
 masseter/pterygoid complexes, 349  
 mastication, 198, 199–200, 203, 229–254  
 masticatory apparatus, 198, 334, 335, 336,  
 340  
 maxilla, 33, 37  
 medulla, 208, 211, 219, 221, 222  
 mesophyll, 200, 201  
*Microcebus* (mouse lemur), 143, 146, 149,  
 150, 152  
*murinus* (gray mouse lemur), 213  
 microgravity, 135  
 midbrain, 208  
 midparietal width, 60  
 mid-stance, 265, 266, 274, 275  
*Miopithecus talapoin* (talapoin monkey),  
 211  
 modeling, 16–17  
 analytical levels, 397–400  
 multi-factorial, 396  
 statistical, 396  
 molars, 200, 201, 203  
 bladed, 201, 202, 203  
 cusped, 200, 201, 202  
 molecular phylogeny, 360, 361  
 moment, 261–276  
 double support, 261, 275  
*Monodelphis domestica* (short-tailed  
 opossum), 19  
 morphologic  
 differences, 72, 78, 79, 82, 89  
 integration, 392  
 variation, 68, 69, 71, 72, 73, 87, 88, 90, 92,  
 93  
 morphometrics, 3, 24, 165, 206, 207  
 motor function, 207–222  
 motor units, 140  
 movement on level surface, 272  
 moving-contact-point model, 303–304,  
 313–314, 326–327  
 multivariate, 71, 78, 206, 207  
 analysis, 47–48, 57–58, 162–163,  
 404  
 axes, 386  
 morphometrics, 379, 380  
 statistics, 417–418

424 *Index*

- muscle, 99–127, 400–402, 403  
 antigravity, 104, 107  
 belly length, 110; *in situ* (measured) ( $l_b$ ), 108, 111; resting (adjusted) ( $l_b$ ), 105, 110, 111, 116  
 contractility, 100, 101, 106; isometric, 102, 106, 120, 124; isotonic, 102, 106, 107, 120, 127  
 elasticity, 137  
 fiber architecture, 99–108, 126  
 fiber type, 135, 139–142, 144–145, 146, 147, 149; ontogeny, 142, 151–152; plasticity, 145, 147  
 force, 100–125; vector of, 334–349  
 function, 99  
 gluteal group, 99–127  
 hamstring group, 99–127  
 heterogeneity, 135, 138, 141–142  
 jaw, 334–349  
 jaw adductors, 229–254  
 line of action, 335–349  
 mechanical work, 138  
 parallel-fibered, 100–124  
 pinnate-fibered, 100–109  
 plasticity, 127  
 unipinnate, 101  
 viscous, 137  
 weight: percentage (%W), 117, 120
- muscles, named  
 biceps femoris (flexor cruris lateralis), 107–124  
 gastrocnemius medialis, 148, 150, 151  
 gastrocnemius lateralis, 149, 150, 151  
 gluteus medius, 107–123  
 gluteus minimus, 107–124  
 gluteus superficialis, 107–122  
 gracilis, 142  
 masseter, 232–254  
 piriformis, 112  
 postsemimembranosus *see*  
 semimembranosus proprius  
 presemimembranosus *see*  
 semimembranosus accessorius  
 pterygoid, lateral, 251, 252  
 pterygoid, medial, 251  
 rectus femoris, 106  
 scansorius, 113, 124  
 semimembranosus  
 semimembranosus, accessorius  
 (presemimembranosus), 107–125  
 semimembranosus, proprius  
 (postsemimembranosus), 107–125  
 semitendinosus, 107–125  
 soleus, 143, 144, 148, 149, 150, 151, 152  
 tensor fasciae latae, 112  
 tibialis posterior, 175  
 triceps brachii caput laterale, 148, 150, 151  
 triceps brachii caput mediale, 150, 151  
 triceps surae, 106, 124, 127  
 vasti peripherales, 106  
 vastus intermedius, 150, 151  
 vastus lateralis, 101, 106, 150, 151  
 vastus medialis, 106, 144, 150, 151  
 myosin, 140, 141–144  
 myotendinous junction, 109, 110
- nasal, 37  
*Nasalis larvatus* (proboscis monkey), 51–55, 57–59, 211, 407  
 navicular, 173–183  
 tuberosity, 175  
 Neanderthals, 3  
 neocortex, 208, 211, 218, 219, 220, 222  
 New World monkeys, 398  
 niche-metrics, 406–407  
 nocturnality, 355, 358  
 non-chewing side *see* balancing side  
 nonlinear growth, 12  
 nuchal shelf, 3  
*Nycticebus* (loris), 144, 145–146  
*couang* (common slow loris), 213
- occipital height, 52, 60  
 Old World monkeys, 398  
 Olduvai Gorge, 66, 74, 87  
 olfactory bulb, 208  
 ontogeny, 24, 31, 36, 38–39, 409  
 scaling, 38, 39  
 trajectories, 37  
 optical stress analysis, 379  
 orbit, 33  
*Otolemur crassicaudatus* (thick-tailed bushbaby), 213, 230–254  
*garnetti* (small-eared greater bushbaby), 234  
 oxidation, 138  
 Oxnard, Charles, 1–6
- paleocortex, 208, 218  
*Pan* (chimpanzee), 173, 209, 211, 258–276, 361, 404  
*Papio* (savanna baboon), 40, 232–254, 384  
*anubis* (olive baboon), 211, 234  
 parasagittal plane, 136  
 partial least squares, 384–386, 387, 389  
 pelvis, 4  
 australopithecine, 281  
 percentage reduced physiologic cross-sectional area (%RPCA), 109, 110–121

- permutation test, 30  
*Perodicticus potto* (potto), 213  
 phase  
   deformational, 194  
   elastic, 194  
   plastic, 194  
 phosphotungstic acid hematoxylin (PTAH), 109  
 phylogenetic  
   distance, 360, 361  
   inertia, 20  
   signal, 359  
 phylogeny, 39–40, 163  
 physiologic cross-sectional area, 100, 110  
   reduced, 103–117, 121  
   *see also* percentage reduced physiologic cross-sectional area  
 pinnation angle ( $\theta$ ), 100–116  
*Pithecanthropus*, 3  
*Pithecia monachus* (monk saki), 211  
 placenta, 368  
*Pongo* (orangutan), 4, 162, 169, 173, 404  
 population continuum, 71  
   taxonomy, 68, 71, 72, 73, 88  
 population-thinking approach, 66–92  
 postorbital constriction, 60  
 posture, 144, 150–151  
   sprawling, 136  
 power stroke, 232–240, 243, 244, 247, 250, 251, 253–254  
*Presbytis* (leaf monkey), 46, 51–55, 58, 59–60, 407  
*Presbytiscus*, 46, 51–55  
 primates, 404  
   communities, 353–365  
   phylogeny, 354, 356, 358, 359  
   radiations, 362, 363, 365  
   socioecology, 354  
 principal component scores, 30, 31  
 principal components analysis (PCA), 29, 47–48, 75, 77, 208–222  
 principal coordinates analysis (PCO), 356  
*Procolobus* (olive colobus), 25–26, 31–39  
 Procrustes distances, 30–31, 33  
*Prolemur simus*, 374  
*Propithecus* (sifaka), 374, 384  
   *verreauxi* (sifaka), 213  
 propulsion, 107, 115, 125  
 prosimian, 144  
 proto-*Daubentonia*, 371  
*Pteropus* (flying fox), 213  
*Pygathrix nemaeus* (douc langur), 46, 51–55, 57–59, 211, 407  
 quadrupedalism, 258–275  
   arboreal, 354, 355  
   terrestrial, 354, 355  
*Ramapithecus*, 3  
 randomization test, 111, 112, 119, 121  
 registration, 27–28  
 regression, 360, 361, 364  
 retinal fovea, 368  
 rhinarium, 368  
*Rhinopithecus* (snub-nosed monkeys), 46, 51–55, 57–59, 407  
 root-mean-square (rms), 231–236, 239  
 RPCA *see* physiologic cross-sectional area, reduced  
 “rule of mixtures”, 195  
 sagittal crest, 2, 3  
*Saguinus* (tamarins), 212, 362  
   *oedipus* (crested tamarin, cotton-top tamarin), 212  
*Saimiri sciureus* (squirrel monkey), 211, 214  
 sarcomere, 100, 101, 102, 104, 106, 109  
 schizocortex, 208  
 sclerenchyma fibres, 198, 200, 201  
 semiterrestrial, 107, 108, 126  
*Sennopithecus* (leaf monkey), 51–55, 57–59, 407  
 septum, 208, 218  
 sex, 164, 173, 183  
 sexual dimorphism, 11–12, 15, 18–19, 20, 21, 30, 31, 37–38, 39, 51, 52, 68, 76, 78, 79, 80, 81, 82, 84, 85, 86, 87, 93, 112, 173  
   hominin, 290  
   ontogeny of, 16, 40  
 sexual discriminant function, 80, 83, 84  
 shape, 26, 27–28, 174  
   coordinates, 389  
   space, 381  
 shear, 231, 233  
 shoulder, 398  
*Simanthropus*, 3  
 sine, 263  
 size, 26, 27, 31, 57, 163, 164, 174, 380  
 skull length, 49  
 smooth movement, 272, 273  
 South Africa, 66, 74, 89  
 splitting, 3  
 springers, 212, 213, 215, 216, 217, 221  
 stance phase, 261, 266, 267, 268, 269, 272, 274, 275, 276  
 stature, 324, 327  
 steer, 258, 259, 275, 276  
 Sterkfontein  
   caves, 74  
   scapula, 3

426 *Index*

- strains  
 dimensionless, 195  
 distortions, angular, 194  
 distortions, linear, 194  
 permanent, 194  
 onset of, 195  
 reversible, 194
- Strepsirhini, 209, 212, 213, 214, 215,  
 232–254, 368–375
- stress, 194  
 analysis, 4  
 bending, 231  
 fracture, 195, 202  
 yield, 194, 195, 198, 199, 202
- stress–strain gradient, 194
- striatum, 211, 218, 219–220, 222
- subspecies, 67, 69, 70–93
- symphyseal fusion, 229–254
- symphyseal fusion–muscle recruitment  
 hypothesis, 230, 231, 251
- symphysis, 230–254
- talus, 4, 164, 168–169, 172–183
- Tanzania, 66, 74, 87, 89
- tapetum lucidum, 368
- Tarsius* (tarsier), 384, 406
- teeth, 2  
 postcanine, 231  
 shape, 193, 200–202  
 tooth row, 335–349
- tendon  
 length of distal ( $t_d$ ), 109, 110  
 length of proximal ( $t_p$ ), 109, 110  
 length of total ( $t_t$ ), 111
- tendon length/fasciculus length+tendon length  
 ( $l_f/l_t$ ), 111–121
- tension, 100–117
- texture, 193–203  
 mechanical, 193
- Theropithecus* (gelada baboon), 40
- theta ( $\theta$ ) = arcsin ( $all_f$ ), 109
- thickness, 196–198
- thin-plate splines, 29, 37, 136, 379, 382, 383,  
 395
- Thompson, D'Arcy W., 415–416
- threat displays, 288–290
- three-dimensional coordinates, 394
- toilet claw, 368–369, 371
- toughness, 194–203
- toughness–tissue thickness plot, 197
- Trachypithecus* (leaf monkey), 51–55, 58–59,  
 407
- transformation grids, 29, 379, 382–383, 386,  
 395
- tripedal, 263
- trunk, movement and position, 300–301,  
 304–309
- Tupia* (tree shrew), 145–146
- unit of analysis, 12–13, 399
- univariate analysis, 166
- University of Chicago, 3
- unloading, 243
- urodeles, 136
- $V_c$  *see* cells, volume fraction
- Varecia variegata* (ruffed lemur), 213
- variation, 13, 45, 46, 387  
 allometric, 26, 30  
 coefficient of ( $V^*$ ), 111, 117, 118, 121  
 infraspecific, 69–92; deme, 68–93;  
 individual, 68–92; intersexual *see* sexual  
 dimorphism; intrasexual, 76–87; locality,  
 68–93  
 interspecific, 45, 51, 70  
 intraspecific, 16, 45, 51, 66–93  
 population structure, 68, 71, 72, 73, 88  
 species structure, 72, 73, 75
- velocity, 101–127
- vertical clinging and leaping, 144
- vertical ground reaction force ( $GRF_v$ ),  
 318–324, 326, 327
- virtual stance limb (VSL), 298, 299, 303–304,  
 318
- W/B *see* working side–balancing side ratio
- $W/P_0$  *see* weight/estimated tetanic force
- walking, 297–328  
 kinetic energy of, 298  
 potential energy of,  
 speed, 324, 326, 327, 328
- walk–run transition, 327–328
- weight/estimated tetanic force ( $W/P_0$ ),  
 111–124
- weightlessness, 134
- wishboning *see* lateral transverse bending
- working side–balancing side ratio (W/B),  
 232–254
- working side (w-s), 230
- Young, J. Z., 416
- Young's modulus, 194, 195, 198, 199,  
 202
- Zinjanthropus*, 3
- “zone of action”, 201
- Zuckerman, Lord Solly, 1–3, 4, 415,  
 416