

Index

- 0, xiv
- 1, xiv
- 1_+ , xvii
- $\langle x, x^* \rangle$, xv, 113
- Δ , 286–290, 294
- Δ_δ , 150
- Γ , 286, 288, 290, 294
- \mathfrak{I} , xv, 121
- \mathfrak{I}_h , xv, 335
- Ψ_t , 76–78
- Φ_t , 76–78
- Σ^\dagger , 339
- Σ^d , 326, 339, 347
- $\Sigma_{\theta,\gamma}$, 151–153, 155
- $\dot{+}$, xvii
- \odot -dual, 118
- \oplus , xvii
- x^*x , xv
-
- A , xv
- \mathfrak{A} , xv
- A^* , xvi, 114
- A^\odot , 117, 118
- $A \geq 0$, xvi
- $A \gg 0$, xvi
- \mathfrak{A}^\dagger , 337
- A_α , 128, 130
- \mathfrak{A}^d , 339
- A^h , 129, 130
- \mathfrak{A}_s^t , 5, 37–39, 42, 44, 65, 333, 335, 336
- \mathfrak{A}^\odot , 117, 118
- \mathfrak{A}^t , 31, 32, 34, 57
- $A|_{X_n}$, 123
- $\mathfrak{A}|_{X_n}$, 123
- A^{-*} , 115
- $A \& B$, xvi
-
- Abel approximation, 130, 295, 300
- Abel extension, 302, 314
- abstract boundary condition, 289
- abstract elliptic problem, 289
- abstract partial differential operator, 289
- admissibility
 - based on duality, 572–576
 - based on Lax–Phillips model, 610–613
- contraction semigroups, 602–610
- diagonal semigroups, 598–602
- Hilbert space case, 576–583
 - in Reg , 573, 576
 - in L^1 , 573, 576
 - infinite time, 569
 - normal semigroups, 598–602
- admissible
 - A -admissible, 189–190
 - control operator, 21, 570, 571
 - definition, 569–572
 - jointly, 21, 453, 571
 - observation operator, 21, 570, 572
 - observation/feedthrough operator, 570, 572
- output feedback operator, 17, 411, 412
- output injection pair, 423, 424
 - state feedback pair, 422, 423
- analytic group, 86
- analytic semigroups, 11, 150–164
- analytic system, 326, 366, 440
- annihilator, 540
- anti-causal, 15, 67, 332–337
- anti-causal dual, 15
- anti-Hankel operator, 67
- anti-Toeplitz operator, 67

- approximation
 - of identity, 128–130, 295–302
 - of observation operator, 300–302
 - of semigroup, 128–130
- available storage, 25, 687, 695
- B , xv, 196–213
- \mathfrak{B} , xv, 29, 31, 32, 34, 57, 74, 77, 195
 - \mathfrak{B}^\dagger , 337
 - \mathfrak{B}^d , 339
 - \mathfrak{B}_s , 335
 - \mathfrak{B}_s^t , 5, 29–31, 37–39, 42, 44, 65, 333, 335, 336
 - \mathfrak{B}^t , 5, 37–39, 41, 61, 65, 336
- $\mathcal{B}(U)$, xv
- $\mathcal{B}(U; Y)$, xv
- backward input map, 335
- backward input/output map, 335
- backward output function, 333
- backward output map, 335
- backward state trajectory, 333
- backward state transition map, 335
- backward wave operator, 75
- balanced, 20
 - bounded real, 25, 695
 - passive, 25, 689, 695
 - realization, 20, 530–537, 689
- BC , BC_ω , $BC_{\omega,\text{loc}}$, xvii, 60
- BC_0 , $BC_{0,\omega}$, $BC_{0,\omega,\text{loc}}$, xvii, 60
- BC_ω^n , $BC_{\omega,\text{loc}}^n$, $BC_{0,\omega}^n$, $BC_{0,\omega,\text{loc}}^n$, 90
- Beta function, xvii, 146, 297
- Bezout identity, 18
- bi-inner, 23, 624
- BMO, 606, 608
- BMOA, 606, 608
- boundary control node, 284–294
- boundary control system, 14, 46, 284–294
- boundary/distributed control
 - node, 293–294
 - system, 293–294
- bounded, 444
 - ℓ_r^p -bounded, 698
 - ω -bounded, 65, 69, 521, 523, 525, 527, 528, 570, 581, 611
 - jointly, 571, 581, 611
 - control operator, 12
 - group, 109
 - input, 444
 - input/output, 444, 463
 - input/state, 443
 - observation operator, 12
 - output, 444
- real balanced, 695
- semigroup, 109
- state/output, 444
- state/state, 443
- BUC , xviii
- BUC_ω , $BUC_{\omega,\text{loc}}$, 60
- BUC_ω^n , $BUC_{\omega,\text{loc}}^n$, 90
- C , xv, 213–219
 - C, C^n, C^∞ , xviii
 - $\mathbb{C}, \mathbb{C}^+, \mathbb{C}^-, \overline{\mathbb{C}}^+, \overline{\mathbb{C}}^-$, xiv
 - $C, xv, 710$
 - $\mathfrak{C}, xv, 30–32, 34, 57, 74, 77, 195$
 - $C|_{(X+BU)_1}$, 286, 288, 289, 294
 - \overline{C}^β , 303, 304, 310, 312
 - $\overline{C}_w^\beta, \overline{C}_s^\beta$, 302
 - \mathfrak{C}^\dagger , 337
 - C_α , 300, 301
 - $C^{\beta,h}$, 300–302
 - $C&D$, xv, xvi
 - \mathfrak{C}^d , 339
 - $\mathbb{C}_\omega^+, \mathbb{C}_\omega^-, \overline{\mathbb{C}}_\omega^+, \overline{\mathbb{C}}_\omega^-$, xiv
 - \mathfrak{C}_s , 5, 29–31, 37–39, 41, 65, 333, 336
 - \mathfrak{C}_s^t , 5, 37, 39, 42, 44, 335, 336
 - \mathfrak{C}^t , 335
 - \widetilde{C} , 303, 304, 310, 312
 - $\widetilde{C}|_W$, 276–284, 290
 - $\widetilde{C}_w, \widetilde{C}_s$, 302
 - Carleson measure, 22, 591–598
 - cascade connection, 417, 418
 - compatible, 437
 - stabilizable, 462
 - Cauchy formula, 142
 - Cauchy problem, 11, 12, 133–140
 - causal, 67
 - causal dual, 15
 - causality condition, 33, 39, 42, 73, 336
 - Cayley transform, xv, 26, 113, 707–719
 - $\overline{C&D}^\beta, \overline{C&D}_w^\beta, \widetilde{C&D}_s^\beta$, 314
 - $\widetilde{C&D}, \widetilde{C&D}_w, \widetilde{C&D}_s$, 314
 - central controller, 493
 - Cesàro approximation, 130, 295, 296, 300
 - Cesàro extension, 302, 330, 331
 - Cesàro mean, 331
 - chain scattering transformation, 16, 386–400, 402
 - characteristic function, xvii, 24, 654
 - closed range, 556
 - of Hankel operator, 505, 561
 - closed-loop generators, 425–436
 - closed loop observation/feedthrough operator, 425

- closed loop sensitivity, 407
- closed loop system, 17, 405
 - compatible, 433–435
 - dual, 436
- closed loop regular, 435–440
 - system node, 425
- co-energy preserving, 623, 628
- co-generator, 27, 714
- co-isometric dilation, 643
- co-isometric operator, 734
- co-lossless system, 636–643
- coercive, 554
- combined observation/feedthrough operator, 12, 228
- compatible closed-loop system, 433–435
- compatible extension, 303
- compatible flow-inverted system, 361–363
- compatible node, 285, 286
- compatible partial flow-inversion, 398–399
- compatible realization, 285
- compatible system, 13, 276–285, 295, 318, 329, 347, 364
- complementary sensitivity, 408
- complemented subspace, 180
- completely non-unitary, 23, 623, 627
- composition, 39, 42, 336
- compression, 24, 643, 655
- conservative extension, 655–660
- conservative system, 23, 628–636
- contraction group, 109
- contraction semigroup, 109, 602
- contractive
 - purely, 623
- control operator, 3, 12, 25, 196–213, 241, 697
 - L^1 -well-posed, 200
 - bounded, 12, 28, 46, 78, 80, 217, 224, 227, 325, 566
 - determined by feedthrough operator, 280
 - dual, 343
 - injective, 267
- controllability
 - approximate, 19
 - conditions, 538–546
 - exact, 521–530
 - gramian, 20, 21
 - of transformed system, 551–554
- controllable, 19, 506
- controllable mode, 546–549
- controller, 19
- coprime
 - detectability, 19
 - factorizations, 465–485
 - fractions, 465–485
 - left, 466
 - exponentially, 466
 - necessary condition, 469
 - right, 454, 455, 466
 - exponentially, 466
 - stabilizability, 19
- corona theorem, 503
- cross product, 52
 - compatible, 283
 - dual, 340
 - stabilizable, 462
- D , xv, 219–226
- $\mathbb{D}^+, \overline{\mathbb{D}}^+$, $\mathbb{D}^-, \overline{\mathbb{D}}^-$, xiv
- $\mathbb{D}_r^+, \overline{\mathbb{D}}_r^+$, $\mathbb{D}_r^-, \overline{\mathbb{D}}_r^-$, xiv
- \mathfrak{D} , xv, 30–32, 34, 57, 74, 77, 195
- $\widehat{\mathfrak{D}}$, xv
- \mathfrak{D}^\dagger , 337
- $\mathcal{D}(A)$, xvi
- \mathcal{D}^d , 339
- \mathfrak{D}_s , 5, 29, 31, 37–39, 41, 65, 333, 335, 336
- \mathfrak{D}_s^t , 5, 37, 39, 42, 44, 335, 336
- \mathfrak{D}^t , 5, 37, 39, 41, 335, 336
- $\mathcal{D}(A \& B)$, 210
- $\mathcal{D}(\tilde{C}_w)$, 318
- $\mathcal{D}(\tilde{C})$, $\mathcal{D}(\overline{C}^\beta)$, 304, 312
- Darlington synthesis, 660
- Datko's theorem, 192
- decompositions of systems, 266–273
- deficiency operator, 22, 621
- delay line, 46, 50, 66, 79, 82, 198, 216, 223, 226, 256, 277, 279, 282, 283, 325, 340, 436, 523
- denominator, 466
- detectability, 18, 453–465
 - left coprime, 478
 - meromorphic extensions, 461
 - necessary rank condition, 460
 - preserved under feedback, 458, 481
- detecting coprime, 473–485
- detecting exponentially, 482
- detecting left coprime, 478
- diagonal semigroup, 103, 118, 164, 191, 260, 261, 263, 590, 591, 598, 600
- diagonal system, 13, 260–265, 275, 598
- diagram
 - conventions, 38

- dilation, 24
- co-isometric, 643–655
- isometric, 643–655
- minimal, 644
- of a semigroup, 643
- of a system, 24, 655
- unitary, 643–655
- $\dim(X)$, xvi
- direct sum, 180
- discrete time, 55, 696–703
- dissipative operator, 109–113
- distribution output, 246
- doubly coprime factorization, 18
- dual, 15
 - generators, 343, 347
 - of L_ω^p , 119
 - of closed-loop system, 436
 - of flow-inverted system, 367–368
 - of partially flow-inverted system, 399–400
 - system, 337–349
- duality between observation and control, 554–565
- dynamic controller, 19
- dynamic stabilization, 19, 462, 494, 495, 497, 498
- e_ω , xvii
- eigenvalue, xvi, 93, 103
- eigenvector, xvi, 93, 103
- energy preserving extension, 655–660
- energy preserving system, 23, 628–636
- exactly controllable, 521–530
 - in finite time, 560
- exactly observable, 521–530
 - in finite time, 560
- exponential shift, 51
- exponential stability, 18
- extended system, 453
- extrapolation space, 10
- \mathbb{F}_t , 76–78
- factorization
 - doubly coprime, 466
 - joint, 467
 - of Hankel operator, 517–521
- feedback, 16
 - cancellation, 416, 417
 - compatible, 433–435
 - dynamic output, 419, 485
 - partial, 420, 421
- compatible, 438
- identity, 420, 421
- regular, 435–440
- state, 422, 423, 456
- static output, 403–418
 - cancellation, 410
 - repeated, 410
- feedthrough operator, 4, 12, 13, 25, 28, 205, 217, 219–226, 318, 697
- determined by control operator, 278, 280
- Fefferman’s theorem, 608
- final space, 734
- final time, 37, 335
 - $+\infty$, 37
 - $-\infty$, 335
- flow-inversion, 15, 16, 349–368, 551
 - compatible, 361–363
 - dual, 367–368
 - of system node, 354
 - partial, 552
 - regular, 363–367
- flow-invertible, 16, 352, 353, 358, 359, 361, 378, 701
 - dual, 367, 400
 - operator node, 355, 382
 - partially, 389, 395, 397
 - system node, 361
- forcing function, 11
- forward wave operator, 75
- fraction
 - coprime
 - left, 466
 - right, 466
- fractional order, 148
- fractional power, 140–149, 159, 191
- frequency domain, 1, 169–177
- functional calculus, 140–149
- Γ , xvii, 148
- γ_λ , xv, 51
- Gamma function, xvii, 148, 296
 - reflection formula, 148
- generator
 - bounded, 86, 87
 - closed, 88
 - closed-loop, 425–436
 - dual, 343
 - of analytic semigroup, 152, 155, 159
 - of bounded semigroup, 109
 - of C_0 group, 85
 - of C_0 semigroup, 85, 87–98, 106, 108
 - on a Hilbert space, 165, 166, 582

- of co-isometric semigroup, 632
- of contraction semigroup, 109, 111
- of diagonal semigroup, 103
- of dual semigroup, 117
- of isometric semigroup, 632
- of Lax–Phillips model, 257, 610
- of normal semigroup, 106
- of shift semigroup, 90, 91, 98, 101, 191
 - frequency domain description, 178
- of uniformly continuous group, 86
- of unitary semigroup, 632
- Gram operator, 534, 689
- gramian
 - controllability, 21, 526, 583–591
 - observability, 21, 526, 583–591
- group, 35
 - analytic, 86
 - C_0 , 35
 - locally bounded, 35
 - shift, 82
 - strongly continuous, 35
- growth bound, 9, 60–67, 82
- H^2 , 569
- H^∞ , 569, 576–583
- H^p , 576
- Hankel
 - operator, 19, 67, 70, 81, 510, 561, 565
 - closed range, 505, 561
 - factorization, 517–521
 - of inverse, 350
 - realization, 517–521
- Hautus rank conditions, 460, 543–545, 548, 549
- Heaviside function, xvii, 321
- Hille–Yosida theorem, 106–109
- hyperbolic, 80
 - partial differential equation, 78, 191
- identity feedback
 - negative, 409
 - positive, 409
- incoming subspace, 71
- induced input normalized system, 530
- induced output normalized system, 531
- initial space, 734
- initial state, 38, 65, 333
- initial time, 28, 37, 38, 204, 333, 335
 - $-\infty$, 65, 66, 237, 238
- inner, 23
- inner state space, 71
- input
 - complementary sensitivity, 408
 - function, 28, 38, 333
 - loop gain, 408
 - map, 8, 35, 37, 195, 196
 - backward, 333, 335
 - normalized, 20
 - return difference, 408
 - sensitivity, 408
 - space, 1, 35
- input/output map, 1, 8, 35, 37, 70
 - backward, 333, 335
 - regular, 317–329
- interaction operator, 453
- internal loop, 504
- interpolation space, 10, 148
- intertwined semigroups, 190
- invariant, 655
 - co-invariant, 655
- invariant subspace, 11, 180–190, 508
- inversion
 - flow, 349–368
 - partial flow, 386–400
 - time, 368–378
 - time-flow, 378–386
- isometric, 623
- dilation, 643
- operator, 734
- semigroup, 608
- isometry, 734
 - partial, 734
- j , xiv
- J_α , 128–130, 295, 296, 301
- $J^{\beta,h}$, 295–297, 301, 302
- J^h , 129, 130, 295
- jointly admissible, 21
- jointly stabilizable and detectable, 18
- Kalman–Yakubovich–Popov inequality, 695
- \mathcal{L} , xv, 709
- l^1 , 742
- L^2 , 76, 79, 80, 82, 273
- L^∞ -well-posed, 36, 37, 222, 223
- L^p , L^∞ , xviii
- L_ω^p , $L_{\omega,\text{loc}}^p$, L_0^p , $L_{0,\omega}^p$, $L_{0,\omega,\text{loc}}^p$, xviii, 60
- $\ell_{0,r}^p$, 698
- $L_{c,\text{loc}}^p$, 35
- $L_{\text{loc},c}^p$, 333
- ℓ_r^p , 698

- ℓ_r^p -bounded, 698
- L^p |Reg, xviii, 36
- L^p |Reg-well-posed, 9, 37
- L^p |Reg₀, 36
- L^p -well-posed, 34
- Laguerre
 - series, 707
 - shift, 712
 - transform, xv, 26, 707–719
- Laplace transform, 1, 11, 169–177, 231, 233, 577, 740, 742
- L^2 -version in Hilbert space, 578, 583
- bilateral, 170
- finite, 170
- left-sided, 170, 264, 266
- Lax–Phillips model, 66, 71–77, 81, 83, 257, 259
- dual, 342
- inverse, 380
- Lebesgue
 - extension, 331
 - point, 312, 315, 317, 331
- left invertible, 555
- linear fractional transform, 26, 703–707
- local degree, 544
- log, xvii
- loop break point, 407
- loop gain, 408
- lossless, 23, 677
 - system, 636–643
- Lyapunov equation
 - controllability, 21, 585
 - observability, 21, 584
 - residual, 584, 585
- main operator, 3, 13, 25, 241, 697
- matrix of an operator, 589
- McMillan degree, 544
- meromorphic, 544
- minimal dilation, 24
- minimal realization, 19, 505–512
- minimal system, 506
- minimal losses, 694
- modal controllability, 20, 546–549
- modal minimality, 547
- modal observability, 20, 546–549
- mode
 - controllable, 546
 - observable, 547
- $\mathcal{N}(A)$, xvi
- negative norm, 10
- nilpotent, 545
- node, 2, 34
- normal generator, 106
- normal operator, 105, 188
- normal semigroup, 106, 260, 265, 591, 601, 602
- normal system, 13, 265–266, 598
- normalized realization, 530–537
- null space
 - of adjoint, 555
- numerator, 466
- $\omega_{\mathfrak{A}}$, xvi, 61
- observability
 - approximate, 19
 - conditions, 538–546
 - exact, 521–530
 - gramian, 20, 21
 - of transformed system, 551–554
- observable, 19, 506
- observable mode, 546–549
- observable subspace of Lax–Phillips model, 660
- observation operator, 4, 12, 25, 213–219, 241, 697
 - L^∞ -well-posed, 214
 - Reg-well-posed, 214
 - bounded, 12, 28, 46, 78, 205, 222, 224, 227, 325
 - closable, 283
 - compatible extension, 277
 - dense range, 268
 - dual, 343
 - extended, 277, 302–313
- observation/feedthrough operator, 227–256, 274
- closed-loop, 425
 - extended, 313–317
- $\omega_{\mathfrak{A}}$, 65
- operator
 - closed, 114
 - densely defined, 115
 - dual, xvi, 114
 - sectorial, 150–164
- operator node, 13, 239
 - compatible extension, 279
 - extended, 279
- optimal
 - *-optimal system, 684
 - system, 684
- order of a pole, 544

- orthonormal basis, 101, 102, 124, 191, 261, 262, 589
- outgoing subspace, 71
- output
 - complementary sensitivity, 408
 - distribution, 246
 - feedback, 403–422, 552
 - feedback operator, 404, 411, 412
 - function, 28, 38, 66
 - backward, 333
 - injection, 17, 422–425, 552
 - loop gain, 408
 - map, 8, 35, 37, 195, 196
 - backward, 333, 335
 - normalized, 20
 - of system node, 246
 - sensitivity, 408
 - space, 1, 35
- π_+ , xv
- π_+ , xv, 35, 697
- π_- , xv
- π_- , xv, 35, 697
- π_J , xv
- π_J , xv, 30, 35, 60
- Paley–Wiener theorem, 578
- parabolic, 80, 150
- parabolic partial differential equation, 78, 191
- parabolic system, 326, 366, 440
- parallel connection, 13, 54, 55, 463
 - compatible, 284
 - dual, 340
- parbalanced realization, 533
- part of an operator in a subspace, 188
- partial differential equation
 - hyperbolic, 78, 191
 - parabolic, 78, 191
- partial flow-inversion, 386–400, 416
 - compatible, 398–399
 - dual, 399–400
 - regular, 399
- partial isometry, 734
- passive, 22
 - purely, 623, 624
 - realization, 677–691
 - system, 616–628
 - system node, 616–628
- pivot space, 126
- pole, 544
- positive norm, 10
- positive operator, 733
- Potapov–Ginzburg transformation, 16
- power stable, 702
- pre-annihilator, 540
- Pritchard–Salamon class, 79
- projection, 181
 - of X onto Z along Y , 181
- pseudo-similar, 19
- pseudo-similar realizations, 511–517
- purely contractive, 23, 623
- purely passive, 23, 627
 - part of input/output map, 627
- quotient map, 212, 507
- quotient semigroup, 509
- quotient space, 507
- $\mathbb{R}, \mathbb{R}^+, \overline{\mathbb{R}}^+, \mathbb{R}^-, \overline{\mathbb{R}}^-$, xiv
- $\mathcal{R}(A)$, xvi
- $\rho(A)$, xvi, 93, 94
- range
 - closed, 556
 - of adjoint, 555
- rank(A), xvi
- reachable
 - subspace, 506
 - of Lax–Phillips model, 660
- realization, 19, 68, 70, 71, 79, 199, 474, 505, 565, 566
 - *-restricted shift, 566
 - balanced, 530–537
 - balanced Hankel, 533
 - balanced passive, 689
 - bounded B and C , 566
 - compatible, 285
 - conservative, 670–677
 - dependent of, 331
 - exactly controllable, 528
 - exactly observable, 528, 530
 - Hankel, 517–521
 - independent of, 331
 - minimal, 81, 505–512, 527, 566
 - normalized, 530–537
 - parbalanced, 533
 - passive, 670–677
 - pseudo-similar, 511–517
 - restricted shift, 566
 - shift, 67–71, 505, 521
 - bilateral input, 69, 83, 199, 216, 285, 340
 - bilateral output, 69, 83, 200, 216, 340
 - exactly controllable, 69, 83, 199, 216, 285, 340, 505, 521, 529, 566

- realization (*cont.*)
 - exactly observable, 69, 70, 83, 199, 216, 340, 474, 505, 521, 530, 566
 - restricted exactly controllable, 531, 566
 - restricted exactly observable, 566
- similar, 528
- strongly stable, 474
- reciprocal transform, 27, 719–728
- reducing subspace, 11, 181
- reflection operator, 121
- reflexive, 50, 114, 117, 119, 200, 226, 563
- Reg , Reg_ω , $Reg_{\omega, loc}$, xviii, 60
- Reg_0 , $Reg_{0,\omega}$, $Reg_{0,\omega, loc}$, xviii, 60
- $Reg_{loc,c}$, 333
- Reg^n , xviii
- Reg_ω^n , $Reg_{\omega, loc}^n$, $Reg_{0,\omega}^n$, 90
- Reg-well-posed, 36, 80, 222, 223
- regular, 317–329
- regular closed-loop system, 435–440
- regular flow-inverted system, 363–367
- regular partial flow-inversion, 399
- regular system, 14
- regulated function, 9, 730
- required supply, 25, 687, 695
- residual cost operator, 584, 585
- resolvent, 93
 - identity, 94
 - of shift semigroup, 100
 - operator, 93, 100, 103
 - frequency domain description, 179
 - set, xvi, 93, 94
- return difference, 408
- Riemann–Lebesgue Lemma, 324
- Riesz
 - basis, 191, 275
 - projection, 186
- rigged Banach spaces, 11, 122–125, 191, 278
- right invertible, 555
- σ , xv, 697
- $\sigma(A)$, $\sigma_p(A)$, $\sigma_r(A)$, $\sigma_c(A)$, xvi, 93
- scattering, 74, 81, 83, 616–695
 - matrix, 76
 - operator, 76
- Schur decomposition, 748
- sector, 150–152, 155
- sectorial, 150–164
- semi-lossless system, 23, 636–643
- semigroup, 34, 35
 - C_0 , 35
 - analytic, 150–164
 - approximations, 128–133
 - backward, 333
- co-isometric, 623
- completely nonunitary, 623
- diagonal, 191
- dual, 113–122
- energy preserving, 623
- exponentially shifted, 93, 164
- generator, 3, 241
- locally bounded, 35, 64
- norm continuous, 85–87
- quotient, 509
- shift, 82
 - dual, 120
- similarity transformed, 93
- strongly continuous, 35
- time compressed, 93, 164
- unitary, 623
- sensitivity, 408
- complementary, 408
- shift, 30
 - bilateral, 47, 90, 98, 100, 120, 178, 179
 - circular, 48, 91, 98, 101, 120, 179, 180
 - dual, 120
 - finite, 48, 91, 98, 101, 120, 179, 180
 - frequency domain description, 177–180
 - incoming, 47, 90, 98, 101, 120, 178, 179
 - outgoing, 47, 91, 98, 101, 120, 179
- similarity, 340, 528
 - transformation, 51
 - unitary, 644
- simple function, 217
- simple system, 23, 627
- smooth
 - in space, 134, 137, 205, 206, 214
 - in time, 134, 137, 205, 207–209, 214, 220, 228, 229, 234, 236–238
- Sobolev space, 10
- solution, strong, 133, 134, 137, 139
 - on the whole line, 202, 204, 207, 450
- spectral minimality, 20, 549–551
- spectral projection, 11, 185–188
- spectral resolution, 105, 188
- spectrum, xvi, 93, 98–106
 - continuous, xvi, 93, 98, 103
 - of conservative system, 691–692
 - of Lax–Phillips model, 258
 - point, xvi, 93, 98, 103
 - residual, xvi, 93, 98
- spectrum determined growth, 11, 164–167, 192, 582
- stability, 17, 443–453
 - exponential, 18

- frequency domain conditions, 446, 448
 - preserved under feedback, 450
- stabilizability, 18, 453–465
 - meromorphic extensions, 461
 - necessary rank condition, 460
 - preserved under feedback, 458, 481
 - right coprime, 478
- stabilization
 - coprime, 473–485
 - dynamic, 485–501
 - dynamic output feedback, 485
 - exponential, 457, 478, 481, 482, 485
 - input, 457, 478, 485
 - input/output, 457, 478, 485
 - input/state, 457, 478, 485
 - output, 457, 478, 485
 - output feedback, 456
 - right coprime, 478
 - state/output, 457, 478, 485
 - state/state, 457, 478, 485
 - strong, 457, 478, 481, 482, 485
 - weak, 457, 478, 485
- stable, 21, 444
 - exponentially, 444, 450, 451, 463, 480
 - input, 444
 - input/output, 444
 - jointly, 571
 - output, 444
 - power stable, 702
 - strong input, 444
 - strong output, 444
- strongly, 18, 444, 450, 451, 463, 480
 - input/output, 444
 - input/state, 444
 - state/output, 444
 - state/state, 444
- strongly l_r^p -stable, 702
- weakly, 18, 444
 - weakly l_r^p -stable, 702
- state, 38, 66
- state feedback, 17, 422–425, 552
- state space, 1, 35
- state trajectory, 28, 204
 - backward, 333
 - of system node, 246
- state transition map, 37
 - backward, 335
- static, 13, 23, 67, 223
- step function, 730
- Stirling’s formula, 132
- strictly noncyclic, 561, 567
- strongly l_r^p -stable, 702
 - strongly stable, 18
- subspace
 - invariant, 11, 180–190
 - reachable, 506
 - reducing, 11, 181
 - unobservable, 506
- sum junction, 53, 267, 463
 - compatible, 284
 - dual, 340
- summability methods, 14
- symbolic calculus, 11
- system
 - $*$ -optimal, 684
 - analytic, 326
 - anti-causal, 332–337
 - backward, 371
 - compatible, 276–284
 - dual, 347
 - conservative, 23
 - diagonal, 13, 260–265
 - dual, 337–349
 - energy preserving, 23
 - exponentially shifted, 51, 66, 257, 283, 339, 524
 - flow-invertible, 16
 - minimal, 506
 - normal, 13, 265–266
 - optimal, 684
 - regular, 14, 317–329, 331
 - dual, 347
 - similarity transformed, 51, 66, 121, 164, 191, 257, 275, 283, 340, 524
 - stabilizability, 462
 - simple, 23, 627
 - static, 13
 - strongly regular, 331
 - time compressed, 51, 66, 257, 283, 339, 524
 - stabilizability, 462
 - time-flow-invertible, 380
 - time-invertible, 15, 371
 - uniformly regular, 331
 - weakly regular, 331
 - L^1 -well-posed, 321
 - system node, xii, 2, 12, 227–256
 - algebraic formulas, 254, 255
 - closed-loop, 425
 - dual, 343
 - flow-inverse, 354
 - time-inverse, 371
 - \mathbb{T} , xiv
 - $\tau_{[0,T)}^t$, 47, 48, 50, 61, 91, 98, 101, 120, 178, 179
 - \mathbb{T}_T , xiv

- \mathbb{T}_t , 76–78
- τ^t , xv, 47, 49, 61, 90, 98, 100, 120, 177, 178
- τ_{\perp}^t , 47, 49, 61, 90, 98, 101, 120, 177, 178
- τ_{\perp}^t , 47, 49, 61, 91, 98, 101, 120, 177, 179
- $\tau_{\mathbb{T}_T}^t$, 48, 90, 91, 98, 101, 120, 178, 179,
437
- T-junction, 54, 268, 463
 - compatible, 284
 - dual, 340
- TI*, *TIC*, xvi, 68
- TI_{ω}^p , TIC_{ω}^p , 68
- TI^{Reg} , TI_{ω}^{Reg} , TI_{loc}^{Reg} , 68
- TIC_{∞}^p , TIC_{loc}^p , 68
- TIC^{Reg} , TIC_{ω}^{Reg} , TIC_{∞}^{Reg} , 68
- time compression operator, xv, 51
 - dual, 121
 - inverse, 121
- time discretization, 55–59
- time domain, 1
- time-flow-inversion, 15, 378–386
- time-flow-invertible, 380, 382, 629, 702
 - dual, 385
 - operator node, 382
- time-invariance, 39, 42, 67, 336
- time-inversion, 15, 368–378, 552, 553
- time-invertible, 15, 371, 373–378, 701
 - dual, 373
- Toeplitz operator, 67
- totally bounded, 737, 738
- totally disconnected, 550
- trace operator, 289
- transfer function, 1, 4, 12, 76, 82, 227–238,
 - 241, 274, 331, 503, 566, 605, 740, 742
 - analytic, 227
 - bi-inner, 624
 - discrete time, 700
 - dual, 343
 - of compatible system, 279
- transform
 - Cayley, 707–719
 - Laguerre, 707–719
 - linear fractional, 703–707
 - reciprocal, 27, 719–728
- U , xvi
 - uniformly positive operator, 733
 - unitarily similar, 644
 - unitary, 623, 734
 - part of semigroup, 627
 - universal model, 24, 660–670
 - unobservable, 590
 - subspace, 506
 - of Lax–Phillips model, 660
- variation of constants formula, 31, 99, 100, 133, 195
- W_k , 278
- w-lim, xv
- $W^{n,p}$, xviii
- $W_{\omega}^{n,p}$, $W_{loc}^{n,p}$, $W_{0,\omega}^{n,p}$, $W_{c,loc}^{n,p}$, $W_{\omega,loc}^{n,p}$, 90
- weak*-dense, 114
- weakly l_r^p -stable, 702
- weakly stable, 18
- Weiss notation, 76–78, 84
- well-posed linear system, 9, 37, 38
- Wold decomposition, 609, 670, 693
- X, xvi
- X^* , 113
- $X + BU$, 211, 282, 284
- $(X + BU)_1$, 210, 211, 274, 280–282, 285
- X^{\odot} , 117, 118
- X_{α} , 147, 148
- X_n , xvi, 122–125
- X_n^* , xvi
- $\begin{bmatrix} X \\ U \end{bmatrix}$, xvii
- Y , xvi
- Yosida
 - approximation, 130, 226, 295, 296, 298, 300
 - extension, 302, 314, 330, 331
- Youla parametrization, 19, 485–502
- Young's inequality, 740
- \mathbb{Z} , \mathbb{Z}^+ , \mathbb{Z}^- , xiv
- Z-transform, 26, 699