

Index

- Achievable points, 10 (Fig. 0.3), 11 (Fig. 0.5),
 120 (Fig. 5.4)
 Adder, 184
 Admissible test source, 52
 Aho, A., 129, 380
 Algorithm,
 for computing dimension of BCH codes, 282
 (Prob. 9.4)
 definition of “practical”, 129
 See also Encoding algorithms; Decoding
 algorithms
 Algorithm X, 326 (Prob. 10.17)
 Almost everywhere (a.e.), 367
 Alphabet,
 channel input/output, 50
 source/destination, 75
 Anderson, J., 365
 Arimoto, S., 126, 131
 Asymptotic equipartition property, 124
- Backward test channel. *See* Test channel
 Bandwidth, 97, 110 (Note 2)
 Basis, for convolutional code, 322 (Prob. 10.1)
 Baumert, L.D., 162 (Prob. 7.20)
 BCH argument, 238
 BCH codes. *See* Code, BCH
 Berger, T., 132, 135, 363, 365
 Berlekamp, E.R., 234, 347, 354, 365
 Binary erasure channel. *See* Channel
 Binary symmetric channel. *See* Channel
 Binary symmetric source. *See* Source
 Binary tree, 314 (Fig. 10.19), 346 (Note 4)
 Binomial coefficients, 13 (Note 4)
 Bit, definition, 1, 17
 Bit error probability, for convolutional code,
 estimated, 312
 Bit signal-to-noise ratio, 121 (Prob. 5.3), 360
 Blahut, R., 126, 134
 Bose, R.C., 233, 354
 Bounds for codes,
 Abramson, 202
 Gilbert–Varsharmov, 162 (Prob. 7.21), 350,
 351 (Fig. 12.1)
 Hamming, 163 (Prob. 7.22), 202
 Linear programming, 349–350
 Plotkin, 163 (Probs. 7.24, 7.25), 325 (Prob.
 10.16)
 Reiger, 203
 Broadcast channel. *See* Channel
 de Bruijn graphs, 230 (Fig. 10.5), 306 (Fig.
 10.13), 329 (Note 7)
 BSC: binary symmetric channel. *See* Channel
 BSS: binary symmetric source. *See* Source
 Buffer overflow problems, in sequential
 decoding, 358
 Burst-error correction, 199 ff.
 Bursts of errors,
 behavior of sequential decoding algorithms in
 presence of, 328 (Prob. 10.32)
 interleaved linear codes for correcting, 164
 (Prob. 7.32)
 Reed–Solomon codes for correcting,
 263–264
- Capacity,
 computation of, 126
 discussion of significance, 58–59
 of binary symmetric channel, 11
 of discrete memoryless channel, 54, 73
 (Note 4)
 of symmetric DMC, 57 (Thm 2.3)
 Capacity-cost function,
 continuity of at $\beta = \beta_{\min}$, 69 (Prob. 2.5)
 convexity of, 52
 for DMC, 51 ff.
 for Gaussian channel, 95
 general definition, 113
 other mathematical properties, 54
 significance discussed, 52

- Capacity region for multi-terminal channels, 126–127
- Cascade of BSC's, 30, 46 (Prob. 1.18)
- Catastrophic error propagation, 326 (Probs. 10.18–10.19)
- Channel,
 additive ergodic, 124
 binary erasure, 22, 24, 68 (Prob. 2.1), 67 (Prob. 2.20), 73 (Prob. 2.26), 328 (Prob. 10.32)
 binary symmetric, 1, 13 (Note 2), 21, 50
 broadcast, 126
 discrete memoryless, 21, 50
 Gaussian,
 bandlimited, capacity of, 97
 defined, 95
 generalized, 125
 performance of linear codes on, 162
 wideband, 97, 120 (Prob. 5.3), 361–362
 inner, in concatenated systems, 265
 Markov, 70 (Prob. 2.10), 126
 multiaccess, 125
 multiterminal, 125–126
 outer, in concatenated systems, 129, 265
 q -ary erasure, 159 (Prob. 7.11)
 q -ary symmetric, 144
 r -ary symmetric, 58
 strongly symmetric, 68 (Prob. 2.3)
 symmetric, 57
 weakly symmetric, 68 (Prob. 2.2)
- Channel code. *See* Code, channel
- Channel coding theorems. *See* coding theorems
- Characteristic of field, 376
- Code,
 Abramson, 204
 β -admissible, 60
 BCH (Chapter 9 is devoted to BCH codes
 decoding algorithm for, 237 ff.; history of, 354–355
 defined, 232–233
 generalized, 283 (Prob. 9.11)
 generator polynomial for, 235
 parity-check matrix for, 232
 possible use on Gaussian channel, 361–362
 block (all codes in Chapters 7–9 are block codes), 165 (Note 2)
 compared to convolutional codes, 359–360
 concatenated with convolutional codes, 362
 run backwards as source codes, 364–365
 channel, general definition for DMC, 60
 coin-flipping, 4, 12 (Prob. 0.5)
 concatenated, 129, 264–266, 362
 convolutional (Chapter 10 is devoted to convolutional codes)
 advanced algebraic properties of, 322 (Prob. 10.1)
 catastrophic error propagation of, 326 (Probs. 10.18, 10.19)
 compared to block codes, 359–362
 concatenated with block codes, 362
 free distance of, 312
 performance analysis of, 307
 polynomial matrix approach, 293
 scalar matrix approach, 294
 sequential decoding of, 313
 shift-register approach, 297
 special kind of block code, 296
 state-diagram approach, 300
 time varying, 358
 as tree codes, 358
 Vitervi decoding of, 309 (Fig. 10.11)
 cyclic (Chapter 8 is devoted to cyclic codes) 352–354
 basic theorem about, 174 (Thm 8.3)
 E -correcting, F -detecting, 151, 161 (Prob. 7.16)
 Fire, 209 ff.
 Golay,
 binary (23, 12), 277–281, 290 (Probs. 9.56, 9.58), 348
 ternary (11, 6), 290–291 (Probs. 9.64–9.67), 348
 group, 166 (Note 10)
 Hamming:
 basic (7, 4), 4–8, 12 (Probs. 0.6, 0.7, 0.8, 0.9), 141, 148, 158, 161 (Prob. 7.17), 364
 cyclic, 195 ff.
 general definition, 148 ff.
 extended, 161 (Prob. 7.17), 164 (Prob. 7.30)
 expurgated, 161 (Prob. 7.17)
 nonbinary, 161 (Prob. 7.19), 348
 weight enumerator of, 163 (Prob. 7.24)
 IBM, 213
 interleaved, 164 (Prob. 7.32), 207 ff.
 Justesen, 286–287 (Probs. 9.34–9.39)
 Kerdock, 354
 linear (Chapter 7 is devoted to linear codes)
 channel coding theorem can be proved for, 129
 convolutional codes as generalization of, 293
 defined, 140
 generator or parity-check matrix, 143 (Thm 7.1)
 source coding theorem can be proved for, 135
 Nadler, 350
 nearly perfect, 348
 nonlinear, 353 ff.
 perfect, 93 (Prob. 3.13), 149, 347 ff.
 prefix, 332

- preparata, 354
- quadratic residue, 353, 362
- Reed–Muller, 164 (Prob. 7.30), 353
- Reed–Solomon (Chapter 9 is devoted to RS codes)
- repetition, 2, 3, 11, 12 (Prob. 0.2), 161 (Prob. 7.18)
- single-error correcting, 148
- single-error correcting, double-error correcting, 152 (Ex. 7.4)
- source, general definition of, 84
- source, noiseless, 132, 330 ff.
- systematic, 142
- tree, 135, 358
 - See also* Codes, convolutional
 - uniformly packed, 348
 - variable length (Chapter 11 is devoted to variable-length codes)
 - average length of, 334
 - defined, 331
 - Huffman algorithm for constructing, 336 ff.
 - matched to a DMS, 334
 - optimality defined, 337
- Coding theorems,
 - channel,
 - for BSC, 8–11
 - converses to, 115, 130
 - for general DMC, 62 (Thm 2.4), 74 (Note 10)
 - R_0 , for DMC, 72–73 (Probs. 2.21–2.26)
 - general, 113, 123
 - for Gaussian channel, 99 (Thm 4.2)
 - R_0 , for Gaussian channel, 106–107 (Probs. 4.3–4.9)
 - practical, 129
 - source,
 - converse to, 135–136
 - for DMS, 86 (Thm 3.4)
 - for Gaussian source, 104 (Thm 4.5)
 - general statement, 114
 - for multiple users, 132–136
 - source–channel, 115 (Thm 5.1)
- Coin-flipping code. *See* Code, coin-flipping
- Complete path enumerator, 309
- Compression ratio, 85
- Computational cutoff rate, 358
- Concatenation of strings, 331
 - See also* Code, concatenated
- Concave function, 371 n.
- Conjugation in a finite field, 376
- Constraint length, of a convolutional code, 294, 299, 329 (Note 4)
- Converses to coding theorems. *See* Coding theorems
- Convex function, 371
- Convex set, 370
- Convolutional code. *See* Code, convolutional
- Convolution of two sequences, 329 (Note 1)
- Coset leader, 145
- Coset of a linear code, 144
- Cost, average, of a general communication system, 115
- Cost function, for DMC, 50
- Covariance, not a good measure of independence, 28, 45 (Prob. 1.10)
- Critical rate (R_{crit}), 127
- Crossover probability, 13 (Note 3)
- Cyclic code. *See* Code, cyclic
- Data compression theory, 84
- Data processing theorem, 34
- Davisson, L., 365
- DB, definition of, 107 (Prob. 4.15)
- Decoder. *See* Decoding algorithms
- Decoding algorithms,
 - Ad hoc, used for proving channel coding theorem, 63
 - for binary BCH codes, 251 (Fig. 9.1), 252 (Fig. 9.2), 274 (Fig. 9.9)
 - burst-trapping, 215 ff.
 - error-trapping, 160 (Prob. 7.14), 215
 - fast Fourier transform decoding of first-order Reed–Muller code, 356
 - general definition, for DMC, 60
 - generalized, for proving source–channel coding theorem, 118 (Fig. 5.3)
 - geometric, 146
 - for Hamming codes, 7, 149 (Fig. 7.4)
 - incomplete, 365
 - majority-vote, 2, 355
 - maximum likelihood, 70 (Prob. 2.13), 153, 306
 - minimum error probability, 70 (Prob. 2.13)
 - using multipliers, 160 (Prob. 7.14), 166 (Note 12)
 - for Reed–Solomon codes, 261 (Fig. 9.4), 262 (Fig. 9.5), 274 (Fig. 9.9)
 - repetition, 4
 - sequential decoding, 313 ff., 358–359
 - Fano, 319–320, 328 (Probs. 10.25–10.32)
 - Stack, 317–318, 327 (Prob. 10.23)
 - syndrome, 145 (Fig. 7.1), 149 (Fig. 7.4), 150 (Fig. 7.5)
 - threshold decoding, 355
 - Viterbi,
 - for BSC, 304 (Fig. 10.11)
 - on Gaussian channel, 324 (Prob. 10.7)
 - on general DMC, 305–307
- Delay element, 184
- Delsarte, P., 349, 353, 355
- Delsarte–MacWilliams inequalities, 349
- δ_{max} , for DMS, 74
- δ_{min} , for DMS, 77

- Dependence between random variables
 - measured by mutual information, 28
- Density of random variable, 368
- Derivatives, formal, 240, 284 (Prob. 9.18)
- Deus ex machina*, 90
- Dimension of BCH code, algorithm for
 - computing, 282 (Prob. 9.4)
- Dimension of linear code, 140
- Discrete memoryless channel. *See* Channel
- Distance distribution of code, 349
- Distortion, average, of a general communication system, 115
- Distortion measure (for distortion function)
 - for DMS, 75
 - generalized, 115
 - Hamming, 82, 345 (Note 2)
 - squared-error, for Gaussian source, 99
- Distribution function, 367
- Division circuit, shift register, 187 (Fig. 8.3)
- DMC. *See* Channel, discrete memoryless d_{\min} , 147
- DMS. *See* Source, discrete memoryless
- Dual basis, for convolutional code, 322 (Prob. 10.1)
- Dual code,
 - of convolutional code, 322 (Prob. 10.1)
 - of linear code, 142

- E_b/N_0 . *See* Bit signal-to-noise ratio
- Empty string, 331
- Encoding algorithms,
 - Ad hoc, proving source-channel coding theorem, 117 (Fig. 5.2)
 - for convolutional codes, 299 (Figs. 10.3, 10.4)
 - for Golay code, 281
 - for Hamming (7, 4) code, 4–5
 - for linear codes, 141
 - majority-vote, 4
 - for Reed–Solomon codes, 258
 - repetition, 2
 - shift-register, for cyclic codes, 181 ff.
 - systematic, for cyclic codes, 186 ff.
- Entropy,
 - absolute, 41
 - conditional, 20
 - convexity of, 32
 - differential, 39 ff., 374
 - of discrete random variables, 17, 374
 - of discrete random vectors, 33
 - of ergodic process, 124
 - f -entropy, 45 (Prob. 1.7)
 - of Gaussian random variables, 41–42 (Ex. 1.13)
 - joint, 28
 - of Markov chain, 46–47 (Prob. 1.20)
 - of probability vector, 18
- Entropy function,
 - binary, 10, 12 (Prob. 0.10)
 - general, 17–18 (Ex. 1.12)
- Erasur channel. *See* Channel
- Erasure probability in sequential coding, 359
- Erasure symbol, 22, 60, 125, 151
- Ergodic noise, 124
- Error, in decoding convolutional codes, 310–312
- Error burst, 164 (Prob. 7.32), 199
- Error evaluator polynomial, 243
- Error event, 310
- Error locations, 250
- Error locator polynomial, 243
- Error pattern, 5, 143, 151
- Error probability,
 - bit, for (7, 4) Hamming code, 8
 - block, for Hamming code, 7
 - for coin-flipping codes, 4, 12 (Prob. 0.5)
 - for repetition codes, 3, 12 (Prob. 0.7)
- Error trapping, 160 (Prob. 7.14), 215
- Error, values, 260
- Euclid's algorithm for polynomials, 244 ff., 355
- Euler's ϕ -function, 376
- Expectation of random variable, 367
- Expurgation, 161 (Prob. 7.17), 166 (Note 13)
- Extended source, 336

- Factored coders and decoders, comment on, 122 (Note 4)
- Factoring $x^n - 1$ over F_q , 182 (Table 8.1), 378
- Fano algorithm, 320 (Fig. 10.22)
- Fano metric, 317, 327 (Prob. 10.21)
- Fano's inequality, 26, 45–46 (Probs. 1.11, 1.12)
- Fast Fourier transform, 356
- Feedback
 - binary erasure channel equipped with, 71 (Prob. 2.20)
 - Shannon's theorem about, 74 (Note 15), 125
- Finite fields, 375 ff.
- First error probability, 311
- Flip-flop, 184
- Forney, G.D., 129, 329 (Note 4), 357
- Forward test channels,
 - for computing $R(\delta)$ for Gaussian source, 108 (Prob. 4.18)
- Free distance of convolutional codes,
 - algorithm for determining, 325 (Prob. 10.17)
 - defined, 312
 - papers listing codes with large, 357
 - Plotkin bound for, 325 (Prob. 10.16)
- Full UD code, 342 (Prob. 11.2)

- Gallagher, R.G., 125, 126, 129, 135
- Galois field, 231, 375 ff.
- Gaussian channel. *See* Channel
- Gaussian process, 125

- Gaussian random variables,
 entropy of, 41 (Ex. 1.13)
 maximal entropy property, 42 (Thm 1.11), 48
 (Prob. 1.34)
 minimal entropy property, 47 (Prob. 1.30)
- Gaussian source. *See* Source
- Generating function for codeword components,
 170
- Generator matrix,
 for convolutional code, 293
 for linear code, 140
- Generator polynomial,
 for BCH codes, 235
 computation of, 282 (Prob. 9.4)
 for general cyclic code, 173
 for Reed–Solomon code, 254
- Gilbert–Varsharmov bound, 162 (Prob. 7.21),
 350
- Golay codes. *See* Code, Golay
- Goppa codes, 355
- Gorenstein, D.C., 354
- Graph, definition of, 380
- Hadamard matrix, 353
- Hagelbarger, D.W., 13 (Note 5)
- Hamming bound, 163 (Prob. 7.22), 202
 (Thm 8.9)
- Hamming code. *See* Code, Hamming
- Hamming distance, 70 (Prob. 2.13), 71 (Prob.
 2.17), 106 (Prob. 4.6), 146, 159 (Prob. 7.4)
- Hamming weight, 145
- Hard decisions, 22, 107 (Prob. 4.15)
See also Quantization
- Heller, J., 362
- Helios* spacecraft, 362
- Hirasawa, S., 362
- Hocquenghem, A., 233, 354
- Hopcroft, J., 129
- Huffman's algorithm, for constructing optimal
 UD codes, 336 ff.
- Indecipherable string, 342 (Prob. 11.2)
- Independence of random variables, definition,
 368
- Information, mathematical definition, 18
- Information, mutual. *See* Mutual information
- Information set, 160 (Prob. 7.13)
- Information source. *See* Source
- Input alphabet. *See* Alphabet
- Interleaving of codes,
 for burst-error protection, 164 (Prob. 7.32),
 207 (Ex. 8.18), 207
 of polynomials' coefficients in convolutional
 codes, 294
- Invariant factors of convolutional code, 323
 (Prob. 10.1)
- Inverse of generator matrix for convolutional
 codes, 323 (Prob. 10.1)
- Irreducible polynomial, 182 (Table 8.1), 353,
 375
- Jacobs, I., 362
- Jensen's inequality, 372–374
- Johannesson, R., 357
- Johnson noise, 96
- Justesen codes. *See* Code, Justesen
- Kasahara, M., 355
- KBSC, 13 (Note 2)
- Key equation, for decoding BCH/RS codes, 239
 (Thm 9.4)
- Kraft–McMillan inequality, 332
- Kraft's theorem, on constructing prefix codes,
 333 (Thm 11.2)
- Larsen, K., 357
- Law of large numbers, 3, 66, 90, 369
- Lee metric, 93 (Prob. 3.13)
- Length of linear code, 140
- Lexicographic ordering, 343 (Probs. 11.6, 11.7)
- Linear code. *See* Code, linear
- Linear programming bound, 349–350
- van Lint, J.H., 353
- McEliece, R.J., 128, 350, 353
- McMillan, B., 124, 332
- McMillan's theorem on UD codes, 332
- MacWilliams identities, 155 (Thm 7.6)
 nonbinary, 163 (Prob. 7.27)
 nonlinear, 163 (Prob. 7.28), 349
- Mariner* spacecraft, 357, 362
- Markov chain,
 defined, 29
 entropy of discrete, 46 (Prob. 1.20)
 as noise in discrete channel, 70 (Note 2.10)
 proof of Theorem 1.4 in special cases, 48
 (Probs. 1.37–1.39)
 variable-length codes for, 344 (Prob. 11.11)
- Massey, J., 129, 287 (Prob. 9.37), 329 (Note
 4.10), 356, 358
- Max, J., 363
- Maximum likelihood decoding, 70 (Prob. 2.13)
- Meggitt's lemma, 217 (Thm 8.15)
- Memory of convolutional codes, 293, 299
- Memoryless assumption
 for DMC, 36
 for generalized channel, 43–44
- Meretricious example, 330
- Metric,
 in Fano's algorithm, 317
 in Viterbi's algorithm, 304, 306
- Minimal polynomials, 235, 377
- Minimum distance of code, 147

- Minimum error probability decoding, 70 (Probs. 2.13, 2.14)
- Minimum weight of linear code, 147
- Möbius function, 375
- mod $g(x)$ circuit, 187 (Fig. 8.3)
- Muller, D.E., 164 (Prob. 7.30), 353, 355
- Multiaccess channel. *See* Channel
- Multiplier (in digital circuitry), 184
- Multipliers, decoding with, 160 (Prob. 7.14), 166 (Note 18)
- Multiterminal channels, 125–126
- Mutual information,
 conditional, 46 (Prob. 1.19), 49 (Note 9)
 convexity of, 31–32
 definition,
 for discrete random variables, 27
 for discrete random vectors, 33
 for nondiscrete random variables and
 vectors, 37 ff.
 integral formulas, 39, 49 (Note 1)
- Nadler, M., 350
- Namekawa, T., 355
- NASA (National Aeronautics and Space
 Administration, 110 (Note 1), 357, 362
- Nat, defined, 17
- (n, k) code. *See* Code
- Noiseless coding, 132
- See also* Chapter 11
- Odenwalder, J., 362
- Omura, J., 128, 130, 134, 135, 329 (Note 4), 358
- Outer channel, 129–130
- Output alphabet. *See* Alphabet
- Padé approximants, 284 (Prob. 9.21)
- Paradigm for source–channel coding theorem,
 112 (Fig. 5.11)
- Parallel Gaussian channels, 108 (Prob. 4.17)
- Parallel Gaussian sources, 110 (Prob. 4.26)
- Parity-checks,
 defined, 142
 for basic Hamming (7, 4) code, 4–5
 name explained, 165 (Note 6)
- Parity-check matrix,
 for BCH code, 232 (Thm 9.1)
 for linear code, 142
- Parity-check polynomial for cyclic codes, 175
- Path enumeration, 307 ff., 380 ff.
- Path weight enumerator, 308
- Perfect codes. *See* Code, perfect
- Peterson, W.W., 354
- Pile, R. J., 135
- Pinkser, M.W., 44, 49 (Notes 7, 9)
- Pinkston, J., 92 (Probs. 3.8, 3.9), 94 (Note 6)
- Pioneer* spacecraft, 362
- Plotkin bound, 163 (Prob. 7.24), 325 (Prob. 10.16)
- Posner, E.C., 121 (Prob. 5.7)
- Prefix, 331
- See also* Code, prefix
- Primitive polynomial, 197–198, 377
- Primitive root, 376
- Probability space, 366
- Probability vector, 17–18
- Product of DMC's, 69 (Prob. 2.9)
- Quantization,
 effects on capacity of Gaussian channel,
 107–108 (Prob. 4.10)
 of a random variable, 37–38
 as technique for source coding, 363–364
- R_0 coding theorem,
 for DMC's, 72–73 (Probs. 2.21–2.26), 128
 (Fig. 6.4)
 for Gaussian channel, 106–107 (Probs. 4.3–
 4.9)
- $R_0 = R_{\text{comp}}$, 358
- R_{comp} , 358
- R_{crit} , 127
- Random coding,
 used in channel coding theorem, 64
 used in source coding theorem, 87
- Random variable, defined, 366
- Random vector, defined, 366
- Rate,
 of convolutional code, 294, 297, 299
 of general channel code, 59
 of general communication systems, 115
 of linear code, 140
 of source code, 84
- Rate-distortion function
 of arbitrary DMS relative to Hamming
 distortion, 94 (Note 6)
 continuity of at $\delta = \delta_{\text{min}}$, 91 (Prob. 3.4)
 definition, for DMS, 76–77
 definition, general, 114
 efficient computation of, 134
 of Gaussian sources, 100, 134
 general description, 79–80
 minimum value, 80, 92 (Prob. 3.7)
 Shannon lower bound on, 92 (Probs.
 3.10–3.11), 109 (Probs. 4.23–4.24)
 of symmetric DMS, 83 (Thm 3.3)
- Raw bit error probability, 2
- Ray-Chaudhuri, D.K., 233, n., 354
- Reduced channel for computing C_{min} , 55
- Reduction of source, 340
- Redundant bits. *See* Parity-checks
- Reed, I.S., 354–356
- Reed–Muller code. *See* Code, Reed–Muller

- Reed–Solomon code. *See* Code, Reed–Solomon
- Reliability exponent, 127
- Repetition code. *See* Code, repetition
- Rodemich, E.R., 350
- RRE (Row Reduced Echelon) matrix, 141, 165 (Note 5)
- Rumsey, H.C., Jr., 107 (Prob. 4.13), 350
- Sample space, 366
- Schalkwijk, J.P.M., 359
- Schwartz's inequality, 105, 111 (Note 3)
- Sequential decoding. *See* Decoding algorithms
- Shannon, Claude Elwood, 1, 13 (Note 1), 60, 74 (Notes 14, 15), 77, 86, 92–93 (Probs. 3.10–3.12), 93 (Note 2), 97, 109 (Probs. 4.23–4.24), 123, 125, 165 (Note 1)
- Shannon lower bound on $R(\delta)$, 92 (Probs. 3.10–3.11), 109 (Probs. 4.23–4.24)
- Shannon's theorems. *See* Coding theorems
- Shift register circuits, 181 ff.
for polynomial multiplication, 184 (Fig. 8.1)
for linear recursion, 193 (Fig. 8.6)
mod $g(x)$, 187 (Fig. 8.3)
- Shortening a linear code, 164 (Prob. 7.31)
- Shortest path problem, relevance to decoding convolutional codes, 303
- Signal-to-noise ratio, bit, 120 (Prob. 5.3), 361
- Slepian–Wolf theorem, 132–133
- Sloane, N.J.A., 349, 353, 356
- Source,
binary symmetric, 1
discrete memoryless, 75
extended, 356
Gaussian, 99 ff., 134, 363–364
General stationary, 114
symmetric, 82–83
See also Rate-distortion function
- Solmon, G., 166 (Note 12), 354
- Source code. *See* Code
- Source-channel coding theorem, discussion of, 119–120
statement of, 115 (Thm 5.1)
- Source coding theorems. *See* Coding Theorems
- Speech compression, 365
- Squared-error distortion criterion. *See* Distortion measure
- Squarewave, 22
- Stack algorithm, 317–318
- Standard array for linear codes, 145
- Stochastic matrix, 46 (Prob. 1.20), 47, 73 (Note 1)
- String, 331
- Strong converse to coding theorem for DMC's, 130
- Substring, 331
- Suffix, 331
- Sugiyama, Y., 355
- Sun of DMC's, 69 (Prob. 2.8)
- Superchannel, 129
- Survivors, in Viterbi's algorithm, 304
- Syndrome, 5, 13 (Note 5), 144
- Syndrome decoding. *See* Decoding algorithms
- Systematic property of linear codes, 142
- Test channel,
backwards,
for computing $R(\delta)$ for a Gaussian source, 103 (Fig. 4.3)
for discrete memoryless source, 76–77
forward,
for computing $R(\delta)$ for a Gaussian source, 108 (Prob. 4.18)
general definition, 114
- Test source, for DMC, 52
general definition, 113
- Thermal noise. *See* Johnson noise
- Thought experiment, motivating channel coding theorem, 59
- Threshold decoding. *See* Decoding algorithms
- Thresholds for quantization, 363
- Tick, 184
- van Tilborg, H.C.A., 348
- Transfer function, 329 (Note 8)
- Transition probability, 13 (Note 3), 21
- Transmission between vertices in graph, 381
- Transmission gain, 329 (Note 8)
- Transpose operator, 165 (Note 7)
- Tree codes. *See* Code, tree
- Tree diagram for convolutional codes, 313 ff.
- Trees, s -ary, 346 (Note 4)
- Trellis diagram for convolutional codes, 301 ff.
- Truncation of convolutional codes, 296 ff.
- Twenty questions, 345 (Prob. 11.22)
- Two dB loss due to binary output quantization on Gaussian channel, 107 (Prob. 4.18)
- Ullman, J., 129
- Uncertainty. *See* Entropy
- Unique decodability, 330, 342 (Prob. 11.1)
- Van de Meeberg, 163 (Prob. 7.26)
- Vanderhorst, J., 365
- Vandermonde determinant, 233, 282 (Prob. 9.3)
- Variable length code, 315 ff.
See also Chapter 11
- Varsharmov. *See* Gilbert–Varsharmov bound
- Venn diagram, for remembering basic facts about entropy and mutual information, 28 (Fig. 1.5)
- Vinck, A.J., 359
- Viterbi, A., 128, 134, 135, 329 (Note 4), 358
- Viterbi decoding. *See* Decoding algorithms

Index

397

- Weak converse to coding theorem for DMC's, 130
- Weight enumerator, 153 ff.
- Weight of error pattern, 6
See also Hamming weight; minimum weight of linear code
- Welch, L.R., 350
- Wideband Gaussian channel. *See* Channel
- Wolfowitz, J., 125
- Worst-case distortion, 117
- Wu, W., 359
- Wyner, A., 126
- Wyner–Ziv, theorem of, 133–134
- Zero error capacity, 71 (Prob. 2.19), 74 (Note 14)
- Zierler, N.J., 354