

Index

Some standard logic symbols

\wedge , 59
 \vee , 59
 \neg , 59
 \therefore , 63, 73, 101
 $*$, 63, 149
 $\&$, 70
 \sim , 70
 \supset , 70, 127–128
 \rightarrow , 70, 135
 $\lceil \dots \rceil$, 86
 \downarrow , 98
 \uparrow , 99
 \downarrow , 99
 \models , 118
 \equiv , 132
 \perp , 144
 \vdash , 190
 \forall , 200, 204
 \exists , 200, 204
 $\langle \dots \rangle$, 257–258
 $=$, 304, 309
 \neq , 311
 $\exists!$, 313
 \diamond , 320
 ι , 345

Some other symbols special to this book

\Rightarrow , 75
 \oplus , 95
 \mapsto , 220
 \Rightarrow_q , 257

\forall -instantiation rule, 230, 279–282
 a priori vs. a posteriori, 104

alphabet
 of PL, 63
 of PLC, 133
 of QL, 245
 of QL⁼, 309
 analytic vs. synthetic, 105
 antecedent, 126
 argument, 1
 by cases, 129
 deductive, 4
 inductive, 4
 multi-step, 37, 47–49
 reductio, 39–40
 schema, 6
 sound, 14
 valid, 13–14
 Aristotle, 28, 32–33, 58, 101, 216
 atomic wff
 of PL, 60, 63–64
 of PLC, 133
 of QL, 202, 245
 of QL⁼, 309

 ‘bad line’, 111
 Basic Result
 for PL trees, 160, 179–182
 for PLC trees, 171
 for QL trees, 286
 for QL⁼ trees, 337
 Beall, J., 350
 Bergmann, M., 350
 biconditional, 131
 material, 132
 Boolos, G., 190, 348, 349
 Bostock, D., 350

- Carroll, L., 8, 34, 36, 37
 Chellas, B., 350
 Chiswell, I., 350
 classical propositional logic, 124
 classical validity, *see* validity
 closed
 path, 158
 tree, 160, 330
 wff, 248
 completeness, 182, 191, 280, 287–291
 conclusion, 2, 7, 15
 conditional
 counterfactual, 138
 ‘Dutchman’, 142–143
 material, 128
 Philonian, 128
 possible-world, 137
 subjunctive, 138
 truth-functional, 126–128
 conjunction, 55
 basic, 95–96
 connective, 55, 203, 207
 binary, 64
 main, 67
 truth-functional, 88–90
 consequent, 126
 consistency
 logical, 10
 syntactic, 183, 288
 constant, 202, 245, 251
 construction tree, 66–67, 77, 246
 contingent truth, 104
 contradiction, 40, 101–102
 counterexample, 31, 118
 technique, 31–32
 countermodel, 263, 267–269

 De Morgan’s Laws, 100
 deductive argument, 4
 one-step, 13–14
 multi-step, 47–49
 valid, 4
 definite description, 316
 Russell’s Theory, 317, 331–335, 343,
 345–346
 scope, 319–320
 designator, 306, 316
 disjunction
 exclusive vs. inclusive, 56, 95
 disjunctive normal form, 97–8
 disjunctive syllogism, 149
 domain of discourse, 205, 251
 empty, 251, 280
 Dudman, V., 348
 Dummett, M., 349

 \exists -instantiation rule, 236
 elimination rule, 188
 entailment
 logical, 4
 tautological, 108
 see q-entailment
 enthymeme, 39
 equivalence
 class, 305
 relation, 304
 truth-functional, 94, 120, 134–135
 see q-equivalence
 excluded middle, 101
 existence statements, 322–324
 existential import, 214
 existential quantifier, 204
 expressive adequacy, 97
 extension of predicate, 252, 296
 vs. meaning, 297
 extensional context, 298
 extremal clause, 64

 fallacy
 affirming the consequent, 130
 denying the antecedent, 130
 of irrelevance, 46
 quantifier-shift, 33
 falsum, 144
 first-order vs. second-order, 311, 350
 Forbes, G., 348, 349
 form
 of inference, 6, 19–27
 logical, 25–27, 103–104, 215–217,
 318–319, 321
 and validity, 26, 117, 266, 295
 formal language, 58
 free logic, 323, 344–345
 free variable, 244, 248, 254
 Frege, G., 58, 297, 300, 349
 function, 89, 339–346
 argument, 339
 extension, 340
 partial, 341, 344–345
 vs. relation, 342

354 *Index*

- total, 341
- value, 89, 339
- see* truth-function

- Gabbay, D., 351
- Girle, R., 350
- Gödel, K., 270
- Grayling, A., 348
- Guenther, F., 351

- Hodges, W., 349, 350
- hypothetico-deductive model, 11–12

- iff, 131
- implication
 - logical vs. material, 134
- identity
 - of indiscernibles, 306
 - numerical, 303
 - qualitative, 303
 - see* Leibniz's Law
- indiscernibility of identicals, 306
- individual
 - constant, 202, 245, 251
 - variable, 200, 245
- inductive argument, 4, 45
- inference, 2
 - pattern, *see* form of inference
 - to the best explanation, 10–11
 - valid, 4, 13
- infinite
 - countermodel, 268–269, 284
 - tree, 239–240, 291–292
 - see* König's lemma
- informal logic, 34, 52
- intensional
 - context, 298
 - vs. intentional, 301
- interpretation
 - of PL wffs, 72–73
 - of QL wffs, 203–207
 - vs. valuation, 75, 250–251, 296–297
- introduction rule, 188
- intuitionistic logic, 164
- invalidity principle, 13

- Jackson, F., 141, 348
- Jeffrey, R., 177, 349

- König's lemma, 291

- language
 - formal, 58
 - object, 83
 - see* metalanguage
- law,
 - de Morgan's, 100
 - excluded middle, 101
 - non-contradiction, 101
 - see* Leibniz's Law
- Leibniz, G., 306
- Leibniz's Law, 306, 310, 325–326
- Lewis, D., 137, 349
- logical form, *see* form
- logically consistent, 10
- logically possible, 10

- main connective, 67
- main logical operator, 247
- material
 - biconditional, 132
 - conditional, 128, 137–143
 - implication, 134
- mechanical technique, 5, 42, 64, 65, 90, 101, 108, 115, 124, 240, 269–270
- metalanguage, 83
- metalogical results, 95, 119, 134, 179–184, 259–260, 286–293
- modal
 - context, 301–302
 - logic, 197, 217, 350
 - operator, 197, 320
- model, 262
- modus ponens, 126
- modus tollens, 126
- Moor, J., 350

- name, 199, 202,
 - empty, 323
 - scopeless, 199
 - see* constant
- nameless things, 207
- natural deduction, 37, 187–188
- necessary
 - condition, 132
 - truth, 104–106
- negation, 57
- Nelson, J., 350
- node (of tree), 157

- object language, 83

- 'only if', 131
- open
 - path, 158
 - tree, 160, 240, 282–284
 - wff, 248
- Ostertag, G., 349
- path (on tree), 157
 - closed vs. open, 158
 - satisfiable, 179, 286
- Philo, 128
- PL**,
 - design brief, 59
 - rules (for trees), 159
 - semantics, 72–76
 - syntax, 63–65
 - tree, 151–170
- PLC**, 132–133
 - rules (for trees), 172
 - tree, 171–176
- PLF**, 144
- Plato, 38
- possibility, 9–10
 - see* necessary truth
- possible worlds, 12, 104, 137, 302
- predicate, 18, 202, 245
 - extension of, 252
 - logic, 192
- premiss, 2, 7, 15
 - suppressed, 39
- Priest, G., 349, 350
- proposition, 15–16
 - atomic, 60
- propositional logic, 124
- proof, 37
 - annotated, 38, 65
 - downward-joining tree, 66, 185
 - downward-splitting tree, 66, 185–187
- q-entailment, 262
- q-equivalence, 313
- q-logical truth, 263, 322–323
- q-validity, 193, 250–251, 262, 266–267
- q-valuation, 250–253
- q-value,
 - of constant, 251
 - of predicate, 252
- QL**
 - atomic wff, 202
 - individual constant, 202
 - individual variable, 204
 - predicate, 202
 - quantifier, 204
 - semantics
 - informal, 203–206
 - official, 253, 256–257
 - syntax
 - informal, 202–205
 - official, 245
 - tree, 228–240, 265–266, 272–285
- QL⁼**
 - syntax, 309
 - semantics, 309–310
 - tree, 325–336
- QL^f**, 341–342
- quantifier, 33, 194–201, 204
 - existential, 204
 - numerical, 313–314
 - restricted, 211–213
 - substitution instance, 208, 248
 - universal, 204
- quantifier-shift fallacy, 33
- 'quantifying into', 205, 243
- Quine, W., 86, 215, 348, 349
- quotation, 84, 298–299
- quotes
 - corner (or Quine), 86
- recursive rule, 64
- reductio ad absurdum, 39–40, 120
- relation, 19
 - asymmetric, 307
 - equivalence, 304
 - Euclidean, 307
 - functional, 342
 - irreflexive, 308
 - reflexive, 304
 - symmetric, 304
 - transitive, 268, 304
- robustness, 141
- Russell, B., 3, 58, 216, 318
 - see* definite descriptions
- Sainsbury, M., 351
- salva veritate*, 298
- satisfiable (set of wffs), 119, 179, 262
- saturated set, 182–183, 288
- Saul, J., 349
- schema, 6
- schematic variable, 6, 19, 21, 65, 82

356 *Index*

- scientific reasoning, 11
- scope,
 - ambiguity, 57, 59, 78, 196–199, 320
 - of connective, 57, 69, 247
 - and descriptions, 319–320
 - of quantifier, 196, 247
- second-order, *see* first-order
- semantics, 72
 - of PL, 72–76
 - of PLC, 133
 - of QL, 203–206, 253, 256–257
 - of QL[≠], 309–310
- sense vs. reference, 297
- sentence, *see* closed wff
- Shapiro, S., 351
- Sheffer, H. 99
- Sheffer stroke, 99
- short working, 78, 93, 111
- Smullyan, R., 350
- sound argument, 14
- soundness, 180, 190, 286–287
- structural ambiguity, 78
- subformula, 69, 247
 - proper, 69
- subproof, 41
- substitution instance, 208, 248
- sufficient condition, 132
- supposition, 39
 - discharged, 41
- syllogism, 28
- syntax, 63
 - of PL, 63–65
 - of PLC, 133
 - of QL, informal, 202–205
 - of QL, official, 245
- tautological
 - entailment, 108, 133
 - inconsistency, 119
 - validity, 108
- tautology, 101, 133
- Teller, P., 350
- Tennant, N., 350
- term, 245
- topic neutrality, 23
- tree
 - construction, 66–67, 77
 - efficiency of, 169
 - infinite, 239–240
 - PL, 151–176
 - as proofs, 186–187
 - QL, 228–240, 265–266, 272–285
 - QL[≠], 325–337
 - rules for PL, 159
 - rules for PLC, 172
 - rules for QL, 230, 232, 236, 273–274, 281
 - rules for QL[≠], 326, 330
 - signed vs. unsigned, 151–153, 266
 - truth, *see* PL tree
- truth table, 75, 90–91
 - test, 107–109
- truth function, 88–90
- truth-functional,
 - biconditional, 132
 - conditional, 126–128
 - connective, 88–90
 - equivalence, 94, 120, 134–135
- truth-value, 74
 - gap, 318
- truth-valuation, 74–76
- tuple, 251
- Turing, A., 270
- turnstile, 118, 190, 293

- undecidability, 269
- universal
 - generalization, 195
 - quantifier, 204
- use vs. mention, 84–85

- vagueness, 74
- validity
 - classical, 9, 44–47
 - deductive, 4, 14
 - see* q-validity
- value,
 - of function, 89
 - see* q-value, truth-value
- van Dalen, D., 350
- van Fraassen, 350
- variable
 - bound, 248
 - free, 244, 248, 254
 - individual, 200, 215
 - metalinguistic, 83
 - propositional, 53, 82–83
 - schematic, 6, 19, 65, 82
- vel, 59

well-formed formula, *see* wff
wff
 closed, 248
 open, 248
 of PL, 63–65
 of PLC, 133
 primitive, 97, 157
 of QL, 202–205, 245
 of QL⁼, 309
 valid, 263
Whitehead, A. N., 58
Wittgenstein, L., 216