

Cambridge University Press

052101736X - Quantum Geometry: A Statistical Field Theory Approach

Jan Ambjorn, Bergfinnur Durhuus and Thordur Jonsson

Frontmatter

[More information](#)

---

This graduate/research-level text describes in a unified fashion the statistical mechanics of random walks, random surfaces and random higher-dimensional manifolds with an emphasis on the geometrical aspects of the theory and applications to the quantization of strings, gravity and topological field theory.

With chapters on random walks, random surfaces, two- and higher-dimensional quantum gravity, topological quantum field theories and Monte Carlo simulations of random geometries, the text provides a self-contained account of quantum geometry from a statistical field theory point of view. The approach uses discrete approximations and develops analytical and numerical tools. Continuum physics is recovered through scaling limits at phase transition points and the relation to conformal quantum field theories coupled to quantum gravity is described. The most important numerical work is covered, although the main aim is to develop mathematically precise results that have wide applications. Many diagrams and references are included.

This book will be of interest to graduate students and researchers in theoretical and statistical physics, and in mathematics.

Cambridge University Press

052101736X - Quantum Geometry: A Statistical Field Theory Approach

Jan Ambjørn, Bergfinnur Durhuus and Thordur Jonsson

Frontmatter

[More information](#)

## CAMBRIDGE MONOGRAPHS ON MATHEMATICAL PHYSICS

- J. Ambjørn, B. Durhuus and T. Jonsson *Quantum Geometry: A Statistical Field Theory Approach*  
 A. M. Anile *Relative Fluids and Magneto-Fluids*
- J. A. de Azcárraga and J. M. Izquierdo *Lie Groups, Lie Algebras, Cohomology and Some Applications in Physics*  
 J. Bernstein *Kinetic Theory in the Early Universe*
- G. F. Bertsch and R. A. Broglia *Oscillations in Finite Quantum Systems*  
 N. D. Birrell and P. C. W. Davies *Quantum Fields in Curved Space*<sup>†</sup>  
 D. M. Brink *Semiclassical Methods in Nucleus-Nucleus Scattering*  
 J. C. Collins *Renormalization*<sup>†</sup>
- P. D. B. Collins *An Introduction to Regge Theory and High Energy Physics*  
 M. Creutz *Quarks, Gluons and Lattices*<sup>†</sup>
- F. de Felice and C. J. S. Clarke *Relativity on Curved Manifolds*<sup>†</sup>  
 B. De Witt *Supermanifolds, 2nd edition*<sup>†</sup>  
 P. G. O. Freund *Introduction to Supersymmetry*<sup>†</sup>  
 F. G. Friedlander *The Wave Equation on a Curved Space-Time*  
 J. Fuchs *Affine Lie Algebras and Quantum Groups*<sup>†</sup>
- J. A. H. Futterman, F. A. Handler and R. A. Matzner *Scattering from Black Holes*  
 M. Göckeler and T. Schücker *Differential Geometry, Gauge Theories and Gravity*<sup>†</sup>
- C. Gómez, M. Ruiz Altaba and G. Sierra *Quantum Groups in Two-dimensional Physics*  
 M. B. Green, J. H. Schwarz and E. Witten *Superstring Theory, volume 1: INTRODUCTION*<sup>†</sup>  
 M. B. Green, J. H. Schwarz and E. Witten *Superstring Theory, volume 2: LOOP AMPLITUDES, ANOMALIES AND PHENOMENOLOGY*<sup>†</sup>
- S. W. Hawking and G. F. R. Ellis *The Large-Scale Structure of Space-Time*<sup>†</sup>  
 F. Iachello and A. Arima *The Interacting Boson Model*<sup>†</sup>  
 F. Iachello and P. van Isacker *The Interacting Boson-Fermion Model*  
 C. Itzykson and J.-M. Drouffe *Statistical Field Theory, volume 1: FROM BROWNIAN MOTION TO RENORMALIZATION AND LATTICE GAUGE THEORY*<sup>†</sup>  
 C. Itzykson and J.-M. Drouffe *Statistical Field Theory, volume 2: STRONG COUPLING, MONTE CARLO METHODS, CONFORMAL FIELD THEORY, AND RANDOM SYSTEMS*<sup>†</sup>  
 J. I. Kapusta *Finite-Temperature Field Theory*<sup>†</sup>
- V. E. Korepin, A. G. Izergin and N. M. Bogoliubov *The Quantum Inverse Scattering Method and Correlation Functions*
- D. Kramer, H. Stephani, M. A. H. MacCallum and E. Herlt *Exact Solutions of Einstein's Field Equations*  
 N. H. March *Liquid Metals: Concepts and Theory*
- I. M. Montvay and G. Münster *Quantum Fields on a Lattice*  
 L. O'Raifeartaigh *Group Structure of Gauge Theories*<sup>†</sup>
- A. Ozorio de Almeida *Hamiltonian Systems: Chaos and Quantization*<sup>†</sup>  
 R. Penrose and W. Rindler *Spinors and Space-time, volume 1: TWO-SPINOR CALCULUS AND RELATIVISTIC FIELDS*<sup>†</sup>  
 R. Penrose and W. Rindler *Spinors and Space-time, volume 2: SPINOR AND TWISTOR METHODS IN SPACE-TIME GEOMETRY*<sup>†</sup>  
 S. Pokorski *Gauge Field Theories*<sup>†</sup>  
 V. N. Popov *Functional Integrals and Collective Excitations*<sup>†</sup>  
 R. Rivers *Path Integral Methods in Quantum Field Theory*<sup>†</sup>  
 R. G. Roberts *The Structure of the Proton*<sup>†</sup>  
 J. M. Stewart *Advanced General Relativity*
- A. Vilenkin and E. P. S. Shellard *Cosmic Strings and other Topological Defects*  
 R. S. Ward, R. O. Wells Jr *Twistor Geometry and Field Theories*<sup>†</sup>

<sup>†</sup> Issued as paperback

Cambridge University Press

052101736X - Quantum Geometry: A Statistical Field Theory Approach

Jan Ambjorn, Bergfinnur Durhuus and Thordur Jonsson

Frontmatter

[More information](#)

---

CAMBRIDGE MONOGRAPHS ON MATHEMATICAL PHYSICS

General editors: P. V. Landshoff, D. R. Nelson, D. W. Sciama, S. Weinberg

QUANTUM GEOMETRY

Cambridge University Press


052101736X - Quantum Geometry: A Statistical Field Theory Approach

Jan Ambjorn, Bergfinnur Durhuus and Thordur Jonsson

Frontmatter

[More information](#)

---



A generic universe in two-dimensional gravity, generated by the computer algorithms described in Chapter 5, and embedded in three-dimensional space for illustrative purposes.

Cambridge University Press

052101736X - Quantum Geometry: A Statistical Field Theory Approach

Jan Ambjorn, Bergfinnur Durhuus and Thordur Jonsson

Frontmatter

[More information](#)

# Quantum Geometry

A statistical field theory approach

JAN AMBJØRN  
BERGFINNUR DURHUUS

University of Copenhagen

THORDUR JONSSON

University of Iceland



CAMBRIDGE  
UNIVERSITY PRESS

Cambridge University Press

052101736X - Quantum Geometry: A Statistical Field Theory Approach

Jan Ambjørn, Bergfinnur Durhuus and Thordur Jonsson

Frontmatter

[More information](#)

CAMBRIDGE UNIVERSITY PRESS

Cambridge, New York, Melbourne, Madrid, Cape Town, Singapore, São Paulo

Cambridge University Press

The Edinburgh Building, Cambridge CB2 2RU, UK

Published in the United States of America by Cambridge University Press, New York

[www.cambridge.org](http://www.cambridge.org)

Information on this title: [www.cambridge.org/9780521461672](http://www.cambridge.org/9780521461672)

© Cambridge University Press 1997

This book is in copyright. Subject to statutory exception and to the provisions of relevant collective licensing agreements, no reproduction of any part may take place without the written permission of Cambridge University Press.

First published 1997

This digitally printed first paperback version 2005

*A catalogue record for this publication is available from the British Library*

*Library of Congress Cataloguing in Publication data*

Ambjørn, Jan.

Quantum geometry: a statistical field theory / Jan Ambjørn and Bergfinnur Durhuus, Thordur Jonsson.

p. cm. – (Cambridge monographs on mathematical physics)

Includes bibliographical references and index.

ISBN 0 521 46167 7 (hc)

1. Quantum gravity. 2. Quantum field theory.

I. Durhuus, Bergfinnur J. II. Thordur Jonsson. III. Title. IV. Series

QC174.17.G46A43 1997

530.1'43–dc20 956-9418 CIP

ISBN-13 978-0-521-46167-2 hardback

ISBN-10 0-521-46167-7 hardback

ISBN-13 978-0-521-01736-7 paperback

ISBN-10 0-521-01736-X paperback

Cambridge University Press

052101736X - Quantum Geometry: A Statistical Field Theory Approach

Jan Ambjorn, Bergfinnur Durhuus and Thordur Jonsson

Frontmatter

[More information](#)

## Contents

	<i>Preface</i>	xi
	<i>Notation</i>	xiii
<b>1</b>	<b>Introduction</b>	1
<b>2</b>	<b>Random walks</b>	11
2.1	Parametrized random walks	12
	2.1.1 The Wiener measure	12
	2.1.2 Universality of the Wiener measure	15
2.2	Geometric random walks	19
	2.2.1 Embedded random walks	19
	2.2.2 Riemannian random walks	24
2.3	Rigid random walks	32
	2.3.1 Curvature-dependent action	32
	2.3.2 The two-point function	34
	2.3.3 The scaling limits	36
	2.3.4 The tangent–tangent correlation function	41
2.4	Fermionic random walks	46
2.5	Branched polymers	53
	2.5.1 Extrinsic properties	53
	2.5.2 Intrinsic properties	61
	2.5.3 Generalizations	63
2.6	Notes	64
<b>3</b>	<b>Random surfaces</b>	66
3.1	Introduction	66
3.2	The dynamically triangulated random surface model	68
3.3	Triangulations and Regge calculus	73
3.4	Basic properties of the loop functions	78
	3.4.1 Convergence of the loop functions	79
	3.4.2 The susceptibility exponent $\gamma$	85

viii	<i>Contents</i>	
	3.4.3 Branched polymer surfaces	90
	3.4.4 Mass and string tension	95
	3.4.5 The Hausdorff dimension	100
	3.4.6 Scaling and the continuum limit in the DTRS-model	102
3.5	Random surfaces on a lattice	104
	3.5.1 Definition of the lattice surface model	105
	3.5.2 Mass, susceptibility and string tension	110
	3.5.3 Critical behaviour and continuum limit	115
3.6	Rigid surfaces	123
	3.6.1 Motivation	123
	3.6.2 Curvature-dependent action	125
	3.6.3 The crumpling transition	130
3.7	Crystalline surfaces	135
	3.7.1 The kinematics of crumpling	138
	3.7.2 A lower bound on the size of crystalline surfaces	143
3.8	Notes	145
<b>4</b>	<b>Two-dimensional gravity</b>	149
4.1	The continuum formalism	149
4.2	The combinatorial solution	154
	4.2.1 Regularization	155
	4.2.2 Counting planar graphs	160
	4.2.3 Generalization	165
	4.2.4 An easy example	167
	4.2.5 The general model	171
4.3	Counting higher-genus surfaces	173
	4.3.1 The loop equation for genus $h > 0$	173
	4.3.2 Solution of the loop equation for $h > 0$	175
	4.3.3 The generating function $\mathcal{Z}_h$ for closed triangulations	178
	4.3.4 The number of triangulations of genus $h$	181
4.4	The continuum limit	182
	4.4.1 Renormalization of the cosmological constant	182
	4.4.2 Continuum results for genus zero	183
	4.4.3 Continuum results for higher-genus surfaces	186
4.5	Multi-critical models	189
	4.5.1 General considerations	189
	4.5.2 The dimer model	191
	4.5.3 Connection with conformal field theory	195
4.6	The continuum loop equation	199
4.7	The two-point function	212
	4.7.1 General considerations	212
	4.7.2 A differential equation for the geodesic two-loop function	215
	4.7.3 Solution of the differential equation	220
	4.7.4 A transfer matrix approach	223
4.8	Matrix models	226
	4.8.1 Counting triangulations using matrix models	226

Cambridge University Press

052101736X - Quantum Geometry: A Statistical Field Theory Approach

Jan Ambjorn, Bergfinnur Durhuus and Thordur Jonsson

Frontmatter

[More information](#)

<i>Contents</i>		ix
4.8.2	The loop equations	230
4.8.3	Non-perturbative quantum gravity?	233
4.8.4	The Kontsevich model	234
4.9	More on matter and gravity	237
4.9.1	Coupling matter fields to gravity	237
4.9.2	The Ising model	238
4.9.3	Multiple-spin systems	241
4.10	Notes	247
<b>5</b>	<b>Monte Carlo simulations of random geometry</b>	<b>251</b>
5.1	Basic principles	251
5.2	Updating geometry	254
5.3	Finite-size scaling	260
5.4	Two-dimensional geometry	263
5.5	Notes	270
<b>6</b>	<b>Gravity in higher dimensions</b>	<b>271</b>
6.1	Basic problems in quantum gravity	271
6.2	Simplicial quantum gravity in dimensions $d > 2$	275
6.2.1	Simplicial complexes and triangulations	275
6.2.2	The metric structure	278
6.2.3	Generalized matrix models	282
6.3	Algorithmic recognizability and numerical methods	284
6.4	Numerical results	290
6.5	Notes	295
<b>7</b>	<b>Topological quantum field theories</b>	<b>297</b>
7.1	Introduction	297
7.2	Generalities	298
7.2.1	The axioms	298
7.2.2	Some properties of TQFTs	301
7.3	Two-dimensional TQFT	303
7.3.1	TQFT on triangulations	303
7.3.2	The unitary case	307
7.4	Three-dimensional unitary TQFT	310
7.4.1	TQFT and three-dimensional gravity	311
7.4.2	The discrete framework	317
7.4.3	Construction in terms of $6j$ -symbols	323
7.5	Notes	337
	<i>References</i>	339
	<i>Index</i>	359

## Preface

The main topic of this book is the work that has been carried out during the last 15 years under the general heading of *random surfaces*. The original motivation for the study of random surfaces came from lattice gauge theory, where one can represent various quantities of interest as weighted sums over surfaces embedded in a hypercubic lattice. A few years later, with the resurrection of string theory, random surfaces were used as regularization of that theory and, most recently, random surface models have been applied to two-dimensional quantum gravity. There is also an impressive body of work on random surfaces that has been carried out by membrane physicists, as well as by condensed matter physicists, so one often finds mathematically identical problems being studied in different branches of physics. Random surfaces are therefore not a physical theory but, rather, a theoretical tool and a methodology that can be applied to various physical problems in the same way as random walks find applications in many branches of science. The formalism that has been developed to deal with random surfaces carries over to the study of higher-dimensional manifolds, which are important for quantizing gravity in higher dimensions.

We address this book primarily to advanced graduate students in theoretical physics but we hope that more experienced researchers in the field, as well as mathematicians, may find it useful. As far as applications are concerned, our point of view is very much biased towards string theory and quantum gravity, where the geometric point of view is most important and powerful. This perhaps justifies the book's title.

The purpose of writing this book was not to provide an encyclopaedic account of all the work on random geometry; rather, we have chosen to focus on mathematically precise results that have wide applications, as well as on key results from numerical simulations which have played an important role in guiding the development of the theory. We do not

Cambridge University Press

052101736X - Quantum Geometry: A Statistical Field Theory Approach

Jan Ambjørn, Bergfinnur Durhuus and Thordur Jonsson

Frontmatter

[More information](#)

xii

*Preface*

provide complete proofs of the statements in the text where their content is not illuminating or where they are long and tedious, but try to warn the reader when the discussion becomes conjectural.

At the end of most chapters are notes that are intended to guide the reader to the original literature, as well as review articles and extensions of the discussion in the main text. There is no doubt that we have left out many important papers and we apologize in advance for all those omissions.

Important parts of the work reported in this book have been carried out in collaboration with our friends and colleagues A. Beliakova, D. Boulatov, J. Burda, M. Carfora, L. Chekhov, J. Fröhlich, J. Greensite, H. P. Jakobsen, J. Jurkiewicz, V. A. Kazakov, C. F. Kristjansen, Y. M. Makeenko, A. Marzuoli, R. Nest, P. Orland, B. Petersson, G. Thorleifsson, S. Varsted, Y. Watabiki and J. Wheeler. We are indebted to J. Jurkiewicz, C. F. Kristjansen and Y. M. Makeenko for reading parts of the first draft of the book and pointing out many things that could be improved. M. Lund and G. Xander gave very valuable assistance with the diagrams, the references and the index.

Jan Ambjørn  
Bergfinnur Durhuus  
Thordur Jonsson

## Notation

The purpose of this note is to explain a few notational conventions that we have used throughout the text, some of which may not be completely standard.

If  $f$  is a function of a positive real variable  $x$ , then the equation

$$f(x) = O(x^n)$$

means that there is a constant  $C > 0$  such that

$$f(x) \leq Cx^n$$

for all values of  $x$  or for  $x$  in an asymptotic region, i.e. for either large or small  $x$ , depending on the context.

If  $f$  is as above, then the equation

$$f(x) = o(x^n)$$

means that

$$\lim_{x \rightarrow 0} \frac{f(x)}{x^n} = 0.$$

We use  $O(x, y)$  as shorthand notation for  $O(x) + O(y)$ , and similarly for  $o(x, y)$ .

Finally, let  $f$  and  $g$  be functions of a real or complex variable  $x$ . We employ the notation

$$f(x) \sim g(x)$$

to mean one of three things: which one we have in mind is either explained explicitly in the text or it is supposed to be clear from the context. The first meaning is that the functions  $f$  and  $g$  are asymptotic as  $x$  approaches some limiting value  $x_0$ , i.e.

$$\lim_{x \rightarrow x_0} \frac{f(x)}{g(x)} = C,$$

Cambridge University Press

052101736X - Quantum Geometry: A Statistical Field Theory Approach

Jan Ambjorn, Bergfinnur Durhuus and Thordur Jonsson

Frontmatter

[More information](#)

xiv

*Notation*

where  $C$  is a non-zero constant. It should always be clear from the context what  $x_0$  is. In particular,  $x_0$  can be infinite. The second meaning is that

$$\lim_{x \rightarrow x_0} \frac{\log f(x)}{\log g(x)} = C.$$

This case arises in particular when we wish to say that two functions have the same exponential decay. The third meaning is that  $f$  and  $g$  have a singularity of the same kind at the limiting point  $x_0$ . For example, if  $f$  and  $g$  are real analytic for  $x > x_0$  and the  $n$ th derivative of  $f$ ,  $f^{(n)}$ , is the lowest derivative of  $f$  which does not have a finite limit as  $x \downarrow x_0$ , then  $f(x) \sim g(x)$  means that the limit

$$\lim_{x \rightarrow x_0} \frac{f^{(n)}(x)}{g^{(n)}(x)}$$

exists and is non-zero.