

Index

- $E \times B$ drift, 193
- 2D diffusion, 145
- absorbing boundary, 177
- actinometry, 189
- active site, 93
- adatom, 13
- adiabatic invariant, 189, 198
- adsorption, 189
- Al etching, 91
- alkali metal, 203
- alpha regime, 189
- alumina, 189
- ambipolar diffusion, 59, 63, 152, 167
- amorphous silicon, 92
- Ampère's law, 32, 36
- analysis
 - asymptotic, 189
- angle
 - solid, 112
- anisotropic, 14, 134, 189, 196
 - etching, 90, 104
- anisotropy, 105, 106
- anode dark space, 192
- antenna, 15, 57
- approximation
 - plasma, 201
- arbitrary mesh, 159
- aspect ratio, 137, 141, 189
- associative detachment, 89
- asymptotic analysis, 189
- atom
 - metastable, 199, 201
- attachment, 89
- avalanche, 160
- averaging, 162, 190
 - method of, 199
- bag
 - water, 169
- balance
 - detailed, 192
- ballast resistor, 28, 168, 190
- behavior
 - collective, 201
- BGK collision operator, 190
- bifurcation
 - pitchfork, 201
- biMaxwellian distribution, 70, 95
- blocking capacitor, 45
- Bohm velocity, 135, 147, 190
- Boltzmann, 19, 27, 60
 - density, 70
 - distribution, 148
 - equation, 190
- bond
 - covalent, 203
 - dangling, 93
- boundary
 - absorbing, 177
 - condition, 29, 36, 115, 132, 144, 177
 - reflecting, 177
- box integration, 159
- breakdown, 194
 - electrical, 45
- breaker
 - circuit, 204
- Brownian motion, 190
- bump on tail, 191
- capability
 - predictive, 158
- capacitive discharge, 52, 70, 191
- capacitively coupled
 - discharge, 168
 - reactor, 86
- capacitor, 41
 - blocking, 45
- cascade
 - energy, 193
- cathode
 - fall, 160, 191, 192, 199
- cathodic arc, 191
- Cauchy, 196
- center
 - guiding, 195
- central limit theorem, 191
- ceramic, 93
- CF₃, 102
- CF₄, 86, 89, 94, 100, 127
- characteristic, 193, 196, 200
 - real, 199
- characteristics
 - method of, 199
- charge
 - exchange, 104

-
- charge (*cont.*)
 - collision, 128, 191
 - reaction, 90
 - resonant, 203
 - surface, 132
 - transfer, 89
 - charged particle, 201
 - charging, 131
 - chemical
 - etching, 12, 14, 90
 - vapor deposition, 192
 - metal organic, 199
 - chemisorption, 191
 - chemistry, 16
 - ion, 103
 - neutral, 85
 - plasma, 67, 85
 - Child Law, 191
 - circuit
 - breaker, 204
 - external, 28
 - model, 15, 31
 - closed, 195
 - closure, 191, 195, 198
 - coefficient
 - diffusion, 23, 26, 99, 114
 - first Townsend, 204
 - perpendicular diffusion, 66
 - rate, 101
 - sticking, 93, 103, 110, 113
 - Townsend, 204
 - coil
 - primary, 15
 - coin, 203
 - collective
 - behavior, 201
 - effect, 202
 - collision, 173
 - charge exchange, 128, 191
 - Coulomb, 56, 68, 69, 164, 192, 203
 - elastic, 16, 57, 68, 70, 73, 79, 90, 96, 128, 193
 - elastic frequency, 78
 - electron–molecule, 89
 - heavy particle, 89
 - inelastic, 16, 57, 68, 73, 79, 96, 196
 - inelastic frequency, 78
 - operator
 - BGK, 190
 - time, 21
 - column
 - positive, 28, 76, 168, 202
 - complex conductivity, 35
 - computational model, 158
 - condition
 - boundary, 36, 115, 132, 144, 177
 - final, 200
 - initial, 200
 - conducting fluid, 198
 - conduction current, 40, 52
 - conductivity, 15, 16, 36
 - complex, 35
 - cone
 - loss, 134, 197
 - confinement, 133
 - time, 56
 - confining potential, 65
 - constant
 - rate, 86
 - constraint, 197
 - continuity equation, 63, 114
 - continuous instability, 204
 - control strategy, 156
 - convected scheme, 170
 - cooling
 - elastic, 68
 - coordinate
 - flux, 195
 - corona discharge, 192
 - Coulomb collision, 56, 68, 69, 164, 192, 203
 - covalent bond, 203
 - covered mode, 94
 - criterion
 - Nyquist, 162, 200
 - Crookes dark space, 192
 - cross linking, 202
 - cross section, 20, 87, 157
 - differential, 192
 - Langevin, 197
 - crystal, 194
 - cumulative distribution function, 192, 202
 - current
 - conduction, 40, 52
 - displacement, 41
 - image, 57
 - loop, 198
 - sheet, 36
 - curve
 - response, 156
 - CVD, 92, 192
 - cyclotron resonance
 - electron, 193
 - cylindrical variable, 78
 - damage, 17, 45
 - damping
 - Landau, 197
 - dangling bond, 93
 - dark space, 192
 - anode, 192
 - Crookes, 192
 - Faraday, 192
 - data, 157
 - dc
 - discharge, 28, 160, 199, 202
 - offset, 42
 - Debye
 - length, 131, 192, 202
 - shielding, 202
 - sphere, 201, 202
 - definition
 - plasma, 9
 - density
 - Boltzmann, 70
 - function
 - probability, 202
 - gradient, 115
 - hollow, 62, 153
 - off-axis, 62
 - profile, 114
 - deposition
 - chemical vapor, 192

- film, 90, 92
- metal organic chemical vapor, 199
- sputter, 199
- depth
 - skin, 28, 36, 39, 57
- derivative, 195
- design
 - experimental, 154, 194
 - factorial, 112, 155, 194
- desorption, 192
- detachment
 - associative, 89
 - electron impact, 89
- detailed balance, 192
- deviation
 - standard, 175
- diagnostic
 - plasma, 157
- diagram
 - Movchin–Dimchishin, 13
 - Thornton, 13
- diatomic molecule, 68
- dielectric
 - gate, 194
 - relaxation time, 163, 192, 201
- difference
 - finite, 194–196, 200
- differential
 - cross section, 192
 - equation, 200
- diffuse, 22
- diffusion
 - 2D, 145
 - ambipolar, 59, 63, 152, 167
 - coefficient, 23, 26, 99, 114
 - electron, 22
 - energy, 59
 - equation, 114, 144, 145, 175
 - numerical, 78, 200
- diode, 41
- dioxide
 - silicon, 92
- dipole moment
 - electric, 192
 - radiation, 192
 - transition, 199
- direct simulation Monte Carlo, 192
- directionality, 105
- Dirichlet, 193, 200
- discharge
 - capacitive, 52, 70, 168, 191
 - corona, 192
 - dc, 28, 160, 199, 202
 - electrostatic, 194
 - high pressure, 73
 - inductive, 35, 168, 196
 - rf, 40
- displacement current, 41, 52
- dissociation, 89
 - energy, 85
 - polar, 89
 - rate, 100
- dissociative ionization, 89
- distribution, 72, 168, 192, 197
 - biMaxwellian, 70
 - Boltzmann, 148
 - cumulative, 192, 202
 - Druyvesteyn, 193
 - electron, 58, 67, 76
 - energy, 88
 - Gaussian, 195
 - ion, 106
 - isotropic, 78
 - Maxwellian, 136
 - normal, 195
- divergence, 26, 114
 - equation, 159
- double probe, 192
- drift velocity, 26, 60, 193, 200, 204
- Druyvesteyn distribution, 193
- dust, 193
- E/N, 41, 51, 57, 70, 197, 203
- ECR, 70, 75, 79, 95, 127, 164
 - reactor, 86
- eddy, 193
- effect
 - collective, 202
- Einstein relation, 27, 60, 193
- elastic
 - collision, 16, 57, 68, 70, 73, 79, 90, 96, 128, 193
 - collision frequency, 78
 - cooling, 68
 - mfp, 95
- electric
 - dipole
 - moment, 192
 - transition, 199
 - field
 - reduced, 193, 203
 - strong, 203
- electrical breakdown, 45
- electrode, 195
 - powered, 41
- electron
 - cyclotron resonance, 42, 193
 - distribution, 58
 - distribution function, 67, 76
 - emission, 195
 - flux, 133
 - gyroradius, 65
 - hot, 56, 73
 - impact detachment, 89
 - motion, 140
 - secondary, 160, 195
 - tail, 69
 - temperature, 71
 - time scale, 204
- electron–molecule collision, 89
- electronegative, 86, 193
- electropositive, 86, 193
- electrostatic
 - discharge, 194
 - instability, 204
 - potential in trench, 137
 - wave, 197
- element of area, 78
- elliptic equation, 193
- emission
 - electron, 195
 - thermionic, 204

- emissive probe, 193
 endpoint, 200
 energy
 cascade, 193
 diffusion, 59
 dissociation, 85
 distribution function, 88
 flux
 ion, 127
 input, 67
 internal, 196
 ionization, 85
 threshold, 73
 total, 70
 ensemble, 194
 entropy, 196
 epitaxy, 194
 molecular beam, 199
 equation
 Boltzmann, 190
 continuity, 63, 114
 differential, 200
 diffusion, 114, 144, 145, 175
 divergence, 159
 elliptic, 193
 fluid, 19, 71, 191, 195, 196
 homogeneous, 145
 hyperbolic, 196, 200
 kinetic, 196, 197, 201
 Laplace's, 132, 137, 193
 Maxwell's, 36
 parabolic, 200
 Poisson's, 105, 132, 161, 203
 Saha, 203
 stiff, 164, 204
 Vlasov, 204
 wave, 196
 equilibration, 70
 equilibrium, 19, 27, 60, 196, 197
 local thermodynamic, 197, 203
 thermodynamic, 193
 ergodic
 state, 194
 theorem, 194
 ESD, 194
 etch rate, 127
 etching, 194, 197, 200, 203
 Al, 91
 anisotropic, 90, 104
 chemical, 12, 14, 90
 isotropic, 90, 196
 silicon, 91
 SiO₂, 91
 event, 159
 exchange
 charge, 104
 excitation transfer, 89
 expansion, 201
 experience, 200
 experiment, 17
 numerical, 154
 random, 203
 swarm, 51, 76, 204
 experimental design, 154, 194
 expert system, 194
 explicit scheme, 194, 196
 external circuit, 28
 factor
 integrating, 27
 factorial
 full, 155
 partial, 155
 factorial design, 112, 155, 194
 fall
 cathode, 160, 199
 Faraday
 dark space, 192
 shield, 195
 Faraday's law, 36
 fast neutral, 129
 feedback, 28, 36, 167
 negative, 28, 167, 199
 field
 line, 195
 magnetic, 195, 197, 199
 reduced
 electric, 193
 vector, 195
 film
 deposition, 90, 92
 spraying, 204
 final condition, 200
 finite difference, 175, 194–196, 200
 first Townsend coefficient, 204
 floating potential, 195
 fluctuation, 161
 statistical, 199
 fluid
 conducting, 198
 equation, 19, 71, 191, 195, 196
 model, 166
 fluorine, 91, 100, 127
 flux, 25, 195
 coordinate, 195
 electron, 133
 ion, 60, 127, 133
 energy, 127
 magnetic, 198
 force
 inertial, 203
 Lorentz, 43, 193
 ponderomotive, 202
 viscous, 203
 Fowler–Nordheim tunneling, 195
 free radical, 195
 frequency
 plasma, 163, 201
 radio, 202
 front
 wave, 196
 full factorial, 155
 function
 cumulative distribution, 192, 202
 distribution, 72, 168, 192, 197
 Green's, 172, 175
 probability density, 195, 204
 gamma regime, 195
 gas
 flow, 29

- phase reaction, 89
 pumping, 28
 gate dielectric, 194
 Gaussian, 175, 177
 distribution, 195
 glow
 negative, 160, 199
 gradient
 density, 115
 Green's function, 172, 175
 guiding center, 195
 gun
 plasma, 201
 gyration, 195
 gyrofrequency, 44, 65, 195
 gyromotion, 193, 195, 197
 gyroradius, 44, 65, 195, 198
 electron, 65
 ion, 65

 H-theorem, 196
 halide, 90
 halogen, 91
 harmonic oscillator, 140, 163
 heating
 local, 53, 57, 197
 mechanism, 79
 nonlocal, 52, 57, 70, 200
 ohmic, 200
 process, 67
 rate, 55
 stochastic, 204
 heavy particle collision, 89
 high
 density reactor, 45
 pressure discharge, 73
 hollow
 density, 62, 153
 profile, 103
 homogeneous equation, 145
 hot electron, 56, 73
 hybrid simulation, 165
 hydride
 titanium, 201
 hydrodynamics, 196, 198
 hydrogen, 91, 202
 hyperbolic equation, 196, 200

 ICP, 15, 70, 75, 86, 151
 image current, 57
 images
 method of, 177
 immersion
 ion, 202
 impact parameter, 196
 implant, 12
 implicit scheme, 163, 196
 independent variable, 201
 inductive discharge, 35, 168, 196
 inductively coupled plasma, 15, 28,
 57
 inelastic
 collision, 16, 57, 68, 73, 79, 96,
 196
 collision frequency, 78
 threshold, 68

 inertial force, 203
 inhibitor, 90
 initial condition, 200
 input energy, 67
 instability
 continuous, 204
 electrostatic, 204
 Rayleigh–Taylor, 203
 two-stream, 204
 insulating layer, 106
 integrating factor, 27, 196
 interaction
 long-range, 201
 internal energy, 196
 invariant
 adiabatic, 189, 198
 ion
 chemistry, 103
 distribution, 106
 energy
 flux, 127
 flux, 60, 127, 133
 gyroradius, 65
 immersion, 202
 motion, 138
 negative, 86
 pumping, 103, 196
 time scale, 204
 ionization, 16, 89
 energy, 85
 multistep, 65
 Penning, 201
 rate, 204
 irregular mesh, 159
 isotropic, 14, 90, 107, 108, 196
 distribution, 78
 etching, 90, 196
 scattering, 129

 junction
 shallow, 202

 kinematic viscosity, 197
 kinetic equation, 196, 197, 201
 Krook collision operator, 197

 Landau damping, 197
 Langevin cross section, 197
 Langmuir probe, 192, 197
 Laplace's equation, 132, 137,
 193
 Larmor radius, 196, 197
 law
 Ampère's, 32, 36
 Child, 191
 Faraday's, 36
 Ohm's, 195
 layer
 insulating, 106
 Le Chatelier's principle, 197, 199
 length
 Debye, 131, 192, 202
 light, 201
 line
 field, 195
 lithography, 197

-
- local
 - heating, 53, 57, 197
 - thermodynamic equilibrium, 197, 203
 - long
 - mean free path, 99
 - range interaction, 201
 - loop
 - current, 198
 - of wire, 198
 - Lorentz force, 43, 193
 - loss
 - cone, 134, 197
 - rate, 16
 - wall, 79
 - low pressure plasma, 70
 - LTE, 197

 - magnetic
 - field, 195, 197, 199
 - flux, 198
 - mirror, 198
 - moment, 197, 198
 - probe, 198
 - magnetohydrodynamics, 198
 - magnetron, 13, 199
 - mask, 199, 201
 - matching network, 199
 - matrix sheath, 105, 199
 - maximum power transfer, 199
 - Maxwell's equations, 36
 - Maxwellian, 56, 69, 75, 87
 - distribution, 136
 - MBE, 199
 - mean, 195
 - free path, 20
 - square distance, 21
 - measurement
 - probe, 88
 - spectroscopic, 157
 - mechanism
 - heating, 79
 - MEMS, 199
 - mercury, 198
 - mesh
 - generation, 159
 - spacing, 200
 - metal
 - alkali, 203
 - mode, 94
 - organic chemical vapor deposition, 199
 - metastable, 23
 - atom, 199, 201
 - method
 - of averaging, 199
 - of characteristics, 199
 - of images, 177
 - particle in cell, 200
 - mfp
 - elastic, 95
 - MHD, 198
 - microelectromechanical system, 199
 - microwave, 42, 193
 - mirror
 - magnetic, 198
 - mobility, 26, 60, 162

 - MOCVD, 199
 - mode
 - covered, 94
 - metal, 94
 - model
 - circuit, 15, 31
 - fluid, 166
 - physical, 15
 - plasma, 51
 - self-consistent, 168
 - molecular beam epitaxy, 199
 - molecule
 - diatomic, 68
 - moment, 199
 - electric dipole, 192
 - magnetic, 197, 198
 - momentum transfer cross section, 199
 - Monte Carlo, 159, 167, 199
 - direct simulation, 192
 - morphology, 13
 - motion
 - Brownian, 190
 - electron, 140
 - ion, 138
 - random, 26
 - Movchin–Dimchishin diagram, 13
 - moving sheath, 55, 168
 - multistep
 - ionization, 65
 - process, 65

 - negative
 - feedback, 28, 167, 199
 - glow, 160, 199
 - ion, 86
 - net
 - neural, 157, 200
 - Neumann, 193
 - neural net, 157, 200
 - neutral
 - chemistry, 85
 - fast, 129
 - neutral–neutral reaction, 89
 - nitride
 - silicon, 92, 93
 - nonlocal heating, 52, 57, 70, 200
 - nonresonant recombination, 89
 - nonvolatile product, 90
 - normal distribution, 195
 - normalization, 130
 - number
 - random, 159, 199
 - Reynolds, 201, 203
 - numerical
 - diffusion, 78, 200
 - experiment, 154
 - Nyquist criterion, 162, 200

 - off axis density, 62
 - offset
 - dc, 42
 - Ohm's law, 195
 - ohmic heating, 200
 - operator
 - BGK collision, 190
 - optical pattern transfer, 197

- oscillation
 - plasma, 162
- oscillator
 - harmonic, 140, 163
- overetch, 200
- oxygen, 91

- PACVD, 200
- parabolic equation, 200
- parameter
 - impact, 196
 - plasma, 202
- partial factorial, 155
- particle
 - charged, 201
 - in cell, 161
 - method, 200
 - simulation, 161, 163, 200
 - trajectory, 197
- particular solution, 145
- pattern, 201
 - transfer
 - optical, 197
- PECVD, 92, 200
- Penning ionization, 201
- period
 - plasma, 201
- perpendicular diffusion coefficient, 66
- phase space, 168, 192, 199, 201
- photoresist, 91, 197, 201
- physical model, 15
- physisorption, 201
- PIII, 202
- pitchfork bifurcation, 201
- plasma, 201
 - approximation, 201
 - chemistry, 67, 85
 - diagnostic, 157
 - enhanced (assisted) chemical vapor deposition, 200
 - frequency, 163, 201
 - gun, 201
 - inductively coupled, 15
 - low pressure, 70
 - model, 51
 - oscillation, 162
 - parameter, g, 202
 - period, 201
 - polymerization, 202
 - potential, 65, 202
 - quasineutral, 72
 - source ion implantation, 202
 - thermal, 204
 - torch, 204
- Poisson's equation, 105, 132, 161, 203
- polar dissociation, 89
- polarization, 201
 - scattering, 202
- polymer, 105
- polymerization
 - plasma, 202
- ponderomotive force, 202
- positive
 - column, 28, 76, 168, 202
- potential
 - confining, 65
 - floating, 195
- plasma, 65, 202
 - sheath, 128
 - wall, 65
- power, 37
 - supply, 39, 199
 - transfer
 - maximum, 199
- powered electrode, 41
- precursor, 200
- predictive capability, 158
- presheath, 147, 202
- pretest, 154
- primary, 36
 - coil, 15
 - winding, 196
- principle
 - Le Chatelier's, 197, 199
- probability density function, 195, 202, 204
- probe, 157, 195, 202
 - double, 192
 - emissive, 193
 - Langmuir, 192, 197
 - magnetic, 198
 - measurement, 88
- process
 - heating, 67
 - multistep, 65
 - random, 203
 - stochastic, 204
 - surface, 157
- processing
 - signal, 200
- product
 - nonvolatile, 90
- profile
 - density, 114
 - hollow, 103
 - trench, 112
- propagator, 172
- PSII, 202
- pumping
 - gas, 29
 - ion, 103, 196

- Q-machine, 203
- quasineutral, 61, 148, 202, 203
 - plasma, 72
- quiescent, 203

- radiation, 197
 - dipole, 192
- radical, 93, 195, 203
 - free, 195
- radiofrequency, 15, 202
- radius
 - Larmor, 196, 197
- random, 204
 - experiment, 203
 - motion, 26
 - number, 159, 199
 - process, 203
 - variable, 192, 203
 - uniform, 204
- walk, 16, 20, 21, 44, 57, 63, 100
- rate
 - coefficient, 101

- rate (*contd.*)
 constant, 86
 dissociation, 100
 etch, 127
 heating, 55
 ionization, 204
 loss, 16
 reaction, 86
 removal, 114
 scattering, 110
- ratio
 aspect, 137, 141, 189
- Rayleigh–Taylor instability, 203
- reaction
 charge exchange, 90
 gas phase, 89
 neutral-neutral, 89
 rate, 86
 three body, 87
- reactive sputtering, 93
- reactor
 capacitively coupled, 86
 ECR, 86
 high density, 45
- real characteristic, 199
- recombination, 89
- recycling, 103
- reduced electric field, 193, 203
- reflecting boundary, 177
- regime
 alpha, 189
 gamma, 195
- relation
 Einstein, 27, 193
- relaxation time
 dielectric, 163, 192, 201
- removal rate, 114
- resistor
 ballast, 168, 190
- resonance
 electron cyclotron, 42, 193
- resonant
 charge exchange, 203
 recombination, 89
- response
 curve, 156
 surface, 156
- Reynolds number, 201, 203
- rf discharge, 40
- root mean square distance, 21
- rotational state, 68
- S_3N_4 , 92
- Saha equation, 203
- sample, 160
- sampling, 200
- saturation, 127
- scale length, 115
- scattering
 isotropic, 129
 polarization, 202
 rate, 110
 small angle, 203
- Scharfetter–Gummel, 158
- scheme
 convected, 170
 explicit, 194, 196
 implicit, 163, 196
- secondary, 15, 36
 electron, 160, 195
 winding, 196
- selective, 14, 90
- selectivity, 203
- self-consistent model, 168
- sensitivity, 86
- separation of variables, 145
- shallow junction, 202
- sheath, 9, 19, 40, 105, 147, 197, 202, 203
 edge, 149
 matrix, 105, 199
 moving, 55, 168
 potential, 128
 thickness, 40, 134
- sheet current, 36
- shield
 Faraday, 195
- shielding
 Debye, 202
- sidewall, 105, 139
- signal processing, 200
- silane, 93
- silicon
 amorphous, 92
 dioxide, 92
 etching, 91
 nitride, 92, 93
- simulation
 hybrid, 165
 Monte Carlo, 192
 particle, 161, 163, 200
- SiO₂ etching, 91
- site
 active, 93
- skin depth, 28, 36, 39, 57, 168
- small angle scattering, 203
- solid angle, 112
- solution
 particular, 145
- space
 phase, 168, 192, 199, 201
- spacing
 mesh, 200
- spark, 204
- spectroscopic measurement, 157
- sphere
 Debye, 201, 202
- spherical variable, 78
- spraying
 film, 204
- sputter, 12
 deposition, 199
- sputtering, 12, 90, 194, 204
 reactive, 93
- staircase, 171
- standard deviation, 175
- state
 ergodic, 194
 rotational, 68
 vibrational, 68
- statistical fluctuation, 199
- sticking coefficient, 93, 103, 110, 113
- stiff equation, 164, 204

-
- stochastic
 - heating, 204
 - process, 204
 - strategy
 - control, 156
 - strong electric field, 203
 - sublimation, 199
 - supply
 - power, 39, 199
 - surface, 16, 201
 - charge, 132
 - process, 157
 - response, 156
 - swarm experiment, 51, 76, 204
 - system
 - expert, 194
 - microelectromechanical, 199
 - tail
 - electron, 69
 - temperature, 27
 - electron, 71
 - TEOS, 93, 204
 - theorem
 - central limit, 191
 - ergodic, 194
 - thermal plasma, 204
 - thermionic emission, 204
 - thermodynamic
 - equilibrium, 193
 - local, 197, 203
 - thickness
 - sheath, 40, 134
 - Thornton diagram, 13
 - three-body reaction, 87
 - threshold, 127
 - energy, 73
 - inelastic, 68
 - time
 - collision, 21
 - confinement, 56
 - dielectric relaxation, 163, 192, 201
 - scale, 16, 164
 - electron, 204
 - ion, 204
 - titanium
 - hydride, 201
 - washer, 201
 - torch
 - plasma, 204
 - total energy, 70
 - Townsend coefficient, 204
 - trajectory, 196, 199
 - particle, 197
 - transfer
 - charge, 89
 - cross section
 - momentum, 199
 - excitation, 89
 - maximum power, 199
 - optical, 197
 - transformer, 15
 - transition
 - electric dipole, 199
 - transport, 16, 20
 - trench
 - electrostatics, 137
 - profile, 112
 - trial, 159
 - tungsten, 203
 - tunneling
 - Fowler–Nordheim, 195
 - turbulence, 193, 204
 - two-stream instability, 204
 - uncertainty, 199
 - uniform random variable, 204
 - uniformity, 62
 - unpaired, 203
 - van der Waals, 201
 - vapor deposition
 - chemical, 192
 - variable
 - cylindrical, 78
 - independent, 201
 - random, 192, 203
 - spherical, 78
 - uniform random, 204
 - variables
 - separation of, 145
 - variance, 195, 204
 - vector field, 195
 - velocity
 - Bohm, 135, 147, 190
 - drift, 26, 60, 193, 200, 204
 - vibrational state, 68
 - viscosity
 - kinematic, 197
 - viscous force, 203
 - Vlasov equation, 204
 - wafer, 200
 - walk
 - random, 16, 20, 21, 44, 57, 63, 100
 - wall
 - loss, 79
 - potential, 65
 - washer
 - titanium, 201
 - water bag, 169
 - wave
 - electrostatic, 197
 - equation, 196
 - front, 196
 - winding
 - primary, 196
 - secondary, 196
 - wire
 - loop of, 198
 - yield, 90