

Index

- (f = figure on the respective page)
- adaptive beamforming, 249
 - adaptive control, 210–16, 223, 274
 - adaptive linear combiner, 211
 - adaptive signal processing vs., 247–8
 - “cognitive cerebellum” and, 118
 - cognition and, 286
 - conventional control vs., 248–9
 - neural net models and, 274
 - surveys of, 210
 - surveys of history of, 204–5
 - adaptive control models of cerebellum, 253–70
 - bidirectional theory approach to consciousness (of Kawato), 269–70
 - distributed inverse dynamics control, 260–3
 - feedback error models, 260
 - hierarchical neural network model, 253–4
 - Ito’s general functional model, 255
 - Kawato and Gomi’s feedback error learning model, 255–8
 - modeling adaptation to prism spectacles, 260
 - multiple paired forward-inverse model, 263–8
 - state-space models vs., 249–50
 - adaptive control system
 - optimal filter and, 247
 - adaptive controllers, 5, 223
 - adaptive filters, adaptive signal processors, state estimators, Kalman filters, Kalman-Bucy filters, equivalence of, 204
 - adaptive signal processors, difference between, 204
 - controller with self-adjusting parameters, 247
 - finite impulse response vs. infinite impulse response, 215–6
 - operation of, 211–5
 - adaptive gain control, 166
 - adaptive modeling (system characterization)
 - forward modeling, 241–2
 - inverse modeling, 242–5
 - adaptive signal processing, 223
 - adaptive signal processors, 223
 - automatic amplitude matching (scaling), 225
 - fixed (frozen) coefficients, effect of, 228
 - integrator zeroing, effect of, 227
 - parameters of, 225
 - summary of features of, 245–6
 - adaptive vs. skill learning, 80–1
 - adaptive systems, complex, 250
 - antigravity reflexes, 4
 - AR (autoregressive) analysis, 206
 - archicerebellum, *see* vestibulocerebellum and flocculonodular lobe
 - area octavolateralis, 9
 - ARMA (autoregressive moving average) analysis, 205–6
 - artificial neural network models, 203
 - Braitenberg’s tidal wave hypothesis, 172–3
 - “bucket brigade”, 293
 - cerebellar cognitive affective syndrome (“dysmetria of thought”), 121
 - cerebellar cortical projections to the cerebral cortex, 34

- cerebellar and cerebral cortex
 - complementarity of functions of, 85
 - differences and similarities, 30–1
- cerebellar cortex
 - climbing fiber input, 15
 - divergence and convergence in, 28–9
 - granular layer, 17
 - molecular layer, 17
 - mossy fiber input, 15
 - nuclei and, complementarity of, 83
 - parallel fibers, 22–3
 - parasagittal banding and, 60
 - parasagittal stripes and transverse zones in, 17
 - Purkinje cell layer, 17
 - surface dimensions and uniformity, 17
- cerebellar cortex afferent systems
 - climbing fibers, 26, 27–8
 - mossy fibers, 26
- cerebellar cortex cell types
 - basket cells, 17–9, 24–5
 - Golgi cells, 17, 23–4
 - granule cells, 17, 20
 - Lugaro cells, 18
 - Purkinje cells, 17, 19
 - stellate cells, 17, 19, 25
 - unipolar brush cells, 17, 20–2
- cerebellar disease
 - abnormal control of multi-joint interaction torques, 140–1
 - electromyographic findings in, 140
 - impaired temporo-spatial integration in, 142, 143f
 - overreaching and tremor in, 140
 - reaching ataxia in, 141–2
- cerebellar imaging data and sensory information processing, 200–1
- cerebellar learning theories (forerunners of adaptive control theories), 181–95
 - Albus’ pattern-recognition data-processing theory, 191–3
 - Eccles’ instruction-selection theory, 193–4
 - Gilbert’s distributed memory theory, 194
 - Grossberg’s parallel climbing fiber correlation model, 189–90
 - Marr’s instruction learning theory, 190–1
 - Sejnowski’s storage of covariance of parallel and climbing fibers theory, 194–5
- cerebellar “modules”, 60
 - structural/functional, 35
- cerebellar modulation of sensory responses, 35
- cerebellar nuclear pathways
 - efferent, 74
- cerebellar nuclei
 - cell types, 69
 - collaterals of mossy and climbing fibers, 69, 71
 - connections with inferior olive, 68
 - organization of, 69
 - phylogeny of, 13
 - precursors in fishes and amphibia, 10
 - precursors of, 13
 - principal afferent fibers, 68
 - principal efferent fibers, 68
 - projections to premotor and prefrontal cortex, 120
- cerebellar nucleocortical projections, 75–9
 - function, 79
 - nature (excitatory vs. inhibitory), 77–8
 - species differences, 78–9
- cerebellar system, 273
 - definition of, 5
- cerebellar tremor and limb perturbations, 142
- cerebellum
 - ablation of and disturbances of voluntary movements (Rolando), 3–4
 - adaptive controller, as, 291–2
 - brief history, 274
 - balancing brain (C.J. Herrick), as, 4
 - comparative anatomy
 - in amphibia and birds, 10–2
 - in fish, 8–10
 - coordinating movements (Flourens), as, 4
 - general preparatory organ, as, 201–2
 - head ganglion of the proprioceptive system (Sherrington), as, 4
 - history of, 3–4
 - Kalman-Bucy filter (Paulin), as, 200
 - linear prediction and, 290
 - linear predictor or linear combiner, 288–9
 - major divisions of
 - cerebrocerebellum, 14, 16
 - spinocerebellum, 16
 - vestibulocerebellum, 16
 - molecular biology of, 35
 - origin in association with vestibular nerve and lateral line nerves, 8
 - origins of, 7
 - present, at, 4–5
 - sensory-data processing aid, as, 200
 - sensory processor, as, 199–200
 - special techniques for study of, 35
 - storing movement commands vs. weights, 290–1
 - 3-layer net, as, 279–82
 - uniformity of structure of, 282
 - updating of internal models and, 80
 - vermis, 3
 - visuomotor transformations and, 121–3
 - working memory and, 123
- cerebellum and cerebellum-like structures
 - in certain fish, 7
 - molecular biology of, 161
- cerebral hemispheres, 3

- cerebrocerebellum, 14
 - functions of, 16
 - projections of, 16
 - sources of inputs for, 16
- cerebrum, 3
- classical and instrumental conditioning, 131
- climbing fiber-Purkinje cell interactions, 66–7
- climbing fiber system and mossy fiber-granule cell system
 - relative development in phylogeny, 12
- climbing fibers, 18f, 20f
 - collaterals to cerebellar nuclei, 57–8
- cognition
 - clinical studies of, 120–1
- cognition and the cerebellum
 - history, 119
 - reservations concerning, 126–7
 - theories of, 127–8
- cognitive processes
 - imaging studies of, 123–5
- cognitive processing
 - red nucleus and, 120
- collaterals of climbing fibers, electro-physiology of, 58
- conditioned eyeblink reflex, 131–6
 - in humans with cerebellar pathology, 135–6
- connectionist models (theories), *see* neural network models
- corollary discharge, *see* efference copy
- corpus cerebelli, 9
- cortex, posterior parietal, 16
- cortex, premotor, 16
- crustocerebellaris (cerebellar crest)
 - identity with molecular layer, 10
- crista cerebellum, 9
- dendritic lamellar bodies
 - IO gap junctions and, 56
- dentate nucleus, 55, 68, 69, 70f, 72, 72f, 73, 74, 75
 - (*see also* lateral cerebellar nucleus)
 - functions of, 73
- dorsal cochlea nuclear cartwheel cells and cerebellar Purkinje cells, similarities and differences, 160, 161
- early adaptive control models
 - cerebellum as Smith predictor, 198–9
 - Fujita's adaptive filter model, 197–8
 - Ito's computer/control model, 195–7
- efference copy, 39
 - cerebellum-like structures in fish, in, 165
 - internal forward model and, 123
 - electrotonic coupling, 18, 53f, 54, 55, 56
 - (*see also* gap junctions)
- fastigial (medial) nucleus, 68
 - control of axial and proximal musculature and, 16
- feedback error modeling of temporary immobilization of cerebellar cortex/nuclei, 259–60
- fiber systems, newer techniques for study of, 39–40
- finite impulse response, 295
- flocculonodular lobe, 46 (*see also* vestibulocerebellum)
 - afferent fibers to, 100
 - efferent fibers from, 100
 - regional differences in anatomy, 17
 - vestibular nuclei and, 100
 - visual control of eye movements and, 55
- folia, cerebellar, 17
- forward models, 251–2
- fractured somatotopy, 39
- gap junctions, 52, 53f, 54, 55, 56 (*see also* electrotonic coupling)
- genetic defects
 - alterations of divisions of cerebellum, 146
 - defective granule cell migration, 144
 - loss of granule cells, 144
 - persistence of multiple climbing fiber innervation of Purkinje cells, 145
- glomerulus, 18f
- granule cells
 - change in phylogeny, 10
 - comparative anatomy of, 8
 - layering of, 29–30
- grasping and reaching
 - complexities of, 122
- “hidden units”, 281–2
- human cerebellar disease
 - principal findings, 137–9
- human studies
 - imaging studies, 83–4
 - single vs. multijoint movements, 83
- impairment of movement of single vs. multiple joints, 144
- inferior olivary cells
 - gap junctions and, 55–6
- inferior olivary complex, *see* inferior olivary nucleus
- inferior olivary nucleus, 42
 - cell types, 42–3
 - cellular locations of terminations, 47–8
 - organization, 43
 - origins of afferent fibers to, 42
 - types of afferent terminations, 43–4

- inferior olive, 16 (*see also* inferior olivary nucleus)
 - efferent projections of (climbing fibers), 57–8
 - hypotheses of functions of, 61–4
 - modulation of sensory impulses to, 64
 - organization and function, 286–7
 - similarities between cerebellar nuclei and, 73, 287–8
 - types of afferent signals to, 49–50
- infinite impulse response, 295
- inhibitory mechanisms
 - of Golgi cells vs. basket cells, 25–6
- internal models, 250–1
- interposed nuclei (nuclei interpositi) (emboliform and globuse), 55, 68
- red nucleus and, 54
- inverse models, 252–3
- Kalman (Kalman-Bucy) filtering, 206–7
 - advantages over prediction by Taylor series expansion, 206
 - basic principle of adaptive control, as, 206
- labyrinths vs. lateral line organs
 - differences between sensing mechanisms of, 9–10
- lampreys, 7, 9, 10
- lateral line organs, 7
 - electric organ and, 148
- lateral nucleus, 68, 70f, 71, 72f, 74 (*see also* dentate nucleus)
- leaves, *see* folia
- linear combiner, 231
- linear prediction, 231–41
 - dependence on number of predictor coefficients, 238–41
 - finite impulse response predictors, 231–7
 - infinite impulse response predictors, 237–8
- long-term depression (LTD)
 - cellular mechanisms of, 94–5
 - climbing fibers, plasticity and, 110–1
 - diminished synaptic efficacy, 89
 - induced by climbing fibers alone, 99
 - nature, mechanisms, and function, 90–9
 - potentiation in mormyrid fish and, 96–7
- long-term depression and long-term potentiation
 - temporal aspects and sites of, 97
- long-term potentiation, 95
 - with long-term depression, 95–6
 - at mossy fiber-granule cell synapses, 99
- maintenance of body scheme, 117
- mammalian dorsal cochlear nuclear complex, 156–61
 - analogies with cerebellum, 156, 158f, 161
 - microcomplexes, 65–6
 - composition of, 34
- microzones, 65–6
 - composition of, 34
- modeling of objects in external world by cerebral hemispheres, 268–9
- mormyrid fish
 - cerebellar-like structures in, 7, 148–56
- mossy fiber afferent system
 - spinocerebellar pathways, 38
 - vestibulocerebellar afferents, 37
- mossy fiber and climbing fiber systems
 - counterparts in adaptive controllers, 282
 - interconnections between, 39
- mossy fibers, 18f, 20f
 - arising from cerebellar nuclei (feedback loop), 29
 - characteristics of, 37
- navigation and maintenance of body scheme, 139–40
- neocerebellum (lateral cerebellum, cerebellar hemispheres)
 - cognition and, 118
- neocortical association areas
 - projections to pontine nuclei, 119
- neodentate (ventral part of dentate nucleus), 119
- neural integrators, oculomotor, 109–10
- neural network models of cerebellar cortex, 221
- neural network models of cerebellum, 216–22
 - arm movement, for, 219–20
 - corticocerebellar, 218–9
 - dorsal spinocerebellar tract, for, 221–2
 - generation of timed responses, for, 220–1
 - olivo-cerebellar-nuclear complex, 220
 - rubrocerebellar, 218–9
 - vestibulo-oculomotor system, 217–8
- neural networks
 - adaptive controllers vs., 204, 216
 - adaptive features of, 223
 - history, 204, 205–6
 - learning by back-propagation, 207–10
- nonadaptive theories and models
 - Allen and Tsukahara’s cerebral cortex-cerebellum cooperative hypothesis, 176–8
 - Bloedel’s dynamic selection hypothesis, 180–2
 - Bloedel’s theory of cerebellum and derivation of strategies of movement, 182
 - Boyll’s synergistic parameterization theory, 179–80
 - Braitenberg’s timing-organ hypothesis, 170–2
 - Brindley’s concept of cerebellum as site of learning motor skills, 175
 - Calvert and Meno’s spatiotemporal filter model, 178
 - Eccles’ dynamic loop control hypothesis, 176

- Eccles' Purkinje-cell readout hypothesis, 175–6
- Hassul and Daniel's lead-lag compensator model, 178
- Houk's model of adjustable pattern generators (APGs), 183, 185
- Kado's modification of Eccles' Purkinje-cell readout hypothesis, 176
- Llinás' theory of inherent rhythmicity and electrotonic spread in IO, 188
- Mano's climbing fiber synchronizing pulse hypothesis, 180
- Pellionisz' tensor theory, 178–9
- Silkis' three-layer olivocerebellar neural network with modifiable connections, 188–9
- Thach's concept of context linkage, 187–8
- Thach's neural network mechanism for multiple synergistic muscles and joints, 185–7
- nuclei, pontine, 16
- nucleus, inferior olivary, 16
- nucleus, red, 16
 - parvocellular part, 16
- nucleus, thalamic ventrolateral, 16
- ocular following responses (OFR)
 - ventral paraflocculus and, 116–7
- olivary afferents and efferents, 44f, 48–9
 - newer techniques in tracing, 48
- olivary electrotonic coupling, 48
- olivary glomeruli, 46, 55
- olivary neurons,
 - afferent terminations on, 43
 - modulation of effective electrotonic coupling of, 56
 - types of, 43
- olivary nucleus,
 - regions of, 49
- olivary projections
 - from cerebellar nuclei, 50–1, 54
 - from red nucleus, 54
 - from vestibular nuclei, 51–2
- olivary spines, 46
- olivary synapses, types of, 47–8
- olivo-cerebellar, olivo-nuclear, and nucleo-olivary projections, reciprocity among, 60–1
- olivo-cerebellar projections, 54
- optokinetic after-nystagmus (OKAN), 111
 - nucleus of the optic tract and, 111
 - plasticity of, 111
- optokinetic reflex, 49
- parallel fiber-Purkinje cell dendritic tree
 - as site of memory storage, 89
- parallel fibers, 22–3
 - forerunners of, in lampreys, 10
 - layering of, 29–30
 - length of, 22–3
 - vertical segments of granule cell axons, relative efficacy of, 30
- Perceptron, 211, 274
- plasticity of climbing fiber synapses, 93–4
- precerebellar nuclei, 40–1
- prism spectacles
 - demonstration of plasticity and, 89
- problem, well-posed vs. ill-posed, 170
- proprioceptive impulses, 7
- proprioceptive sense, importance for movement and posture, 201
- Purkinje cells, 16
 - comparative anatomy of, 8
 - complex spike, 19, 31, 31f
 - control of limb movement velocity and, 81
 - dendrite branching in a single plane, 10
 - dendrites, bistability in, 33
 - development in phylogeny, 7
 - encoding of direction and distance and, 81
 - forerunners of, in lampreys, 10
 - hyperspiny transformation, 33
 - inhibitory olivary feedback and, 73
 - origin of among granule cells, 8
 - physiology of, 32–4
 - precursors of, 10
 - rebound potentiation of inhibitory synapses on, 98–9
 - simple spike, 31, 31f
 - spiny branchlets, 32, 33
- reaching and grasping
 - organization of, 82–3
- reafferenz, 123
- red nucleus
 - enlargement in phylogeny, 119
 - magnocellular (large-cell) division, 54
 - parvocellular (small-cell) division, 54
- reductionist approach, potential futility of, 281
- retinal slip signal, 274
- rosettes (glomeruli) of mossy fibers, 27
- rubrospinal tract, 54
- saccadic adaptation in humans
 - site of, 113
- saccadic eye movements
 - cerebellar side loop for, 112–3, 112f
 - plasticity of, 112–3
- saccadic system, models of, 199
- scaling mechanism (in vestibulo-ocular reflex), 278
- sensory prediction in cerebellum-like structures in fish, 165
- serotonin
 - cerebellar nuclear cells and, 73
 - inferior olive and, 57

- smooth (predictive) pursuit of eye movements, 113–6
- spinocerebellum, 14, 16
 - constituent parts of, 16
 - fastigial and interposed nuclei and, 16
 - functions, 16
 - “spiny branchlets” of Purkinje cells, 19
- superior colliculus, 274
 - as distributed controller of eye movements, 274
- synaptic plasticity
 - absence of in non-true cerebellar-like structures, 166
- tapped delay line, 293, 294, 295
- teleosts, 8, 9
- theories and models of the cerebellum
 - nonadaptive, 170–89
 - origins of, 169
 - reviews and critiques of, 202
- theory vs. model (of the cerebellum), 169
- three major cerebellar divisions from perspective
 - of adaptive controller, 283–5
 - cerebrocerebellum, 285–6
 - spinocerebellum, 284–5
 - vestibulocerebellum, 283–4
- timing functions, 129–30
- trajectories of single fibers
 - climbing, 28
 - mossy, 28
- unipolar brush cells, 282
- urodeles, 7
- valvula
 - adaptive signal processor and, 156
 - association with electrosensory system of certain fish, 8
 - association with lateral line organs, 8
 - body of the cerebellum (corpus cerebelli) vs., 148
 - evaluation of subtle differences in electric field strengths, 154
 - foliation (folding) of, 8
 - function of, 152–6
 - idealized tapped delay line, as, 289–90
 - in mormyrid fish, 148–56
 - non-bifurcating granule cells in, 149
 - precise evaluation of brief time differences and, 154
 - ridges constituted only of a molecular layer, 149
- ventrolateral nucleus of thalamus
 - terminology of, 75
- vermis, 9, 16
- vestibular nuclei, 16
 - control of eye movements and, 16
- vestibular organ, 7
- vestibular system and inertial navigation systems, 8
- vestibulocerebellum (flocculonodular lobe), 12, 14, 16, 273
 - control of eye movements and, 16
 - functions, 16
 - vermis, phylogeny of, and, 9
- vestibulo-ocular reflex (VOR), 49, 273, 274
 - alternatives to the floccular hypothesis, 104–5
 - effects of cerebellectomy, 102
 - flocculus hypothesis (of Ito), 102–3
 - long-term depression as mechanism for, 103
 - mechanisms of, 102
 - modeling with an adaptive controller, 274
 - multiple sites and mechanisms of plasticity for, 105–8
 - plasticity, site(s), and mechanisms, 102
 - potential model for cerebellar function, as, 101
 - roles of mossy and climbing fibers in plasticity of, 108–9
 - velocity-storage integrator and, 111
- vestibulo-ocular system
 - phylogeny of, 12
- Wiener filtering, 206