

Index

- acceleration (total), 3, 10, 28–9, 50
 convective, 10, 29, 51
 local, 10, 29, 51
 relative, 41
 sudden plate, 70–3, 160–1, 218–19
- accuracy (numerical), 373, 400, 411
- adiabatic wall temperature, 332–3
- annular flow, 200–5, 344–5
- approximate methods (*see also boundary-layer entries*; creeping flow; integral method), 74–8, 118–19, 131–40, 155–60, 176–8, 318–20
- average distortion rate, 5–6
- averaging axioms, 164
- axial convection, 150, 209, 299
- axisymmetric flow
 cone, 102–3
 circular (round) jet, 67–70, 82–3, 186–9
 droplet, 405–17
 duct (pipe), 43, 98–100, 120–1, 216–18, 233–7, 299–310, 338–9, 381–90
 equations, 68, 88, 180, 263, 299, 307
 disk, 128–30, 207–9
 sphere, 131–4, 197–9, 390, 405
- Bernoulli's equation, 46–7, 93–4, 116, 196–8
- Biot number, 258–9
- Blasius flow (constant pressure, laminar), 97, 154–5, 157–8, 224, 227–8
 flat plate formula, 154, 223
 integral solution, 223–6
 similarity solution, 154–5
 “thermal,” 265, 271–2, 275–6, 312–14
- blowing, or suction flow, 77, 97–100, 122–3, 155–6, 204–5, 265, 272–3, 405–17
- body force, 9–10, 44, 50–1, 53, 55–6, 256, 283, 321
- boundary conditions, 59–60
 boundary-layer theory, 74, 85, 97, 150, 152–3, 219, 222–3, 265
 boundary value problems, 69, 127, 130, 188, 219, 222
 buoyant flow (free convection), 288, 292, 321–2
 external flow, 123, 128, 132, 198, 207–9
 free shear layer, 68–9, 187, 190, 294–5, 298
 free surface, 84, 102–3, 206, 214–15
 internal flow, 18, 98–9, 101, 120, 135, 210, 301–2, 305
 permeable wall, 77, 97, 99
 thermal, 256, 265, 270, 294–5, 298, 301–2, 305
 turbulent flow, 173, 177, 180, 298, 372
 wall, 85, 120–1, 223, 265
- boundary-layer applications
 isothermal (*see also* laminar; turbulent):
 approximate solutions, (laminar) 227–8, (turbulent) 231–2; integral solutions, 78–9, 155–9, (laminar) 202–4, 223–7, (turbulent) 176–8, 232–3; similarity solutions, (laminar) 151–5, 221–3, (turbulent) 229–30
 free convection, 62–4, 264; empirical solutions, 326; integral solutions, (laminar) 324–5, (turbulent) 330–1; similarity solutions, 288–90, 320–4, 327
 forced convection (thermal) (*see also* laminar; turbulent), 260, 264, 318–20; approximate solutions, 318–20; combined laminar and turbulent, 280–1, 332–4; empirical solutions, (laminar) 262–3, 314, 333, (turbulent) 333; integral solutions, 92–3, (laminar) 266–8, 273–5, 312–14, (turbulent) 278–80, 327–30; non similar transformed solutions, 272–3; similarity solutions (laminar), 269–72, 275–6
 mixed convection, 273, 390–404
- boundary-layer theory
 approximation, 51, 90–2, 148–50
 concept, 65, 145–8
 equations, 75, 87–8, 91–2, 148–51, 163, 263, 265; higher order, 371
 laminar, 62–5, 78–9, 144, 150, 265–76
 solution methods, 65–79, 150–1, 265–73
 thermal flow, 62–4, 92–3, 145, 260, 263–99
 tube (entrance), 43, 144–5, 303–7
 turbulent, 144, 163–90, 276–81, 366–81
- boundary-layer thickness
 hydrodynamic (shear layer), 258; laminar, 62–5, 147–8, (flat plate) 79, 154, 204, 206, 223–6, 325, (suddenly accelerated flat plate) 72–3, 124–5; turbulent, 171, 174, (flat plate) 177–8, 231–3
 thermal (*see also* thermal), 257–8; laminar, (flat plate) 313, 325; turbulent, (flat plate) 278–9, 329
- Boussinesq approximations
 buoyancy, 53, 63, 256, 265, 282–3, 321
 eddy viscosity (eddy diffusivity), 166, 168, 171, 173, 228–9, 277
- box numerical method, *see* Keller's box method
- Brinkman number, 335
- Buckingham pi theorem, 65, 67, 71, 287–8
- buffer region (layer), 172, 174–5, 179
- Burger's equation, 104

- case studies
- biofluid dynamics applications: critical flow parameters in graft–artery junctions, 429–41; free convection in a local hyperthermia device, 441–52
 - non-Newtonian fluid flows: mixed convection boundary layer flow, 390–405; tubular continuous flow reactor, 381–90
 - phase change problems: fuel droplet vaporization in a hot gas stream, 405–17; ice formation on a cylinder in cross-flow, 417–28
 - turbulent flow: accounting for wall effects via a modified κ -epsilon model, 378–80; thick boundary-layer flow on curved surfaces, 367–78
- Casson model, 141–4
- coefficient of friction (*see* friction coefficient)
- coefficient of thermal expansion (*see also* volumetric expansion coefficient), 53
- compressible flow, 45, 113–15, 191–6, 317–18
- computational fluid dynamics (CFD), 66, 167–72, 266, 353–452
- computer solutions (*see also* CFD; FORTRAN; numerical methods), 66, 167, 363–4, 374, 385, 400, 411–12, 435–6, 445–8,
- conductive heat transfer, 51–3, 58, 95–6, 261–2
- conservation laws (*see also* equations)
- control-volume approach (integral formulation), 39–47, 90–2
 - energy, 39, 41, 46–7, 51–3, 58, 62, 253–6, 260–1, 317
 - mass (continuity), 22, 31, 39, 41–3, 46, 48–50, 53, 57–8, 68, 75–6
 - momentum, 39, 41, 44–6, 50–1, 53, 56–8, 68, 75, 83–4, 86
- convective heat transfer applications (*see also boundary-layer entries*; duct flow; flow; free convection; free shear flows; heat; laminar; thermal; turbulent)
- external, 92–3, 264; laminar, 262–3, 266–78, 295–7, 312–27, 390–428; turbulent, 278–81, 297–9, 327–34
 - internal, 264; laminar, 299–307, 334–6, 338–41, 344–5, 381–90; turbulent, 307–12, 336–8, 341–4
- core flow
- non-Newtonian 381, 385, 388
 - potential, 186
 - turbulent, 174, 178–9, 343
- corner flow, 201–2
- Couette flow
- between parallel plates, 11, 18, 121–2, 161, 200–1, 334–6; “turbulent,” 235–6
 - between rotating cylinders, 121–2, 200–1, 204–5
- creeping flow, 51, 119, 131–40, 205–7
- Darcy flow in small passages, 136–40
 - porous media models, 136
 - Reynolds flow in lubrication systems, 134–6, 209–14
 - Stokes flow past a sphere, 131–4
- cylinder flow
- normal to flow, 318–20
 - rotating, 73–4, 81–2, 117, 204–5
- cylindrical coordinates (w/transforms), 457
- Darcy flow, *see* creeping flow
- diffusion equation, 95–7, 104, 123
- dilatation, 3
- dimensional analysis, 61, 64, 67, 101, 146, 149
- dimensionless parameters (groups), 61, 149, 258–9, 277, 287–8
- direct numerical simulation (DNS), 168–9, 366
- disk, rotating, 128–30
- displacement thickness, 75–7, 154–5, 224–6
- dissipation, *see* energy; viscous
- drag coefficient, 75, 77, 134, 224, 226
- duct flow, circular (pipe) (*see also* flow, internal)
- isothermal: laminar (*see also* laminar), 27, 43, 98–100, 120–1, 142–4, 178, 196–7, 215–18; turbulent (*see also* turbulent), 183–5, 233–7
 - thermal, 260, 264; laminar (*see also* laminar), 299–307, 338–41, 381–90; turbulent (*see also* turbulent), 307–12, 336–8, 342–4
- duct flow, non-circular (*see also* flow, internal)
- isothermal: laminar (*see also* laminar), 43, 97–8, 101–2, 215–16, 219–21
 - thermal, 260, 264; laminar (*see also* laminar), 344–5; turbulent (*see also* turbulent), 341–2
- Eckert number, 270, 391
- eddy
- scales, 164
 - viscosity (diffusivity), 164, 166, 168, 171–3, 180–1, 236–7, 229–30, 277, 297, 308, 373, 378
- effective origin, 280–1
- Einstein summation convention, 24
- energy
- equation (*see also boundary-layer entries*; conservation laws): kinetic, 85–6; laminar, 62, 92; turbulent, 165–6, 276, 307
 - dissipation (rate), 164, 166, 169–70, 172
 - integral relation, 92–3, 273–5, 312, 325, 329
 - kinetic, 93–4, 254
 - potential, 46, 93–4
 - turbulent kinetic, *see* turbulence modeling
- enthalpy, 7, 46, 52–3, 57, 91, 115, 255, 261
- enthalpy thickness, 274–5, 279, 329
- entrance flow (*see also boundary-layer entries*; duct flow; flow)
- momentum, 43, 178
 - thermal, 303–7, 381–90
- entropy, 6–8, 53–4, 115, 191, 194
- equation of state, *see* thermodynamics
- equation (*see also boundary-layer entries*;
- conservation laws; thermal; turbulent)
 - conservation equations: approximations, 75, 87–8, 90–2, 131–40, 150–1; differential form, 39, 47–58, 80; integral form (Reynolds Transport Theorem), 39–47, 90–2; turbulent (incompressible), 165–6, 307

- equation (*cont.*)
 governing (fundamental) equations in rectangular, cylindrical and spherical coordinates: continuity, 469–70; component, (rate of deformation) 473–4, (stress tensor, incompressible, Newtonian) 474–5, (vorticity vector) 472–3; momentum, 470–1, (Navier–Stokes), 471–2, (Navier–Stokes, 2-D curvilinear coordinates) 475–6; thermal (constant property), 476–7
 simplified governing equation: field equation in terms of fluxes, 479–80; generalized transport, 479; momentum, heat, and mass transfer (constant property), 480–2; two dimensional, (Navier–Stokes) 480, (Navier–Stokes, nondimensional) 481, (stream function) 481–2, (constitutive transport) 482, (normalized heat equation) 482
 Euler's equation, 51, 70, 75, 114–15, 150, 160
 Eulerian (Euler) system, 2–3, 21, 28, 39, 44, 53–4
- Falkner–Skan flow
 application to heat transfer, 269–73, 275–6
 equation, 153, 222, 269–70
 solutions (wedge flow), 153–4, 221–3
 transformations, 152–3, 222, 229, 269–70, 272–3
- Fick's law, 57
- First Law of Thermodynamics, *see* thermodynamics
- flat plate flow (*see also boundary-layer entries*)
 isothermal: laminar (*see also* Blasius flow), 70–3, 78–9, 97, 144, 154–5, 202–7, 223–8; turbulent, 176–8, 231–3
 oscillating (*see also* Stokes second problem), 122–3
 suddenly accelerating (*see also* Stokes first problem), 70–3, 122–5, 218–19
 thermal, 62, 92–3, 260, 281–7; laminar, 262–3, 265–76, 312–27; turbulent, 277–82, 327–34
- flow
 external (*see also boundary-layer entries*; creeping flow; free shear flows; laminar; turbulent) 20, 97; isothermal, (laminar) 67–74, 78–9, 82–3, 102–3, 122–30, 154–5, 202–7, 214–15, 218–19, 221–8, 429–41, (turbulent) 176–8, 229–33; thermal, 62, 92–3, 260, 263–5, 281–7, (laminar) 262–3, 265–6, 287–90, 295–7, 312–27, 390–428, 442–52, (turbulent) 276–81, 297–9, 327–34
 internal (*see also* Couette flow; Darcy flow; duct flow; laminar; turbulent), 85, 196–7, 219–21; hydro. developing, 11, 43, 98–100, 178–9; hydro. fully developed, 18, 97–8, 101–2, 120–2, 134–5, 142–4, 179, 183–5, 204–5, 209–18, 233–7; thermal & hydro. developing, 264, 304, 381–90; thermal & hydro. fully developed, 260, 301–3, 307–12, 334–6, 338–44; thermal developing & hydro. fully developed (*see also* Graetz flow), 264, 305–7; thermal fully developed, 336–8, 344–5
- fluid
 element deformation, 3–5, 9
 kinematics, 2–6
 properties (*see also* Newtonian fluids; non-Newtonian fluids; viscosity), 2, 33–4, 334–5, 485–6
 forced convection, thermal, (*see boundary-layer entries*; convection heat transfer applications; flow, thermal)
- FORTTRAN (source code)
 Gauss–Seidel, 493–6
 Keller's Box, 500–26
 Newton–Raphson, 487–9
 Runge–Kutta, 496–500
 Thomas Algorithm, 489–93
- Fourier law of conduction, 51–2, 54, 58, 254–5, 257
- free convection (*see also boundary-layer entries*; flow; thermal), 62–4, 264, 281–7, 441–52
 equations, 283
 solution techniques, 286–7
 temperature/velocity profiles, 286–7
- free shear flows (isothermal)
 jet, 45, 187–9; empirical approach, 188; laminar, 187–9, (circular) 67–70, 82–3, (self similar) 67–70, 189, (stream function approach) 67–70, 187–9; turbulent, 187–9, (non-similar) 188–9, (similar) 189, (stream function approach) 187–9
 mixing layer, 189–90
 turbulent, 185–90
- free shear flows (thermal), 292–9
 equations, 292, 294
 transformations, 294–5
 jet: laminar self similar, 295–7; turbulent, 297–9
- friction coefficient (skin), c_f , (Fanning friction factor), 169, 172, 259–60
 laminar boundary layer flat plate, 154–5, 224–6, 262, 276, (free convection) 289–90; rotating sphere: (mixed convection), 397, 401–2
 turbulent boundary layer: flat plate, 178, 231–3, 279, 329
 turbulent internal flow: pipe, 311
- friction factor, f , (Darcy), 121, 168–9, 172, 215–16, 259–60
 laminar boundary layer: flat plate, 224–6
 laminar internal flow: pipe, 216
 turbulent boundary layer: flat plate, 177
 turbulent internal flow: between parallel plates, 235–6; pipe, 179, 181–3, 185, 234–5, 311, 337
- friction velocity, 164, 167, 172, 228–9, 343
- Gauss–Seidel, 493–6
 Gibb's free energy, 7, 94
 Graetz problem, 305–7
 Grashof number, 64, 259, 281, 288
 gravitational effects, 8–10, 44, 47, 50–1, 56, 205–7, 281–90, 315–16
 Green's (Divergence) Theorem, 47, 48, 50, 83

- Hagen–Poiseuille flow, *see* Poiseuille flow
- heat
 capacity, 7
 conduction, 51–2, 95–6, 254–5, 262
 flux, 7, 46–7, 51–3, 57, 91, 254–5, 276; total, 276, 307, 341; wall, 257, 260, 263, 279, 302–3, 322–3, 328–9, 339
 specific, *see* specific heat
 transfer (convection), 92–3, 253–352
 transfer applications, *see* boundary-layer entries;
 duct flow; flat plate flow; flow; laminar;
 thermal; turbulent
 transfer coefficient, 257–8, 287, 313, 330, 333;
 mean, 314, 322, 323, 326, 333, 337
 transfer equations (*see also* boundary-layer
 entries; conservation laws; thermal), 87–9,
 92, 104–6, 255–6, 260–1, 263–5, 283, 291,
 307, 317
- Helmholtz free energy, 7, 93–4
- Hiemenz flow, 126–8
- high Prandtl number fluids, 64, 258, 267–8, 217
- high Reynolds number flow, 144–89
- high speed flow, 113
- hydraulic diameter (radius), 216, 304, 345
- hydrodynamic entrance length, *see* entrance flow;
 length
- hydrodynamically fully developed flow *see also* flow,
 internal), 96–7, 101, 120–5, 205–7,
 209–14, 215–18, 233–7, 338–44
- ideal gas law, 8, 191–2, 282
- incompressible flow, 10, 22, 33, 43, 50, 114
 inviscid, 28, 30, 115–17, 126–7, 196–9
 viscous, 12, 14–15, 32, 43, 92–3, 97–103, 118–19,
 176–8, 200–37, 253–316, 318–31, 334–45
- initial conditions, 59–60, 120, 123, 218, 256
- integral method (*see also* Thwaites's method), 39,
 61, 74–9, 151, 156–8, 176–8, 202–4, 223–
 6, 232–3, 266–8, 273–5, 278–80, 286–7,
 312–13, 324–6, 327–31
- internal energy, 6, 52, 254
- irrotational flow, 5, 16, 18, 30, 51, 116, 195–6
- inner variables (*see also* turbulence), 180, 277, 343
- Jeffrey–Hamel flow, 219–21
- jet flow, *see* free shear flows
- κ -epsilon model, 166, 168, 171, 172, 378–80
- Karman, *see* Von Karman
- Keller's box method, 500–26
- kinematics, *see* fluid, 2–6
- Kolmogorov, 168
 length scale, 164, 167, 169
 time scale, 167, 169
- Kronecker delta, 12–4, 24, 460
- Lagrangian system, 2, 21, 28, 39–40
 time rate of change, 458
- laminar, 10
 boundary layer flow (isothermal), 78–9; flat plate,
 78–9, 97, 154–5, 202–4, 223–6, 226–8;
- wedge, 221–3; velocity profiles (approx.), 78,
 156, 157, 202, 223, 225
- boundary layer flow (thermal), 62, 257, 260,
 265–76; flat plate, 62, 262–3, 266–76,
 312–14, (free convection) 288–90, 320–7;
 stagnation, 317–20; temperature/velocity
 profiles (approx.), 267, 286–7, 312, 314,
 318–9, 324; wedge, 269–77
- creeping flow, 131–40, 207–14
- external flow (*see also* boundary-layer entries;
 creeping flow; flow; jet flow; stagnation point
 flow), 214–15; film, 102–3, 205–7, 214–15,
 315–16; rotating disk, 128–30; Stokes first
 problem, 122–5, 218–19
- internal flow (isothermal) (*see also* Couette flow;
 duct flow; flow), 97–102, 120–2,
 196–7, 215–21; velocity profiles (approx.),
 97, 121, 201, 216
- internal flow (thermal) (*see also* duct flow; flow),
 260, 299–307, 334–6, 338–9, 339–41,
 344–5, 381–90; temperature/velocity profiles
 (approx.) 302
- jet (*see also* free shear flows), 67–70, 82–3,
 95–7; temperature/velocity profiles (approx.),
 188, 297
 sublayer, *see* viscous sublayer
- Laplace equation, 131, 160, 198–9
- Laplacian of a scalar field, 462
- Laplacian of a vector field, 463
- large eddy simulation (LES), 168–9
- law of the wall, 175–6, 185, 277
- length
 hydrodynamic entrance, 178–9, 299, 304
 scales: mixing, 166–7, Kolmogorov, 164, 167,
 169; Van Driest damping, 167, 171, 230;
 viscous wall, 167
 thermal entrance (*see also* Graetz problem), 304,
 307
- log-law, 167, 169, 172, 175–6, 178, 185, 231–2,
 234–6, 277
- low Prandtl number flow, 258, 267, 271, 285, 312,
 314, 318
- low Reynolds number flow (*see also* Creeping flow),
 119–44
- lubrication flow, 131, 134–6, 207–14,
 334–6
- Mach number, 113–15, 191–3
- Mangler transformation 86–9
- mass
 conservation (*see also* conservation laws),
 integral, 42, 113
 diffusivity, 58
 flow defect, 154
 flux, 54, 57
 transfer equation, 58
- material derivative (*see also* Stokes, derivative), 3,
 40–2, 44, 46–7, 49–51
- mechanical energy integral relation, 77
- method of weighted residuals (MWR), 65, 74,
 155–6
- mixing layers, *see* free shear flows

- mixing length
 hypothesis, 166, 171, 228–9
 models, 171–3, 230, 308, 373
 model development (sequence), 1, 355–6
 modeling, system
 historic overview, 353–5
 math approaches, 1, 362–66
 model types (*see also* turbulence), 39, 356–62
 moderate Reynolds number flows, 144
 momentum, 54, 56
 angular, 54
 defect, 155
 deficiency, 173
 diffusivity (kinematic viscosity), 58, 256
 eddy viscosity (eddy diffusivity), 168, 171–4, 236–7
 equation (*see also* conservation laws, equations),
 integral, 44, 114, 203, 223, 232, 325, 328
 flux, 11, 14, 54, 64, 68
 integral relation, 74–9, 156–7, 286
 thickness, 75–7, 224–6, 232, 279
 Moody Chart, 184, 310
 moving boundary flows (*see also* Couette flow)
 between disk, 94–5, 207–9
 evaporating droplet, 405–17
 ice formation, 417–28
 lubrication, 212–14, 334–6; wedge (Reynolds),
 134–5, 209–12
 plate (*see also* Stokes, first problem; Stokes,
 second problem), 70–3, 122–5, 218–19
 rotating disk, 128–30

 natural convection
 boundary layer, *see* free convection
 internal, 290–2
 Navier–Stokes Equation, 50–1, 56–8, 61, 68, 71,
 80, 118–9
 non-parallel flow solutions, 125–30
 parallel flow solutions, 70–3, 120–5, 200–1,
 205–7
 summary of solution approaches, 118–19, 160–
 3
 two-dimensional, 80, 126
 Newton–Raphson, 66, 487–9
 Newton's
 law of cooling, 254, 257
 second law, 10, 44, 47, 50
 Newtonian fluids, 8, 10, 12–14, 17, 56, 58, 86
 Nikuradse's formula, 180
 non-Newtonian fluids, 8, 10, 12, 15, 17, 140–4,
 381–405
 Bingham, 3, 16–17, 141, 383
 Casson, 141–4
 power law, 12, 15–16, 94–5, 140, 216–18, 383,
 390–405
 non-similar flow, 188, 266, 272–3
 solutions (*see also* integral method), 74–8,
 272–3
 numerical methods (*see also* FORTRAN), 65–6,
 487–526
 Nusselt number, 259–60
 annulus (constant wall heat flux), 344–5
 circular tube, 301, 311; constant wall heat flux,
 303; constant wall temperature, 303, 306
 flat plate, 267, 272; forced convection, (constant
 wall temperature) 270–2, 275–6, 281,
 313–14, 332–4; free convection, 281, 285–8,
 290, (constant wall heat flux) 323–4,
 (constant wall temperature) 289, 322–6, 331
 rotating porous sphere: free convection, 398,
 400–2
 stagnation flow (constant wall temperature), 320

 one-seventh law, 173, 182, 233, 344
 Oseen theory, 119, 162
 outline of solution methods; 66, 200, 356

 parabolic differential equations (boundary-layer
 equations), 59–60, 65, 95–7, 151, 263
 Peclet number, 61–2, 259, 261–2, 299
 pipe flow (*see also* duct flow; flow)
 friction factor, 179, 181–3, 185, 215–16, 311,
 337, 343
 Poiseuille flow, 120–1, 161, 338
 Poisson's equation, 98, 120, 305
 porous media flow (*see also* creeping flow), 131
 potential energy, *see* energy
 potential flow, 18, 51, 65, 77, 117–18, 197–9
 power-law
 fluids (*see also* non-Newtonian fluids), 94–5,
 216–18, 390–405
 profile (*see also* one-seventh law), 167, 169,
 172–4, 177, 185, 233, 278, 311, 328, 344
 Prandtl mixing length hypothesis (MLH) (*see also*
 mixing length), 166, 168, 171–4, 228–9, 308
 Prandtl number, 259
 gases, 258, 268
 high (heavy oils), 64, 258, 267–8, 271, 284, 304
 low (liquid metals), 258, 267, 271, 285, 304,
 312, 314, 318
 turbulent, *see* turbulent
 pressure, 9–10, 13, 44, 50, 56
 gradient, 50, 56–8, 70–1, 215; boundary layer
 flow, 75, 85, 149, 150; duct flow, 85, 97–8,
 101–2, 121, 160
 hydrostatic, 84, 283
 parameter, 121–2, 176, 273
 work, 85–6
 properties
 extensive, 6, 39
 fluid (physical), 334–5, 485–6
 intensive, 6, 39
 thermodynamic, 6–8, 33, 191–4
 transport, 8
 pseudoplastic fluids, 16
 pump, viscosity (*see also* Von Karman), 200–1

 rate of deformation tensor, *see* tensor
 rate of strain tensor, *see* tensor
 Rayleigh number, 64, 259, 284, 291–2
 critical, parallel plates or tall enclosures, 291
 relative-order-of-magnitude analysis (ROMA), 61,
 146, 149–50
 relative roughness, 183–4, 233–5, 311

- representative elementary volume (REV), 47, 49, 52, 54, 79, 84, 260
- research, methodologies, 253–66
- Reynolds-averaged Navier–Stokes equation, 164–5, 307
- Reynolds (–Colburn) analogy, 259–60, 262–3, 271, 276–7, 280, 329, 331, 337
- Reynolds decomposition, 164, 276
- Reynolds flow (*see also* creeping flow), 134–5, 162
- Reynolds number, 61, 98, 235, 259
 critical flat plate, 144, 258; jet, 186, 295; pipe flow, 258
 definition, 61, 125
 wall, 175
- Reynolds stress (*see also* stress), 164
 Modeling (RSM), 164, 168, 170–1
 tensor, *see* tensor
 Transport (RST) 164, 170
- Reynolds Transport
 equations (*see also* turbulent), 307, 330
 Theorem (RTT), 39, 41–2, 46–7, 48, 50, 54, 83, 104–6
- Richardson number, 272, 281
- rotational flow, 5, 16, 22, 81
- Runge–Kutta, 66, 127, 130, 496–500
- scalars
 gradient of, 24
 Laplacian of, 462
- scale analysis (*see also* dimensional analysis), 62–4, 135, 146, 259, 265, 283–6
 high Prandtl number, 64, 267–8, 284–5
 low Prandtl number, 267, 285–6, 312
 high Peclet number, 299
- Schmidt number, 259
- second law of thermodynamics, 6–7, 194
- self-similar, 65–7, 151, 266
 boundary layer flows, *see* boundary-layer entries; similarity
 free convection, *see* free convection
 jets, *see* free shear flows
- sequence of model development (*see also* model development; modeling), 1, 119, 355–6
- shape
 factor correlation, 159
 function, 159
- shear
 factor correlation, 159, 227
 function, 159
 layers: free, *see* free shear layers; thin (*see also* boundary-layer entries), 68, 144–5, 174–8; thick (*see also* boundary-layer entries), 367–78;
- similar and nonsimilar velocity and temperature profiles, 65, 67, 78, 95, 272
- similarity
 function, 67–8, 97, 104, 124
 solutions (*see also* boundary-layer entries), 67–74, 124, 151–5, 189–90, 219, 221–3, 266, 269–72, 275–6, 288–90, 294–5, 322, 327
 theory, 65–74, 151, 266
 variables, 61, 65, 67, 104, 124, 188, 219, 222–3, 266, 269, 288, 294, 327
- solution format, 200, 312
- solution methods (*see also* approximate methods; CFD, integral method; numerical method; similarity), 65–79, 101–2, 118–9, 127, 150–63, 178–80, 227–8, 265–75, 277–8, 286–7, 315–16, 318–20
- species diffusivity, 8, 256
- specific heat, 8, 53, 58, 191–2, 194
- speed of sound, 34, 113, 192, 195
- sphere, flow over, 131–4, 197–9
- spherical coordinates (w/transforms), 457
- stagnation point flow, 82, 126–8, 197–9, 317–8
- Stanton number, 92, 259–60
 flat plate, 92–3, 275; laminar, 262, 268, 274–5; turbulent, 277–81, 328–31
 pipe (turbulent), 311, 337, 343
- Stokes
 derivative (*see also* material derivative), 3, 40–2, 44, 46–7, 49–51
 equation, 131, 160, 162
 first problem, 70–3, 160–1, 218–19
 flow, *see* creeping flow
 hypothesis, 10, 13–14, 50, 57
 second problem, 122–3, 160–1
- strain rate tensor, *see* tensor
- stream function, 22–3, 30–2, 50, 68, 80–1, 86–8, 100, 131, 152, 188, 201–2, 266, 269, 288
 approach, 68, 99–100, 152–3, 187, 269, 288–90, 321–2, 327
 dimensionless, 68, 152, 188, 266, 272, 294–5
 equations, 481–2, 483–4
- streamline flow, 22–3, 30–2, 47, 118, 196
- streamwise
 convection heat transfer, 299
 momentum diffusivity, 150
- stress
 normal, 5, 9–10, 12–4, 26
 Reynolds, 164–5, 173
 shear, 3, 5, 10, 12, 95, 163, 171; wall, 84, 143, 154, 157–8, 175, 201, 204, 223–8, 231, 233–5, 260, 331
 tangential, 13, 15, 26
 tensor, 6, 10–11, 32, 54, 56–7, 171, 173;
 Newtonian fluids, 12–15, 32, 86; non-Newtonian fluids, 12, 15, 17, 95, 140–1, 217
 total, 10–11, 13–14, 56, 163, 166, 174, 307
 viscous, 5, 12, 57
- stretching flows, 161–2, 209, 214–15
- substantial derivative (*see also* Stokes, derivative; material derivative), 3
- summary (Navier–Stokes equations)
 basic approximate solutions, 161–3
 basic exact solutions, 160–1; frictionless flow, 160; parallel flow, 160–1; steady flow with convective acceleration, 161
- surface tension, 214–15
- temperature
 average (mean), 256, 301, 340–1, 345
 bulk, 301, 311

- temperature (*cont.*)
 film, 311, 337
 profiles (*see also* laminar, turbulent), 267, 270, 277–8, 286–7, 300, 312, 314, 321, 324, 328, 330
 dimensionless, 266, 267, 270, 271, 272, 278, 286, 301, 309, 312, 316, 321, 327
- temporal rate of change, 40
- tensor, 23–7, 457
 divergence, 23–7, 462
 gradient, 6, 462
 identification, manipulations, and operations, 23–7, 457–67
 rate of deformation, 3, 13, 15–16, 56, 140, 473–4
 rate of strain, 3, 6, 13–14, 95, 141
 Reynolds stress, 165
 stress, 6, 10, 12–15, 26, 54, 56–7, 86, 163
 total stress, 10, 13–14, 56, 163, 166, 307
- thermal
 boundary layer (*see also boundary-layer entries*; flat plate flow; flow; laminar; turbulent), 257, 260, 263–99; flat plate (forced), 262–3, 265–76, 278–81, 312–14, 332–4; flat plate (free), 288–90, 320–31; rotating sphere (mixed), 390–405; stagnation, 317–20; wedge, 269–72
 conductivity, 256
 conduction (diffusion), 51–2, 57, 95–6, 254–5, 257
 diffusivity, 53, 58, 256, 341
 energy equations (*see also boundary-layer entries*; conservation laws), 87–9, 92, 104–6, 253–8, 260–1, 263–5, 283, 291, 329
 energy integral relation, 92–3, 273–5, 312
 entrance length (*see also* entrance flow; length) flows, 253–352; conduits, 260, 299–312, 334–45, 381–90; external (*see also boundary-layer entries*), 62–4; film, 315–16; free shear, 292–9
 radiation, 254, 256
- thermodynamics
 equation of state, 6, 56, 282
 first law, 7, 46, 51, 191, 194, 253
 properties, 6–8, 33
- thermally fully developed, *see* flow
- Thomas Algorithm, 489–93
- Thwaites's method, 156, 158–9, 226–7, 268
- time scales
 convection (residence), 147, 167
 diffusion, 147, 167
 Kolmogorov, 167, 169
 viscous diffusion, 167
- Tollmien-Schlichting waves, 163–4
- transformations (*see also* Falkner-Skan; Mangler transformation; similarity; stream function), 64–7, 70–3, 95–7, 99–100, 104, 129–30, 272–3, 316, 318–22
- transport equations (*see also* conservation laws), 8, 18, 39–60, 74, 80–1, 90–1, 170, 253–6, 261
 generalized, 53–8, 206, 479
- turbulence modeling, 163–90
 intensities, 179
 kinetic energy, 164–6, 172, 179
 models, 163–73, 173–90, 368–73, 378–80
 scales, 167
 transition to, 131, 144, 163
 thermal, 276–81, 307–12
 turbulent, 8, 10, 163–90
 boundary layer flows (*see also boundary-layer entries*), 228–9; effective origin, 280–1; isothermal, 174–8, (flat plate) 176–8, 231–3, (velocity profiles) 169, 172, 174–8, 181, 232–3; thermal, 265, 276–81, (flat plate) 277, 327–34, (temperature/velocity profiles) 277, 328, 330
 eddy viscosity (eddy mom. diffusivity), 164, 166, 168, 173, 180–1, 229–30, 236–7, 308–73, 378; Cebeci and Bradshaw, 171; Cebeci and Smith, 171, 230; Jones and Launder, 172; Kolmogorov and Prandtl, 172, 378; Prandtl and Von Karman, 171
 heat flux, 255, 257, 265, 276–7, 279, 328–9, 331, 341, 343
 internal flow (*see also* duct flow; flow): isothermal, 178–85, 233–7, (velocity profiles) 169, 172–6, 179, 181–5, 232–3, 235–6; thermal, 307–12, 336–8, 341–3, (temperature/velocity profiles), 308–9, 311, 342–3
 free shear flows, 185–90, 297–9; velocity profiles (jet), 188
 law of the wall, 175, 179, 185, 277
 log-law profile, 172, 175–6, 178–9, 181, 185, 231–2, 277
 Prandtl number, 260, 277, 309, 328
 transport equations (incompressible), 165, 276; two dimensional; 166, 307
- unheated starting length, 278–80, 327–30
- Van Driest correction
 dampening factor (length), 167, 171, 181, 230, 308
 extension for wall dampening, 168
- velocity
 absolute, 41
 angular, 5, 16, 18, 20–2, 31, 73
 average (*see also* mean), 42–3, 46, 61, 85, 181, 216, 235
 circulation, 20, 117, 195–6
 defect law, 175–6
 friction, 164, 167, 172, 228–9, 343
 gradient, 6, 8, 10–14, 23–7, 95
 mean (*see also* average), 177, 216
 potential, 116, 160, 198–9
 profiles (*see also* laminar, turbulent), relative, 41, 45
- vector definitions, operations and manipulations, 457–67
- viscosity (*see also* Newtonian fluids, non-Newtonian fluids)
 absolute (dynamic), 8, 10, 15, 485
 eddy (eddy momentum diffusivity), 164, 166, 168, 171–3, 180–1, 229–30, 236–7, 308
 kinematic, 58, 256, 485–6
 zero shear rate, 16

- viscous
 dissipation, 26, 52–3, 58, 170, 255, 261, 334, 339
 sublayer, 166, 175
 volumetric expansion coefficient (*see also* coefficient of thermal expansion), 256, 282
 Von Karman
 constant, 175
 “Pohlhausen” integral method (*see also* Integral method), 74–9, 156, 266–8
 viscous pump problem, 128–30
 vortex
 free, 4, 16, 18, 31, 195–6
 forced, 4, 16, 18, 195–6
 line, 19–20
 stretching, 19
 tube, 20
 vorticity
 circulation, 21
 contours, 20
 convection, 19
 dynamics, 16–21, 118
 local change, 19
 summary, 20–1
 transport equation, 18–19, 80–1, 125
 vector, 3, 5–6, 11, 18–19, 27, 30–3, 80–1, 116, 118, 195
 wakes (*see also* free shear flows)
 function, 176
 parameter, 176
 wall coordinates, 173, 264, 311, 343
 wall heat flux, *see* heat, flux
 wall vorticity generation and diffusion, 16, 125, 145, 147–8
 waves, *see* Tollmien-Schlichting
 wedge flows (*see also* Falkner-Skan, moving, boundary flows) 134–5, 209–12
 work, 7, 46–7, 51–3, 85–6, 94, 254–5
 zero shear rate viscosity, 16