

## Index

- acceptance 131  
 adiabatic limit 96  
 Anderson impurity Hamiltonian 40  
 angle-resolved photoelectron spectroscopy 67 ff.,  
 375  
 asymmetry parameter 86  
 astigmatism 430, 133  
 Auger spectroscopy 113, 382–4
- $\text{Ba}_2\text{Cu}_3\text{O}_4\text{Cl}_2$   
 Zhang–Rice singlets 338, 339  
 background subtraction 149 ff.  
 $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_8$   
 Ag overlayer 367, 368, 371  
 Al, Bi overlayers 364, 365  
 background 225  
 background subtraction 245  
 band mapping 221, 225, 227, 244  
 bosonic mode 282, 283  
 cleavage 14  
 core-level spectra 261, 262  
 Cs overlayer 369  
 dip 83, 278, 298  
 early studies 220–32  
 electron microscopy of surface 153  
 electron energy-loss spectra 230  
 extended critical points 247  
 Fermi surface 221, 246, 248  
 Fermi-level shift upon doping 285–7  
 gap above  $T_c$ , pseudogap 290–5, 298, 299
- gap anisotropy 271–7, 280  
 gap temperature dependence 279, 280  
 Ge overlayer 369  
 initial-state symmetry 231, 253, 255  
 inverse photoelectron spectra 227–9, 260  
 LDA electronic structure 28  
 LDA Fermi surface 29  
 line shape 225, 262–70, 297  
 localization 301–5  
 mirror-plane symmetry selection rules 253,  
 255  
 momentum distribution 257  
 O 1s, Cu 2p resonances 258, 259  
 order parameter *see* gap  
 oxygen insertion 359  
 oxygen removal 358, 359  
 Pb doping 252, 253  
 polarization selection rules 246  
 Rb overlayer 364  
 shadow bands 248–50, 252  
 spinon–holon pair 270  
 STM study of surface 153  
 stripes 250, 251  
 sudden approximation 256, 257  
 superlattice 252–5  
 Ti, Fe, Cu, Cr, Pd, Au overlayers 365–72,  
 total yield near threshold 281  
 underdoped crystals' Fermi surface 289–97  
 unit cell 13  
 water adsorption 359, 360

- Bi2212 ( $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_8$ ) (*continued*)  
 x-ray absorption spectra 230
- Bi2201 ( $\text{Bi}_2\text{Sr}_2\text{CuO}_6$ )  
 band mapping 305–8  
 early inverse photoemission spectra 228, 229  
 early photoemission spectra 232  
 Fermi surface 305–8
- Bi2202 ( $\text{Bi}_2\text{Sr}_2\text{Cu}_2\text{O}_8$ )  
 LDA Fermi surface 30
- Bi2223 ( $\text{Bi}_2\text{Sr}_2\text{Ca}_2\text{Cu}_3\text{O}_8$ )  
 band mapping 305–8  
 core-level spectra 261  
 Fermi surface 305–8
- binding-energy shift 215  
 bond-valence sum 286, 287  
 Bravais lattices (table) 12  
 Brillouin zone 16, 17, 21
- Ca, Sr, Ba core-level shifts in cuprates 216  
 cluster models 34 ff.  
 coincidence, Auger(electron) photoelectron 382–4  
 cone, “Mahan cone” 75, 76  
 constant-final-state spectrum (CFS) 65  
 constant-initial-state spectrum (CIS) 65  
 Cooper minimum 102  
 core-level satellites 107 ff.  
 critical points 63  
 “crud test” 87
- Cu (copper)  
 2p core-level 181  
 3p resonance 180, 181  
 core levels 179  
 electron energy bands 166, 167  
 inverse photoemission spectra 170  
 lifetime broadening 172  
 narrow surface 3d band 166  
 stereographic projection 177, 178  
 surface state 171–3, 176  
 temperature dependence 168–71  
 valence-band satellite 180
- CuO (cupric oxide)  
 cluster model 208–11  
 core-level spectra 207  
 inverse photoemission 207, 211  
 resonance photoemission 206  
 Ti overlayers 361–4  
 valence-band satellites 206  
 valence-band spectra 206
- Cu<sub>2</sub>O (cuprous oxide)  
 BIS spectra 205  
 resonance photoemission 204, 205  
 valence-band photoelectron spectra 204  
 valence-band satellite 204
- Cu 2p core-level shifts in cuprates 217–19  
 CuO<sub>2</sub> plane tight-binding band structure 18  
 cylindrical mirror analyzer 139, 140
- de Haas–van Alphen oscillations 397  
 display analyzer 143, 144  
 dispersion 130  
 Doniach–Šunjić line shape 86  
 doping 41–4
- electron lens 142, 143  
 electron–electron scattering 52  
 electron energy-loss spectroscopy (EELS) 113, 400  
 emittance 123  
 energy distribution curve (EDC) 64  
 étendu 131  
 escape probability 51
- Fano line shape 105  
 Fermi surface, nesting 32  
 fluorescence 113, 402
- He resonance line 120  
 Hg1212 ( $\text{HgBa}_2\text{CaCu}_2\text{O}_6$ ), XPS 353  
 Hg1223 ( $\text{HgBa}_2(\text{Ca},\text{Sr})\text{Cu}_3\text{O}_8$ ) XPS 353, 354  
 Hubbard Hamiltonian 38
- infrared spectroscopy 387  
 inhomogeneity 160  
 inner potential 68  
 insertion device 120, 125  
 instrument (response) function 131, 141, 145, 146, 263, 265, 267  
 inverse photoemission 98
- joint density of states 63
- Koopmans’ theorem 107
- large Fermi surface 20  
 LDA +  $U$  23  
 La<sub>2</sub>CuO<sub>4</sub>, (La,Sr)<sub>2</sub>CuO<sub>4</sub>  
 core-level spectra 350, 351  
 surface stability 240, 350, 351  
 Ti, Au overlayers 373, 374  
 lifetimes 78 ff.  
 local-density approximation (LDA) 22, 23  
 local-density functional theory 22

- Luttinger's theorem 20
- mean free path for inelastic scattering ("universal curve") 54
- mirrors 134
- momentum distribution 25
- Na (sodium)
- angle-resolved photoemission 163, 164
  - calculated EDC 70–4
  - core-level photoelectron spectra 165
  - EDC 162
  - inverse photoemission spectra 165
  - optical absorption spectrum 70–3
  - self-energy 164
- NCCO ( $\text{Nd}_2\text{CuO}_4$ ,  $(\text{Nd,Sr})_2\text{CuO}_4$ ,  $(\text{Nd,Ce})_2\text{CuO}_4$ ,  $(\text{R,Ce})_2\text{CuO}_4$ )
- core-level spectra 347, 348
  - Cu 2p spectra 238, 349
  - Cu 3p resonance 237, 238
  - doping effects, calculated 345, 346
  - early studies 236–9
  - extended saddle point 343
  - Fermi surface 342, 343
  - Fermi-level shift with doping 239, 343
  - gap 346
  - LDA electronic structure 30
  - LDA Fermi surface 30
  - structure 16
  - surface state 344
  - valence of Nd, Ce 238
  - valence-band satellites 237, 238
  - XPS spectra 236
- near-normal incidence monochromator 129
- Ni (nickel)
- 2p core spectra 185
  - 2p satellite 185
  - 3p resonance 184–5, 187
  - exchange splitting 182, 183
  - inverse photoemission spectra 188
  - spectral density function 186
  - valence-band satellite 183, 184, 186
- NiO (nickel oxide)
- 2p resonance 201
  - 2p spectrum 201
  - 3p resonance 191, 202
  - angle-resolved photoelectron spectra 194
  - core-level spectra 191
  - electronic structure 23, 24
  - inverse photoemission spectra 191
  - valence-band satellite 191, 197
- valence-band XPS 191
- O 1s core-level shifts in cuprates 216, 217
- one-step model of photoemission 87 ff.
- optical absorption spectroscopy 112
- oxygen loss 219, 220, 350
- partial yield spectrum 65
- photoelectron diffraction (PHD) 85
- photoelectron microscopy, focusing 376, 377
- photoelectron microscopy, imaging 376
- photoelectron microscopy, magnetic projection 378, 379
- photoexcitation cross-section 60
- positron annihilation 398
- Raman spectroscopy 389
- resolving power 131
- resonance photoemission 102, 380
- retarding-grid analyzer 136, 137
- Rowland circle 129
- sample preparation 152 ff.
- self-energy 25, 93
- Seya–Namioka mount 133
- shakeup 108
- small Fermi surface 20
- soft x-ray absorption spectroscopy 112
- space groups (table) 12
- spectral brightness 124
- spectral density function 92
- spherical deflection analyzer 137, 138
- spin-polarized photoelectron spectroscopy 384
- $\text{Sr}_2\text{CuO}_2\text{Cl}_2$ , Zhang–Rice singlet 337, 338
- stripe phases 44–6
- sudden approximation 96, 109
- surface photoelectric effect 57
- surface shift 85
- surface states 32–4
- symmetrization 284
- synchrotron radiation 120 ff.
- $t$ – $J$  model 39
- three-step model of photoemission 50 ff.
- throughput 131
- Tl2201 ( $\text{Tl}_2\text{Ba}_2\text{CuO}_6$ ), XPS 354
- Tl2212 ( $\text{Tl}_2\text{Ba}_2\text{CaCu}_2\text{O}_8$ ), XPS 354
- Tl2223 ( $\text{Tl}_2\text{Ba}_2\text{Ca}_2\text{Cu}_3\text{O}_{10}$ )
- inverse photoemission 240
  - XPS 240, 354, 355
- toroidal grating monochromator 133
- total yield spectrum 65

- tunneling 394
- two-photon photoemission 381
  
- undulator 125
  
- water adsorption 359
- wave function symmetry determination 68
- wiggler 125
  
- x-ray absorption spectroscopy 112, 398
- x-ray photoelectron diffraction (XPD) 85
  
- Y123 ( $\text{YBa}_2\text{Cu}_3\text{O}_7$ )
  - “1-eV” peak 317–19, 334
  - Au, Cr, Ti overlayers 373
  - Ba 4d spectrum 312–14
  - cleavage 12, 13
  - core-level spectra 336
  - Cu 2p spectra 235
  - early studies 232–6
  - experimental band structure 315
  - extended critical point 320–2
  - Fermi surface 234, 314–17, 319
  - gap 322–5
  - inverse photoemission spectra 236
  - LDA electronic structure 26
  - LDA Fermi surface 27
  - oxygen stoichiometry 332, 334
  - surface plane 325–31
  - Ti, Cu overlayers 373
  - twinning 12
  - unit cell 11
  - vacancy ordering 311, 332
  - XPS of R123 235
  - Zn, Co substitution 335
- Y124 ( $\text{YBa}_2\text{Cu}_4\text{O}_8$ )
  - band mapping 320, 337
  - Fermi edge 239
  - unit cell 15
  
- Zhang–Rice singlet 40, 237, 337–9, 385