

Species Index

If there are no references to the subject in the text of a particular page, then the following convention is used: m = map; f = figure; t = table

- Abronia villosa* (sand verbena) 114
- Acacia* 67(f), 276
- Acamptopappus shockleyi*
 - bajadas 17
 - clump densities 93
 - size class/frequency 95, 96(f)
 - soil requirements 92
 - summer dormancy 75
- Acarina* 249
- Acarospora strigata* 256–7
- Achnatherum hymenoides* (Indian rice grass) 17, 80
- Acrobes complexus* 262
- Actinomycetes* 260, 261(t), 262
- Allenrolfea occidentalis* (iodinebush) 18
- Amaranthaceae 63, 113
- Amaranthus palmeri* 81
- Amaryllidaceae 119(t)
- Ambrosia deltoidea* (triangle-leaved bursage) 75
- Ambrosia dumosa* (white bursage) 4(f)
 - age 73
 - arthropod habitat 236, 237(t), 238(t)
 - arthropod sampling 216, 218
 - bajadas distribution 13
 - biomass 92, 97
 - borrow pit recolonization 297, 298(t)
 - canopy increase 96
 - coppice mounds 35(f)
 - diet of *Sauromalus obesus* 183, 184
 - drought-deciduous features 73, 83
 - habitat 84, 86
 - IBP site composition 92
 - ionizing radiation 308–9
 - leaf beetles 242
 - leaf initiation 108, 109, 111(t)
 - leafing phenology 111
 - litterfall 104(t), 105
 - microarthropod sampling 260
 - nematode sampling 260, 263
 - net primary production 100–2
 - nitrogen content 282
 - precipitation growth response 103
 - revegetation 293, 296
 - root system 98, 99(f)
 - sap-feeders 244–7
 - seed reserve dynamics 266–8, 270(t)
 - soil requirements 92
 - trichome shield 59
 - as water source 144
 - weevil population 242, 240–1(t)
- Ambrosia/Atriplex* association 17
- Ambrosia/Larrea* association 17
- Ammospermophilus leucurus* (antelope ground squirrel) 155, 156(t), 157(f)
 - activity pattern 133
 - body weight 172(t)
 - estivation 139
 - huddling 139
 - hyperthermia 140, 153, 160
 - population density 167
 - water source 160
- Amphispiza belli* (sage sparrow) 209, 211
- Amphispiza bilineata* (black-throated sparrow) 202, 203(f), 207
 - breeding 209, 210
 - electrolyte control 149
 - production 211
 - renal concentration 148
 - water requirement 145
- Amsinckia tessellata* 125, 312
- Anabaena* 275
- Anepsius brunneus* 220
 - annelids 258
- Anthocoridae 247
- Anthus rubescens* (American pipit) 209
- Antilocapra americana* (pronghorn antelope) 159
- Antrozous pallidus* (pallid bat) 159
- Anuroctonus phaeodactylus* 229
- Aphelenchoides* sp. 262
- Aphelenchus avenae* 262
- Apiaceae 12
- Apolophanes texanus* 232
- Aquila chrysaetos* (golden eagle) 208
- Araeoschitzus sulcicollis* 220, 221
- Araneida* 215, 222–5(t), 229(t), 230, 231(t), 232
 - Arctomecon* 12
 - Arenivaga erratica* (cockroach) 221, 254
 - Arenivaga investigata* (desert cockroach) 146
 - Arinolus nevadensis* 224
 - Aristida* spp. 113
- Artemisia* spp. 85(m)
 - bird breeding habitat 209
- Artemisia nova* (black sagebrush) 87
- Artemisia spinescens* 17, 18
- Artemisia tridentata* (big sagebrush)
 - desert regime characteristics 90
 - fault line growth 24
 - Great Basin Desert 6, 17, 87, 89(t)
 - nesting site 211
 - precipitation requirement 91
 - summer growth 107
- Asclepias erosa* 58
- Aspergillus* 260
- Asteraceae 12, 119(t)
- Astragalus* spp. 119(t), 120, 276
- Astragalus lentiginosus* 118, 119(t)
- Atamisque emarginata* 71(t)
- Athene cunicularia* (burrowing owl) 208, 210(f)
- Atriplex* spp.
 - Arenivaga investigata* food 146
 - C₄ photosynthesis 65
 - Dipodomys microps* food 149
 - Great Basin 87, 89(t)
 - soil requirements 92
- Atriplex canescens* (four-winged saltbush)
 - associations 88, 89(t)
 - Great Basin 87, 89(t)
 - max/min temperature 91
 - post-nuclear colonizer 307
 - shadscale scrub 18
- Atriplex confertifolia* (shadscale) 17
 - bajadas 13
 - desert holly scrub 18
 - desert regime characteristics 90
 - Great Basin 87
 - habitat 85(m)
 - IBP site composition 92
 - maximum temperature 91
 - nesting site 210
 - net primary production 100–2
 - phenology 106
 - rodent population 168
 - sap-feeders 244–6
 - shadscale scrub 18
 - soil nitrogen levels 278–9

Species Index

351

- Atriplex hymenelytra* (desert holly)
 desert holly scrub 18
 evergreen 71, 83
 habitat 72, 83
 as halophyte 73
 leaf orientation 58
 leaf reflectivity 73
 organic acid synthesis 73
 salt glands 73
 stomal control 72
 WUE 73
- Atriplex lentiformis*, acclimation 61
- Atriplex polycarpa* 18
- Atriplex-Kochia* scrub 197
- Azotobacter* 275–6
- Baileya pleniradiata* 118
- Bebbia juncea* (sweet bush) 86
- Beleperone californica* 67
- Berberis* (barberry) 71(t)
- Boerhaavia* spp. 113
- Bombyllidae* 216, 243
- Bootettix argentatus* 243
 on *Larrea* 251, 252, 253
 leaf consumption 105
 and *Mythicomyia* population 248
 population abundance 243, 255
 predators 243
 sampling inaccuracy 219
- Boraginaceae* 12, 119(t)
- Bouteloua* spp. 113
- Braconidae* 248
- Brassicaceae* 12, 119(t)
- Bromus* spp.
 effect on lizards 313–14
 fire risk 313
- Bromus rubens* 120, 298, 299(t), 313
 on ash soil 312
 biomass 125
 density 121–2
Copherus forage 192
 post-nuclear colonizer 307
 survivorship 121
- Bromus tectorum* (cheatgrass) 312–13
- Bromus trini* 313
- Bryophytes* 257
- Bufo punctatus* (desert toad) 146
- Cactaceae* 12, 63
- Callipepla gambelii* (Gambel's quail) 203, 205–7
 drought adaptation 206–7
 food/water requirement 145, 206
- Callisaurus draconoides* (zebra-tailed lizard) 174, 176(f)
 biomass 187
 characteristics 182
 coloration 136–7
 densities 185
 effect of vehicles 304
 enclosed density estimates 186
 size 187
- superlight coloration 137
 thermoregulation 182
- Camelus dromedarius* (dromedary) 145–6, 147
- Camissonia boothii*, rosette 114(f)
- Camissonia claviformis* 183
- Camissonia munzii* 192, 283
- Campanulaceae* 119(t)
- Campylorhynchus brunneicapillus* (cactus wren) 147
- Canis latrans* (coyote)
 den 136
 density 162
Gopherus predator 195
 water search 145
- Carnegia gigantea* (saguaro) 11
- Carpodacus mexicanus* (house finch) 197, 207, 208
 flocking 266
 water requirement 145
- Castela emoryi* (crucifixion thorn) 78
- Caulanthus cooperi* 125, 312
- Centrioptera muricata* 220
- Centrodontus atlas* 246, 253
- Cephalobidae* 262
- Ceratooides lanata* (winter fat) 17
 bajadas 13
 Great Basin 87, 89(t)
 microflora sampling 259–60
 net primary production 100–2
 semi-evergreen 77
 shadscale scrub 18
- Cercidium floridum* (palo verde) 11, 77, 83
- Ceuthophilus fossor* (camel cricket) 221, 254
- Chaenactis* spp. 119(t), 120, 121
- Chaenactis carphoclinia* 119(t), 283
- Chaenactis fremontii* 119(t), 120, 125, 304
- Chalcidae* 248
- Chalcidoidea* 248
- Chamaesyce* spp. 119(t), 120, 113
- Chenopodiaceae* 12, 63
- Chilopoda* (centipedes) 222–5(t), 231, 232
- Chilopsis linearis* (desert-willow) 19, 61, 67
- Chionactis occipitalis occipitalis* (western shovel-nosed snake) 12, 181, 191
- Chorizanthe* spp. 119(t), 120, 125
- Chrysomelidae* 242
- Chrysothamnus* spp. 61, 86, 87
- Chrysothamnus viscidiflorus* 293, 296
 ssp. *puberulus* 87
- Cicadellidae* (leafhoppers) 247, 253
- Cleridae* 247
- Clostridium* 275–6
- Cnemidophorus tigris* (whiptail lizard) 174
 biomass 187
 burrow 134
 body temperature 182
 characteristics 182
 clutch frequency 188
- densities 185, 189
 diet 182
 effect of vehicles 304
 enclosed density 185
 radiation effect 310–11
 size 187
 survival rate 188
- Coccinellidae* 247
- Coleogyne ramosissima* (blackbrush)
 associations, transition desert 87–8, 89(t)
 clonal propagation 77
 CO₂ levels 52
 desert regime characteristics 90
 as *Dipodomys microps* habitat 167
 drought-deciduous features 76–7
 evergreen 71(t)
 Great Basin Desert 6, 17
 habitat 85(m), 86(f)
 in Joshua tree woodland 17
 leaf structure 76, 77(f)
 southern Mojave 17
 spiders 230
- Coleonyx variegatus* (banded gecko) 174, 179(f)
 biomass 187
 characteristics 183
 drinking 145
 enclosed densities 186
- Coleophoridae* 239, 242
- coleoptera 222(t), 223(t), 224(t), 225(t), 242
 density/biomass 234(t)
 predatory 248–9
- Collema* 275
- Conomyrma insana* 250, 251
- Corvus corax* (raven) 138, 208
- Crematogaster depilis* 250, 251
- Cricetidae* 155, 156(t)
- Crossidium aberrans* 257
- Crotalus cerastes* (sidewinder) 12, 181, 191
 coloration 136–7
- Crotalus mitchelli stephensi* (Panamint rattlesnake) 12
- Crotalus mitchellii* (speckled rattlesnake) 181, 191
- Crotaphytus collaris* (collared lizard) 144, 182, 184
- Crotaphytus wislizenii* xvi, 310–11
- Cryptantha* spp. 119(t), 120, 121
- Cryptogamiae* 256–7
- Cryptoglossa verrucosa* 220, 221
- Cucurbita digitata* 58, 67
- Curculionidae* (weevils) 216, 233, 242
- Cuscutaceae* 119(t)
- cyanobacteria* 271
- Cyperaceae* 12
- Cyprinodon* (desert pupfish) 12
- Dalea spinosus* (smoke tree) 67
- Datura wrightii* 58

352

SPECIES INDEX

- Dedeckera* 12
Dendroica coronata (yellow-rumped warbler) 209
Dermatocarpon lachneum 257
Diplopoda 222, 223(t), 224, 227(t), 228(t)
Dipodomys spp.
 body weight 172(t)
 distribution 168(f)
 foraging pattern 168(f)
 metabolic water 146, 160
 open space foraging 170
 population densities 162–4
 reproduction 164–6
Dipodomys deserti (desert kangaroo rat) 155, 156(t)
 foraging 169
 habitat 168
 indeterminate population 162–3
 shrub utilization 168–9
Dipodomys merriami (Merriams' kangaroo rat) 155, 156(t), 157(f)
 food/reproduction correlation 153
 foraging interactions 170
 home range 171
Larrea habitat 167–8
 metabolic water dependence 146
 seasonal activity 170–1
 shrub utilization 168–9
 water ingestion and reproduction 164
Dipodomys microps (Great Basin kangaroo rat) 155, 156(t)
 food 168
 habitat 167
 home range 171
 seasonal activity 170–1
 salt ingestion control 149
 urine concentration 148
 water source 144
Dipodomys ordii (Ord's kangaroo rat) 155, 156(t)
Dipsosaurus dorsalis (desert iguana) 174, 179(f)
 activity pattern 135
 burrow 134
 characteristics 184
 estivation 139
 home range 184
 hyperthermia 140
 panting 144
 respiratory surface evaporation 143
 salt glands 148
 superlight coloration 137
 thermal tolerance 184
 water source 144
Diptera 215, 248
Distichlis spicata 19
Ditylenchus sp. 262

Edrotes robustus 220
Elaphonema sp. 262
Eleodes armata 221
Eleodes grandicollis 221

Encelia farinosa (brittlebush)
 drought-deciduous features 75
 leaf absorbance 59
 leaf dimorphism 57
 root system 69
 temperature maintenance 61
 water potential 67
Encelia frutescens 293, 297, 298(t)
Encelia virginensis 86
Encyrtidae 248
Ephedra spp.
 aphyllous 77, 83
 as food 167
 gelechiid on 239
 root system 69
Ephedra funerea 17
Ephedra nevadensis
 bajadas 13
 dead biomass 98
 disturbance response 294
 flowering phenology 112
 IBP site biomass 92
 ionizing radiation 308–9
 Joshua tree woodland 17
 leaf initiation 108
 net primary production 100–2
 nitrogen content 282
 revegetation 292, 293
 root system 98, 99(f)
 sap-feeders 244–6
 seed reserve dynamics 266–8
 southern Mojave 17
 transition desert 87
Ephedra torreyana 17
Equus asinus (burro) 143, 313
Equus caballus (horse) 313
Eremophila alpestris (horned lark) 197, 208–9
Eriogonum spp. 119(t), 120
Eriogonum fasciculatum (buckwheat) 17
Eriogonum fasciculatum spp. *polifolium* 71(t)
Eriogonum inflatum 118
Eriogonum trichopes 125
Erioneuron pulchellum 118
Erodium cicutarium (storksbill) 120, 298, 299(t), 300(f), 313
 effect of compaction 304
 germination 114
 grazing resistance 314
Eucyillus spp. 233
Eudorylaimus monohystera 262
Eulophidae 248
Eumeces skiltonianus (western skink) 174
Eupelmidae 248
Euphorbiaceae 12, 119(t)
Eurybunus riversi 232
Eusattus dubius 220, 221
 biomass 226, 227(t), 228(t)

Fabaceae 12, 119(t)
Falco mexicanus (prairie falcon) 208

Falco sparverius (American kestrel) 208
Felis concolor (mountain lion) 159
Filago depressum, rosette 114(f)
Formicidae: *see* ant
Fraxinus velutina var. *coriacea* (velvet ash) 19

gamasina mites 287
Gambelia wislizenii (long-nosed leopard lizard) 174, 177(f)
 characteristics 183
 clutch frequency 188
 densities 185
 size 187
 survival rate 188
Garrya flavescens var. *pallida* (silk-tassel) 71(t)
gelechiid larvae 238–9
Geococcyx californicus (roadrunner)
 basking 138
 panting 144
 salt glands 148
 thermoregulation 207, 208(f)
geometrid larvae 242
Geraea canescens 115(f)
Geraniaceae 119(t)
Gilmania luteola 12, 115(f)
Gopherus agassizii (desert tortoise) 192–6
 ageing estimates 195
 body size 194
 burrow 134, 175, 181, 193
 death rate 195
 drinking 191
 egg production 195–5
 electrolyte control 149
 estivation 139, 191, 192
 feeding 193–4
 FMR during estivation 152
 foraging 192
 grazing affect 314
 growth rates 194–5
 hibernation 191, 192
 home range 193
 nitrogen content 284
 NTS 174
 osmoregulation 193
 osmotic tolerance 147
 overview 196
 population samples 194
 predators 195
 surface activity 191–3
 ticks 249
 water drinking 145, 146
 water source 144
Grayia spinosa (hopsage)
 arthropods 236, 237(t), 238(t)
 arthropod sampling 218
 bajadas 13
 dead biomass 98
 desert regime characteristics 90
 drainage basin 17
 drought-deciduous features 76

Species Index

353

- early-growth 108
 flowering phenology 112
 habitat 85(m)
 high bajadas 17
 IBP site biomass 92
 ionizing radiation 308–9
 leafing phenology 111
Lepidoptera 237–9, 240–1(t), 242
 nesting site 210
 net primary production 100–2
 radiation damage 307
 sap-feeders 244–7
 soil requirements 92
Grayia-Lycium association 87, 89(t)
 centipedes 232
Dipodomys microps habitat 167
 snakes 181
Venexillo arizonicus 222
Grimmia sp. 257
Guillenia lasiophylla 125
- Hadrurus* spp. 229–30
Hadrurus arizonensis (giant desert hairy scorpion) 143, 229
Haplodrassus eunis 230
Haplopappus cooperi
 disturbance response 294
 habitat water potential variation 69
 high bajadas 17
 resin 61
 southern Mojave 17
Hecastocleis 12
Heloderma suspectum (banded/venomous gila monster) 148, 174
Hemerobijidae 247
Hemiptera 222(t), 226(t), 247
 population size 244(t), 245(t)
Herpyllus hesperolus 232
Heteromyidae 155, 156(t)
Hilaria rigida (bunch grass) 80, 83
 acclimation 61
 disturbance response 294
 Joshua tree woodland 17
 Kranz anatomy 63(f)
 physiological characteristics 81(T), 81–2
 southern Mojave 17
Homoptera 215, 244(t), 245(t)
Hydrophyllaceae 12, 119(t)
Hymenoclea salsola (cheesebush) 291,
 292, 293, 294
 bajadas 13
 C_3 features 75, 76(f)
 disturbance response 294
 habitat 86
 leaf size 58
 post-nuclear colonizer 307
 southern Mojave 17
 temperature maintenance 61
Hymenoptera 226(t), 248
 burrows 215
Hypsiglena torquata (night snake) 12, 181
- Hyptis emoryi* (desert lavender) 67, 75
- Ichneumonoidea* 248
Iridomyrmex pruinosus 251
Iridomyrmex spp. 250
Isopoda 215, 222–4, 222–5(t), 227(t), 228(t)
- Juniperus* spp. (junipers) 11
Juniperus osteosperma 87, 89(t)
Justicia californica (chuparosa) 11, 67
- Kochia americana* (green molly) 87, 89(t)
Krameria erecta (Pima rhatany)
 arthropod 236, 237(t), 238(t)
 arthropod sampling 216, 218
 bajadas 13
 biomass 92
 drought deciduous features 74–5, 83
 flowering 108, 109(t), 111(t)
 habitat 84, 86
 IBP site composition 92
 ionizing radiation 308–9
 late-growth 108
 leaf beetles 242
 leaf initiation 108, 109, 111(t)
 leafing phenology 111
Lepidoptera 238–9, 240–1(t)
 limestone bajadas 17
 microarthropod sampling 260
 microflora sampling 259–60
 nematode sampling 260, 263
 net primary production 100–2
 nitrogen content 282–3
 phenology 106
 precipitation growth response 103
 root parasitism 75
 root system 69
 sap-feeders 244–7
 seed mass 271
 seed reserve dynamics 266–8
 size class/frequency 95, 96(f)
 soil nitrogen levels 280
Lagurus curtatus (sagebrush vole) 155, 156(t)
Laminaceae 12
Lampropeltis getulus (common kingsnake) 191
Langloisia setosissima 192
Lanius ludovicianus (loggerhead shrike) 208
Larrea tridentata (creosote bush) 4(f)
 acclimation 61
 adaption to stress 72
 age 71–2
Arenivaga investigata food source 146
 arthropods 236, 237(t)
 food source 146, 215
 habitat 238(t)
 habitat/host 251–4, 255
 arthropod sampling 216, 218
 associations 88(t), 89(t)
- bajadas 13, 17
 borrow pit recolonization 298(t)
 canopy 96
 clones 72
 CO₂ uptake 72
 coppice mounds 35(f), 36
 dead biomass 97
 desert regime characteristics 90
 diet of *Sauromalus obesus* 184
Dipodomys merriami correlation 167–8
 evergreen adaptive strategy 70–2, 83
 fauna 70
 flowering 108, 109(t), 111(t)
 flowering phenology 112
 habitat 70, 84, 85(m)
 height 88, 89(t)
 height/density correlation 90, 91(f)
 herbivory (*Boettix argentatus*) 105
 IBP site composition 92
 late-growth 108
 leaf beetles 242
 leaf discrimination, old/new 101
 leaf initiation 108, 109
 leaf orientation 58
 leafing phenology 111
 leaves 61
Lepidoptera 240–1(t)
 litterfall variation 105
 microarthropod sampling 260
 net primary production 100–2
 nitrogen content 282
 orthopteran habitat 243
 osmotic adjustment 67
 PAR saturation 72
Phytocoris on 247
 pollination 72, 247
 precipitation/density correlation 72
 precipitation growth response 103
 precipitation tolerance 91
 predators on 248
 radiation/dust effect 308, 308–9
 re-establishment 292, 296
 resin 61
 road edge 298, 299(t)
 root system 69, 98, 99(f)
 sap-feeders 244–7
 seed mass 271
 seed reserve dynamics 266–8, 270(t)
Semiothisa larreana larvae 242
 soil compaction tolerance 293
 soil nitrogen levels 278, 280–1
 soil requirements 92
 sugar availability 247
 upper desert boundary 11
 vapor pressure deficit maintenance 59, 60(f)
 water potential 67
 water source 144
Larrea-Ambrosia communities
 beeflies 248
 bird diversity 197
 CO₂ levels 52

- Larrea–Ambrosia* communities (*cont.*)
Dipodomys deserti habitat 168
 lizards 174, 182
 low bajadas 17
 snakes 181, 182
 spiders 230
Tenebrionidae 220
Venezillo arizonicus 222
Larrea–Atriplex association 17
Larrea–Coleogyne transition 17, 91
Larrea–grassland ecosystem decomposers 258
Lasthenia chrysostoma 114–15
Lepidoptera 215, 226(t), 237–9, 242
 density/biomass 234(t)
 families 239(t)
Leptochus sp. 262
Lepus californicus (black-tailed jackrabbit) 156(t), 158(f), 159
 density 162
 electrolyte control 149
 energy budget 159
 estivation 139
 grazing effect 316
 hyperthermia 140
 nitrogen content 284
 water requirement 159
 water source for 144
Ligurotettix coquilletti 243, 252
Loasaceae 12, 119(t)
Loxosceles unicolor 222(t), 232
Lupinus 276
Lycium spp.
 drought-deciduous features 73–4
 early-growth 108
 flowering phenology 112
 germination 74
 leaf initiation 108, 109, 111(t)
 leafing phenology 111
 mesophyll 73–4
 root system 69
Toxostoma lecontei nesting 210
 transition desert 87, 88, 89(t)
Lycium andersonii (desert thorn)
 arthropod 236, 237(t), 238(t)
 arthropod sampling 216, 218
 bajadas 13, 17
 biomass 92, 97
 canopy 96
 disturbance response 294
 drainage basin 17
 habitat 84, 86(f), 86
 ionizing radiation 308–9
 leaf beetles 242
Lepidoptera 238–9, 240–1(t)
 litterfall 104
 microarthropod sampling 260
 microflora sampling 259–60
 nematode sampling 260, 263
 nesting site 210
 net primary production 100–2
 nitrogen content 282
Phrynosoma platyrhinos food 183
 revegetation 290–1
 root system 98, 99(f)
 sap-feeders 244–7
 seed mass 271
 seed reserve dynamics 266–8, 270(t)
 size class/frequency 95, 96(f)
Lycium andersonii–Grayia association 87, 89(t)
Uta stansburiana density 185
Lycium pallidum (box thorn)
 arthropod habitat 238(t)
 arthropod sampling 218
 associations 88, 89(t)
 biomass 92
 canopy 96
 desert regime characteristics 90
 habitat 85(m), 86(f)
Lepidoptera 238–9, 240–1(t)
 limestone bajadas 17
 litterfall 104
 living biomass 97
 net primary production 100–2
 nitrogen content 282
 sap-feeders 244–6
 seed mass 271
 water source 144
Lycium shockleyi
 desert regime characteristics 90
 habitat 85(m)
 limestone bajadas 17
 Nevada endemic 17
Lygaeidae (lygaeid bugs) 247
 macroarthropods 258
Malacothrix glabrata, rosette 114(f)
Marpissa californica 222(t), 232
Masticophis flagellum (coachwhip) 191
Melyridae 247, 248–9
Membracidae (treehoppers) 246–7, 253, 254(t)
Menodora spinescens
 aphyllous 78, 83
 bajadas 17
 Joshua tree woodland 17
 transition desert 88
Mentzelia albicaulis (stickleaf) 121, 307
Mentzelia obscura 283;
 microarthropods 258
Miloderes mercuryensis 233
Minus polyglottos (mockingbird) 209
Mirabilis bigelovii 183–4
Mirabilis pudica
 facultative life cycle 118
 post-nuclear colonizer 307
Miridae (mirid bugs) 216, 247
Mohavena breviflora 115(f)
Mollugo spp. 113
Monoptilon bellidoides 115(f)
Mortonia (scabrella) utahensis (sandpaper bush)
 evergreen 70, 71(t), 83
 leaves 61
Mucor 260
Multareis cornutus 246, 253
Multareoides bifurcatus 246–7, 253
Mutillidae 248
Myiarchus cinerascens (ash-throated flycatcher) 208
Myotis californicus (California myotis) 159
Myrmecocystus spp. 250, 251
Myrmeleontidae 247
Mythicomyia 243, 248, 253
Nebidae 247
 nematodes 258
Neotoma lepida (packrats; woodrats) 155, 156(t)
 nests 136
 population density 166–7
 recolonization role 297
Xantusia predation 183
Neuroptera (ant lions) 215
Nitrophila occidentalis 18
Nostoc 275
Notholeana parryi 61
Notiosorex (desert shrew) 138
Novomessor 266
Nyctaginaceae 12
Nysius ericae 247
Odocoileus hemionus (mule deer) 159
Oenothera deltoides (evening primrose) 114
Olneya tesota (ironwood) 11, 67
Onagraceae 12, 119(t)
Onychomys torridus (grasshopper mouse) 155, 156(t)
 body weight 172(t)
 food/water requirements 160
 population density 166–7
Ophryastes varius 233
Opuntia spp. (succulent chollas) 78, 79(f)
 cladode orientation 59
Gopherus forage 192
 southern Mojave 17
 water source 145
Opuntia basilaris 17, 78, 79(f)
Opuntia biglovii 297, 298(t)
Opuntia echinocarpa 92
Opuntia ramosissima 17
 oribatid mites 258
Ornithodoros spp. 249
Orthichelus michelbacheri 224
Orthoporus ornatus (desert millipede) 222, 224, 254
 overwintering 136
Orthoptera 221–2, 222(t), 224(t), 225(t), 227(t), 228(t), 242–3
 density/biomass 234(t)
 on *Larrea* 252–4
Oryzopsis hymenoides 80
 bajadas 17
Gopherus forage 192
 post-nuclear colonizer 307

Species Index

355

- Ovis canadensis* (bighorn sheep) 143, 313
Oxytropis 12
Pectis papposa 113, 116
Pectocarya spp. 119(t), 120, 122
Penicillium 260
Pentatomidae 247
Perognathus spp. 168(f), 170
Perognathus formosus (pocket mouse)
 body weight 172(t)
 foraging interactions 170
 home range 171
 population densities 162–4
 radiation exposure xv–xvi, 309–10
 reproduction 165–6
 seed reserve dynamics 266–7
Perognathus longimembris (pocket mouse)
 155, 156(t), 157(f)
 foraging 169, 170
 home range 171
 population densities 162–4
 reproductive index 173
 shrub utilization 168–9
 torpor 138–9, 153, 160
 vehicle effects 304
Perognathus parcus (Great Basin pocket
 mouse) 155, 156(t)
Peromyscus crinitus 166–7
Peromyscus eremicus (cactus mouse) 155,
 156(t)
 estivation 139
Phacelia fremontii 121, 283
Phacelia vallis-mortae 283
Phalangida (harvestman) 225(t), 232
Pheidole spp. 250, 251, 266
Phloeothripidae 247
Phrynosoma platyrhinos (desert horned
 lizard) 174, 177(f), 178(f)
 ants as water source 144
 biomass 187
 clutch frequency 188
 countercurrent heat exchange 141
 densities 185, 186, 189
 food 183
 natural history 183
 radiation effect 310–11
 rainfall and juvenile density correlation
 189
 shade usage 136
 size 187
 survival rate 188
Phyllorhynchus decurtatus (spotted
 leaf-nosed snake) 191
Phymatidae 247
Phytocoris, on *Larrea* 247
Pinus monophylla (pinyon pine) 11, 87,
 89(t)
 ant species 250
Pipistrellus hesperus (Western pipistrelle)
 159
Pituophis melanoleucus (gopher snake)
 191
Plantaginaceae 119(t)
Plecotus townsendii (Townsend's
 big-eared bat) 159
Pluchea sericea (arroweed) 19
Poaceae 12, 119(t)
Pogonomyrmex californicus
 (seed-harvester ants) 26, 183, 250,
 251
Pogonomyrmex rugosus 251
Polemoniaceae 12, 119(t)
Polygonaceae 12, 119(t)
Populus fremontii (cottonwood) 19
Prosopis glandulosa (mesquite)
 arroyos 19
 denitrification 278
 nitrogen fixation 276
 playas 19
 root system 69
 water potential 67
Prosopis pubescens (screwbean) 19
Prostigmata 265(t)
protozoa 258
Prunus fasciculata (desert almond),
 habitat 86
Pseudococcus helianthi 245–6, 253, 255
Psilochorus utahensis 230, 232, 254
Psorothamnus aborescens (mojave indigo
 bush) 276
Arenivaga investigata food source 146
aphyllous 83
bajadas 13
habitat 86
limestone bajadas 17
summer dormancy 76
Psorothamnus spinosus (smoke tree) 19
aphyllous 77
water potential 67
Pteromalidae 248
Pungenus sp. 262
Purshia glandulosa 71(t)
Quercus (scrub oak) 71(t)
Ranunculaceae 119(t)
Reduviidae 247
Rhinocheilus lecontei (long-nosed snake)
 191
rhizobium nodules 276
Rosaceae 12
Rumex hymenosepalus 58
Salazaria mexicana (bladder sage)
 bajadas 13
 habitat 86
 Joshua tree woodland 17
 southern Mojave 17
Salicornia spp. 18
Salix spp. (willow) 19
Salpinctes obsoletus (rock wren) 208,
 211(f)
Salsola (Russian thistle) community 174,
 197, 314
Salsola kali (Russian kale) 307
Salticidae 247
Salvadora hexalepis (western patch-nosed
 snake) 191
Salvia columbariae, rosette 114(f)
Salzaria mexicana (bladder sage) 291
Sarcobatus vermiculatus (greasewood) 18,
 87
Sauromalus obesus (chuckwalla)
 basking 135
 characteristics 183–4
 clutch frequency 188
 crevice usage 136
 diet 183–4
 electrolyte control 149
 energy budget 153
 food/reproduction correlation 153
 foraging efficiency 152
 habitat 182
 hibernation 149
 home range 183
 juvenile/adult coloration 137
 NTS 174, 180(f)
 salt glands 148, 149
 water source 144
 water storage 146
Scaphiopus (spadefoot toad) 146
Scarabaeidae 221
Sceloporus graciosus (sagebrush lizard)
 174
Sceloporus magister (spiny desert lizard)
 174, 178(f)
 biomass 187
 characteristics 182–3
 crevice usage 136
 enclosed densities 186
Sceloporus occidentalis (western fence
 lizard) 174
Schismus barbatus 298, 299(t), 300(f), 313
 compaction effect 304, 305
 grazing resistance 314
Scolopendra michelbacheri 232
Scopulophila 12
Scorpionida 222–5(t), 229(t), 231(t), 254
Scrophulariaceae 12, 119(t)
Scytonema 275
Semiothisa larreana 242, 253
Senna armata (spiny senna) 77–8, 83,
 86
Simmondsia chinensis (jojoba)
 evergreen 71(t), 83
 leaf orientation 58
 leaves 61
 water potential 67
Solanaceae 12
Solenopsis 266
Solpugida 215, 222–5(t), 229(t), 230,
 231(t), 254
Sonora semiannulata (ground snake) 191
Spanthus excavatus 247
Spermophilus tereticaudus (round-tailed
 ground squirrel) 155, 156(t), 167

Spermophilus townsendii (Townsend's ground squirrel) 155, 156(t)
Sphaeralcea ambigua 184
 disturbance response 294
 facultative life cycle 118
 post-nuclear colonizer 307
Spizella breweri (Brewer's sparrow) 209
Spizella passerina (chipping sparrow) 209
Stephanomeria exigua 184
Stephanomeria pauciflora 297, 298(t)
Stipa speciosa (bunchgrass) 291, 292, 307
Streptanthella longirostris 125
Streptomyces 260
Suaeda spp. 18
Swallenia 12
Sylvilagus spp. 159, 162
Sympira eclectica 222(t), 230, 232

Tamarix ramosissima (saltcedar) 19, 313
Tantilla planiceps (black-headed snake) 181
Tarentula kochi 230
 tarsonemid mites 287
 Tenebrionidae (darkling beetles) 215, 216, 220, 221(t), 224(t), 227(t), 228(t), 254
 biomass 226, 227–8(t)
 density 218
 size 221
Tetradymia axillaris (horsebrush) 17
Thamnosma montana (turpentine bush) 291, 292
 aphyllous 78, 83
 habitat 86
 Thomisidae 247
Thomomys bottae umbrinus (pocket gopher) 155, 156(t), 158(f)
 activity 138
 burrow system 167
 ecophysiology 159–60
 fencing ineffectiveness 315
 main food 167
 nitrogen content 284
 population 167
 Thysanoptera (thrips) 215, 243–4, 245(t)
 on Larrea 253

predatory 247
 shrub habitat 236, 237(t)
Tidestromia oblongifolia 65, 118
 Tiphiidae 248
Tortula bistratosa 257
Toxostoma lecontei (Le Conte's thrasher) 207, 208
 breeding 209, 210
 food 210
 production 211
Trimorphodon biscutatus (lyre snake) 181
Triorophus laevis 220
Trogloderus costatus 220, 221
Tylenchida 262
 tydeid mites 287
Tylenchorhynchus spp. 262

Uma scoparia (fringe-toed lizard) 12
Uta stansburiana (side-blotched lizard)
 biomass 187
 burrow 134
 characteristics 182
 clutch frequency 187
 density 185, 189
 effect of vehicles 304
 egg production 187–8, 189
 enclosed density 185
 estivation 139
 foraging 182
 juvenile data 189–90
 NTS 174, 176(f)
 population model 188–9
 precipitation and egg laying 188, 189
 radiation effect 310–11
 reproductive energy requirement 153
 secondary production 190
 size 187
 solar heating coloration 137
 sterility 311
 survival rate 188

Vejovis spp. 229, 230
Venezillo arizonicus (sowbug) 222–4
Veromessor spp. 250, 266

Viscainoa geniculata, evergreen 71(t)
Vulpes macrotis (kit fox), den 136, 162, 195
Vulpia octoflora 120, 122, 123, 124(t), 125, 126

Washingtonia filifera (California fan palm) 19, 58

Xantusia vigilis (desert night lizard) 174, 180(f)
 activity pattern 133
 characteristics 183
 drinking 145
 habitat 182
 predators 183
Xylorhiza canescens 118

 yponomeutid larvae 239, 242(t)
Yucca spp.
 age 79
 root system 69
Yucca brevifolia (Joshua tree)
 habitat 78, 83, 86
 high bajadas 17
 MDR diagnostic 5
 photosynthesis 79
Sceloporus magister habitat 182–3
 shadscale scrub 18
 succession 294
 as succulent 78
Yucca schidigera (Mojave yucca)
 habitat 79, 83
 limestone bajadas 17
Peromyscus crinitus location 167
Sceloporus magister habitat 182–3
 as succulent 78–9

Zenaida macroura (mourning dove) 202, 204(f), 207
 drinking water 144, 145
Zonotrichia leucophrys (white-crowned sparrow) 209

Main Index

If there are no references to the subject in the text of a particular page, then the following convention is used: m = map; f = figure; t = table

- absorptance, leaf 58–9
- absorptivity, soil 39(t)
- abundance index 216, 224(t)
- acclimation 61, 80, 81(t); *see also* temperature
- activity, thermoregulatory 133
- activity pattern, seasonal 133
- adaptive strategies (animals)
 - coloration 136–8
 - ectothermic thermoregulation 131, 132
 - endothermic thermoregulation 131, 133
 - heat balance 130–41
 - heat exchange 140–1
 - hyperthermia 140, 153, 160
 - osmoregulation 147–50
 - water balance 131, 141–7, 149–50
 - water drinking 131, 144, 145–6
 - see also* burrow; estivation; cooling; hibernation; shade; water, metabolic; energy budget
- adaptive strategies (plants) 55
 - acclimation 61
 - leaf anatomy 61–2, 63
 - leaf orientation 58–9
 - leaf reflectance 58–9
 - models 55–6
 - photosynthetic pathway 62–6
 - water conservation 62–3
 - WUE 66–7
- AEC ix; *see also* ERDA
- AET (actual evapotranspiration) 103
- age
 - plant 71–2
 - white bursage 73
 - Yucca* spp. 79
 - see also* life span
- ageing, and torpor 139, 170
- ageing estimates, tortoise 195
- air spaces, intercellular 62
- algae 256, 276, 288
- Algodones Dunes, vehicles 306
- alkali sink 18
- alkaline basin 18
- allogenic drainage 7
- allscale-alkali scrub 18
- alluvial soil 24
- bajadas 28, 29
- NTS 30
- Rock Valley 25
- Amargosa River system 7
- Amargosa Valley 18, 23–4, 85(m)
- American desert scorpion: *see Hadrurus arizonensis*
- American kestrel: *see Falco sparverius*
- American pipit: *see Anthus rubescens*
- ammonia volatilization 278
- ammonium 274–5, 281
- ammonium pool, Rock Valley 280–1
- amphibians, water requirements 146
- amphistomaty 61, 62, 82
- angiosperms 81(t)
- annuals 80–1, 83, 119(t)
 - adaptive strategy 83
 - biomass, plant parts 127(t)
 - compaction 304–5
 - carbon gain 55–6
 - density and habitat 128(t)
 - dry mass 126(t)
 - facultative perennials 118
 - germination 113–16, 129
 - grazing 314
 - growth 116, 118
 - microhabitat distribution 127, 129
 - nitrogen concentration 283–4
 - NTS 113
 - physiology 81(t), 81–2
 - seedling count 121
 - size variance 125
 - species diversity 123
 - survivorship 116, 118(t), 120–1, 129
 - water stress 56
- annuals, winter 11, 114–15
 - biomass 123–7
 - density 120(t)
 - diversity 120
 - IBP site 118–20
 - lizard egg production 188
 - net productivity 120(t)
 - population densities 122–3
 - precipitation dependence 115–16
 - road edge 298–300
 - Rock Valley 120
 - rodent density fluctuation 163–4, 165
 - rodent reproduction 166
- total annual productivity 124(t)
- vehicle damage 303–4
- ant 216, 249–51
 - foraging pattern 249–50
 - lizard food 182, 183
 - nests, beetle association 220
 - nitrogen source 206
 - NTS species 250–1
 - resource partitioning 249–50
 - and sap-feeding insects 243
 - size grading 251
 - territoriality 250
 - water source 144
 - see also* harvester ant
- ant consumption, quail 206
- ant lions: *see Neuroptera*
- ant venom tolerance 144
- antelope ground squirrel: *see Ammospermophilus leucurus*
- antidiuretic hormone 206–7
- aphyllous shrubs 77–8, 81(t), 81–2
- aqueucts, succession 296, 297(t)
- arachnid species diversity 229(t)
- arboreal lizards 182–3
- Argillite horizon 29
- Aridisols 29
- arroweed: *see Pluchea sericea*
- arroyo, plant community 19
- arthropod
 - biomass 219
 - bird food source 210
 - concealment 252
 - density 222(t), 223(t), 252–3
 - analysis 219
 - peaks 235
 - feeding guild 224(t)
 - feeding habits 218(t)
 - field studies 216, 218–19
 - fog moisture uptake 146
 - food resource 215
 - life-history strategy 215
 - nitrogen content 284, 285(t)
 - nocturnal activity pattern 133
 - NTS survey 216, 217(t), 218(t)
 - population, *Larrea* 252–3
 - predators/parasitoids 247–9
 - predatory, on *Larrea* 252

- anthropod (*cont.*)
radiation effects xiii
respiration 220
sap-feeding, on *Larrea* 253–4
shrub-dwelling 218
spatial patterning 235
surveys 215–19
temperatures, lethal 130, 131(f); *see also* ectotherms
tortoise diet 194
trophic specializations 214–15
water loss 143
- arthropod, foliage 235–49
Coleoptera 242
defoliating insects 236–7, 239–42(t)
leafhoppers 247, 253
Lepidoptera 237–9, 240–1(t), 242
mealybugs 245–6, 253
Orthoptera 242–3
pollinating insects 247
sap-feeding 243
types 236
see also Membracidae; Thysanoptera
- arthropod, ground-dwelling 219–35, 222–6(t)
biomass (detritivorous) 225(t), 226, 227(t), 229
biomass (predatory) 231(t), 233
density 227(t)
detritivorous beetles 220–1, 254
detritivorous Orthoptera 221–2
isopods 222–4
see also specific species
ash, landfill 311–12
ash flow 25
Ash Meadows
groundwater system 26, 28
plant communities 19
saltbush scrub 19
ash-throated flycatcher: *see Myiarchus cinerascens*
association model (Beatley) 108
associations, vegetational 91–2, 95(f)
atmospheric nitrogen inputs 274–5; *see also* dryfall; wetfall
atmospheric testing xii–xiii
auxilliary roots 98
- bacteria 261(t), 261–2
in decomposition process 287
free-living 288
nitrogen fixation 275–6
- abajada 4
alluvial soils 29
basin soil 28
calcareous, vegetation 84
Grayia–Lycium andersonii association 87
lichens 256–7
moisture retention 39
plant communities 17
precipitation 13
- slopes, soils 29
soil composition 32(t)
vegetation patterns 13, 17
weathering deposits 24
Yucca spp. 79
- banded gecko: *see Coleonyx variegatus*
banded gila monster: *see Heloderma suspectum*
Banded Mountain 23(f), 24, 85(m)
basal metabolic rate (BMR) 152
basins 23–4
hydrologic 26
soils 28–9, 29
structure 3–4
temperature inversion 89–90
see also Frenchman Flat; Jackass Flats; Yucca Flat
basking 132, 135
coloring changes 137
roadrunner 138
- bat population 159
Beatley, J. C.
annual plant phenology model 116, 117
annual survivorship 116, 118
Mojave site monitoring 88–91
beavertail cactus: *see Opuntia basilaris*
beetles 248, 253; *see also* Bombyliidae
bees, as pollinators 247
beetles 220–1
biomass 221, 226–9
coloration 137–8
fog moisture uptake 146
mass 221, 225–6(t)
predatory 247, 248–9
seasonal activity 220–1
soil preference 220
Belted Range 27(f), 85(m)
Belted Range tuff 25, 26(t)
berm 294, 296
beta radiation damage, plant 307
big sagebrush: *see Artemisia tridentata*
bighorn sheep: *see Ovis canadensis*
biomass 55
aboveground 96–8
animal, nitrogen 284–5
annuals 126(t), 129
aqueduct line 296, 297(t)
arthropod 219, 231(t), 233, 244(t)
belowground 98–100
birds 213(t)
dead 98
herb 124–5
IBP site 92
living/dead 97
lizards 185, 186(t), 187
millipede 224
nematodes 263
nitrogen reserve 274
NTS shrubs 112
orthopteran 221–2, 228(t), 243
plant, nitrogen 281–4
plant parts 127
- reproductive allocation 127
and root/shoot ratio 100(t)
seed 271–2
snake 191–2
solpugids 230
spiders 232(t), 232
winter annuals 123–7
- biomass size classes 95
biomass/net production equivalence 124
biota 10–11
birds
activity pattern 133
breeding 209–10
densities 211–13
excretion 148
FMR and environment 152
habitat partitioning 210–11
hypothermia 140
lethal temperatures 130, 131(f)
migratory 197
natural history review 203
nest-building 136
NTS breeding status 206(t)
panting 144
predatory 203
production 211–13
residency 206(t), 208–9
species summary 12, 197–201
thermoregulatory activity pattern 133, 203
transient 197
water loss predictions 141–2
see also endotherms; passerine birds
black coloration 137–8
black sagebrush: *see Artemisia nova*
black-headed snake: *see Tantilla planiceps*
black-tailed jackrabbit: *see Lepus californicus*
black-throated sparrow: *see Amphispiza bilineata*
blackbrush: *see Coleogyne ramosissima*
bladder sage: *see Salvia mexicana*
blood shunting, thermoregulatory 140–1
BMR (basal metabolic rate) 152
body mass: *see* mass
borrow pit, recolonization 296–8
box thorn: *see Lycium pallidum*
breeding, birds 209–10
density 211–13
status 206(t)
variables 210
Brewer's sparrow: *see Spizella breweri*
brittlebush: *see Encelia farinosa*
broad-leaved plants 58
Brookhaven radiation experiments xiii
buckwheat: *see Eriogonum fasciculatum*
bunchgrass: *see Hilaria rigida; Stipa speciosa*
bundle sheath cells 64
burro: *see Equus asinus*
burrow 133–5, 150(t)
food storage 139

Main Index

359

- foraging behavior (rodents) 169
 foraging limit 160
 gopher 160, 167
 heat unloading 140
 humidity 135
 hibernation 139
Hymenoptera 215
 lizards 135
 microclimate 134–5
 rabbit heat avoidance strategy 159
 spadefoot toad 146
 tortoise 175, 181, 193
burrowing owl: *see Athene cunicularia*
bursage: *see Ambrosia dumosa*
 butterflies 144, 247
- C₃* metabolism 82
 annuals 81
 bunchgrasses 80
 in *C₄* pathway 64
cheesebush 75, 76(f)
 IBP site 92
 photorespiration 65
 summer dormancy 75–6
- C₄* metabolism 63–4
 annuals 81, 120
 bunchgrasses 80
 facultative life cycle 118
 high capacity 65
 IBP site 92
 photorespiration 65
 temperature-tolerant 65
 water use efficiency 65
- cacti 78, 79
 limestone bajadas 17
 tortoise consumption 194
 water source 145
see also succulents
- cactus mouse: *see Peromyscus eremicus*
cactus wren: *see Campylorhynchus brunneicapillus*
 calcareous (CaCO_3) undercoating 30, 31(f)
 calcareous soils 29
 calcrete, pedogenic 29, 279
 caldera 25
 caliche hardpan 17
California fan palm: *see Washingtonia filifera*
California myotis: *see Myotis californicus*
Calvin-Benson cycle: *see C₃* metabolism
CAM (Crassulacean acid metabolism) 64
 energy requirements 65–6
 IBP site 92
 succulents 78, 79
 temperature-dependent efficiency 66
 water conservation 65, 82
- Cambrian rocks 24
camel cricket: *see Ceuthophilus fossor*
Camp Clipper 293
Cane Spring 25, 26
canopy 95–6
 annual density 128(t), 129
- arthropod density 215
 coverage 95–6
 environmental influence 96
NTS site 112
 moisture 53
Rock Valley shrubs 95–6
 seed density 268–9
 shade 136
 soil drying rate 52
 temperature 47, 48(t)
 transition site 91
see also coppice mound
 canopy volume, and seed density 269
 carbon, and denitrification 278
 carbon dioxide measurement 151–2
 carbon dioxide soil level 52
 carbon dioxide uptake
 annuals 81, 83
C₃/C₄ species 64
 CAM 64
creosote bush 72
 and NAAP 103
- carbon gain
creosote bush 72
 influence on growth form 56
 strategy 55–6
- carbonates, water flow 26
carnivores 159, 208
 electrolyte level control 148
 population 162
 salt glands 148
casebearer larvae 239
 cation exchange, soil 32–3
Cenozoic 21
centipedes: *see Chilopoda*
cheatgrass: *see Bromus tectorum*
cheesebush: *see Hymenoclea salsola*
 chemical potential energy budget 151
chiggers 249
Chihuahuan Desert 1
 arachnid species diversity 229(t)
 decomposition studies 286–7
 precipitation 8
 temperature 9
chipping sparrow: *see Spizella passerina*
chloroplast density 62
chlorosis, radiation-provoked 309
chollas: *see Opuntia*
 chromosomal volume, and radiation
 damage 309
chubasco 8, 9
chuckwalla: *see Sauromalus obesus*
chunascos 40
chuparosa: *see Justicia californica*
cities, MDR 2–3
cladode, orientation 59
clastic rocks, water table 26
clay 29, 32, 34, 38(t)
climate 40
 and BMR 142
vegetation type 88–91
see also precipitation; temperature
- climatological station 44
clone 72, 76
clutch, *tortoise* 195–6
clutch frequency, and egg production 187–8
clutch size 187, 211–12
coachwhip: *see Masticophis flagellum*
coal ash deposition 311–12
cockroach: *see Arenivaga erratica*; *A. investigata*
cold air drainage 10
collared lizard: *see Crotaphytus collaris*
collenchyma 61
colluvial deposits 24, 25
colonizing perennials 293
Colorado River woodland 19
coloration 136–8
common kingsnake: *see Lampropeltis getulus*
community, vegetational 91–2, 95(f)
community assembly (rodents) 171–2
community composition, altered by grazing 314
community-level root biomass 100
community litterfall 105
community occurrence, environmental control 91
community partitioning, by mass 160–1
community similarity analysis 123, 294
compaction 316
 infiltration rate 305
 perennial re-establishment 293
roadedge 298, 300
vehicular 304–5
competition
 bunchgrasses 80
 foraging behavior 169
 plants 70
 rodent communities 160–1
concealment sites, *Larrea* 252
conductivity 38(t), 39
convective storm 8
Convergent Ecosystem program 247
cooling
 broad leaves 57, 57–8
 evaporative 132, 133, 140, 141, 143–4, 153
 reptiles 133
coppice mound 35(f), 36, 277; *see also canopy*
coprovores 214
cottonwood: *see Populus fremontii*
coyote: *see canis latrans*
CP Hills 23(f), 24, 25, 85(m)
Crassulacean acid metabolism: *see CAM*
Crater Flat 85(m)
creosote bush: *see Larrea tridentata*
crickets 242–3; *see also* orthoptera
crop, annuals 129
crops estimate 124
crucifixion thorn: *see Castela emoryi*

crust 256
 algal 288
 altered by grazing 314
 deformation 21, 23
 modulus of rupture 302
 nitrogen fixation 275–6
 cryptogamic plants 256–7
 crystalline rocks, water table 26
 Curlew Valley, runoff 277
 cuticle 61, 62
 cyanobacteria 256, 275
 D-vac sampling 217(t), 218, 236, 237
 limitations 219
 spiders 230
 daddy-long-legs 232
 darkling beetles: *see* Tenebrionidae
 death rate, tortoise 195
 Death Valley 2–3(m), 4
 annuals 114–15
 reptiles 174
 saltbush scrub 18
 temperature range 10
 decomposition 257, 258, 272
 nitrogen flux 286–7
 soil organisms 256
 defoliating insects 236–43
Larrea population 253
 shrub proportion 240–1(t)
 weevil 233
see also Coleoptera; Lepidoptera;
 Orthoptera
 defoliation, dust 214, 308
 dehydration tolerance, dromedary 145–6
 denitrification 277–8
 density
 annuals
 rodent population 163–4
 habitat 128(t), 129
 vehicle impact 303(t)
 arthropod 219, 220(t), 235
 on *Larrea* 252–3
 soil arthropod 222(t), 223(t)
 birds 211–13
 grasshopper 243
 lepidopteran larvae 238
 lizard 186(t), 189(t), 314
 orthopterans (detritivorous) 221
 plant height 90, 90(f)
 scorpions 230
 seasonal, treehoppers 253
 secondary production, Uta 190
 sowbug 223–4
 tenebrionid beetles 218
 treehoppers 246
 weevils 233
see also biomass; specific species
 density analysis, arthropods 219
 density-dependent population 165, 229
 density study undercounts 185
 desert almond: *see* *Prunus fasciculata*
 desert bighorn sheep: *see* *Ovis canadensis*

Desert Biome Program ix, xvi
 desert cockroach: *see Arenivaga investigata*
 desert cottontail: *see Sylvilagus audubonii*
 desert environments 1
 desert fern: *see Notholeana parryi*
 desert holly: *see Atriplex hymenelytra*
 desert holly scrub 18
 desert horned lizard: *see Phrynosoma platyrhinos*
 desert iguana: *see Dipsosaurus dorsalis*
 desert kangaroo rat: *see Dipodomys deserti*
 desert lavender: *see Hyptis emoryi*
 desert night lizard: *see Xantusia vigilis*
 desert night snake: *see Hypsiglena torquata deserticola*
 desert oasis woodland 19
 desert pavement 30, 31(f), 300
 desert shrew: *see Notiosorex*
 desert thorn: *see Lycium Andersonii*
 desert toad: *see Bufo punctatus*
 desert tortoise: *see Gopherus agassizii*
 desert transitions 17
 desert wash community 13, 19
 desert willow: *see Chilopsis linearis*
 desert wood rat: *see Neotoma lepida*
 detritivores 214, 220–9
 beetles 220–1
 biomass 226–9
 density 220
 enclosed plot presence 227(t)
 facultative 226
 diapause 138
 diet, and electrolyte fluctuation 148–9
 diversity curves 123
 dolomite
 Banded Mountain 24
 hydrologic basin 26
 origin 21
 vegetation 85
 dominance-diversity curves 123
 dormancy
 spadefoot toad 146
 thermoregulatory 132
 winter 138
see also estivation; hibernation, torpor
 dosimeter, gamma radiation study xv
 dove: *see Zenaida macroura*
 drainage 3, 7
 drainage basins, plant communities 17
 drinking water 144, 145–6
 dromedary: *see Camelus dromedarius*
 drought 40
 rosette survival 116
 solar tracking 59
 stomatal opening 68
 drought adaptation 68, 206–7
 drought avoidance 67–8, 197, 207
 drought-deciduous plants 67
 shrubs 73–7, 81(t), 81–2, 83
 Sonoran Desert 75
 dryfall 274
 dune: *see sand dune*
 dust storms 51
 ecosystem disturbance persistence 290
 ectotherm
 FMR 152
 thermoregulation 131, 132
 ectotherms/ectotherms, metabolic differences 152
 edge effect 298
 egg production
 environment (lizards) 187–8
 Le Conte's thrasher 210
 precipitation 188, 189
 tortoise 195–6
 electrolyte levels 148–9
 elevation
 precipitation 9, 107
 vegetation distribution 85
 enclosure, NTS plots xiv, xv(f)
 endotherm
 FMR 152
 thermoregulation 131, 133
 endotherms/ectotherms, metabolic differences 152
 energetics 130–1, 150–3
 energy balance, leaf form dependence 57
 energy balance maintenance 150(t)
 energy budget 150–3, 159
 energy content, food 152
 energy development projects 311–12
 energy flow
 lizards 190
 nematodes 263–4
see also respiration
 Entisols 29
 environment
 BMR and FMR differences 152
 community occurrence 91
 environmental phenological triggers 117(f)
 environmental stress 55–6
 ephemerals 56, 114–15
 epicuticular lipids 143
 epidermis, evaporative cooling 143
 equipotential flow 28(f)
 ERDA (formerly AEC) ix
 erosion 289
 nitrogen loss 276–7
 wind 302
 erosion rate 300–1
 estivation 138–9, 139, 150(t)
 daily (pocket mouse) 139
 reptilian FMR 153
 tortoise 192
 Eureka quartzites 24
 evaporation, respiratory surface 143–4
 evaporative cooling: *see under* cooling
 evapotranspiration, actual (AET) 103
 evening primrose: *see Oenothera deltoides*
 evergreen shrubs 70–3, 81(t), 81–2, 83

Main Index

361

- leaf orientation 58
 semi-evergreen 77
 excretion, energy budget 151
 experimental plots: *see* plot
- fallout xi–xiii, 306
 fault zones 24, 25
 faunal diversity, and biomass 55
 feeding guild, arthropods 224(t)
 fence design, NTS plots xiv, xv(f)
 fencing 315
 field metabolic rate (FMR) 151–2
 finch: *see* *Carpodacus mexicanus*
 fire 312, 313, 315
 flash floods 301–2
 flatrock areas 29
 flocculants, water movement restriction 30
 flocking, finches 266
 flood damage 301–2
 flooding, plant preferences 92
 floral tissue, weevil larvae 242
 floristic surveys 11
 flower
 annuals 80
 biomass 127(t)
 nitrogen content 282
 flower initiation 108, 109(t)
 prediction 110, 111(t)
 flower inhibition, temperature 108
 flower/leaf production date relationship 110
 FMR (field metabolic rate) 151–2, 153, 154
 fog moisture uptake 146
 folding, NTS 21, 23
 foliage, dust/radiation 307–8
 food
 arthropod 218(t), 251–4
 breeding onset 153, 210
 dry, water stress from 144–5
 metabolizable energy content 152
 rodent 160
 water source 144
 food cache, burrow 135
 foraging
 ant 249–50
 birds 210–11
 lizards 182
 and moonlight 170
 quail 205
 rodent 167–71, 173
 seed reserve 169
 shrub cover 168–9
 foraging behavior 153, 169
 foraging efficiency 152–3
 forest, plant communities 14–16(t); *see also* woodland
 form, and carbon gain strategy 56
 Forty-mile Canyon 23, 87
 four-winged saltbush: *see* *Atriplex canescens*
 French, N. R. xiii
 Frenchman Flat
 Callisaurus densities 186
- clay concentration 32
 geological structures 25
 lizard population studies 184
 nuclear testing xii
 phenological data 105
 precipitation record 41
 soils 29
 salinity 34
 temperature inversion 89
 vegetation type 85(m)
 fringe-toed lizard: *see* *Uma scoparia*
 fruit
 biomass 127(t)
 inhibition, radiative 309
 initiation 108, 109(t)
 nitrogen content 282
 fungi 257, 258, 260, 261(t), 263, 287
- Gambel's quail: *see* *Callipepla gambelii*
 gamma radiation ix, 316
 animals 184, 309–11
 Brookhaven experiments xiii
 plants 308–9
 plot B experiments xiv
 gas exchange analysis 103
 gas pipeline, succession 294–5, 295, 297(t)
 gecko: *see* *Coleonyx variegatus*
 gelechiid larvae 238, 238–9
 geological history, NTS 21–6
 geological structures, NTS 25(f)
 geometrid larvae 242
 geomorphic landform, NTS 23(f)
 germination
 annuals 80, 113–16, 129
 Lycium 74
 precipitation timing 121
 temperature 113
 germination threshold 272
 giant desert hairy scorpion: *see* *Hadrurus arizonensis*
 gila monster: *see* *Heloderma suspectum*
 gnaphosid spiders 232
 golden eagle: *see* *Aquila chrysaetos*
 gopher snake: *see* *Pituophis melanoleucus*
 gourds, water potential 67
 gradients 24
 granivores
 electrolyte control 149
 metabolic water dependence 146
 grass foraging (tortoise) 192
 grasses 17, 19
 facultative perennials 118
 see also bunchgrasses
 grasshopper mouse (southern): *see* *Onychomys torridus*
 grasshoppers 242–3; *see also* orthoptera
 gravel cover, and erosion 300–1
 gravelly soil, scorpion preference 229
 grazing 159, 314, 315
 greasewood: *see* *Sarcobatus vermiculatus*
 Great Basin Desert 1
 communities 87, 91
- creosote bush diminishment 17
 desert transition 17
 MDR boundary 6
 precipitation 9
 shrubs 17, 89(t)
 Great Basin–Mojave transition 90
 Great Basin kangaroo rat: *see* *Dipodomys microps*
 Great Basin pocket mouse: *see* *Perognathus parcus*
 green molly: *see* *Kochia americana*
 ground snake: *see* *Sonora semiannulata*
 ground temperature, snake activity 133
 groundwater supply, leaf-form 58
 groundwater systems 26, 28
 growth
 Mojave–Great Basin comparison 106–7
 and nitrogen pool 288
 precipitation enhanced 102
 reduction by radiation 308–9
 summer 106
 growth competition, bunchgrasses 80
 growth rate, tortoise 194–5
 growth rings 71–2
 gular flutter 144, 154, 203
 gymnosperms, aphyllous 77
 gypsophilous species 19
 gypsum 19
- habitat
 classification, arthropod 215
 partitioning, birds 210–11
 water potential variation 69
 see also microhabitat
 Halfpint Range 23(f), 24, 85(m)
 halophytic saltbush scrub 18
 hardpan
 calcrete soils 29
 high bajadas 17
 root penetration 98
 Harrisburg revegetation 292–3
 harvester ants (granivorous) 144, 249–50,
 255, 266
 harvestman 232
 heat 39, 131–2
 metabolic 131, 133
 heat balance 130–2
 heat budget 150
 heat dissipation, hyperthermic 140
 heat exchange, countercurrent 140–1
 heat product, density specific 39(t)
 heat reflection, trichomes 59
 heat stress avoidance
 bird 203
 mammals 159–60
 quail 205
 height, plant 88, 89(t), 90
 herb biomass 124–5, 125, 129
 and rodent reproduction 166
 herbivores 105
 arthropod 214

- herbivores (*cont.*)
 electrolyte control 149
 perennial plant consumption 144–5
- herbs, Rock Valley 120; *see also* annuals
- herpetofauna: *see* reptiles
- hibernation 138–9, 150(t)
 tortoise 192, 193
see also estivation; torpor
- home range
Dipodomys dorsalis 184
 male/female differences 171
 rodent 170–1
 tortoise 193
- homeostasis control: *see* electrolyte; temperature control
- honeydew 243, 247, 250, 251
- hop sage: *see* *Grayia spinosa*
- horned lark: *see* *Eremophila alpestris*
- horse: *see* *Equus caballus*
- horsebrush: *see* *Tetradymia axillaris*
- house finch: *see* *Carpodacus mexicanus*
- huddling 139, 150(t)
- humidity 53–4
 burrow 135
 and precipitation 48–9
 Rock Valley 47–9
 temperature 48–9
- hummocks: *see* coppice mounds
- hurricane 8
- hydrologic pattern 301
- hydrologic year 102–3
- hydrology 26–8
- hyperthermia 140, 153, 160
- hypothermia 138
- Ibis Mountain camps 293
- IBP (International Biological Program)
 desert sites ix, xvi
 perennial densities 92–3, 94(t)
 precipitation records 41–2
 soil profile 36–9
 species composition 92–105
- infiltration rate 305
- infra-red reflection, trichomes 59
- insects
 flying, thermoregulation 132
 metabolizable energy content 152
 nest thermoregulation 132
 as water source 160
- International Biological Program: *see* IBP
- intershrub space
 foraging (rodent) 169
 foraging pattern 170
 lizard foraging 182
 nitrogen pool 279–80
 seed density 169(t), 268, 269(t), 270(t)
 seed distribution 169
- introduced species 119(t), 120, 291, 312–14
- invertebrates
 life-history strategy 215
 microhabitat 146
 nitrogen content 285(t)
- Inyo Mountains 6, 11, 20
- iodinebush: *see* *Allenrolfea occidentalis*
- iodinebush alkali scrub 18
- ion distribution, soil 31–3, 34
- ion exchange 32–3, 36(t)
- ionizing radiation: *see* beta and gamma radiation
- Iron Mountain camps 293
- ironwood: *see* *Olea tesota*
- irradiation 49, 58–9
 ‘islands of fertility’ 274
- isopods 222–4
- Jackass Flats 23, 24
- ammonium pool 281
- ash deposition 312
- geological structures 25
- soils 29, 32(t)
- species density 93
- vegetation type 85(m), 87–8
- winter annual survivorship 121
- jojoba: *see* *Simmondsia chinensis*
- Joshua tree: *see* *Yucca brevifolia*
- Joshua Tree National Monument, reptiles 174
- Joshua tree woodland
 plant associates 17, 18(f)
 succession 294
- juniper: *see* *Juniperus* spp.
- kangaroo rat: *see* *Dipodomys* spp.
- Kelso Dunes 6
- kidney efficiency 148
- kit fox: *see* *Vulpes macrotis*
- Kranz anatomy 63, 81
- lactation, rodent 165
- lagomorphs 159
- lake, dry: *see* playa
- lake, temporary 26
- Lake Manly 7
- landfill, coal ash 311–12
- landforms 3–4
- larvae
 lepidopteran 237–9, 239–40(t), 242
 as water source 144
- Las Vegas, irradiance 49(t)
- lateral roots 69, 98, 99
- Le Conte’s thrasher: *see* *Toxostoma lecontei*
- leaching, and germination 113
- leaf
 absorptance 58–9
 anatomy 61–2, 63
 biomass 127(t)
 broad
 overheating 82
 water stress adaptation 58
- dimorphic 57
- evergreen 61
- effect of fallout 307–8
- narrow, advantages 57
- nitrogen content 282
- non-succulent 70, 71
- orientation 58–9, 82
- polymorphism 82
- reflectance 58–9, 73
- resins 61
- solar tracking 59
- structure, blackbrush 76
- temperature, and size 57
- water-loss minimization 58, 82
- as water source 144
- water vapor concentration 57
- winter annuals 80
- see also* drought-deciduous plants
- leaf area index 75
- leaf beetles 242; *see also* Coleoptera
- leaf initiation 108, 109(t)
 prediction 110, 111(t)
- leaf succulents 78–9, 81(t), 81–2
- leaf/flower production date 110
- leaf/stem photosynthesis 75
- leafhoppers 247, 253
- legumes 77, 276; *see also* *Acacia*; *Prosopis*
- lichens 256–7, 272, 288
 distribution 258(t)
- nitrogen fixation 275
- life-span
 arthropods 215
 ionizing radiation 310
- light, and breeding onset 210; *see also* moonlight
- lime 32(t), 38(t)
- limestone 21, 24, 26
- limestone mountain plants 70
- limestone soil 19, 33(t), 36, 38; *see also* calcareous soils
- limestone vegetation 85
- line transect sampling 88
- lipids, epicuticular 143
- litter, decomposition process 287
- litter habitat, arthropod 214–15
- litter nitrogen 284
- litter traps 104
- litterfall 104–5
 community 105
 nitrogen flux 286
 seasonal patterns 104
- livestock, and introduced species 312
- livestock grazing 314, 315(t)
- lizard 196
 activity patterns 185–6
 arboreal 136, 182–3
 and brome grass introduction 313
 burrows 134, 135
 characteristics 182–4
 clutch frequency 187–8
 coloring changes 137
 countercurrent heat exchange 141
 densities 185, 186(t)
 dry weights 185, 186(t)
 egg production and environment 187–8
 energy flow 190

Main Index

363

- FMR and environment 152
 foraging efficiency 152
 habitats 182–4
 huddling 139
 hyperthermia 140
 juvenile/adult coloration 137
 mortality 190
 natural history 182
 nitrogen content 284, 285(t)
 panting 144
 predation 183, 187
 productivity, and precipitation 188–90
 radiation xvi, 184, 310–11
 respiratory surface evaporation 143
 salt glands 148
 size relationships 187
 spring density 189
 survivorship 188
 thermoregulation 133, 135–6
 vehicle effect (dunes) 306
 lizard population studies 184
 effect of grazing 314
 enclosed 185–6
 lizard density determination 185
 radiation effect xvi, 307, 310–11
 sampling 184–5
 undercounts 185
 lizard/substrate reflectance 137
 loess, NTS 32
 loggerhead shrike: *see Lanius ludovicianus*
 long shoot–short shoot organization 74
 long-nosed leopard lizard: *see Gambelia wislizenii*
 long-nosed snake: *see Rhinocheilus lecontei*
 Lygaeid bugs: *see Lygaeidae*
 lymph sac water storage 146
 lyre snake: *see Trimorphodon biscutatus*
- malate, in CAM 64
 male/female differences, home range 171
 mammals
 foraging efficiency 152
 lethal temperatures 130, 131(f); *see also* endotherms
 population densities 156(t), 162–7
 species, NTS 155, 156(t), 157–8(f), 159
 water loss predictions 141–2
- mass
 arthropod 219
 basking 135
 clutch size 187
 tortoise 196
 community assembly 171–2
 ecological niche (rodents) 160–1
 heat exchange 132
 population density (lizards) 187
 resource partitioning (rodents) 160–1
 rodent 172(t)
 seed 271
 snakes 191
 soil arthropods 225–6(t)
 tortoise 194
- water flux 141–2, 143
 weevils 233
 MDR (Mojave Desert Region)
 arachnid species diversity 229(t)
 area 1, 3
 boundaries 4–6
 drainage 3
 lakes 7
 lizards 174
 map 2–3
 modelling 272
 precipitation 8–9, 10(f)
 rivers 7
 shrub data 89(t), 90(t)
 situation 1–3
 southern, perennials 17
 topography 6–7
 as transitional community 19
- MDR/Sonoran Desert, faunal similarity 12
 mealybugs 245–6, 253
 mean precipitation 42
 mean volume (shrub) 97
 measuring worm 253
 melyrid beetles 247, 248–9
- Mercury Valley
 ammonium pool 281
 phenological data 105
 soil composition 32(t)
 species densities 92–3
 vegetation type 85(m)
- Merriams' kangaroo rat: *see Dipodomys merriami*
- Mesic family soil 28
 mesophyll 61, 62, 73–4
 Mesozoic, NTS 21
 mesquite: *see Prosopis* spp.
 mesquite woodland, denitrification 278
 metabolic rate 142, 151–2; *see also* BMR;
 FMR
 metabolic water: *see* water, metabolic
 metabolism, components 151
 metabolism control, thermoregulatory 131,
 131–2
- microarthropods
 decomposition process 287
 density 265(t)
 sampling 260
 taxonomic listing 264
- microclimate 153
- microhabitat 127–9, 136
- micronutrients
 coppice mound 36(t)
 cycling 34
 saline soil 33–4
 soil 32(t), 33(t)
- microphyll 57
- millipedes 222, 224, 226
- mineralization 258, 287, 288, 289
- Miocene, faulting 24
- mirid bugs 216, 247
- mites 232–3, 249, 264
- debris fragmentation 258
- decomposition process 287
 on *Larrea* 253
- mockingbird: *see Mimis polyglottos*
- moisture
 denitrification 278
 facultative life cycle 118
 gravimetric measurement 51
 microorganism population 262
 nematode activity 263
see also water
- moisture depletion (soil) 301
- moisture dynamics, and depth 52
- moisture potential 52
- moisture recharge 301, 302(t)
- Mojave Desert Region: *see* MDR
- Mojave indigo bush: *see Psorothamnus arborescens*
- Mojave River 7
- Mojave site monitoring (Beatley) 88–91
- Monotony Valley tuff 25, 26(t)
- moonlight, foraging behavior 135, 170, 171
- mormon tea: *see Ephedra nevadensis*
- mortality, lizard 190
- moths 144, 247
- motorcycle, compaction 304–5
- mountain lion: *see Felis concolor*
- mountain systems, MDR 6–7
- mourning dove: *see Zenaida macroura*
- mule deer: *see Odocoileus hemionus*
- multivoltine life history 215
- muscle vibration, thermoregulatory 132
- NAAP (net annual aboveground production) 102(t), 105, 112, 283(t)
- NAAP equations 102–3
- nasal drinking 145, 192–3
- nasal mucosa, thermoregulation 143
- nasal water resorption 147
- natural springs, plant communities 19
- nectar 152, 247
- Negev Desert ix
- nematodes 262–4, 273
- decomposition process 287
 energy consumption 263–4
 prey of mites 233
 sampling 260
 seasonal distribution 263
 spatial distribution 262
- nest thermoregulation 132
- nesting production 211–12
- nesting sites 210–11
- net annual aboveground production: *see* NAAP
- net primary production
 annuals 113, 123–7, 129
 and ant density 249
 data estimation, perennials 101
 dry mass, perennials 102(t)
 loss 105
 NTS 112
 perennials 100–2
 precipitation correlation 127

- net primary production (*cont.*)
 predictive equations 125
 shrubs, arthropod abundance 236
 winter annuals 120(t), 123–7
see also NAAP; production
- neuropterans, predatory 247
- Nevada Test Site: *see* NTS
- night lizard: *see* *Xantusia vigilis*
- night snake: *see* *Hypsiglena torquata*
- nitrate, playa soil 34
- nitrate input 274–5
- nitrate nitrogen 280–1
- nitrogen
 from annuals 113
 atmospheric 274–5
 coppice mounds 277
 cycling 272
 distribution 274
 erosional loss 289
 flux 285–7, 289
 input estimates (fixation) 275
 intake, ant consumption 206
 mineralization 258, 287, 288
 termite activity 258–9
 translocation 285
 uptake 285–6, 289
 wetfall 274
see also ammonium; denitrification; nitrate
- nitrogen cycle 287–8, 289
- nitrogen fertilizer 315
- nitrogen fixation 275–6
- nitrogen pool 278–85, 286(t), 289
 animal 284–5
 beneath shrubs 279(t), 284
 equilibrium 288
 intershrub spaces 279–80
 plant 281–4
 Rock Valley 279–80
 soil nitrogen 278–9
 vertical gradient 278
- nocturnal activity pattern 133, 135, 170, 171
- NTS (Nevada Test Site) iv
 dominant shrubs 112
 geological history 21–6
 history ix
 1950s studies xi–xii
 plot establishment xiii–xiv
 reptiles 174–81
 topography 21–6
- nuclear testing
 aboveground 306–7
 atmospheric xi
 NTS areas xii
 site choice xi
see also beta and gamma radiation
- nutrient cycling 258
- Nuttall's cottontail: *see* *Sylvilagus nuttallii*
- nymphal development, treehoppers 246
- OAA (oxaloacetate) 64
- ochric epipedons 29
- off-road vehicles: *see* vehicles
- open space: *see* intershrub space
- Operation Jangle xii
- Ord's kangaroo rat: *see* *Dipodomys ordii*
- ordination techniques 91
- organic acid synthesis 73
- organic matter
 IBP validation site 38(t)
 arthropod concentration 235
 soil 32(t), 34
- oribatid mites 287
- orientation, thermoregulatory 131, 135
- orthopteran biomass 221–2, 228(t)
- osmoregulation 68, 147–50
- osmotic concentration tolerance 147
- osmotic potential lowering 68
- ovarian tissue loss 310
- overwintering, treehoppers 246, 247
- oviposition, on *Larrea* 251–2
- oxaloacetate (OAA) 64
- oxidative water: *see* water, metabolic
- packrats: *see* *Neotoma*
- Pahute Mesa 23(f), 24
 groundwater system 26, 28
 phenological data 106, 107
 vegetation type 85(m)
- Paintbrush tuff 25, 26(t)
- Paleozoic, NTS 21
- palisade cells 61–2, 73
- pallid bat: *see* *Antrozous pallidus*
- palo verde: *see* *Cercidium floridum*
- pan, cemented 39
- Panamint rattlesnake: *see* *Crotalus mitchelli stephensi*
- panting 143–4
- PAR 59, 72
- parasites, arthropods 247–9
- passarine birds 197, 203, 207; *see also* *Amphispiza*; *Carpodacus*
- pavement disturbance 300
- pedogenic calcrites 29
- PEP (phosphoenolpyruvate) 64
- perennial production: *see* net primary production
- perennials
 arthropod food resource 215
 carbon gain 55–6
 colonizing 293
 consumption by herbivores 144–5
 facultative 118
 Harrisburg 292–3
 IBP site 92–105
 mean size 96
 nitrogen concentration 281–3
 nitrogen pool increase 288
 NTS 84–92
 map 85
 re-establishment 290–2, 293, 296, 297(t)
 Rock Valley 119(t)
 southern Mojave Desert 17
- Wahomone 290–2, 292(t)
- water storage 67
- water stress avoiders 56
- permeability, soil 38(t)
- PET (potential evapotranspiration) 52–3, 54
- PGA (phosphoglycerate) 63
- pH
 ammonia volatilization 278
 ash landfill 311
 changes in CAM plants 64–5
 plant preferences 92
 saline soils 34(t)
 soil 32(t), 33, 38(t)
 vegetation 36
- phenology
 annual plants (Beatley) 116, 117
 coloring differences 137
 quantitative analysis 108–12
 shrub 105–12
 triggers 117(f)
- Turner and Randell model 110, 111–12
- vegetative/reproductive 106(f), 107(f)
- phenophase, treehopper 246
- phenophase identification 105–6
- phenophase initiation 108, 110
- phloem, primary 61
- phloem-feeding 243
- phosphoenolpyruvate (PEP) 64
- phosphoglycerate (PGA) 63
- photoperiod change, diapause 138
- photorespiration 65
- photosynthesis
 angiosperms 81(t), 81–2
 C_3 63
 C_4 63–4
 cheesebush 75
 drought-deciduous plants 75
 ionizing radiation effect 308–9
 maximisation, and leaf anatomy 62
 restricted, low temperature 77
 stem 75, 77–8
 temperature optima 81, 82; *see also* acclimation
 temperature tolerant 65
 thermal stress 56
 transpiration 66–7
- Yucca brevifolia* 79
- see also* CAM; C_3 metabolism; C_4 metabolism
- photosynthetic symbiosis 275
- phreatophytes 19, 69
- phytophages 220, 251–4
 orthoptera 221
 soil arthropods 233, 234(t)
- pickleweed: *see* *Allenrolfea occidentalis*
- Pima rhatany: *see* *Krameria erecta*
- pinyon pine: *see* *Pinus monophylla*
- pinyon-juniper woodland
 ants 250
 bird species diversity 197

Main Index

365

- lizard population 174
 mammal species 159
 pioneer species 291, 312; *see also introduced species*
 pitfall traps 191, 216, 222, 224, 230
 plant community
 classifications 13, 14–16(t)
 similarity analysis 123
 plant densities, rodent population 163–4
 plant growth, nitrogen pool 288
 plant population soil seed reserve 271(t), 272(t)
 plasma electrolyte 148–9
 plastron length 194–5
 platyopuntias: *see Opuntia*
 playa 4
 clay 34
 saline soils 33–4
 silt 34
 soils 29, 33–4
 vegetation 18–19, 87, 88(t)
 water-filled 5(f)
 playa lakes 26
 pleistocene, drainage 7
 plot, experimental xiii–xiv, 37(f)
 plowed field succession 294
 pocket gopher: *see Thomomys umbrinus*
 pocket mouse: *see Perognathus longimembris*
 pollinators 214, 247
 population
 arthropods 219, 220(t)
 body size (lizards) 187
 creosote bush 72
 density-dependent, scorpion 229
 rodent 163(t), 165, 172
 seasonal, on *Larrea* 252–3
 spiders 232
 tortoise 194
 Uta 188–9
 winter annuals 122–3
 see also density
 population studies, and predation 166
 potassium excretion 148
 potential evapotranspiration 52–3, 54
 power transmission line, succession 295
 prairie falcon: *see Falco mexicanus*
 precambrian, NTS 21
 precipitation 7–9, 18, 40
 aboveground net production 125
 AET 103
 bajada 13
 differential growth characteristics 103
 elevation 9, 40
 fall (autumn), shrub arthropod index 236
 fall (autumn), arthropod abundance 239(f)
 germination of annuals (Beatley) 116, 117
 growth enhancement measurement 97–8
 growth renewal 102
 humidity 48–9
 intensity 42, 43–6(t)
 litter disappearance 287
 lizard density 189(t), 190
 lizard egg production 187, 188, 189
 long-term records 10(f), 40–1, 41–2
 MDS 20
 mealybug nutrition 246
 millipede activity 224
 net annual production correlation 127
 nitrogen loss 276, 277
 nitrogen wetfall 274–5
 pattern 8, 42, 43–6(t), 53
 in phenology model 110, 112, 117(f)
 temperature correlation 111
 plant height 90
 revegetation 316
 scrub composition 90(t)
 seasonal 41–2
 Rock Valley 41–2, 43–6(t)
 summer 8, 9, 113
 winter 8, 9, 187, 195
 simulation experiments 300
 site species composition 88–9, 90(t)
 species intolerance 91
 summer growth 106
 temperature 47, 111
 tortoise growth rate 195
 transition sites 91
 variability 9, 10(f)
 see also productivity
 precipitation gradient, site elevation 107
 precipitation timing
 germination, annuals 113, 115, 116
 survivorship 121
 community structure 123
 predation
 beetles 248–9
 birds 203, 208
 black coloration 137
 insect 247–9
 of lizards 183
 population density studies 166
 predatory arthropods 229–33
 biomass 233
 density 220
 on *Larrea* 252
 see also Chilopoda; mites; Phalangida; scorpions; Solpugida; spiders
 preformed water 144, 149, 160
 primary production: *see* net primary production
 production, secondary
 birds 211–13
 lizards 190–1
 mammalian 172
 secondary growth, perennials 100–1
 productivity, and precipitation
 lizard 188–90
 plant 265
 profile: *see* soil profile
 pronghorn antelope *see Antilocapra americana*
 Project Sedan 307, 308
- pupfish, desert: *see Cyprinodon*
 pylons, succession 295
 quail: *see Callipepla gambelii*
 quartzites 24
 Quaternary deposits 24
 radiation xiii, 306–11, 316
 effect on lizards xvi, 309–11
 human exposure xi
 long-term studies xiii
 plant damage 308–9
 toxicity levels 306
 rain shadow 7–8; *see also* precipitation
 rain-year 53
 Rainier Mesa 23(f), 24, 85(m)
 rainfall intensity: *see* mean precipitation intensity
 rattany: *see Krameria*
 rattlesnakes 181
 raven: *see Corvus corax*
 recharge, soil water 28(f), 39
 reflectance 58–9, 137
 relative abundance index 216, 224(t)
 relative humidity: *see* humidity
 reproduction, density-dependent 165
 reproduction index 165–6, 173
 reproductive energy requirements 153
 reproductive success, pocket mice 165
 reptiles
 heat gain 133
 lethal temperatures 130
 metabolic water 147
 NTS 174–81
 torpor 138
 water drinking 145
 water loss predictions 141–2
 see also ectotherms
 residual soils 29
 resin 61, 70, 72
 resource competition 161
 resource partitioning 249–50
 respiration 220, 263–4; *see also* energy
 respiratory resorption of water 147
 respiratory surface evaporation 143–4, 154
 revegetation
 colonizing perennials 293
 compaction 292
 military camps 293
 NTS 315–16
 species changes 290–2, 292–3
 utility corridors 294–6
 see also succession
 rivers, MDR 3
 road edge vegetation 298–300
 roadrunner: *see Geococcyx californicus*
 rock
 cricetid rodent 167
 lichen 257
 sorting 29
 undercoating 30
 rock crevice, thermoregulatory 136

Rock Valley iv
 algal crust 276
 ammonia volatilization 278
 calcrete layer 279
 choice xiii
 denitrification 278
 geological structure 25–6
 history of studies ix–x
 irradiance 49
 lizard population 184
 mammals 156(t), 162–7
 nitrate/ammonium nitrogen 280–1
 nitrogen fixation estimates 276
 nitrogen losses 277
 nitrogen pool size 279–80
 precipitation events 41–4, 45(t), 46(t)
 research (1976–) xvii
 soils 29
 composition 32(t)
 profile 36–9
 topography 22(m)
 as validation site xvi
 vegetation type 85(m)
 wind 49–51
 see also IBP validation site
 rock wren: *see Salpinctes obsoletus*
 rocky terrain 182, 184
 rodent
 burrows 134
 cricetid
 diet 266
 population densities 166–7
 density fluctuation 164
 density manipulation 165
 distribution pattern 155
 dry body weight 172(t)
 food preferences 160
 foraging interactions 169–70
 foraging, and moonlight 135
 heteromyid
 densities 162–4
 foraging 167–71
 nitrogen content 284, 285(t)
 population fluctuation 155
 seed reserves 266
 survey methods 162
 home range 170–1
 mass, and community membership 160
 nests (woodrats) 136
 nocturnal activity patterns 133, 135
 population density 172
 population fluctuation 155, 163(t), 164,
 265–6
 as prey 160
 respiratory water resorption 147
 seasonal activity 170–1
 shrub utilisation 168–9
 vehicles 303–4
 rodent community (guild) 171–2
 rodent competition 161
 rodent diversity (dunes) 306
 rodent reproduction 164–6, 265–6

root
 biomass 100, 127(t)
 nitrogen content 281, 282(t)
 mass estimation 98–9
 root parasites 75, 233
 root/shoot ratio 69, 98–100
 annuals 125, 127
 and nitrogen vertical gradient 278
 NTS shrubs 112
 root system 69–70, 98–100
 aphyllous gymnosperms 77
 blackbrush 76
 Tidestromia oblongifolia 118
 rosette 80, 116, 114(f), 129, 193
 round-tailed ground squirrel: *see Spermophilus tereticaudus*
 Rubisco 63
 running
 Dipsosaurus dorsalis 184
 quail 205
 rodents 169
 runoff 276, 277
 nitrogen loss 276–7
 NTS 30
 runoff rate 301, 302(t)
 rupture modulus, soil 302
 Russian thistle: *see Salsola*
 sage sparrow: *see Amphispiza belli*
 sagebrush: *see Artemisia tridentata*
 sagebrush lizard: *see Sceloporus graciosus*
 sagebrush vole: *see Lagurus curtatus*
 saguaro, giant: *see Carnegiea gigantea*
 saline soil 33–4, 70
 saline-sodic desert pavement 30
 salivary gland water uptake 146
 salt balance adaptation 150(t)
 salt concentration 18, 34
 salt glands 142(t), 148, 207
 salt ingestion avoidance 149
 salt tolerance 18, 73
 saltbush scrub 18
 saltcedar: *see Tamarix ramosissima*
 salts 4, 19
 sampling
 arthropods 216, 218
 limitations 219
 bird studies 207–8
 soil microflora 259–60
 sand
 bajadas soil composition 32(t)
 calcrete overlay 29–30
 eolian 25–6
 IBP validation site 38(t)
 scorpion preference 229
 snake habitat 191
 vegetation 87
 sand dune 160, 306
 sand verbena: *see Abronia villosa*
 sandpaper bush: *see Mortonia utahensis; M. scabrella*
 sap-feeding insects 243, 253–4; *see also*
 Hemiptera; leafhoppers; mealybugs;
 Thysanoptera; treehoppers
 scarab beetles 221
 scorpions 229–30
 habitat 215
 moonlight foraging 135
 seasonal activity 225(t), 229–30
 water loss 143
 screwbean: *see Prosopis pubescens*
 scrub
 CO₂ soil level 52
 NTS 84, 86
 plant communities 14–16(t)
 scrub oak: *see Quercus*
 scute annuli 195
 seasonal activity
 lizards 136
 scorpions 225(t), 229–30
 solpugids 230
 secondary growth production 100–1
 secondary plant succession 290–302, 316;
 see also revegetation
 seed
 arthropod food 214
 biomass 271–2
 demography 272
 density 169, 269–71
 distribution 169–70, 266–7
 dormancy 272
 germination threshold 272
 mass 271
 metabolizable energy content 152
 predation, ants 249–50
 quail diet 206
 radiation 308–9
 rodent community structure 171
 tortoise consumption 193
 seed reserves 264–72, 273
 annual variation 269–71
 dynamics 266–7
 persistence 272
 population density 266, 271(t), 272(t)
 rodent foraging 169
 sampling 266–7
 shrub canopy volume 269
 uses 265–6
 seepage zone 26; *see also* springs
 shade 136
 heat dissipation 140
 lizards 182
 quail 205
 rabbits 159
 shadscale: *see Atriplex confertifolia*
 shadscale scrub 18
 sheep 313, 314, 315(t)
 Sheep Range 3–4(m), 6–7
 sheet flow 39, 277
 sheetwash, NTS 30
 shovel-nosed snake: *see Chionactis occipitalis occipitalis*
 shrew, desert: *see Notiosorex*

Main Index

367

- shrub
 ammonium pool 280–1
 arthropods 218, 235, 236, 237(t), 238(t)
 ash deposition 312
Coleoptera habitat 242
 defoliating insects 239–42(t)
 early/late growth 108
 frequency distribution 93–5
 height 88, 89(t)
 lepidopteran larvae densities 238,
 240–1(t)
 litterfall 104–5
 mean volume 97
 Mojave Desert sites 88
 nematode population 260, 263
 net primary production 100–2
 new growth nitrogen 283
 nitrate pool 280
 nitrogen content 274, 281–2, 282(t)
 NTS 112
 protective (rodents) 168
 seed density 169(t)
 soil nitrogen concentration 279(t),
 279–80
 species variety 89(t)
 tortoise consumption 194
 see also aphyllous shrubs; drought-
 deciduous plants; evergreen shrubs
 shrub canopy: see canopy
 shrub arthropod index 236
 shrub cover 90
 Coleogyne occurrence 87
 Dipodomys distribution 168(f)
 sheep grazing 314
 Uta density 185
 side-blotted lizard: see *Uta*
 stansburiana
 sidewinder: see *Crotalus cerastes*
 silica rock undercoating 30, 31(f)
 silicate deposits 21
 silk-tassel: see *Garrya flavescens* var.

pallida

 silt 29, 32(t), 34
 Silverbell (Arizona) site studies 251–2
 similarity coefficient 294
 site elevation, precipitation and tempera-
 ture gradients 107
 size 132
 size grading, ants 251
 skin, evaporative cooling 143
 Skull Mountain 23(f), 24, 85(m)
 Small Boy 308
 smoke tree: see *Dalea spinosus*; *Psoro-*
 thamnus spinosus
 snake 191–2, 196
 activity pattern 133, 135–6, 191
 excretion 148
 huddling 139
 Mojave species 12
 nitrogen content 284, 285(t)
 NTS 181
 snout-to-ventral length: see SVL
 snow 9
 Soda Lake 5(f), 7
 sodic desert pavement 30
 sodium excretion 148
 soil
 arthropod habitat 214–15
 biologically active 279
 biomass, nematodes 263
 biotas 258–9
 carbonates 29–30
 denning potential 175
 drying rate, soil canopy 52
 environment 256
 erosion rate variables 300
 horizons, and vegetation 34, 36
 hydrologic pattern 301
 ion distribution 31–3
 microclimate 51–2
 micronutrients 32(t), 33(t), 33–4
 nitrogen 274, 278–9, 280
 uptake 285–6
 particle size 31–3
 physical attributes 39(t)
 recovery times 292
 restoration 315
 Rock Valley site 54 profile 33(t)
 rodent preference 162
 root system development 98–100
 salinity 33–4
 sorting 29
 structure (NTS) 30
 temperature, burrow profile 135
 tortoise burrows 175
 types 28–9
 vegetation type 91–2
 weed colonization 313
 soil compaction 316
 perennial re-establishment 293
 roadedge 298, 300
 townsite 291, 292
 vehicular 304–5
 soil crevice habitat 215
 soil crusts 256, 275–6, 314
 soil depth
 microarthropods 264
 microorganisms 261–2
 moisture dynamics 52
 soil formation 34–6
 soil loss equation 277
 soil microorganisms 257–64
 Actinomycetes 260, 261, 262
 bacteria 261(t)
 decomposition 257, 258
 fungi 257, 260, 261(t), 263
 invertebrates 257–8
 microarthropod 260, 264, 265(t)
 microflora 260–2
 nematodes 260, 262–4
 nutrient cycling 258
 sampling 259–60
 spatial distribution 260–1
 trophic relationships 258, 259(f)
- soil moisture
 facultative life cycle 118
 grasshopper abundance 243
 gravimetric measurement 51
 soil preference, scorpion 229
 soil profile 36–9
 soil profile development, and vegetation
 34
 soil water 39–40, 52–3
 soil water potential 39–40
 solar heating, adaptive coloration 137
 solar irradiance: see irradiance
 solar power stations 311
 solar tracking 59, 82
 Sonoran Desert 1, 3
 aphyllous shrubs 77
 arachnid species diversity 229(t)
 creosote bush scrub 13
 faunal similarity 12
 precipitation 8
 temperature 9
 see also Silverbell 29
 sorting, soil particles 29
 sowbug: see *Venezillo arizonicus*
 spadefoot toad: see *Scaphiopus*
 sparrow: see *Amphispiza bilineata*
 species, introduced 119(t), 120, 291,
 312–14
 species composition, IBP 92–105
 species differences, revegetation 290–2,
 292–3
 species diversity 123
 speckled rattlesnake: see *Crotalus*
 mitchelli
 Specter Range 23(f), 25–6, 85(m)
 spiders: 230, 232, 247; see also Araneida
 spine formation 74
 spiny desert lizard: see *Sceloporus magister*
 spiny senna: see *Senna armata*
 spiracles 144
 spotted leaf-nosed snake: see
 Phyllorhynchus decurtatus
 Spotted Range 23(f), 24, 85(m)
 Spring Mountains 3–4(m), 6–7
 springs 26
 standing crop 124, 129
 stem
 biomass 127(t)
 nitrogen content 281, 282(t)
 photosynthetic 59, 75, 77–8; see also
 cladode
 stem succulents 78–9, 81(t), 81–2
 sterility, radiation-induced xvi, 310, 311
 stomata 61, 66–8
 stones, crevice habitat 215
 storksbill: see *Erodium cicutarium*
 storm 8, 20, 40, 41
 stormworm: see *Orthoporus ornatus*
 subshrub 73
 succession 290–302, 316
 pioneers 291, 312
 plowed fields 294

- succession (*cont.*)
 utility corridors 294–6
see also revegetation
- succulents 78–9, 83
 physiological characteristics 81(t), 81–2
 re-establishment 294
see also *Opuntia*
- suffulcescents (subshrubs) 73
- sugar 247
- sulfates (sulphates), soil 33, 34
- summer annuals: *see* annuals
- sunning: *see* basking
- sunspiders 230
- superlight coloration 137
- surface area, heat exchange 132
- surface temperature, desert 130
- surface water, permanent 26
- survey methods, heteromyid rodents 162
- survivorship 116, 118, 120–1, 129
- SVL (snout-to-ventral length) 187, 191(t)
- swallows 203
- sweat glands 143
- sweating 143
- sweet bush: *see* *Bebbia juncea*
- swifts 203
- tap roots 69, 98, 99
- tarantula 232
- tarsomimid mites 287
- temperature 9–10
 arthropod activity 215
 angiosperm optimum 81(t)
 burrow profile 135
 day/night, scrub composition 90(t)
 denitrification 278
 desert surface 130
 diapause 138
 germination of annuals 115
 grasshopper abundance 243
 Great Basin 91
 humidity correlation 48–9
 lizard 182
 low 44, 46(t), 47
 flowering inhibition 108
 nocturnal, and *Lycium* 17
 restricted photosynthesis 77
 species presence 90–1
 vegetation communities 87
- max/min 10, 44, 46(t), 47
- maximum, NTS 91
- millipede activity 224
- minimum, basins 89–90
- Mojave Desert 44, 47(t)
- nematode population 263
- phenology 110, 111, 112
- photosynthetic adaptation 56
- photosynthetic C₄ pathway 65
- photosynthetic optima 81, 82–3
- precipitation 47, 111
- rosette survival 116
- shrub canopy modulation 47, 48(t)
- site species composition 88–9, 90(t)
- torpor (pocket mouse) 139
- unpredictability 44, 46(t)
- winter, and shrub arthropod index 236
see also acclimation; water stress
- temperature gradient, site elevation 107
- temperature inversion 10, 89–90
- temperature tolerance, birds 197
- tenebrionid beetles: *see* Tenebrionidae
- termites 182, 249, 258–9, 287
- territoriality, ants 250
- test ban treaty xii
- thermal conductivity 39(t)
- thermal tolerance 184, 191
- Thermic family soil 28
- thermoregulation 133
 during hibernation 138
 ectotherms 132
 endotherms 133
 quail 206
 torpor 138–9
 zebra-tailed lizard 182
see also burrows; coloration
- Thirsty Canyon tuff 25, 26(t)
- thrips: *see* Thysanoptera
- thrust faults 24
- ticks 249
- Timber Mountain 23(f), 24
 geological structures 25
 vegetation type 85(m)
 volcanic centre development 27(f)
- time budget 151, 205(f)
- toad: *see* *Bufo punctatus*; *Scaphiopus*
- toe clipping 184–5
- topography, NTS 21–6
- Topopah Valley 85(m)
- torpor 150(t), 153, 160, 170
 circannual rhythm 138–9
 winter 138
see also estivation; hibernation
- Townsend's big-eared bat: *see* *Plecotus townsendii*
- Townsend's ground squirrel: *see* *Spermophilus townsendii*
- transects 162, 185
- transient heat models 39
- transition desert 90
 canopy coverage 91
 communities 87–8
 lizard population 174
 Mojave as 19
 orthoptera 243
 precipitation 91
 shrub data 89(t), 90(t)
- transit speeds: *see* running
- transpiration
 broad leaves 57, 57–8
 CAM 65, 79
 narrow leaves 57
 photosynthesis 66–7
 trichomes 59
 water loss 82
 water potential 68
- trapping
 rodents 162
 snakes 191
 reliability of 167, 170
- treehoppers 246–7, 253; *see also* Membracidae
- trees, breeding habitat 209
- trenching 294, 296
- triangle-leaved bursage: *see* *Ambrosia deltoidea*
- trichomes 59, 72, 73, 82
- trophic specialization 214–15
- tuffs 25, 26, 27(f)
- tuft, annuals 80
- turgor maintenance 68
- Turner, F. B. x, xvi–xvii
- turpentine bush: *see* *Thamnosma montana*
- tydeid mites 233
- undercount compensation 185
- univoltine life-history 215
- uplifting, NTS 21, 23
- upper respiratory disease syndrome (URDS) 195
- uric acid 148
- urinary bladder 145, 146, 148, 149, 193
- urine
 concentration 148
 quail 206–7
 rodent granivores 149, 160
- utility corridors 294–6
- vapor phase transport 40
- vapor pressure deficit 59
- varnish (rock) 31(f)
- vascular plants 11–12
- vegetation
 erosion reduction 301
 Great Basin Desert 87
 lizard consumption 182
 rodent requirement 165, 166
 soil formation 34–6
 soil profile 34, 39
 soil water potential 301
 water intake (tortoise) 192
- vegetation association 8(t), 91–2, 95(f)
 transition desert 87–8
- vegetation patterns 13, 17, 18–19
- vegetation type
 climate 88–91
 NTS 85(m)
 soil 91–2
- vegetative rosette: *see* rosette
- vehicle damaging effect 302–6, 316
- velvet ash: *see* *Fraxinus velutina* var. *coriacea*
- venomous gila monster: *see* *Heloderma suspectum*
- vertebrates 12, 285(t); *see also* specific species
- volcanic centre development 27(f)
- volcanic formations 21, 25, 26(t)

Main Index

369

- VPD (vapor pressure deficit) 59
- Wahomone revegetation 290–2
washes
Lycium spp. 73
plant community 13
vegetation 86
water potential 67, 69
wasps 248
water
drinking 144, 145–6
fog 146
free 133
labelled 151–2
lack in Mojave Desert 40
metabolic 146–7, 154
kangaroo rat 160
passarine birds 207
quail 206
rodent granivores 149
NTS 39–40
osmotically active 68
oxidative 142(t)
plant species competition 70
preformed 144, 149, 160
and soil nitrogen fixation 275
sources 144
as spatially variable resource 83
see also groundwater system; hydrologic basin; water table
water availability
plants 83
termite activity 258–9
water balance 131, 141–7, 149–50
water conservation
CAM 79
leaf 56, 62–3
see also transpiration
water economy index (WEI) 142–3
water flow system 26, 28
water flux 141–2, 143
water gains (animals) 142(t)
water loss
animals 142(t)
excretory/fecal 148
physiological effects 141
spiracular 144
transpiration 82
control 150(t), 153–4
limitation strategies 82, 147
cuticle 61, 62
torpor 139
see also evaporation; salt glands; urine
water movement 29–30
water permeability, NTS soils 30

- water potential 67
angiosperms 81(t)
blackbrush 76
drought-deciduous plants 75
transpiration relationship 68
water potential change, and vegetative cover 301
water relations (plant) 66–70
floristic surveys 11
metabolizable energy content 152
spatial variation 69
vascular 11–12
as water source 144
water relations
passarine birds 207
quail 206
rodent, and population variation 265–6
terrestrial mammals 159–60
water resorption, respiratory 147
water runoff: *see* runoff
water storage
chuckwalla 146
plants 67
water stress
adaptation strategy 56, 141–54
and dry food consumption 144–5
and spine formation 74
stem/leaf photosynthesis 75
water stress gradient 69
water table 26
water use, NAAP correlation 103
water use efficiency: *see* WUE
water use optimization, plants 56
water vapor concentration 57, 63
water vapor loss 141
water vapor movement, soil 40
wax 59, 143
weather stations, S. Nevada 40–1
weathering 34
weeds 312, 313
weevils 216, 233, 242; *see also* Coleoptera
WEI (water economy index) 142–3
western fence lizard: *see* *Sceloporus occidentalis*
western patch-nosed snake: *see* *Salvadora hexalepis*
western pipistrelle: *see* *Pipistrellus hesperus*
western shovel-nosed snake: *see* *Chionactis occipitalis*
western skink: *see* *Eumeces skiltonianus*
western whiptail lizard: *see* *Cnemidophorus tigris*
wet bulb depression (PET studies) 52
wetfall 274
whiptail lizard: *see* *Cnemidophorus rigris*

- white bursage: *see* *Ambrosia dumosa*
White Rock Springs 26
white-crowned sparrow: *see* *Zonotrichia leucophrys*
white-tailed antelope ground squirrel: *see* *Ammospermophilus leucurus*
Williams spot mapping census technique 207
willow: *see* *Salix* spp.
wind 7–8, 49–51, 54
wind erosion
maximal 277
nitrogen loss 276–7
and soil damage 302
wind run 51
wind speed, and leaf temperature 57(f)
windscorpions 230
winter, hibernation/diapause 138–9
winter annuals: *see* annuals, winter
winter fat: *see* *Ceratoides lanata*
winter feeding ground (birds) 197
winter-rainfall deserts ix
woodland
Colorado River 19
Great Basin 87
plant communities 14–16(t)
see also pinyon-juniper
woodrats: *see* *Neotoma*
WUE (water-use efficiency) 66–7
angiosperms 81(t)
C₄ pathway 65, 77
CAM 65
desert holly 73
plant longevity 69
water stress gradient 69
- xerophytic saltbush scrub 18
- year, hydrologic 102–3
yellow-rumped warbler: *see* *Dendroica coronata*
yponomeutid larvae 239, 242(t)
Yucca dry lake 25
Yucca Flat 23, 24
lizard population studies 184
nuclear testing xii
phenological data 106
soils 29
temperature inversion 89–90
vegetation 85(m), 87
Yucca Mountain 23(f), 24, 85(m)
Yuma desert pavement 30
- zebra-tailed lizard: *see* *Callisaurus draconoides*