

## Index

Bold page numbers indicate the main entries.

- aberration 14
- acceleration voltage 119
- acid-catalyzed reaction 221
- aerial image 220
- AFM (atomic force microscopy) 263, 291
- air bearing 93
- airborne contamination 97
- alternating phase-shift mask 22 58
- amorphous mask 207
- anti-reflection coating (ARC) 35, **36**, 93, 99
- ArF (argon fluoride) 128, 159
- ArF excimer laser resist 250
- ASIC (application specific integrated circuit) 139
- attenuating phase-shift mask 29
- Auger effect 66
- Auger electron 66
- automated mask inspection system (AMIS) 297
- BAA (blanking aperture array) 151
- backward scattering 112, 123
- beam blur 130, 142, 164
- beam lifetime 77
- beamline 81, 96
- Bethe approximation 180
- bit map 174
- bleaching 20
- BPSG (boron–phosphorus silicate glass) 243
- CAD (computer aided design) 165
- calixarene 115
- capacitor 5
- carboxilic acid 15
- CCD (charge-coupled device) camera 282, 288, 300
- CD control – *see also* critical dimension 98
- cell projection (CP) 129, **139**
- channeling mask 207
- charge up 280 283
- chemical filter 33
- chemical-amplification (chemically amplified) resist (CAR) 26, 112, 214, 221, **236**, 251, 261
- chromatic aberration 131
- clear defect 309, **313**
- CMOS (complementary metal oxide semiconductor) 1
- CMP (chemical mechanical polishing) 133, 288
- coarse graining 112
- coherency factor ( $\sigma$ ) 24
- comb probe printer 150
- compact (SR) ring 77
- conductive coating material 263
- confocal method, system 280, 283
- contact aligner 11
- coulomb interaction effect 142, 152
- critical dimension (CD) 7, 128, 160, 173, 278
- cross-linking 115
- CVD (chemical vapor deposition) 126, 144, 266
- data conversion 152, **172**
- defect inspection 278, 291
- deflection aberration 111, 129, 159
- depth of focus (DOF) 7, 16, 58, 160, 282
- design rule 278
- DESIRE process **265**, 267
- diazonaphthoquinone (DNQ) **213**, 216, **226**, 265, 267
- die-by-die alignment **39**, 56, 94
- die-to-database inspection 56, 291, **294**
- die-to-die inspection 291, **294**
- diffusion range 245
- direct writing **107**, 128, 139, 188
- dissolution rate 26, 240
- DNQ-PAC 221, **226**
- donut-problem 209
- dose modulation 172, 180, **185**
- double Gaussian 180
- double-exposure method 95
- DQ/N resist 214, **226**, 265
- drain 126
- DRAM (dynamic random access memory) **3**, 128, 140, 188
- dry-development **213**, **264**, 271
- dual-focus optical system 91
- DUV (deep-ultraviolet lithography) 13, 22, 214, 234, 314
- dyed resist 35
- dynamic correction 131
- EBEST<sup>TM</sup> 158
- einzel lens 123
- electron-beam (EB) lithography 107
- electron-beam lithography system 147, 185
- electron-beam resist 252
- energy intensity distribution (EID) 123
- energy spread 109, 131

## 322 / Index

- excimer laser lithography 235
- ferroelectric random access memory (FRAM) 6
- finite impulse response (FIR) filter 301
- focused-ion-beam (FIB) lithography 196, 198, 309
- focused-ion-beam (FIB) repair 57, 309
- forward scattering 112, 123, 131, 168, 180
- Fourier transformation 186
- Fresnel diffraction 97
- Fresnel zone plate (FZP) 91
- Gaussian electron beam 107, 147, 173
- GDS-II 165
- GHOST exposure 184
- glass-transition temperature ( $T_g$ ) 217, 218, 247
- global alignment 38, 94, 101
- Grun range 68
- G-value 112, 255
- halftone (or attenuated) phase-shift mask 22, 60, 160
- hard defect 54
- hexamethyldisilazane (HMDS) 215, 265, 268
- high-electron-mobility transistor (HEMT) 204
- HSG (hemispherical grain) polysilicon 4, 5
- I/O (input/output) chamber 165
- i-line lithography 225
- i-line stepper 17
- indenecarboxylic acid (ICA) 216, 226
- inorganic resist 112
- ion-beam lithography 196
- ion trapping 76
- iteration method 186
- internal contrast enhancement layer effect 232
- Kohler illumination 16
- KrF excimer laser resist 238
- LaB<sub>6</sub> gun 107, 133, 142, 164
- laser repairer (laser zapper) 57, 309
- laser writer 51, 168
- latent image 220
- lift-off method 112
- LIGA (Lithographic Galvanoformung Abformtechnik) 259
- liquid-metal ion source (LMIS) 198
- low-contrast mask 97
- low-energy EB lithography 119
- low-energy injection 75
- LSI (large-scale integration) 128, 159, 185
- magnification correction 101
- mark detection 200
- mask (also called reticle) 140, 149, 158, 173, 185, 278
- mask bias 33, 48
- mask contrast 82
- masked-ion-beam (MIB) lithography 196
- Maxwell's equation 70
- MCP (multi-channel plate) 285
- MEBES™ 159
- membrane process 86
- memory cell 5
- metrology 278
- micro-column 147
- Monte Carlo simulation 119, 180
- MOS FET (metal-oxide-semiconductor field-effect transistor) 119
- M-R curve 231
- multi-pass exposure 168
- multibeam lithography 147
- mushroom-shaped gate 204
- M-value 221, 231
- naphthoquinonediazide 15
- near-UV 214
- N-methylpyrrolidine (NMP) 246, 268
- nonvolatile memory 6
- novolac resin 218, 228
- numerical aperture (NA) 11, 282
- oblique illumination 29, 40, 43
- off-axis alignment 39
- off-axis illumination (OAI) 159
- onium salt 238, 239
- opaque defects 311
- optical lithography 10
- optical proximity (effect) correction (OPC) 35, 50, 58, 162
- optical-heterodyne detection 92
- organic resist 112
- overcoat 33
- overlay 137, 145, 159, 278
- overlay accuracy 8, 200
- PAC (photoactive compound) 216, 218, 225
- PAG (photo-acid generator) 236, 248, 251
- PAT method 96
- pattern collapse 98
- pattern modulation 181
- PEB (post-exposure bake) 121, 199, 217, 238
- pelliculation 57
- penumbra blur 69
- phase-shift mask (PSM) 22, 40, 58, 159, 293
- photoelectric effect 66
- photomask 50, 147, 278
- piezoelectric actuator 93
- planarization 9
- plasma debris 69
- point-spread function 180
- polyhydroxystyrene (PHS) 218, 236, 265
- polymethylmethacrylate (PMMA) 109, 196, 236, 252
- post-bake 218
- post-exposure delay (PED) effect 33, 246

- post-polymerization 256  
 pre-bake 215  
 projection aligner 11  
 projection ion-beam lithography 198  
 projection lithography 129, **139**  
 proximity effect 25, 33, 112, 119, 165, **180**, 196  
 proximity effect correction 123, 133, 168, 172, 177, **180**, 278  
 pupil-filter technology 40, 43  
 PZT (lead zirconium titanate) 6  
 quick turnaround time (QTAT) 139  
 radiation damping 76  
 radiochemical reaction 254  
 Rayleigh's equation 16  
 reactive ion etching (RIE) 252, 271  
 repair 308  
 resolution-enhancement technology (RET) 22, **29**, **40**, 159  
 retarding optics 119, 133  
 reticle 14, **50**, 162, 177, 190  
 roadmap 3  
 rocking-beam method 208  
 Rutherford back-scattering spectroscopy (RBS) 269  
 SAL series resist 117, **121**  
 scaling 3, 9  
 SCALPEL (scattering angular limitation in projection electron-beam lithography system) 147, 185  
 scan system (scanner) 14  
 scanning electron microscope (SEM) 107  
 Schottky thermal field emitter 107  
 secondary electron (SE) 202  
 self-development 112  
 SEMI standard test mask 56  
 serif-pattern 35  
 shaping aperture 133, 164  
 side-etching 52  
 silicon-added bi-layer resist (SABRE) 264, 266  
 silicon-containing resist 263, 266  
 silicon-on-insulator (SOI) 144  
 silylation 266, 268  
 simultaneous transmitted and reflected (STAR) light system 303  
 SNR (signal-to-noise ratio) 299  
 SoC (system on a chip) 7  
 soft defect 54  
 SOG (spin on glass) 242  
 space charge 130, 164, 177, 182  
 space-charge effect 209  
 SPM (scanning probe microscope) 291  
 SRAM (static random access memory) 5  
 stacked trench cell 5  
 standing wave interference 217  
 stencil mask 207  
 step-and-repeat (S&R) 129, 159  
 stepper 13  
 stigmator 152, 156  
 STM (scanning tunneling microscope) 109, 112, 291  
 superconducting (bending) magnet 75  
 surface induction 231  
 swelling 15  
 swinging objective immersion lens (SOIL) 111  
 swinging objective lens (SOL) 111  
 synchrotron radiation (SR) 68, 69  
 TAR (top anti-reflector) 35, 36  
 t-butoxycarbonyl (t-BOC) 238, 257  
 TEM (transmission electron microscope) 109, 112  
 tetramethylammonium hydroxide (TMAH) 121, 217, 238  
 thermal field emitter (TFE) 107, 163  
 throughput 129, 139, 147, 163, 175  
 through-the-lens (TTL) 39  
 through-the-reticle (TTR) 39  
 TIS (tool-induced shift) 289  
 tone reversal 173  
 top-surface imaging (TSI) 40, 215  
 tri-layer resist 264, 266  
 trimethyldisilazane (tri-MDS) 268  
 T-top shape profile 33  
 ULSI (ultra-large-scale integration) 1  
 VAIL (variable axis immersion lens) 111  
 variably shaped beam (VSB) 128, 139, 159  
 VUV (vacuum ultraviolet) 252  
 wet-etching 51  
 WIS (wafer-induced shift) 289  
 working distance 111  
 X-ray absorber 83  
 X-ray lithography 66  
 X-ray mask **81**, 133, 159, 308  
 X-ray mask membrane 83  
 X-ray resist 252  
 X-ray stepper 94  
 ZEP (resist) 98, 112, 255, 258  
 Zr/O/W (zirconium oxide tungsten) 111