

Cambridge University Press

978-0-521-03425-8 - The Mental Health Matrix: A Manual to Improve Services

Graham Thornicroft and Michele Tansella

Index

[More information](#)*Index*Page numbers in *italics* refer to figures and tables

- Aboriginal peoples 177, 178
- absenteeism 152
- accessibility 130, 133–4
 - community teams 150
 - treatment threshold in Denmark 238
- accountability 137–8
 - dual 137
 - planning process 161
- accreditation
 - Australian service standards 189
 - professional 45, 47
- ACES, three xiv, 128–39, 140
 - accessibility 130, 133–4
 - accountability 137–8
 - autonomy 128–30
 - co-ordination 138–9
 - comprehensiveness 134–5
 - continuity 130–2
 - effectiveness 132–3
 - efficiency 139
 - equity 136–7
- acute care 51–2
- acute illness 78
 - paradigm 65–6
- administrative unit size 186
- adverse events, media handling 42
- advocacy
 - consumer 249
 - US 257
- alcohol 177
- Alliance for the Mentally Ill (US) 257
- allocative efficiency 139
- Area-Integrated Mental Health Service (AIMHS) 189
 - standards 185
- assertive community treatment (ACT) 7
- assessment, Denmark 239
- asylums 24, 28, 30–2
 - Central and East European countries 217
 - closing 168
 - decline 32–5
 - Denmark 228, 230, 239
 - dependence on 167
 - doctors 31
 - imperatives 30–1
 - Italy 31
 - marginalisation within 53
 - national judicial register 32
 - opening in Australia 177
 - recycling 239
 - shortcomings 35–6
 - untreatable patients 30
 - US 243
- audit 189
- austerity xiv
- Australia
 - accreditation 189
 - change consolidation 197–9
 - country/regional level 180–2, 183–4, 185
 - current service provision assessment 196
 - deinstitutionalisation 193
 - funding 180–1
 - historical development 177–9
 - individuals/families seriously affected by mental illness 194–5
 - input phase 186–7, 188
 - National Standards 194
 - national strategy 180–1, 182
 - outcome phase 188, 189–90
 - patient leakage 196–7
 - performance indicators 197
 - population needs 187, 195–6
 - process phase 187, 188, 189–90
 - recent developments 179–80
 - service
 - components 190–3
 - quality improvement 187, 188, 189
 - reform 193–7
 - review 196–7
 - setting boundary conditions 194–5
 - state mental health policies 181–2
 - strategic planning 196–7
- Australian Assistance Plan 179
- Australian Health Ministers' Conference (AHMAC) 180
- autonomy 128–30
 - US state 246

Cambridge University Press

978-0-521-03425-8 - The Mental Health Matrix: A Manual to Improve Services

Graham Thornicroft and Michele Tansella

Index

[More information](#)

282 Index

- Basic Service Profile (BSP) 118, 119
- bed numbers for inpatients 30, 31, 32, 35
 - closures 36
 - length of stay 36
 - reduction in Denmark 230
 - requirements 37
 - UK target 36
- benefits 44
 - work disincentives 250
- Best Practices in Reforming Mental Health Services (Canada; 1997) 201, 203, 210–11, 213
- Better Services for the Mentally Ill (UK DHSS White Paper; 1975) 36
- bias 103
- birth rates 17
- blame, devolution xiv
- boundaries
 - Australia 194–5
 - condition setting 169–70
 - functional 170, 194–5
 - geographical 194
- budget allocations 70–1
- burnout syndrome 143, 152–4
 - prevention/reversal 154
- Camberwell Assessment of Need (CAN) 62, 63, 95
- Canada
 - community care 201, 213
 - core services and support 211
 - decentralisation moves 212
 - deinstitutionalisation 201, 205, 213
 - funding of service 203–4, 206
 - geographical dimension 207–9
 - local level 210
 - provincial government policies 201
 - psychiatric hospital downsizing 212
 - reforms 202, 203, 205–6, 212–14
 - regional boards 207
 - rehabilitation attitudes 211
 - resources 202, 204
 - system reform strategies 211
 - temporal dimension 209–10
- capitated funding, Medicaid 252
- care
 - acute 51–2
 - continuity 62–3, 86, 126
 - cycles 37
 - day care planning 95
 - delivery at patient level 63, 64
 - duty of 137
 - episode 122
 - ethical base 47
 - evaluation 82
 - expected needs 111, 112
 - free market 246
 - intensity 170–1
 - local level 82, 83, 84–6
 - long-term 51–2
 - managed 247
 - minimum standards 81, 82
 - outcome 25, 27, 28
 - pathways to 85–6
 - provision xvii
 - standards 45, 46
 - targeting 86
- Care Programme Approach 7
- carers
 - involvement 266
 - see also* family
- caring, impact 97
- case management 7
- case manager, co-ordination 139
- case registers 82, 122–4
- catchment area 48, 169–70
 - size in Australia 185–6
- causality 103
- census variables 113–14, 115
- Central and East European countries 216–26
 - central planning 220–1
 - cost-effective management 218
 - entrepreneurship 221
 - ethics 217–18
 - geographical levels 220–2
 - human resources 222
 - indicator analysis and use 223
 - individual work with patients 221
 - legislation 219
 - mental health
 - beliefs 217
 - economics conference 219–20
 - needs assessment 218
 - reformist movement 220
 - reforms 223–4, 225–6
 - rigidity of minds 222–3
 - self-management by staff 222
 - service components/provision 224–5
 - temporal dimension 222–4
- Centres for Local Health and Social Services (Québec; Canada) 204, 208
- child psychiatry 242
- civil liberties 44
- classification of mental illness 28
- clinical contact frequency 89
- clinical encounters 86
- clinical guidelines 80–1
- clinical practice, unstructured (UCP) 101, 102, 103
- clinical protocols 80–1
- clinical service inputs 73, 74
- clinical sessions worked 73, 75
- clinical team 143–4
 - boundaries 150
 - building of new 147–8
 - lens 154, 155, 156–7

- maintenance 149–51
 - major reconstruction 148–9
 - minor reconstruction 151
 - resource targeting 150–1
 - stages 147–51
 - therapeutic agent 147–51
- co-ordination 138–9
 - planning process 161
- co-terminosity 52–3
- Cochrane's test 133
- cognitive therapy 257
- Colorado
 - assessment measures 253
 - community mental health agencies 248
 - family support 251
 - health services 248–9
- common, definition/values 10–12
- communication
 - co-ordination 138–9
 - staff difficulties 151, 152
- community 9–10
 - definition 9–10
 - marginalisation within 53
 - psychiatry 229
 - remembered 9
 - teams 150, 154
 - see also* assertive community treatment (ACT)
- community care
 - Canada 201, 213
 - Québec 204–5
 - definitions 12
 - development in Australia 178
 - transition planning 167–8
- community mental health
 - centres 243, 247
 - naïve 266
- Community Mental Health Centres Act (US; 1963) 48
- community psychiatry
 - British 244
 - Denmark 229
 - US 247–8
- community services 3, 12, 13, 14, 22, 24–5
 - case load 164
 - expenditure 72
 - principles to inform 128, 129
 - purpose 22–3
 - staff 12
 - untreated/under-treated cases 164
- community-orientated service developments 32
- competence of mentally ill in US 245
- component interfaces 165–6
 - permeability 165
- comprehensiveness 134–5
 - community teams 150
 - horizontal 135, 160
 - planning process 160–1
 - vertical 135, 160
- confidentiality
 - family misunderstandings 60, 61
 - information 23
- consistency 103–4
- continuing medical education/professional development 76
- continuity 130–2
 - care 62–3, 86
 - enhancement 126
 - cross-sectional 131, 132
 - Denmark 237
 - longitudinal 130–1, 132
 - treatment 159
 - variable 132
- conversion disorders 62
- cost-effectiveness
 - clinical values 140–1
 - local services 50–1
 - management in Central and East European countries 218
- country/regional level 41
 - accountability 138
 - Australian Federal Government 180–1
 - Australian state level 181–2, 183–4
 - Canada 203–8
 - economic domain 44
 - inputs 69, 70–2
 - local level 85
 - major reconstruction 149
 - outcome measures 92–4
 - political domain 41–4
 - process 80–1
 - professional domain 45–6
 - social domain 41–4
- crisis home model 254
 - matrix model 254–6
- criticism xiv
- cycles of care 37
- data
 - collection 46, 80
 - morbidity 113
 - national sets 80
 - service provision 114, 116–18, 119, 120, 121, 122
 - service utilisation 122–4
- day care, planning 95
- day centres 36
- deaths, avoidable 18
- decentralisation 25
 - Canada 212
 - Denmark 229, 229–30, 241
- Declaration of Madrid (1996) 126, 127
- deinstitutionalisation 34
 - Australia 178, 193
 - budget allocation 72–3
 - Canada 201, 205, 213

284 Index

- deinstitutionalisation (*cont.*)
 - Finland 239–40
 - US 243
- dementia 62
- demographic changes 17
- Denmark 228–30
 - access to treatment threshold 238
 - assessment 239
 - asylums 228, 230, 239
 - bed number reduction 230
 - community psychiatry 229
 - continuity 237
 - counties 231, 232
 - decentralisation 229–30, 241
 - forensic psychiatry 241, 242
 - future of psychiatry 240–2
 - geographical levels 230–4
 - local areas 232
 - longitudinal treatment 233–4
 - Ministry of Health 231
 - monitoring 239
 - negative indicators 241
 - patient level 232–3
 - productivity of system 234–6
 - psychotherapeutic era 229
 - reforms 237–40
 - sectors 232
 - service
 - availability 236
 - components 236–7
 - organisation 231–2
 - social psychiatry 229–30, 241
 - specialisations 242
 - staff 234, 236
 - strategic plan 238–9
- depression
 - population-based strategy 21–2
 - severe 19
 - unemployment 44
- depressive disorders 18
- deviant behaviour categories 9
- diagnosis-related groups (DRGs) 89
- diagnostic practice 76
- directionality of services 50
- disability, residual 98
- disability-adjusted life years (DALYs)
 - 17–18
- disease registers 123
- doctors, asylum 31
- dosage, patient level 63–4
- duty of care 137

- economic domain 44
- economic inequity 20
- education, professional 45, 76
- effectiveness 132–3
- efficiency 139
 - evidence for judgements 164–5
 - planning process 161–2
- entrepreneurship, Central and East
 - European countries 221
- environmental clarity 154
- equity 136–7
 - explicit method 137
 - implicit method 136–7
 - planning process 161
- ethical base
 - of care 47
 - counter-balance by evidence base 141
 - for services 125–8
- ethical principles, planning based on 158–9
- ethics
 - Central and East European countries
 - 217–18
 - patient information 76, 77
 - ethnic minority groups 17
 - Europe, cultural tradition 126–17
 - European Service Mapping Schedule 73, 117, 118
- evidence
 - efficiency judgements 164–5
 - experimental 103, 104
 - hierarchy 101, 102
 - patient information 76
 - planning based on 158–9
- evidence base for services 109–10
 - counter-balance by ethical base 141
 - local needs estimates/measures 111–13
 - weighting factors 113–14
- evidence-based practice 47
 - planning process 162, 163
- expenditure
 - following patients 73
 - human resources 142–3
 - local level 72
- family
 - action plan for crises 97
 - carers' mental health 60
 - clinical confidentiality 60, 61
 - consequences of mental illness 18
 - impact of caring 97
 - interventions 257
 - psycho-social 7
 - misunderstandings with clinicians 60, 61
 - resource 59–61
 - responsibility for mental illness 60
 - see also* carers
- family support
 - Italy 251–2
 - US 251
- family-centred psychiatry 240
- Finland, deinstitutionalisation 239–40
- flow rate, referrals 166
- forensic psychiatry 241, 242
- foster-family homes 254
- freedom of choice 52

Cambridge University Press

978-0-521-03425-8 - The Mental Health Matrix: A Manual to Improve Services

Graham Thornicroft and Michele Tansella

Index

[More information](#)

Index 285

- funding
 - capitated 252
 - deinstitutionalisation in Australia 178
 - formula 71
 - service in Canada 203–4, 206
- gate keepers xviii
- General Hospital units, Australia 178
- General Practitioner Shared Mental Health Care projects 191, 193
- General Systems Theory 197
- generic teams, service provision 3
- geographical boundaries 52–3
- geographical levels, United States 245–50
- ghettoisation 53
- Global Assessment of Function Scale (GAF) 96
- Global Burden of Disease study 17
- global function assessment/outcome 95–6
- good clinical practice 3
- governmental guidance 71–2
- growth, economic 44
- guidelines
 - clinical 80–1
 - overall treatment 81
- Health Insurance Commission 178
- Health Insurance Fund (Québec) 203
- health maintenance organisations (HMOs) 247
- Health of the Nation Outcome Scale (HoNOS) 96
- health services, key interfaces of community mental health scheme 165, 166
- high-risk strategy 21
- historical phases 24–5, 26–7, 28, 29
 - Period 1 24–5, 26–7, 28, 29, 30–2
 - Period 2 25, 26–7, 28, 29, 32–5
 - Period 3 26–7, 28, 29, 35–7
- homelessness 94
 - US 244
- hospital-based registers 123
- hospitals
 - for-profit 246, 247
 - long-stay 36
 - private provision in Australia 177–8
 - psychiatric in Canada
 - funding 204
 - size reduction 205, 211–12
 - service expenditure 72
 - system coexistence with community-based systems 193
- housing, low-cost 44, 53
- human resources
 - Central and East European countries 222
 - clinical expertise 144, 145–6
 - long-term planning 45
 - personality factors 144
 - renewable 144–5, 146
- rigidity of minds 222–3
 - role 142–4
 - see also* staff
- human technology 142
- hydraulic model of planning process 163–5
- Iceland 240
- ICIDH (WHO; 1980) 93
- illness episode 122
- illness phases
 - acute 65–6, 78–9
 - chronic 78–9
- impact of caring 97
- imprisonment 94
- income and health relationship 20
- indicator analysis and use, Central and East European countries 223
- indigenous peoples of Australia 178, 180
- individual level, US 249–50
- individualism culture in US 251
- Industrial Therapy Organisations 33
- information
 - conveying 77
 - event-based 122
 - individual-based 122
 - pathway for service planning/reform 110
 - patient level 76–7
- in-patient units, official visitors 190
- in-patients, length of stay 36
- input phase 67–9
 - Australia 186–7, 188
 - key issues 69
 - US 250–2
- inputs 65
 - budget 70
 - clinical services 73, 74
 - country/regional level 69, 70–2
 - invisible 67–8
 - local level 69, 72–3, 74
 - patient level 69, 75–7
 - policy 71
 - staff 71
 - support services 73, 74
 - visible 67, 68
- institutional neurosis 33
- Intensive/Assertive Mobile Case Management Teams 192–3
- International Classification of Mental Health Care (WHO-ICMHC) 116–17
- Intervention Spectrum for Mental Health Problems 21
- interventions 21
 - psycho-social 7
 - investment, staff 156
- Italian Law No. 180 (1978) 43
- Italy, family support 251–2
- Jarvis's Law 134
- judicial register, national of Italy 32

Cambridge University Press

978-0-521-03425-8 - The Mental Health Matrix: A Manual to Improve Services

Graham Thornicroft and Michele Tansella

Index

[More information](#)286 *Index*

- key resources
 - human 142–4
 - renewable 144–6, 147
- knowledge, staff 75–6
- labour, mobility 46
- Law 180 (Italy; 1978) 43, 48
- legal consequences 41, 42
- legality, patient information 76, 77
- legislation
 - Central and East European countries 219
 - competence of mentally ill in US 245
- legitimacy, degree of confidence from public 138
- lens 49
 - clinical team 154, 155, 156–7
- life years lost
 - avoidable 18
 - sum 17–18
- lithium clinics 242
- local level 48
 - accountability 137–8
 - Australian service organisation 182, 185–6
 - Canada 210
 - catchment size in Australia 185–6
 - co-terminosity 52–3
 - components of service 49
 - country/regional level inputs 85
 - directionality of service 50
 - effectiveness 133
 - equity 136
 - freedom of choice 52
 - geographical boundaries 52–3
 - guiding principles 128–39, 140
 - inputs 69, 72–3, 74
 - key stakeholders 53–4
 - limitations 50–3
 - major reconstruction 149
 - operational advantages 50, 51
 - outcome 92, 94–6
 - planned/unplanned contacts 85
 - planning advantages 50, 51
 - process 79, 82, 83, 84–6
 - rationale for accentuation 48–50
 - separation of services 51–2
 - service inequality 52
 - specialisation 51
 - targeting of care 86
 - United States 248–9
- local needs
 - epidemiologically based measures/estimates 111–13
 - establishment 50
- long-stay patients
 - duration of stay 36
 - facilities 37
- long-term care, service provision 51–2
- longitudinal approach, patient level 62–3
- low income, health 20
- maintenance
 - boundary setting 149
 - clinical team 149–51
 - goal definition 149
- managed-care 247
- managerial perspective 66
- manpower planning 45
 - see also* human resources; staff
- marginalisation 53
- matrix model 4–5
 - adjustment 5
 - applicability 264–6
 - assessment stage 265
 - cells 6
 - conceptual framework 4–5
 - geographical dimension 4
 - geographical levels 27, 28
 - inputs 25, 29
 - mental health care development 24–5, 26–7, 28, 29
 - outcomes 25, 29
 - processes 25, 29
 - purpose 263–4
 - relevance 265
 - specificity 234–5
 - temporal phases 4, 29
 - use 5–8
- measures 65
 - indicators 65
 - process 82
 - service range/scope 73
- media, mass 42
- Medicaid 34, 243
 - capitated funding 247, 252
 - children and adolescents 247
 - cost of programmes 246
- medical insurance xviii
- Medicare 246
- medication, intermittent 132
- mental health
 - care principles (WHO; 1991) 127
 - economics conference for Central and East European countries 219–20
 - problem severity 170–1
 - promotion programmes 21
 - public health
 - approach 14–15, 16
 - impact 16–19
 - targets in Britain 93
 - treatment setting 170–1
 - workers in US 245
 - see also* service
- Mental Health Act (UK; 1959) 34

Cambridge University Press

978-0-521-03425-8 - The Mental Health Matrix: A Manual to Improve Services

Graham Thornicroft and Michele Tansella

Index

[More information](#)

Index 287

- Mental Health Directorates, Australian states 182, 183–4
- Mental Health (Patients in the Community) (UK; 1995) 43
- Mental Health Review Tribunals 34
- mental illness
- acceptability 19
 - availability of interventions 18–19
 - causation 20
 - consequences 18
 - frequency 16–17
 - language for classification/diagnosis 28
 - personal suffering 19
 - prevalence 21
 - prevention 20–2
 - public concern 19
 - seriously affected by 194–5
 - severity 17
- Mental Illness Needs Index (MINI) 114, 121, 136
- met need 195–6
- monitoring, Denmark 239
- Montreal east-end (Québec; Canada) 210
- morbidity
- data 113
 - pressure 158
- National Alliance for the Mentally Ill (US) 244
- national data sets 80
- national level, US 245–8
- National Mental Health Policy (Australia; 1992) 179–80
- National Mental Health Standards (Australia) 187, 189, 194
- National Mental Health Strategy (Australia) 187, 193–4
- consolidation 199
 - National Standards 194
 - population needs assessment 195–6
 - renewal 199
 - strategic plan 197
- national register in Denmark 80
- needs assessment
- Australia 195–6
 - Central and East European countries 218
 - information cycle 110
 - outcome 95
 - planning process 172
- negative indicators, Denmark 241
- negotiation 58–9
- neighbours, local developments 54
- non-profit agencies 148
- non-randomised controlled trial (NRCT) 101, 102, 103
- Norway
- psychoanalytic thinking 240
 - psychodynamic psychotherapy 229
- nurse surveyors 189
- nursing homes 36
- occupational places, UK 36
- occupational rehabilitation 95
- official visitors, in-patient units 190
- Ontario Province, Canada 204, 205, 206
- outcome 65
- adverse 6
 - of care 25, 27, 28
 - country/regional level 92–4
 - global function 95–6
 - indicators 94
 - local level 92, 94–6
 - measures
 - psychometric properties 98–101
 - reliability 100–1
 - US 253
 - validity 99
 - methodologies for assessing 101, 102, 103–5
 - need assessment 95
 - patient level 92, 96–8
 - phase 90–1
 - Australia 188, 189–90
 - predictors of improved 146
 - US 253, 256–7
- over-generalisation/over-specification 6
- partnerships xiv–xv
- pathways to care 85–6
- patient
- care of individual xvii
 - care provision 154
 - clinical contact frequency 89
 - consequences of mental illness 18
 - Denmark 232–3
 - discharge 168
 - inappropriate use of bed places 168
 - individual work in Central and East European countries 221
 - involvement 266
 - leakage from system 163
 - Australia 196–7
 - needs 98
 - outcomes 154, 155
 - participation 59
 - pathways 84
 - perspective 66
 - rights in Central and East European countries 217
 - satisfaction with services 97
 - social needs 266
 - treatment choice 23
 - see also* severely mentally ill
- patient level 56
- accountability 137
 - care delivery 63, 64
 - care offering/withdrawing 63–4

Cambridge University Press

978-0-521-03425-8 - The Mental Health Matrix: A Manual to Improve Services

Graham Thornicroft and Michele Tansella

Index

[More information](#)

288 Index

- patient level (*cont.*)
 - content of treatment 76
 - dosage 63–4
 - effectiveness 133
 - epidemiologically informed approach 57–8
 - equity 136
 - family as resource 59–61
 - hospital-based view 57
 - information input 76–7
 - inputs 69, 75–7
 - limitations 57–8
 - longitudinal approach 62–3
 - needs range 62
 - negotiation 58–9
 - outcome 92, 96–8
 - partner in treatment 58–9
 - process 79, 86–9
 - psychological factors 61, 62
 - recognition of needs 61–2
 - significance 56–7
 - social factors 61, 62
 - timing 63, 64
- pellagra 30
- performance indicators for service 197
- personality disorder, multiple 246
- planning process 158–9
 - bed numbers 164
 - boundary condition setting 160–70
 - central in Central and East European countries 220–1
 - components of system 158
 - comprehensiveness 160
 - continuity of treatment 159
 - current service provision assessment 172
 - hydraulic model 163–5
 - interface gradient 171
 - population needs assessment 172
 - procedure to practice 168–74
 - review cycle 173–4
 - segmental approach 158, 159, 160
 - service components 164
 - implementation 173
 - service principles 169–70
 - strategic plan formulation 172–3
 - system approach 158, 160, 164
 - targeting 170–1
 - transition to community-based system 167–8
- plausibility 103, 104
- policy
 - consequences 41, 42
 - inputs 71
 - new directives 43
 - speed of developing 71–2
- political domain 41
- politicians' perceptions 41, 42, 43
- Poor Law Amendment Act 31
- Poor Law Commissioners 30
- population
 - health of 15
 - needs in Australia 187
 - population-based strategy xvii, 21
 - post-traumatic stress disorder 246
 - poverty 20
 - preventative strategies 6
 - prevention, public health approach 20–2
 - primary health care
 - matrix model interface 265
 - US 249
 - principles
 - forming ethical base 125–8
 - three temporal phases of matrix model 140
 - private medical sector, Australia 178
 - procedural justice 59
 - process phase 78–80
 - Australia 187, 188, 189–90
 - processes 65
 - country/regional level 80–1
 - productive efficiency 139
 - professional accreditation 45
 - harmonisation 47
 - professional domain 45–6
 - professions, examination/accreditation 45
 - protocols, clinical 80–1
 - psychiatrists 250
 - imperatives 263–4
 - psychiatry
 - child 242
 - community 229, 244, 247–8
 - family-centred 240
 - forensic 241, 242
 - rehabilitation 245
 - social 229–30, 241
 - psycho-social interventions 7
 - psychological factors, patient level 61, 62
 - psychometric qualities of scales 98–101
 - psychopharmacology, Denmark 229
 - psychotherapy
 - features/key influences 146, 147
 - psychodynamic 229
 - public attitudes, negativity 42
 - public entitlement programmes 250
 - public health
 - medicine 14–15
 - mental disorder impact 16–19
 - perspective 66
 - public health approach 14–15, 16
 - meaning 16
 - prevention 20–2
 - Public Mental Health (WHO; 1996) 127–8
 - public perceptions 19, 41, 42, 43
 - political reaction 43
 - public service agencies 165, 166

Cambridge University Press

978-0-521-03425-8 - The Mental Health Matrix: A Manual to Improve Services
Graham Thornicroft and Michele Tansella

Index

[More information](#)

Index 289

- quality assurance 189
- Quality Assurance Royal North Shore (QARNS) 189–90
- quality improvement services 187, 188, 189
- quality of life
 - measures 253
 - ratings 98
- Québec Province, Canada 203–5
 - planning 209
 - regional boards 208
 - tools 209–10
- randomised controlled trial (RCT) 101, 102, 103
- rationalisation 153
- re-modelling mental health services 3
- recession, economic 44
- referral 166
 - centralisation 266
 - US 249
 - see also* self-referral
- reformist movement, Central and East European countries 220
- reforms
 - Canada 202, 203, 205–6, 212–14
 - Central and East European countries 223–4, 225–6
 - Denmark 237–40
 - US 254–6
- regional boards, Canada 207
- regional level *see* country/regional level
- registers
 - case 122–4
 - hospital-based 123
 - national in Denmark 80
 - national judicial in Italy 32
- rehabilitation
 - attitudes in Canada 211
 - step-ladder model 25, 28
 - US 257
 - US psychiatry 245
 - vocational projects 32
- reliability, outcome measures 100–1
- remembered community 9
- repression 153
- residence, zoning 53
- residential care homes 36
- resources
 - allocation 204
 - Canada 202, 204
 - following patients 193
 - leakage 197
 - shifting to community in Australia 179
 - targeting 150–1
 - US cities 257
- review cycle, planning process 173–4
- Rights to Mental Health Services bill 81, 82
- rigidity of minds, Central and East European countries 222–3
- risk containment 44
- role pressure 152
- role strain 152–3
- variety 153–4
- Samsø project 229
- Saskatchewan Province, Canada 204, 205
- schizophrenia
 - Denmark 232, 233
 - expression 22
 - lost production costs 17
- Scotland, mental health resources 182
- sectors 48
 - size 48, 49
- selectivity, referrals 166
- self-referral 135
 - US 249
- service
 - areas of conflict 23
 - assessment in US 249
 - availability in Denmark 236
 - case registers 122–4
 - categorising 116–18
 - change consolidation 197–9
 - clinical 73, 74
 - co-terminous boundaries 52–3
 - conceptual approaches to description 114, 116
 - core and support in Canada 211
 - country/regional level 22
 - data 80
 - delivery in US 246
 - directionality 50
 - ethical base 125–8
 - evidence base 109–10
 - fragmented 150, 248
 - generic teams 52
 - goals 143
 - historical development 24–5, 26–7, 28, 29
 - inequality 52
 - information for components 122
 - inputs 73, 74
 - integrated xvii
 - local level 22–3
 - monitoring in Australia 196–7
 - obligations 9
 - organisation
 - Denmark 231–2
 - economic issues 44
 - patient
 - level 23
 - satisfaction 97
 - performance indicators 197
 - Period 1 28, 30–2
 - Period 2 32–5

Cambridge University Press

978-0-521-03425-8 - The Mental Health Matrix: A Manual to Improve Services

Graham Thornicroft and Michele Tansella

Index

[More information](#)

290 Index

- service (*cont.*)
 - Period 3 35–7
 - principles of planning to practice steps 169
 - purchasing xv
 - re-modelling 3
 - review in Australia 196–7
 - satisfaction in US 253
 - segmental approach 114
 - separation 51–2
 - strategy formulation 49–50
 - structure and functions 263
 - system
 - approach 114
 - component interfaces 165–6
 - hydraulic model 163–5
 - utilisation data as information for planning 122–4
 - see also* care; community services; hospitals
- service component planning 159–63
 - accountability 161
 - co-ordination 161
 - comprehensiveness 160
 - efficiency 161–2
 - equity 161
 - evidence-based approach 162, 163
 - transition to community-based system 167, 168
- service components
 - Australia 190–3
 - Canadian system 211
 - capacities 118, 120, 121, 122
 - Central and East European countries 224–5
 - Denmark 236–7
 - hydraulic model 163–5
 - implementation 173
 - US 253–4
- service provision xvii
 - assessment
 - in Australia 196
 - of current 172
 - Central and East European countries 224–5
 - data as information for planning 114, 116–18, 119, 120, 121, 122
 - population-based 116
 - service-based 116
 - socio-demographic predictors of use 114, 115
 - units 112–13
 - use relationship 124
- Service Users North Shore (SUNS) 190
- severely mentally ill 86, 87
 - long-term care in US 245
 - priority treatment in Canada 202, 205
 - selective treatment 135
 - service development in Canada 206, 208
- severity of mental illness in boundaries 194–5
- shell of treatment 88–9
- sheltered occupation 23
- sick role 132
- skills
 - opportunities for use 153
 - staff 75–6
- social benefits 44, 250
- social domain 41
- social environment, quality 20
- social indicators 249
- social marginalisation 20
- social needs of patients 266
- social opinion 43
- social psychiatry in Denmark 229–30
- social services, service provision 72
- social-psychiatric model 240
- socio-demographic characteristics of area 50
- socio-economic trends 17
- special enquiries 93, 94
- specialisation at local level 51
- specificity 103, 104
- Spectrum of Care 117, 118
- staff
 - burnout 143, 152–4
 - community-based orientation 157
 - Denmark 236
 - inputs 71
 - investment 156
 - knowledge 75–6
 - long-term perspective 156
 - mental health workers in US 245
 - morale 151–4
 - skills 75–6
 - stresses 151–2
 - traditional hospital view 157
 - US community mental health 250
 - see also* human resources
- staff members, individual 143–4
 - clinical training 144, 145–6
 - personality characteristics 144–5
 - renewable resources 144–5, 146
- staffing levels 45
- stakeholders
 - Canadian system 211
 - local level 53–4
- standards of care, minimum 81, 82
- strategic plan
 - Australia 196–7
 - Denmark 238–9
 - formulation for planning process 172–3
- strength of association 103, 104
- stress 151–2
- structured clinical practice (SCP) 101, 102, 103

- suicide 18
 - national data use 94
 - rate 93, 94
 - severe depression 19
 - unemployment 44
- support services
 - community-orientated 73
 - inputs 73, 74
- Sweden, biological psychiatric research 240
- symptom severity measures 96–7
- system approach in transition to community-based system 167, 168
- system planning 159–63
 - accountability 161
 - co-ordination 161
 - comprehensiveness 160–1
 - efficiency 161–2
 - equity 161
 - evidence-based approach 162, 163
- system productivity in Denmark 234–6
- system reform strategies in Canada 211

- technical efficiency 139
- temporal dimension 65–6
 - US 250–3
- temporality 103, 104
- therapeutic expertise 146
- therapeutic process 88
- three ACEs *see* ACEs, three
- timing, care delivery 63, 64
- training 45
 - US psychiatric care 247–8
- translation process, local 6
- treatment
 - content 76
 - hierarchy of evidence 101, 102
 - patient choice 23
 - patterns 33
 - plan negotiation 59
 - setting and degree of disability 170, 171
 - shell 88–9
 - threshold 238

- unemployment 44
 - impact 95
 - rate 94
- United Nations statement of protection of people with mental illnesses 127
- United States
 - advocacy 257
 - asylums 243
 - community mental health centres 243
 - community psychiatry 247–8
 - cost efficiency 256–7
 - deinstitutionalisation 243
 - distribution of responsibility for services 244
 - family support 251
 - federal grants 243–4
 - geographical levels 245–50
 - historical overview 243–5
 - homelessness 244
 - individual level 249–50
 - individualism culture 251
 - invisible inputs 250
 - local level 248–9
 - outcome 253, 256–7
 - primary health care 249
 - process 252–3
 - professional roles 245
 - psychiatric training 247–8
 - referral 249
 - reforming services 254–6
 - rehabilitation 257
 - psychiatry 245
 - resources 257
 - service
 - assessment 249
 - components 253–4
 - delivery 246
 - social indicators 249
 - socio-political context 245–8
 - state autonomy 246
 - temporal dimension 250–3
- units
 - common currency 73
 - service provision 112–13
- unstructured clinical practice (UCP) 101, 102, 103
- untreatables 30
- untreated illness, chronicity 135

- validity 99
- violence
 - causes and effects 5–6
 - precursors of episodes 6
 - US society 251

- weighting factors 113–14
- welfare benefits 44, 250
- WHO International Classification of Impairments, Disabilities and Handicaps (ICIDH; 1980) 93
- withdrawal 153
- work disincentives 250
- work setting, clarity 154

- zones of dependence 53