

Index

- acoustic energy 376–377, 381, 397
 acoustic imaging 316, 387–389
 acoustic radiation, *see also* thunder, 177, 260, 374–393
 acoustic waves 386–387
 action integral 12, 146, 215, 249, 277, 280–282, 363, 588, 589
 adiabatic cooling 67
 advection 308
 lightning location associated with 33
 of charge 33, 92, 93
 of hydrometeors 33
 of NO 516–519
 aerosols 67, 297, 298
 air discharge, *see* cloud-to-air lightning
 air–earth current 10
 aircraft
 accidents involving lightning 364–368
 enhancement factor 347
 lightning strikes to 348–350, 353–362
 measurement of
 conductivity 7
 electric field 73, 80, 84, 91, 353–362
 protection from lightning 362–364
 research programs 350–353
 static discharge 347–348
 altitude triggering, *see* rocket-triggered lightning
 altocumulus 91
 altostratus 91
 amplitude probability distribution 460
 angle
 of incidence 441–443, 457
 of reflection 441–443, 457
 of refraction (transmission) 441–443, 457
 antenna noise factor 460
 antenna theory model 398, 406
 anvil 81, 84
 Apollo 12 364, 368
 arc, voltage–current characteristic 603
 arrester 591, 602–604
 arrival-time-difference mapping system 562–565
 artificially initiated lightning, *see* rocket-triggered lightning
 ashen light 532
 Atlas Centaur 364, 369
 atmosphere
 electrical structure of 6–9, 436, 481
 role of lightning in chemistry of 507–511
 atmospheric boundary layer 518
 atmospheric chemicals, due to lightning 507–519, 537–538
 atmospheric electrical generator 10–12
 atmospheric electricity sign convention 8–9
 atmospheric ions, *see* ions
 atmospheric waveguide
 cutoff frequency 433, 436, 446
 mode parameters 446
 mode theory 446–448
 ray theory 445–448
 atmospherics, *see* sferics
 attempted leader 127, 185
 attraction of lightning 49–50, 137–138
 by aircraft 346–362, 364–369
 by lightning rod 592–599
 by tall object 50, 617
 attachment process 49–50, 137–143, 592–599
 attractive area 50–52, 592–599, 617
 attractive distance 51
 attractive radius 51
 average noise amplitude 460
 azimuthal error 558–561, 567

 B (breakdown) field change 116–118
 ball lightning
 death from 656, 657
 diameter 661
 duration 662
 laboratory simulations 663–664
 observations 656–662
 statistics 662, 657
 theories 662–664
 balloon-borne measurement
 conductivity 7–8
 electric field 73, 79–82, 84, 92, 489
 individual particle charges 84, 87–88
 potential (voltage) 11, 82, 92, 111
 total charge density 84, 87–88, 92
 X-rays 495
 balloons, lightning to 3, 76, 232, 241, 260
 basalt 3
 basic insulation level (BIL) 616–619
 bead lightning 658, 665–666
 BG model, *see* Bruce–Golde model
 bidirectional leader 90, 228, 269–272, 275, 322, 346, 353–354, 416–417
 in step formation process 137
 bidirectional return stroke 138, 140, 414
 BIL, *see* basic insulation level
 BIL (breakdown-intermediate-leader) field waveform 116–118

 bipolar lightning flash 232–234, 247–249, 311–313, 316
 bipolar pattern 31–34, 218
 blue jet 480, 481, 483–485
 blue starter 480, 481–483
 boats 610–613
 Boys camera, *see also* streak photographs, 3
 branch component 111, 148
 branching, lightning channel 109, 148, 161–162, 172, 225–226, 247, 252, 385
 breakdown electric field, *see also* critical electric field 82, 592–594
 breakdown processes, *see also* initial breakdown 6, 121, 173
 breakdown voltage 227, 624–626
 breakeven electric field 84, 493, 494
 break-through phase 138, 228, 414
 broadband interferometer 569
 Bruce–Golde model 129, 401–403, 407–409
 Buddha 1
 buildings, lightning protection for 596–599
 buoyancy 67

 cable, underground 293–295, 619–624
 Camp Blanding lightning triggering facility (ICLRT) 266, 293–296
 capacitance per unit length of lightning channel, *see* channel capacitance per unit length
 capacitance of aircraft 359
 capacitor, as a model of the global circuit 9–10
 Carnegie curve, *see* diurnal variation of the global circuit
 Cassini 535, 547
 cell, thunderstorm, *see also* supercell, 24, 68
 CGR1 39
 CGR3 39, 43, 45
 channel
 acoustic reconstruction, *see* acoustic imaging
 capacitance per unit length 398–399, 418
 conductivity 164, 397
 dart leader 164
 diameter, stepped leader 134
 electron density 163, 404
 inductance per unit length 398–399
 pressure 111, 163, 396, 404
 radius 7, 134, 163–164, 395
 resistance per unit length 164, 395, 398–400
 temperature 7, 111, 163–164, 396, 404
 dart leader 164
 stepped leader 134

- channel core 134, 399, 413
 “chaotic” leader 164, 171
 charge
 conservation of 128, 416
 deposited on
 dart leader, *see* dart leader
 stepped leader, *see* stepped leader
 distribution of
 along leader channel 128–131, 169, 291, 416–417
 in thundercloud 79
 effect on measurements 78
 electric field due to 68–72
 gross distribution in cloud 68–69, 310–311
 height of 75–82
 image charge 68–71
 in anvil 81, 84
 in the global circuit 9–11
 of leader step 134, 171
 on cloud particles 88
 on precipitation 68, 84, 87–88
 per unit length, *see* line charge density
 transferred by
 continuing current, *see* continuing current
 first return stroke, *see* return stroke
 flash 7, 113, 214–215, 221–222, 247–250, 274, 314, 323, 325, 338
 subsequent return stroke, *see* return stroke
 using Gauss’s law to find 80, 92
 charge density
 line, *see* line charge density
 volume 84, 92
 charge moment, *see* dipole moment
 charging mechanisms, *see* cloud electrification mechanisms
 chi squared 556–558, 561–562, 566–567
 chorus 457, 530
 CIGRE, 10 kHz 35, 38–39
 CIGRE, 500 Hz 38–39, 43
 “classical” triggering, *see* rocket-triggered lightning
 clear-air lightning 73
 cloud base 67
 cloud boundary charging 76, 78, 88, 91
 cloud electrification mechanisms 84–88, 92, 528
 convection 85
 graupel–ice 86–87, 92
 cloud lightning flash
 charge transfer 323, 325, 338
 comparison with ground flash 340–341
 current in 330–331, 338
 definition 321
 development 326–329
 dipole moment 75, 77, 557
 duration 323, 325
 electric field change 72–75, 323–325
 fraction, *see also* cloud-to-ground-flash ratio, 44, 321
 height of origin 323–324, 327
 initiation 322, 326, 327, 340
 K-processes 322, 338
 microsecond-scale pulses 8, 331–340
 optical observations 323, 324, 326
 propagation velocity 322, 326–331, 340
 recoil streamer 322, 338
 structure 322
 VHF imaging 326–329
 cloud particles 68, 88
 clouds
 altostratus 91
 charging mechanisms in, *see* cloud electrification mechanisms
 cumulonimbus 67–91
 cumulus 67
 dissipating stage 81, 217, 310
 electric field in 346, 354
 electrical development of 73–75, 310–311
 mature stage 10
 nimbostratus 91
 stratiform 91–93
 stratocumulus 91
 stratus 91
 warm 528
 winter, in Japan, 77, 217–218, 308–311
 cloud-to-air lightning 4, 321, 338
 cloud-to-cloud lightning flash, *see* cloud lightning flash
 cloud-to-ground-flash ratio 44–46
 cloud-to-ground lightning flash, *see* ground lightning flash
 CN tower 242, 255–256, 259–260, 411–412
 collision frequency 436–437, 439–440
 communication line 620–624
 compact intracloud discharge, *see also* narrow bipolar pulses, 334
 condensation 67
 conductivity, electrical
 atmospheric 6–9, 541
 caused by cosmic rays 6–7
 caused by radioactive decay 6–7
 due to small ions 6
 ground 7, 287, 541, 601
 ionospheric 7–9, 447, 473
 of channel between strokes 5–6, 164, 172
 of cloudy air versus clear air 91
 of dart leader channel, *see* dart leader
 of return-stroke channel, *see* return stroke
 conductor 440
 connecting leader, *see* upward connecting leader
 conservation of charge 128, 416
 conservation of energy 394, 395, 415
 conservation of mass 394, 395
 conservation of momentum 394, 395, 415
 continental versus oceanic storms 31, 34–35, 48–49
 continuing current 4–7, 112, 173–176, 488
 charge transfer 7
 duration 7
 electric field change 114, 174
 fires set by 613–616
 frequency of occurrence 112, 174
 long 112, 173–174
 magnitude 7
 mode of charge transfer 4–6
 positive flashes 222
 types 175–176
 continuity equation, *see* current continuity equation
 convection 67–68
 convection current density 10–11
 convection mechanism 85
 convective region of storm systems 80–81, 83, 93
 corona discharge 5, 92, 357
 at ground 10, 78, 84, 85, 88
 at leader channel, *see* corona sheath
 at leader tip, *see also* streamer zone, 135–136
 at lightning rods 596, 605–610
 initial impulsive 136–137, 227–228
 on hydrometeors 82–83, 121
 corona sheath 134, 176, 399, 413
 cosmic rays 6–7, 78
 Coulomb’s law 128
 critical electric field, *see also* breakdown electric field; breakeven electric field
 for corona streamers from hydrometeors 82–83, 121
 for lightning initiation 82, 89–90
 for sustained propagation of streamers 83, 121
 critical flashover voltage (CFO) 617, 618
 cumulative statistical distribution 145–146, 215, 249, 251, 253, 254, 278–285
 cumulonimbus, *see* thundercloud
 cumulus 67
 current, electric
 above thunderstorms 10
 continuing, *see* continuing current
 corona 10, 357, 510, 511
 of dart leader, *see* dart leader
 fair weather 10
 in lightning strikes to aircraft 353–362
 in sprites 489
 initial continuous, *see* initial continuous current
 Maxwell 10–11
 M-component, *see* M-components
 precipitation 10
 return stroke, *see* return stroke
 stepped leader, *see* stepped leader
 cutoff of channel current to ground 172
 cyclotron frequency, *see also* gyrofrequency, 434, 437
 cyclotron resonance (gyroresonance) 441
 damage from lightning, *see* lightning protection
 dart leader 4–7, 164–169, 171–173, 415–417
 charge deposited by 7, 169
 conductivity 164
 conductivity in channel prior to 164
 current 7, 168
 duration 7, 168, 225
 electric field change 127, 131, 169, 288–292
 electric potential 7
 luminosity 149, 168–169, 172, 173, 271
 mechanism 171–173

- radius 164
 RF (narrowband) radiation 171
 speed of propagation 7, 165–168
 temperature 7, 164
- dart length 173
 dart-stepped leader 7, 8, 165, 169–171, 271
- death from lightning 642–649, 656, 657
 dE/dt , rate of rise of field pulse, 134, 154, 157–158, 170, 171, 228–230, 256, 280, 281, 289, 339, 404, 413–414
 dI/dt , rate of rise of current, 7, 146, 147–148, 215, 221, 249, 251, 254, 256, 278, 279, 280–281, 284, 285, 286
- Defense Meteorological Satellite Program (DMSP) 41–42, 570–571
- Diendorfer–Uman (DU) model 402–404, 407–412
- diffusion 605
- dipole 72, 78, 117
 dipole cloud charge distribution 68, 73, 77
 dipole moment 68
- dirac delta function 416
- direction finding (DF) systems, *see* magnetic direction finding (MDF) systems
- discharge time constant, *see also* Diendorfer–Uman (DU) model, 402
- displacement current density 10–11
- distributed-circuit models 394, 398–400, 406, 415–416, 418
- diurnal variation
 of the global circuit 10
 of the ionosphere 8
 of lightning occurrence 42, 571
- Doppler radar 30, 88
- double-exponential current pulse waveform 161
- downdrafts, *see also* microbursts, 85
- drift velocity, electron 415
- DU model, *see* Diendorfer–Uman model
- duration
 of cloud lightning flash 323, 325
 of continuing current 7
 of dart leader 7, 168, 225
 of ground lightning flash 7, 112–113, 215, 221, 247–249, 274
 of interstroke interval 7, 47, 49, 112, 115, 282
 of M-components 179
 of return stroke 7, 146, 215, 221, 249
 of stepped leader 7, 123, 124, 125
 of storm 68
- dust storm 667
- Earth–ionosphere cavity 432, 445–454
 Earth–ionosphere waveguide 432, 445–454
 earthquake light (seismo-electromagnetic effect), 667–668
 Earth's magnetic field (geomagnetic field) 7, 434
 East Coast network (SUNYA network) 46, 49, 561, 565
 Eckersley's law 435–436, 458, 530
 effective height 50, 144, 241
- effective range of lightning flash counter 38–39
- electric breakdown, *see* breakdown processes
 electric conductivity, *see* conductivity, electric
 electric current, *see* current, electric
 electric dipole, *see* dipole, dipole cloud charge distribution
- electric field
 above storms 73
 across dart leader front 172
 across M-component front 172
 across return-stroke front 172
 aloft 81–84
 at the ground 70–74, 310
 boundary conditions for 71
 breakdown, *see* breakdown electric field
 fair-weather 6, 8–9
 in non-cumulonimbus 91–92
 in thundercloud 81–84
 ionospheric 9–10, 495, 496
 lightning charge calculated from 75–77, 556–557
 measurements of 3, 73, 79–80
 over water 78
 polarity reversal 71, 130–131, 134, 183
 reversal distance 71
 sign convention 8–9
 superposition principle 68
 under thundercloud 74, 78
- electric field antenna 114
- electric field change, *see also* electrostatic field change, 72
- electric field meter 24, 75, 556–557
- electric field mill, *see* electric field meter
- electric field thresholds, *see* critical electric field
- electric potential (voltage)
 of electrosphere 9–10
 of leader tip 7, 111
 within cloud 11, 82, 92, 111
- electric power line
 distribution 292–295, 616–619
 transmission 296, 314–315, 616, 619
 underground 293–295, 619–624
- electric space charge 78, 85
- electrification mechanisms, 84–88, 92, 528
- electrification processes 84–88, 92, 528
- electrogeometric method (EGM) 51, 593–596
- electromagnetic coupling 589
- electromagnetic field 159–161
 electric induction component 160
 electric radiation component 160–161, 403–404, 557–558
 electrostatic component, *see also* electrostatic field change, 160–161
 magnetic induction component 129–130
 magnetic radiation component 160–161, 404, 557–558
- electromagnetic models 394, 398, 406, 415
- electromagnetic signals 159–161
- electron, energetic 493–495
- electron
 avalanche 415
 density 163, 404, 436
 drift velocity 415
 gyrofrequency 437, 440–441, 455–459, 530
 plasma frequency 439, 530
 precipitation 9, 456, 480, 491, 493–495
 runaway, *see* runaway electrons
 thermal velocity 415
- electronic equipment, lightning protection for 589, 591, 602–605
- electrosphere 8–10
 electrostatic approximation 126, 128–129, 161
 electrostatic field 69–71, 310
 electrostatic field change 71–72, 128–131, 556–557
- ELF (extremely low frequencies) 43, 432–434
- elves 480, 481, 492–493
- Empire State Building 3, 241, 242, 243, 245, 248
- energetic electron 493–495
 energy 7, 12, 114–116, 376–377, 397, 405–406, 538–540, 546
 energy source, lightning as 12
- engineering models 394, 400–404, 406–412
- enhanced lightning activity over cities 48
- equalization layer of the atmosphere (electrosphere) 8–10
- equations
 gas-dynamic 394, 395
 Maxwell's 394, 398, 415
 telegrapher's 398–399
- equipotential surface 599, 604, 605
- expansion of lightning channel 378–380, 395–397
- external noise figure (F_n) 460
- extraterrestrial lightning 528–547
- F- (final) processes 112
- fair-weather electric field 6, 8–9
- Faraday cage 3, 590, 591, 604, 605
- fast transition 154–157, 223, 229
- field mill, *see* electric field meter
- field-aligned duct 457–459
- final jump, *see* break-through phase
- fine structure of field waveform
 negative ground flash 154–158
 positive ground flash 229–230
- fine-weather electric field, *see* fair-weather electric field
- fires caused by lightning 613–616
- flash
 cloud, *see* cloud lightning flash
 ground, *see* negative ground flash; positive ground flash
 rocket-triggered, *see* rocket-triggered lightning
 upward, *see* upward lightning
- flash rate 24–26, 31
- forest fires 489, 613–616
- FORTE 496, 571–572
- Franklin, Benjamin 3, 588, 590, 592, 656
- freeze-out temperature, chemical 512, 513

- freezing level 31, 67
 frequency spectrum
 of acoustic radiation 374–377, 381
 of electromagnetic radiation 6, 134, 158–159, 555
 fulgurites 288, 295–296, 620, 621
 full wave theory, *see* mode theory
- Galileo 535, 539–543
 gamma rays 492–495, 480, 481
 gas-dynamic models 394–397, 404–406
 Gaussian (normal) probability distribution 145, 567
 Gauss's law 80, 92
 geomagnetic field (Earth's magnetic field) 7, 434
 global electric circuit 6–12
 global lightning flash frequency 24, 41–43
 global nitrogen production 508–518
 global temperature 43, 448, 453
 related to worldwide lightning activity, *see also* Schumann resonances, 453–454
 glow discharge 603
 glow-to-arc transition 603
 graupel 31, 86–88, 310
 gravity 86, 528
 ground lightning flash *see* negative ground flash; positive ground flash
 ground termination 37–38, 114–115, 288–289, 599–602
 grounding 282–288, 599–602
 grounding impedance 283–284, 599–602
 grounding resistance 286–287, 599–602
 ground surface arcing 288–289, 601, 620
 ground wave 433
 group delay time 457–458
 group velocity 437, 457–458
 gyrofrequency 437, 440–441, 455–459, 530
- H _{α} line 163, 404
 hail 28–29, 31, 219
 half-peak width
 current 179–180, 273, 280, 285, 286
 dE/dt 154, 157–158, 230
 field waveform 132, 134, 135, 289, 291, 332–333, 337
- hazard, lightning
 to aircraft 346–369
 to animals 647–648
 to communication systems 620–624
 to distribution lines 616–619
 to humans 642–649, 656, 657
 to structures 596–599
 to transmission lines 616, 619
 to underground cables 619–622
- HCN, atmospheric production of 519, 520
 Heaviside layer 435
 Heaviside function 400–401, 416
 Heidler function 161
 height
 of charge in thundercloud 75–82
 of charge reversal for graupel–ice charging 86
 of electrosphere 8
 of ionospheric regions 432–436, 443–445, 481
 of lightning charge centers 75–79
 of lightning initiation 323–324, 327
 of tropopause 68, 308, 507
 high-frequency (HF) radiation 334–337, 340, *see also* narrowband radiation
 production by lightning processes 6
- hiss 457, 530
 history 1–4
 horizontal electric field 159, 162
 hurricanes 26–28
 hydrometeors 68, 82–83, 85, 88, 121, 310
 hydrometeor charge 84, 87–88, 310
- ice crystal alignment 573
 ice crystals 86–87, 573
 IC flash, *see* cloud lightning flash
 ICLRT, *see* Camp Blanding lightning triggering facility
 ICV, *see* initial current variation
 image charge 68–71
 images, method of 68–70
 impact velocity 87
 incidence
 downward flashes 50–52
 to areas 24–49
 to structures 49–52
 upward flashes 52
 inductance per unit length 398–399
 induction field 129–130, 160
 infrared glow 480, 481, 496, 497
 infrasonic thunder 374, 385–386
 initial breakdown
 in cloud flashes 8, 89–90, 322, 329–337, 340
 in ground flashes 8, 82–84, 116–122, 230, 340
 initial continuous current
 in natural upward lightning 243, 247–250
 in rocket-triggered lightning 267, 270, 272–274
 initial current variation 274
 initial peak of field waveform 152–156, 175, 228–229
 initial stage of rocket-triggered lightning 267–270
 injury from lightning 642–649
 interferometer 568–570, 572
 interstroke interval 7, 47, 49, 112, 115, 282
 intracloud lightning flash, *see* cloud lightning flash
- I₀ 540
 ionization 6–7, 396
 ionospheric electron number density, scale height for 436, 481
 ions 6–7
 isokeraunic map 35–37
- Japan, winter thunderstorms in 308–316, 349
 J-changes, *see* J-processes
 Joule heating, *see also* ohmic heating, 396, 588, 589, 596, 597, 611
 J-processes 111–112, 182–184
 junction processes, *see* J-processes
 Jupiter 529, 536–543
 atmospheric properties 536–538
 lightning 538–543
 magnetosphere 540
 optical signals 538–540
 RF signals 540–542
 whistlers 540–541
- K-changes, *see* K-processes
 Kennedy Space Center (KSC) 24–25, 30, 75, 232, 253–254, 265–266, 269, 271, 272, 278–280, 285–288, 293, 323, 335, 337, 388, 556–557, 560–561, 563–564, 567
- K-processes
 definition 184–185
 in cloud discharges 322, 338
 in ground discharges 111–112, 184–188
 mechanism 186–188
 time interval between 185
- laboratory simulation of thunderstorm electrification processes 86–87
 Langmuir Laboratory 266
 laser 296–299
 infrared 297–298
 ultraviolet 298–299
- latitude dependence
 of cloud-to-ground-flash ratio 44–46, 48
 of peak current 48
- LDAR (lightning detection and ranging system) 30, 563
- leader
 attempted 127, 185
 “chaotic”, *see* “chaotic” leader
 comparison of cloud and ground flashes 340
 comparison of positive and negative 224–226
 dart, *see* dart leader
 dart-stepped, *see* dart-stepped leader
 in cloud flashes 322, 327, 330–331, 340
 negative, mechanism 136–137
 positive, mechanism 226–228
 stepped, *see* stepped leader
 streamer zone, *see* streamer zone
 upward, *see* upward leader
 upward connecting, *see* upward connecting leader
- leader–return-stroke mode of charge transfer 4–6
- lightning
 ball, *see* ball lightning
 bead, *see* bead lightning
 bipolar, *see* bipolar lightning flash
 cloud, *see* cloud lightning flash
 cloud-to-cloud, *see* cloud lightning flash
 cloud-to-ground, *see* ground lightning flash
 extraterrestrial 528–547
 global frequency 24, 41–43
 in clear air 73

- in earthquakes, *see* seismo-electromagnetic effect
- in sandstorms 664
- intercloud, *see* cloud lightning flash
- intracloud, *see* cloud lightning flash
- negative, *see* negative ground flash
- nuclear 668–669
- on Jupiter 538–543
- planetary 528–547
- positive, *see* positive ground flash
- rocket-triggered, *see* rocket-triggered lightning
- in solar nebula 528
- spider 326, 489, 569
- triggered, *see* rocket-triggered lightning
- upward, *see* upward lightning
- volcanic 564–565, 666–667
- winter 311–316
- lightning channel, *see* channel; tortuosity; branching, lightning channel; ground termination
- lightning charge centers and dipoles 76–78, 117
- lightning currents 7, 143–148, 161, 176, 177–181, 215, 221, 249–253, 272–278, 283, 312–313
- lightning detection systems
 - interferometer 568–570, 572
 - magnetic direction finding (MDF) 558–562
 - time of arrival (TOA) 562–565
- lightning discharge, *see* lightning
- lightning flash, *see* lightning
- lightning flash counter (LFC) 38–39
- lightning imaging sensor (LIS) 35, 42–43, 571
- lightning incidence, *see* incidence
- lightning initiation
 - breakdown field for, *see* breakdown electric field
 - breakdown field for, *see* breakeven electric field
 - height of 323–324, 327
 - of cloud flash, *see* initial breakdown in cloud flashes
 - of ground flash, *see* initial breakdown in ground flashes
 - on aircraft 346–347, 353–359
- lightning locating techniques
 - acoustic, *see* acoustic imaging
 - charge center analysis 556–557
 - interferometric 568–570, 572
 - long-baseline, time-of-arrival 564–565
 - magnetic direction finding 558–562
 - radar 572–573
 - satellite 570–572
 - short-baseline, time-of-arrival 563–564
 - thunder ranging 387–389
 - thunder ray tracing 387–389
 - very short baseline, time-of-arrival 562–563
 - VHF–UHF channel mapping 563–564, 568–570
- lightning luminosity 149–150, 177–178, 271–272
- lightning mapping techniques, *see* lightning locating techniques
- lightning models, *see* models
- lightning processes
 - attachment process 49–50, 137–143, 592–599
 - bidirectional leader 90, 228, 269–272, 275, 332, 346, 353–354, 416–417
 - break-through phase 138, 228, 414
 - “chaotic” leader 164, 171
 - continuing current, *see* continuing current
 - dart leader, *see* dart leader
 - dart-stepped leader 7, 8, 165, 169–171, 271
 - initial breakdown, *see* initial breakdown
 - initial continuous current, *see* initial continuous current
 - J- (junction) processes 111–112, 182–184
 - K-processes, *see* K-processes
 - M-components, *see* M-components
 - negative leader, *see* stepped leader; subsequent leader
 - positive leader, *see* positive leader
 - preliminary breakdown, *see* initial breakdown
 - recoil streamer 187, 322, 329, 338, 357
 - return stroke, *see* return stroke
 - stepped leader, *see* stepped leader
 - subsequent leader, *see* dart leader; dart-stepped leader
- lightning protection
 - air terminals 589–591, 596–599
 - airborne vehicles 362–364
 - arrester 591, 602–604
 - boats 610–613
 - common structures 596–599
 - communication 620–624
 - cone-of-protection method 593
 - counterpoise 599–602
 - crowbar circuit 591, 602–604
 - dissipation array 605–607
 - down conductor 589–591, 596–599
 - early streamer emission (ESE) 605, 607–610
 - earthing system 599–602
 - electrogeometric method 51, 593
 - electromagnetic shielding 604, 605
 - Faraday cage 3, 590, 591, 604, 605
 - ground rod 599–602
 - grounding system 599–602
 - melting energy 596, 597, 611
 - metal oxide varistor (MOV) 591, 602–604
 - peak current 588
 - personal protection 648
 - physics-based methods 593
 - potential equalization 599
 - power lines 616–619
 - protection angle 592–596, 598
 - protection zone 592–596, 598
 - rolling-sphere method 593–598
 - safety distance 598–599
 - shielding 589–591, 594–596
 - surge protective device (SPD) 591, 602–604
 - telecommunications systems 620–624
 - topological shielding 591
 - trees 613–616
 - underground cables 619–622
 - underground communication lines 623–624
- lightning stroke
 - first 7, 122–159
 - subsequent 7, 164–173
- line charge density 84, 123–126, 129, 161, 292, 327, 330–331, 416
- line-of-sight locating 562
- LLP (Lightning Location and Protection Inc.) 560–562, 565–566, 568
- local thermodynamic equilibrium 163, 395
- log normal distribution 145
- long-continuing current 7, 173–175
- long spark 136–137, 226–228
- Lorentz force 395–396
- low-frequency (LF) radiation 555
- lower atmosphere 507
- lower positive charge center 88
- lightning positioning and tracking system (LPATS) 564–566
- luminous phenomena above storms
 - elves 480, 481, 482, 492–493
 - jets 480, 481, 482, 483–485
 - sprites 480, 481, 482, 485–490
 - starters 480, 481, 482, 483
- magnetic direction finding (MDF) systems, *see* also NLDN, 558–562
- magnetic field 129–130, 153, 160–161
- magnetosphere 454–459
- magnetospheric plasma 454–459
- magnetostatic approximation 129–130
- magnetostatic field 129–130, 160
- Mars 529
- Maxwell current density 10–11
- Maxwell’s equations 394, 398, 415
- M-components
 - charge transferred 7, 179
 - current 177–181, 183
 - current peak 7, 179
 - current risetime 7, 179
 - duration 179
 - electric field change 180, 181, 183
 - luminosity 177–178
 - mechanism 181–182
 - mode of charge transfer 4–6
 - time interval between 179
 - VHF–UHF radiation 181
- medium frequency (MF) 340
- mesoscale convective complexes or systems (MCCs or MCSs) 27–28, 31–34, 45, 218, 231
 - definition 28
 - lightning bipolar pattern, *see* bipolar pattern
 - positive ground flashes in 218
 - red sprites above 485–490
 - spider lightning in, *see* spider lightning
- mesosphere 481, 507
- meteors 489, 491
- microbursts 30
- microphysical processes causing electrification, *see* cloud electrification mechanisms
- microwave beam 299

- middle atmosphere 507
 mixed-phase region 31, 67
 mode theory (full wave theory), 446–448
 models
 of bidirectional leader 416
 of dart leader 415–417
 of evolution of clouds, lightning
 parameterization 88–91
 of global electric circuit 11
 of luminous phenomena in middle and upper
 atmosphere 484, 485, 490–493
 of M-components 419–420
 of return stroke 394–415
 of stepped leader 417–419
 of thunder 379–381
 modified Diendorfer–Uman (MDU) model 403
 modified transmission line model
 with exponential current decay with height
 (MTLE) 401–404, 407–412
 with linear current decay with height
 (MTLL) 401–403, 406–410
 monsoon storms 34, 47, 48
 Monte San Salvatore 139, 144, 214, 232,
 241–242, 244–248
 MULS model 395
 multiparameter radar 31
 multiple ground terminations 37–38, 114–115
 multiplicity, *see* number of strokes per flash
 mythology 1
- NALDN, *see* North American Lightning
 Detection Network
 narrow bipolar pulses, *see also* compact
 intracloud discharges, 8, 334–337
 narrowband radiation 120, 158–159, 171,
 185–186, 187–188, 226, 334, 341
 National Lightning Detection Network
 (NLDN) 487, 565–568
 negative ground flash 5, 7, 8, 108–191,
 244–245
 negative leader versus positive leader 224–226
 Neptune 529
 atmosphere 545–546
 radio emission 546
 nimbostratus 91
 nitric oxide (NO)
 concentration 514–519
 equilibrium 512
 freeze-out temperature 512
 production 507–519
 nitrogen fixation, *see* NO production
 nitrogen oxides (NO_x)
 definition 508
 production 508–519
 NLDN, *see* National Lightning Detection
 Network
 NO production 507–519
 NO_x 507–519
 NO_y 508, 516
 noise power (P_n) 460
 non-cumulonimbus 91–93
 non-inductive charging mechanisms 85,
 86–87
- non-thunderstorm clouds, *see*
 non-cumulonimbus
 North American Lightning Detection Network
 (NALDN) 568
 nose whistler 345, 355, 358
 NSSL network 561
 nuclear lightning 668
 number of strokes per flash 7, 47, 48, 49, 113,
 222, 562, 567
 numerical cloud models 88–91
 N-wave 379–381
- O₃, *see* ozone
 oceanic storms 31, 34–35, 49
 ohmic heating, *see also* Joule heating, 378
 OH radical 87, 507, 508
 ohmic losses 396, 588, 589, 596, 597, 611
 Ohm's law 440, 488
 optical locating techniques 570
 optical properties of lightning 163–164
 optical scattering 150
 optical thickness 163
 Optical Transient Detector (OTD) 30, 35,
 42–43, 571
 Ostankino tower 242, 252, 255
 ozone 507, 508, 516–518
- particle charge, *see* charge on cloud particles;
 charge on precipitation; hydrometeor
 charge
 peak current of lightning return strokes 7,
 143–148, 215, 221, 249, 251–254
 Peissenberg tower 242, 250–252, 256
 phase velocity 437
 photoionization 418
 physics sign convention 8–9
 Pioneer Venus orbiter 531, 532, 533–535
 planetary atmospheres
 Jupiter 536–538
 Mars 529
 Mercury 529
 Neptune 545–546
 Saturn 543
 Uranus 544–545
 Venus 531
 planetary lightning 528–547
 planetary radio emission
 Jupiter 540–542
 Neptune 546
 Saturn, electrostatic discharge (SED)
 543–544
 Uranus, electrostatic discharge (UED) 545
 Venus 533–536
 planets
 giant (jovian) 529
 terrestrial 529
 plasma wave, evanescent 439, 457
 plasma wave
 absorption 439–440
 cutoff frequency 441
 dispersion 437–441
 frequency 439
 group velocity 437
- mode
 chorus 457
 electromagnetic 437–443
 electrostatic 439
 hiss 457
 ion cyclotron 459
 whistler 432, 434, 435, 454–459
 phase velocity 437
 polarization 442–443
 propagation 437–441
 ducted 435, 455–459
 field-aligned ducts in magnetosphere 435,
 455–459
 full wave theory 446–448
 geomagnetic guiding 435, 455–459
 group delay time 458
 non-ducted in magnetosphere 435, 455,
 456, 459
 reflection 441–443
 resonance 439
 transmission 441–443
 plasma frequency
 electron 439
 ion 439
 plasmasphere 435–437, 455
 Pluto 529
 point dipole 77, 117, 557
 point discharge, *see* corona discharge
 Poisson distribution 52
 polarimetric radar 31
 polarization
 circular 440–443
 elliptic 443
 of hydrometeors 82
 parallel 441–443
 perpendicular 441–443
 polarization errors 558, 559
 positive dipole 68, 73
 positive flash percentage 214, 216, 311
 positive ground flash 5, 214–234, 245–247,
 311–316
 charge transfer 214–215, 221–222
 definition 214
 electric field change 223, 226
 fine structure of field waveforms 229–230
 frequency of occurrence 26, 214, 216,
 311
 in dissipating storms 217
 in hurricanes 28, 218
 in mesoscale convective systems 31–34,
 218
 in severe storms 29, 218, 219
 in winter thunderstorms 216–218, 312–313
 initial breakdown in 230
 peak current 215, 221, 230–231
 related to forest fires 218, 220
 related to volcano eruptions 666–667
 return-stroke velocity 231–232
 seasonal dependence 216–218
 positive leader versus negative leader
 224–226
 positive lightning, *see* positive ground flash
 positive triggered lightning 267, 272

- potential
 of electrosphere 9–10
 of leader tip 7, 111
 within cloud 11, 82, 92, 111
 potential difference between cloud and ground 111
 power 12, 116, 152–153, 163–164
 power lines or systems
 lightning protection for 616–622
 Poynting vector 162
 precipitation
 amount per lightning 34
 charge carried by 68, 84, 87–88
 precursor current pulses 268, 274–276
 preliminary breakdown, *see* initial breakdown
 propagation effects 162–163
 propagation speed
 of acoustic signals 374
 of “chaotic” leader 171
 of dart leader 6, 7, 165–167
 of dart-stepped leader 7, 170–171
 of electromagnetic signals (speed of light) 374, 555
 of in-cloud fast streamer 181, 186
 of return stroke 6, 7, 150–152, 231–232, 413–414
 of stepped leader 7, 122–123, 327, 331, 340
 of upward connecting leader 139–140
 of upward positive leader 224, 245, 270
 protection, *see* lightning protection
 Q-bursts 432, 433, 450, 451, 459
 Q-noise 186, 328–329
 Q -factor of Schumann resonance lines 450, 453
 Q-streamers 186, 327–329
 quiet period 159
 radar 31, 572–573
 radiation
 at HF, *see also* narrowband radiation, 344–337, 340
 at LF 555
 at UHF and VHF 6, 340, 555, 563–564, 568–570
 at VLF 555, 564–565
 optical 570
 radiation field, lightning locating 557–558
 radio noise 459–461
 radioactive emanation 6–7
 radius or diameter
 of dart leader 164
 of return stroke 7, 163–164
 of stepped leader 134
 rainbands 26–28, 218
 rainfall amount per lightning 34
 rain gush 573
 rate of rise (steepness)
 of current 7, 134, 146–147, 161, 215, 221, 249, 251, 254, 256, 278, 279, 284, 285, 286
 of field pulse 134, 154, 157–158, 170, 171, 228–230, 256, 280, 281, 289, 339, 404, 413–414
 ratio of leader to return-stroke electric field change 130–131, 132, 133, 134, 169, 408
 recoil streamers 187, 322, 329, 338, 357
 red sprites 480–482, 485–492
 reflection 439, 441–443
 refractive index 441–443
 regular pulse bursts
 in cloud flashes 8, 338–340
 in ground flashes 8, 188–190
 relaxation time 9, 490, 491
 resistance, *see also* grounding resistance, 599–602
 resistance per unit length 164, 395, 398–400
 retardation effects 128, 160–161
 return stroke
 charge transferred by 7, 146, 215, 221, 249, 254, 280, 281
 conductivity 164
 current 7, 143–148, 215, 221, 249, 251–254
 duration 7, 146, 215, 221, 249
 electric and magnetic fields 8, 152–163, 229–230, 277, 278
 luminosity 148–150, 223
 propagation speed 6, 7, 150–152, 231–232, 413–414
 radius 7, 163–164
 return-stroke models
 AT (antenna theory) 394, 398, 406, 415
 BG (Bruce–Golde) 129, 401–403, 407–409
 distributed-circuit (RLC) 394, 398–400, 406, 415–416, 418
 DU (Diendorfer–Uman) 402–404, 407–412
 electromagnetic 394, 398, 406, 415
 engineering 394, 400–404, 406–412
 gas-dynamic 394–397, 404–406
 MDU (modified Diendorfer–Uman), *see* modified Diendorfer–Uman (MDU) model 403
 MTLE (modified transmission line with exponential current decay with height) 401–404, 407–412
 MTLL (modified transmission line with linear current decay with height) 401–403, 406–410
 TCS (traveling current source) 129, 401–404, 407–412
 transmission line 161, 400–403, 407–413, 567
 return-stroke speed versus peak current 151–152
 reversal distance 71
 riming 86–87
 risetime (front duration)
 of electric and magnetic field 132, 154, 229
 of luminosity 134, 149–150, 172
 of M-component current 177, 179–180
 of return-stroke current 147, 215, 249, 252, 280, 283, 284, 286
 RLC models, *see* distributed-circuit models
 rocket-triggered lightning
 altitude triggering 222, 269–270, 271–272, 346
 classical triggering 267–269, 270–271
 rockets
 electric field measurements 80
 lightning triggering 266–296
 rolling-sphere method 592–598
 runaway electrons 84, 121, 480–481, 484, 490–495
 SAFIR 30, 569–570
 sandstorms, lightning in 667
 satellites 41–43, 570–572
 Saturn 529
 atmosphere 543
 radio emission 543–544
 scale height for ionospheric electron number density 436, 481
 scattering, optical 150
 Schumann resonances 432–434, 449–454
 screening layers 69, 76, 78, 80, 85, 88, 91
 screening layer charge 84
 seasonal variations
 of lightning characteristics 46–47
 of percentage of positive ground flashes 216–218
 SED (Saturn electrostatic discharges) 543–544
 seismo-electromagnetic effect (earthquake light) 667–668
 severe storms 25, 28–30, 84, 218
 severe weather phenomena
 hail 29, 219
 microbursts 30
 tornadoes 29–30, 219
 strong winds 30
 sferics 3, 432–433, 443–449
 definition 432
 measurements 443–445
 shock wave, *see* thunder
 sign convention for electric field 8–9
 site errors 559, 560
 skin depth 440
 sky wave 433, 443–448, 558–559
 slow front 139, 144, 154–155, 223, 229
 slow tail 432, 434, 446–448, 459, 488
 small ions 6
 Snell’s law 442, 457–458
 snowflakes 310
 soil conductivity 7, 287, 541, 601
 solar cycle 43
 space charge 78, 85
 space stem 136–137
 spark, long laboratory 136–137, 226–228
 SPD, *see* surge protective device
 spectrogram 335–336
 spectroscopy, lightning 3, 134, 163, 168
 speed of propagation, *see* propagation speed
 spider lightning 326, 489, 569
 split in lightning channel 140–141
 sprites, red 480–482, 485–492
 St Elmo’s fire 347

- standards, test
 for aircraft, 362–364
 for communication systems 624, 625
 for power systems 624, 625
- Stark effect 163, 404
- stepped leader 7, 8, 122–137, 331, 340, 417–419
 charge deposited by 7, 123–125
 diameter 134
 duration 7, 123, 124, 125
 speed of propagation 7, 122–123, 327, 331, 340
- storm area 68
- stratocumulus 91
- stratosphere 68, 481
- stratus 91
- streak photographs, *see also* lightning
 luminosity, 122, 139, 149, 177, 223, 225, 245, 246, 271, 272
- streamer, definition 5–6
- streamer zone 135–137, 227–228, 247, 272
- striking distance 592–596
- strokes
 number per flash 7, 47, 48, 49, 113, 222, 562, 567
 time interval between 7, 47, 49, 112, 115
- SUNYA network, *see also* East Coast network, 46, 49
- supercell 29, 68, 80–81, 83, 326
- superposition principle 68
- surge protective device (SPD) 591, 602–604
- TCS model, *see* traveling current source model
- telegrapher's equations 398–399
- TEM radio wave 398
- temperature
 during interstroke interval 163–164
 in charge regions of thundercloud 75–78, 79, 80–82, 83
 of atmosphere versus height 481, 507
 of dart leader channel 7, 164
 of return-stroke channel 7, 163–164
- terminology 4–6
- test standards
 for aircraft 362–364
 for communication systems 624, 625
 for power systems 624, 625
- thermal conduction 396
- thermal gradient, vertical (lapse rate) 67, 386
- thermodynamic equilibrium, local 163, 395
- thermosphere 481
- Thor 1
- thunder
 attenuation of, in air 387
 clap 375, 385
 close sounds 375
 cloud flashes 376–377, 381
 distance heard 374, 386–387
 duration 374
 energy 376–377, 381, 397
 frequency spectrum 374–377, 381
 generation of
 electrostatic mechanism 385–386
 heating mechanism 378–385
 infrasonic 374, 385–386
 leader 383, 386
 models of 379–381
 N-wave 379–381
 peal 375
 power spectrum of 381
 rocket-triggered lightning 377, 383–385
 roll 375
 rumble 375
 shock wave 378, 379
 relaxation radius 379
 source location of, *see* acoustic imaging
 time interval between thunder and lightning 374
 upward lightning 260
 volcano lightning 666, 667
- thunder events 47
- Thunderbird 1
- thundercloud 67–91
 charge location 75–82, 83
 dipolar structure 68, 73, 77
 electrical charges of p, N, and P regions 79
 electrification 84–88, 92, 528
 models 88–91
 potential difference from ground 111
 properties related to flash rates 30–31
 tripolar structure 68–70, 79, 80, 81
- thunderday, *see* thunderstorm days
- thunderhour, *see* thunderstorm hours
- thunderstorm days 35–36, 37, 43–44
- thunderstorm hours 36–37, 43
- Thunderstorm Research International Program (TRIP) 297
- thunderstorms
 air-mass 49, 68
 as generators in global electric circuit 10
 charge distributions 75–82, 83
 charging mechanisms 84–88, 92, 528
 convective 68
 current above 10
 evolution 73–75, 310–311
 flash rates 24–26, 31
 frontal 49, 68
 severe 25, 28–30, 84, 218
 supercell 29, 68, 80–81, 83, 326
 tornadic 29–30, 219
 winter 77, 217–218, 308–311
- time constant, *see* relaxation time
- time-of-arrival mapping systems 562–568
- TIPPs 334, 496, 571–572
- TL model, *see* transmission line model
- topological shielding 591, 604, 605
- tornadic storms 25, 28–30, 84, 218
- tornadoes 29–30, 219
- tortuosity
 description of 161
 electromagnetic radiation affected by 161–162
 thunder affected by 378, 379, 385
- transient flame 299
- transmission line 616–619
- transmission line equations (telegrapher's equations) 398–399
- transmission line (TL) model 161, 400–403, 407–413, 567
- traveling current source (TCS) model 129, 401–404, 407–412
- triggered lightning, *see* rocket-triggered lightning
- Trimpi event 496
- troposphere 67, 481, 507
- UED (Uranian electrostatic discharges) 545
- unconnected upward discharge 141–143
- updrafts 68, 34
- updraft velocity 34, 68
- upper atmosphere 507
- upward connecting leader 110–111, 137–143, 220–222, 275–276
- upward leader 224–226, 244–247, 270–272
- upward lightning 50, 52, 214, 232–233, 241–260, 311–312
- Uranus 529
 atmosphere 544–545
 radio emission 545
- velocity, *see* propagation speed
- velocity of electron drift 415
- Venera 531, 532, 535–536
- Venus 529
 atmospheric properties 531
 ionosphere 533
 optical measurements 532–533
 radio emission 533–536
- vertical wind shear 217, 311, 386–387
- VHF (very high frequency) 340, 555
- VHF–UHF mapping systems 563–564, 568–570
- VHF radiation produced by lightning processes 6
- VLF (very low frequency) mapping systems 555, 564–565
- volcanic lightning 564–565, 666–667
- voltage deviation 460
- Voyager 536, 538–539, 540–541, 543–546
- warm cloud 528
- water droplets 86–87
- water jet 299
- waveform
 BIL 116
 bipolar lightning current 248, 312, 313, 316
 cloud flash electric field 323, 324, 325
 continuing current 176, 179, 183, 281
 dE/dt 157, 256, 336
 downward negative flash current 111
 downward negative flash electric field 114, 117, 174
 ICC pulses 273

- initial breakdown pulse 119, 120, 334, 335, 336
 initial continuous current 273
 initial current variation (ICV) 273
 K-change 184
 leader field 118, 126, 127, 130, 131, 135, 157, 169, 180, 184, 276, 290, 291
 leader luminosity pulse 150
 M-component current 179, 180, 181, 183
 M-component electric field 180, 181, 183, 184
 M-component luminosity 178
 M-component magnetic field 181
 narrow bipolar pulse 335, 336
 positive lightning current 215, 221, 246, 312, 313, 314
 positive lightning field 223, 226
 precursor current pulses 275, 276
 regular pulse burst 187, 188, 189, 190, 339
 return-stroke current 144, 147, 215, 221, 252, 255, 256, 281–285
 return-stroke field 119, 126, 127, 135, 153, 157, 169, 180, 184, 223, 226, 256, 277, 290, 291
 return-stroke luminosity 150
 triggered-lightning flash current 273
 upward connecting leader current 276
 upward flash current 243, 245, 246, 248, 250
 winter lightning current 215, 312, 313, 314, 315, 316
 wave-tilt formula 162
 wet bulb temperature 43
 whistlers 432, 434–435, 454–459, 530
 coupling from atmosphere to magnetosphere 457
 dispersion parameter 435–436, 455–458
 duct 435, 455–459
 frequency–time characteristics 458, 435–436
 induced electron precipitation 456, 480, 491, 493–495
 nose 435, 455, 458
 observation
 ground-based 434–435, 454–456
 satellite-based 456–457, 459
 occurrence rate 435
 partial reflection 435
 path 357–359
 propagation
 multi-path 455
 non-ducted 435, 455–456, 459
 triggered emission 456
 X-ray 456, 480, 491, 493–495
 two-hop 435, 455
 wind shear 217, 311, 386–387
 winter lightning 311–316
 winter thunderstorms 77, 217–218, 308–311, 349
 X-rays 121, 480, 491, 493–495
 zero-crossing time of field waveforms 154, 229, 407–408
 Zeus 1