
MODULE INDEX

ABP	55	Frame-Transmission	174
Ack-Receiver	68	Frames	51, 58, 64, 77, 86, 100, 145, 153
Ack-Sender	67	Host	109
Amoeba-data	120	IMP	78, 89, 101
Atp	131	LLC	141
Bits	181	LLC-data	141
Boolean-Cell	27, 43	Maxbuf-size	99
Booleans	24, 39, 179	MaxRetr	121
Buffer	176	Medium	157
Bytes	166	Messages	25, 121
CABP	69	Naturals	180
CH	81, 92	Network-data	140
Channel	15, 22, 30	Network-parameters	140
Channel-K	53, 60, 65	Octets	167
Channel-L	54, 62, 67	One-Element-Buffer	49
ChannelStates	88, 122	PAR	62
Chcs	130	PortNames	169
Client	122	Ports	171
Cltp	125	Queues	182
Communication	109, 132		
Data	182		
Fields	168		
Frame-Numbers	86		
Frame-Reception	172		

Cambridge University Press

978-0-521-08812-1 - Algebraic Specification of Communication Protocols

Edited by S. Mauw and G. J. Veltink

Index

[More information](#)

194

Module Index

Receive	155	SWP2	93
Receiver	15, 21, 30, 54, 61, 66	SWP3	107
Ring-Interfaces	175	Symbols	166
SDU	169	System	16, 22, 32
SEN	156	Tables	183
SEN-data	152	TIM	80, 91, 105
Sender	13, 21, 29, 52, 59, 65	Timer	60
SENnetwork	158	Timer-Signals	58
SENstation	159	Timers	87, 100
Server	124	Token-Transmission	173
Sides	77	TokenRing	177
Srtp	128	Transmit	154
STR	146	Utilities	170
STR-data	144	Windows	87
STRnetwork	148		
STRstation	149		
SWP1	82		

SUBJECT INDEX

ABP	7, 47-8, 50, 70	COLD	2
abstract data types	3	collision	135-6, 142, 150, 153
abstraction operator	19	comment	12
Access Control	143, 165	communication	17
acknowledgement	48-51, 57, 72-4, 137	communication layers	5
ACP	3, 8-10, 45, 70, 112, 133, 160, 178	Concurrency Workbench	46
action relations	11	concurrent alternating bit protocol	7, 47, 63
Alternating Bit Protocol	2, 7, 47, 50	conditional equations	39
alternative composition	15	conditional expression	30, 31
Amoeba	7, 113-4, 133	confirmation	138, 139
application layers	5	connection oriented	71, 113, 137
ASF	10, 45-6	constant functions	24
atomic action	11	correctness	1, 2, 48
ATP	113-4, 133	CSMA/CD	7, 136-7, 150-1
AUTO	46	CSP	3, 8, 9, 46
		Cyclic Redundancy Code	6
binding	33		
bisimulation	44-46	data encapsulation	22
broadcasting	4	data link layer	5, 6, 71, 137
buffer	49	deadlock	13-4, 31, 43
		Destination Address	143, 150, 165
CABP	7, 47-9, 50, 63-4, 70	difference	17
carrier	136, 153, 160		
CCS	3, 8-9, 46	encapsulation	18
channel	6	encapsulation operator	18
checksum	6, 48, 73	Ending Delimiter	165
checksum error	6, 48, 51	enumeration	17
Client	113		

- | | | | |
|-------------------------------------|--------------------|--------------------------------------|----------------------------|
| equation | 25 | module | 13 |
| Ethernet | 7, 136-7, 150, 160 | multiplexing | 6 |
| exported objects | 21 | network | 3, 135 |
| fair | 6, 161 | network layer | 5 |
| fairness | 48 | networks | 8 |
| formal description techniques | 1 | non-determinism | 1 |
| formal specification | 2 | nonsequential receive with selective | |
| frame | 48 | repeat | 7, 94 |
| Frame Status | 165 | normal form | 39 |
| full-duplex | 6, 7, 71 | one-bit protocol | 7, 73 |
| generalized alternative composition | | OSI | 4, 8, 71, 114, 137, 178 |
| | 28 | output type | 24 |
| generalized parallel composition | 28 | overloading | 27 |
| half-duplex | 6 | PAR | 7, 47-9, 56-8, 70 |
| hidden objects | 21 | parallel composition | 17 |
| identifier | 12 | parameterization | 3, 29 |
| IMP | 4, 75, 78, 88, 105 | parser | 38 |
| imports | 23 | performance | 113 |
| indication | 138-9 | Petri Nets | 9 |
| information hiding | 22 | physical layer | 5, 114, 137 |
| initial algebra | 25-6, 42, 46 | piggyback | 115-6 |
| input type | 24 | piggybacking | 96 |
| Interface Message Processor | 4, 75, 78 | pipelining with go back N | 7, 83 |
| interleaving | 17 | point-to-point | 2, 4, 7, 71, 142, 161 |
| internal action | 18 | Port Layer | 114 |
| intersection | 17 | Positive Acknowledgement with | |
| ISO | 4 | Retransmission Protocol | 7, 47, 56 |
| jam | 151, 160 | priorities | 47 |
| LAN | 4, 135-7, 143, 160 | priority operator | 57-8 |
| library manager | 38 | process algebra | 2-3 |
| LITE | 46 | process expressions | 11 |
| livelock | 43, 112 | proof assistant | 41 |
| LLC | 137, 139, 142, 151 | protocol | 4-5 |
| Local Area Network | 4, 135, 160-1 | Protocol Data Unit | 165 |
| Logical Link Control | 137-8, 160 | prototyping | 2 |
| LOTOS | 2, 46, 178 | PSF | 2, 3, 6, 8-11, 38, 45, 112 |
| LOTOSPHERE | 46 | PSF compiler | 38 |
| MAC | 137, 139 | PSF Standard Library | 33, 45 |
| Media Access Control | 137 | PSF-Toolkit | 36, 45 |
| modularization | 3, 20, 21 | receiver | 6, 12, 15 |
| | | receiving window | 73, 83, 94-5, 111 |
| | | recursion | 14 |
| | | renamings | 23 |

Subject Index

197

request	138-9	TIL	36-41, 46
rightmost-innermost	40	time-out	57-8, 73-4, 94, 104
SDL	2	timer	49, 74, 80, 90, 119, 120
semantics	11	token	135-6, 142-3, 146, 161-4
sender	6, 12, 13	Token Bus	135-6
sending window	73, 83, 87, 94-5, 111	Token Ring	1, 135-7, 142-4, 160-2
sequential composition	14	trace	41, 56
Server	113	Transaction Layer	114
Service Data Unit	165	Transaction protocol	7, 113, 133
set	17	transition systems	43
simplex	6, 7, 48	Transmission Status	143, 146
simulator	9, 40-1, 56	transport layer	6
skip	18, 19, 53, 65, 67	union	17
sliding window protocol	7, 71	validation	2
Source Address	143, 146, 150, 165	variables	28
standardization	2	VDM	2
Starting Delimiter	165	WAN	4
SWP	71, 72	Wide Area Network	4
symbol	164	Z	2
term rewriting	9, 25, 38		
tick	11		