CAMBRIDGE

Cambridge University Press
978-0-521-10426-5 - Monsoon Dynamics
Edited by James Lighthill and R. P. Pearce
Index
More information

Index

Page numbers in parentheses indicate pages on which references are listed

Aden, Gulf of, 448, 449
adiabatic ascent, 30
adiabatic equation, 581
adiabatic lapse rate, 134
  dry, 644
  moist, 274
adiabatic processes, 106, 137
adjoint problem, 647, 648, 649, 650, 651–2
advection, atmospheric
  horizontal, 137, 277, 278, 377, 513, 517, 581, 586, 602
  non-linear terms, 196
  prediction model terms, 579, 586
  thermal, 395
  vertical, 275, 277, 278, 377, 586, 619
  vorticity, 395
advection, oceanic, 174, 239, 449, 482, 530
  Bay of Bengal storm surges, 694
  non-linear terms, 664, 667
  Somali Current model, terms, 550
  upwelling, 529, 530
  vorticity, 537, 538, 539
aircraft wind observations, 84, 88, 92, 150, 313
airflow
  pattern, 558
  over Kenya, 309–18
  see also winds
air masses, polar, 54
air–ocean coupled models, 541, 542, 553, 554
air–sea
  interaction, 491, 497, 510, 530
  interface, 512
  temperature difference, 493, 664, 670
albedo, 17, 19, 100, 106, 107
  general circulation models, 135, 144
  ice age simulation, 127
  numerical model of monsoon trough, 359, 360, 361, 362
  prediction model, 150
aliasing, in sigma-systems, 587, 597
altitude, of sun, 494
Andaman Sea, 215, 217, 682
Andhra Pradesh, India, 215, 657, 682, 684
angular momentum, 189, 242
angular velocity
  of earth's rotation, 113, 663
  laboratory model, 559–60, 564
anticyclones, 37, 46, 94, 117
  Mexican High, 21, 151, 155
  Middle East anticyclone, 219
  shear, 69, 70
  Tibetan High, 19, 21, 32, 55, 151, 153, 155, 219
  in midtroposphere, 415
  in upper troposphere, 30, 45, 46, 155, 209–12
anticyclonic flow, oceanic
  curl, laboratory ocean model, 558, 561
  gyre, laboratory ocean model, 568, 573
  forced inflow in surface layer, 547
  vorticity, 239–40, 244

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-10426-5 - Monsoon Dynamics
Edited by James Lighthill and R. P. Pearce
Index
More information

anticyclonic flow, oceanic (*cont.*)
wind drag, 239
Antilles Current, 239
Arabian Sea
atmospheric pressure troughs, 215, 223
boundary layer model, 137, 138, 140, 141
cloud cover, 269–70
cyclones, 144
heat budget of oceanic surface, 491–2, 497, 499–506, 509–17, 520
midtropospheric cyclogenesis, 366, 378
oceanic response to monsoonal winds, 558, 561; laboratory model of, 565, 572
sea-surface temperatures, 105–6, 120–7, 237, 242–3, 244, 246, 248, 481–8, 542, 547, 554
surface cooling processes (upwelling), 529–39
turbulent kinetic energy profile, 624
water vapour fluxes, 219, 261, 292
winds, 219, 292, 293, 314, 322, 632, 634
Arakawa–Schubert parameterization theory, 269
Arctic sea ice, maintenance of, 558
astronomical tide-raising forces, 657, 690
atmosphere
density, 603, 665
instability, 491
model of, 673–81
pressure, *see* pressure
processes, 639–55, 657
stratification, 581
temperature, *see* temperature
turbulence, *see* turbulence
winds, *see* winds
autocorrelation, 6–8
coefficients, 481, 483, 484, 486–7, 488
autoregressive moving average (ARMA) models, 708

Backergunge cyclone, 683
Baker formula for thymol blue, 564
balloons
pilot, 262–4, 314, 315
superpressure, trajectories of, 287–307
band-pass-filter, 13
Banerjee, A.K., 52, (63), (212)
Bangladesh, 215, 690, 691
Barbados Oceanographic and Meteorological Experiment (BOMEX), 269–70, 275, 282, 512
baroclinic
disturbances, 66, 370
effects, 43
energetics, 147, 148, 160–2
flow, 179, 378
instability, 106, 170, 375, 378, 403, 416, 557, 568–9
model studies, 385–90
modes, 530, 541
radius of deformation, 529, 564
waves, 194: downstream development of, 381–401; phase speed, 387, 388, 393; shear of, 387, 388, 395, 397
barometric forcing, 691, 705
barotropic
atmosphere, 356
characteristics of quasi-stationary wavenumbers, 161, 162
conversion processes, 160–1
dispersion, 393
energetics, 23, 25, 41–3, 44, 147, 159–61, 162
instability, 25, 45, 66, 71, 383–5, 403–4, 417–22, 425, 427
kinetic energy, 25
model studies, 382–5
nonlinear processes, 70, 71, 75
vorticity equation, 66, 382
barotropic–baroclinic instability, 19, 46, 411, 423–7
bathymetric contours
Arabian Sea, 483
Indian Ocean, 456
bathythermograph data, 481, 482
Bay of Bengal
boundary layer model, 140, 143
cloudiness, 295
cyclonic storm, 215
depressions, 118, 143, 144, 222–3, 227–8, 230–1, 234, 416, 429
heat budget of oceanic surface, 491–2, 494–6, 498, 501, 505–6, 509–20
high pressure, upper troposphere, 212
monsoon development, 215, 217, 222–3, 227–8, 230–1, 234
numerical model of monsoon trough, 362
sea-surface temperatures, 125, 246
storm surges, numerical simulation, 689–705; prediction of, 657, 658, 662, 681–5
upwelling, 525, 526
winds, 125, 140, 143, 293, 411, 632, 634
benthic fish, 527
Berlage, H. P., 14, (18), 27, (46), (63)
beta-effect, 387–8, 393, 396, 529, 537, 538, 559, 561
beta-plane
model, 194, 196

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-10426-5 - Monsoon Dynamics
Edited by James Lighthill and R. P. Pearce
Index
More information

beta-plane (*cont.*)
approximation, Somali Current model, 543
Bjerknes, J., 16, (18), 105, (108), 239–41, (250)
Blackadar, A. K., 617, 620, 621, (623)
blocking technique, 596–7
BOMEX, *see* Barbados Oceanographic and Meteorological Experiment
bore, 683, 685
bottom friction, 689
bottom stress, 662, 663, 693, 694, 703, 704
bottom topography, 531, 683
laboratory model of, 563
boundary
anomalies, 99, 100–1
conditions: general circulation models, 114; kinematic, 580; numerical simulation of atmosphere, 641; omega equation, 603, 605, 606, 609; open-sea, 691–3; sea-model equation, 663, 664, 685; sigma-system models, 581; Somali Current model, 541, 543, 547–8, 550, 551, 552–3; storm surge simulation, 701, 705
current, *see* currents
layer, 118, 133–4, 136, 137, 138, 151, 194, 353: Ekman, 559, 561; fluxes, 128; model, 644
moving boundary procedures, 685
values, 443
value problem, 604, 606
see also planetary boundary layer
Boussinesq assumption, 532
Bowen ratio, 351, 361
Brahmaputra River, 690, 691, 704, 707, 708–11
break-monsoon conditions, 229–31, 293–5, 302–4, 352, 492, 506, 513
British Meteorological Office
general circulation model, 115, 122, 131, 144
storm surge prediction, 660
weather prediction, 659, 670
Brunt–Väisälä frequency, 386, 474
buffer systems, 84–91
bulk Richardson number, 134, 135
buoyancy
of clouds, 270, 271, 272, 279
frequency, 479
Bushby–Timpson 10-level model, atmospheric, 659, 660

California Undercurrent, 574
Central Marine Fisheries Research Institute, 523
Charney, J. G., 100, 101, 106, (108), (363), (428), (441)
circulation, atmospheric, 20, 21, 28, 30, 38, 162, 217–20, 221
low-level cyclonic, 155, 295, 516, 608
monthly mean in upper troposphere, 81–91
non-divergent, 30–2, 535–6
quasi-stationary systems, 147–62
vertical motion, 601–13
see also Hadley circulation *and* Walker circulation
circulation, oceanic, 532
laboratory models, 559–75
wind-driven, 530–1
climate model, 165–91
cloudiness, 59, 60, 61, 492, 493, 494, 495–6, 499–500, 501, 503–4, 511, 513, 516, 517, 518
general circulation models, 115, 127, 128, 132, 144, 295, 298, 301, 304, 305, 307
Tibetan Plateau, 360
clouds
buoyancy, 270, 271, 272, 279
cirrus, 81, 88
cirrostratus, 273
cluster properties, 269–85
convective, 60–1, 325
cover, *see* cloudiness
cumulonimbus, 61, 269, 271, 273
cumulus, 30, 269, 272, 273, 622
ensembles, 270, 279
mass flux, 271
nimbostratus, 272, 273
satellite pictures, 230, 546, 609, 611
stratocumulus, 273
coastal geometry, 683
coherence analyses, spatial and temporal, 14–16
computational algorithms, perturbation theory, 639, 640–1
condensation, 60, 61, 134, 416, 580
conditional instability of the second kind (CISK), 269, 285, 403
conservation
equations, Somali Current Model, 532
laws, of mass, momentum and energy, 640
of mass, 601
theorem, potential vorticity, 194
of vorticity, 601
continental shelf
Bay of Bengal, 527, 682, 683
European, 660–1, 669–72, 681, 685
contours, depth of Arabian Sea, 483

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-10426-5 - Monsoon Dynamics
Edited by James Lighthill and R. P. Pearce
Index
More information

control theory, 639, 641
convection, 133, 137
  cumulus, 25, 30, 53, 61, 269, 280, 283, 285
  moist, 150, 370, 374, 375, 377, 378
  parameterization, general circulation models, 143–4
  plumes, 391
convective activity
  dry convective adjustment, prediction model, 150
  heat release, 278
  mixing, 313, 518
  moist convective heating, 157, 158, 162
  Puerto Rico experiment, 622
  rainfall, 103
  region, 88
  Somali Jet, convective clouds, 325
convergence
  equatorially-convergent flow, 466
  horizontal, 373, 378
  zonal convergence of heat and momentum, 165, 168: parameterization of, 170, 179, 183, 187, 188–9, 190
  see also Intertropical Convergence Zone
cooling processes, surface of Arabian Sea, 529–39
coordinate surfaces, sigma-system, 581
Coriolis
  force, 115, 293, 472, 546, 550, 681
  parameter, 113, 195, 240, 602, 603, 616, 644, 663, 665, 691, 696
cospectrum, 14
coupling coefficients, 199, 201, 202, 203
cumulus parameterization model, 60
currents
  boundary, 448–9, 450–1, 532
  Davidson Current, 574
  depth-averaged, 694
  equatorially convergent, 466
  geostrophic, 239
  inertial current, translation speed, 550
  non-geostrophic component of surface flow, 524
  North Equatorial Current, 468
  offshore, 530
  structure of, in Indian Ocean, 453-63
  subsurface jets, 468–72
  tidal, 482, 701, 702
  wavelength of zonal current, 200
  wind-generated, in Bay of Bengal, 683
  see also Somali Current, Western Boundary Current, undercurrents
cyclogenesis, monsoonal midtropospheric, 365–79
cyclones, 94, 144, 238, 415–16, 657, 658, 682, 683
  Backergunge cyclone, 683
  low-level cyclonic circulation, 155, 295, 516, 608
  midtropospheric cyclones (MTC) 365–79
  prediction, difficulty of, 689, 691, 696, 703, 704
  shear, 45
  cyclonic storm, 215, 217, 245, 497, 501, 506
cyclonic flow, oceanic
  curl, laboratory ocean model, 561
  eddy, off Somali coast, 531
  gyre, laboratory ocean model, 566, 568, 569, 573
  vorticity, 240–1
  wind drag, 239

Daggupaty, S. M., 25, (47), 112, 115, 116, (130), 148, (163), (164), 166, (192)
Davidson Current, 574
daylight, duration of, 494
demersal fish, 527
density
  of air, 603, 641, 665
  discontinuity layer, 460
  of fluids in 2-layer model, 564
  Indian Ocean, sea water, 454, 455, 460–2, 511, 525, 663, 691
depressions
  over Bay of Bengal, 118, 143, 144, 222, 223, 227, 295, 416, 429
  downstream development, 396–400
  monsoon depressions, 26, 118, 143, 295, 518, 632
  northern India, 608–9
  numerical model of monsoon trough, 362
  ocean surface heat budget, 501
  westward moving laws, associated with 'break', 230
depth mean current, 622, 663, 680, 681
detrainment
  of clouds, 270, 271, 278–82, 284, 285
  level of, 271, 272
dew point, 492, 494, 495–6, 499–500, 503–4
diabatic heating, 50, 61, 131, 144, 149, 157, 160, 359–61, 362, 424, 603
  rate of, 602, 616, 619
diabatic heat sources and sinks, 604
differential heating of land and sea, 23, 165, 491
diffusion, 150, 694

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-10426-5 - Monsoon Dynamics
Edited by James Lighthill and R. P. Pearce
Index
More information

Dirac-type non-negative weight function, 650
discrete models, construction and use, 642–8, 649, 650, 653
dissipation, viscous, 617–18
disturbances
  baroclinic, 66, 370
  cyclonic, 415–16
  transient, 161
  tropical wave, cold- and warm-cored, 30
diurnal variations
  sea-surface temperature, 509, 512–16, 519
  shortwave radiation, 150
  strength of jet, airflow over Kenya, 313–14, 315
  wet bulb depression, 509, 512–16, 519
divergence, 20–3, 274, 275, 285, 535, 536, 546, 547, 595
  Ekman layer, 531, 562
  flux, 586
  horizontal, 272, 369, 373
'domain-average' model, 167, 168–71, 174
downstream development
  in midlatitudes, 390–6
  of monsoon depressions, 396–400
downwelling, 239, 535, 537, 546
drag
  coefficient, 603, 665, 668
  law, 696
dropsonde, acoustic, 457
droughts, 19, 37, 41–2, 558, 707
dry bulb temperature, 492, 512, 513
dynamical principles, of general circulation models, 113–14

Eady, E. T., 106, (108)
Eady model, *see* baroclinic model
Eady wave, 390
Earth's surface as coordinate surface, 580
easterlies
  upper, 32, 41, 46, 381–401, 432
  zonal, 166, 171, 178, 187, 212, 218–19
economy, impact of monsoons and coastal-water upwelling, 523, 527
eddies
  available potential energy, 370, 375, 376, 377
  coefficients, 615, 617
  cyclonic, 531
  energy budget, 534
  fluxes, 40, 133, 179, 280–1
  kinetic energy, 21, 67, 72, 370, 375, 376, 427
  momentum, 179, 185
  Somali Current, 532, 541, 542, 544, 546–52, 553
  standing and transient, 38, 65–79
  stresses, parameterization of, 616
  subsurface, 451
  transports of heat and momentum, 107
  viscosity, 550
  water vapour fluxes, component in computation of, 262
Egger, J., 581, 595–7, (599)
eigenfunctions, 198, 368, 369, 371, 627
eigenvalue, 368, 369, 370, 384, 387, 605, 629, 630
  technique, 406, 417, 422
eigenvectors, 419, 605, 628–9, 630–2, 634, 635
  rainfall estimation, 635–8
  space fields, 633, 636
Ekman
  divergence, 531, 561, 562
  drift, 239–40
  layer, 194, 559, 561
  number, 557, 559, 563, 564, 569
  transport, 447, 473, 558, 562
elevation
  mountains, effect on rainfall distribution, 253–60
  of sea surface, 662, 690, 693, 695, 696, 697, 698, 699, 704
El Niño, 26–8, 239
empirical emissivities, 132–3
empirical orthogonal functions, *see* eigenvectors
empirical coefficients
  friction, 694
  space, 628
energetics
  baroclinic, 147, 148, 160–2
  barotropic, 25–6, 27, 41, 65–79, 147
  midtropospheric, 370, 375, 377
  of ultra-long waves, 159–61
energy
  balance, 492–3, 642, 645–6
  budget, 491, 492, 509–27, 534
  conservation, laws of, 640
  fluxes, 492, 494, 495–6, 497, 498, 499–500, 501, 502, 503, 504, 506
  potential energy, 157, 159–61, 370, 375, 376, 377, 385, 549
  processes, of conversion, 369: of exchange, 512
  sink, 494, 517, 544
  solar energy input, 359
  subsurface storage, 521
  thermal energy, 237, 238
  transformations, 41
  transport, 238, 472, 473, 509, 598

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-10426-5 - Monsoon Dynamics
Edited by James Lighthill and R. P. Pearce
Index
More information

energy (*cont.*)
see also kinetic energy, solar radiation, wave-energy
entrainment
cloud entrainment values, 282, 284, 285
of cold coastal water, 547
fractional entrainment rate, 271, 280, 286
equatorial wave theory, 546
Eulerian observations, 288
euphotic zone, 526–7
evaporation, 271, 279, 506, 512, 517, 520, 554
evaporative cooling, 30, 60, 135, 137, 530
evapotranspiration
estimation of, 264–5, 266, 267
potential, 264–5
'external surge' component, 681

feedback, 648–9
Findlater, J., 127, (129), (212), (318), (319), (331), (451), (554), (576)
Findlater jet, 561, 565, 566
finite-difference models, 356, 581–2, 588, 601, 604, 606–7, 608–9, 645, 646, 649, 659, 666
finite-element models, 601, 604–5, 607–8, 609–13, 645
fisheries, Indian, 526–7
Flohn, H., 5, 14, 16, (18), 61, (63), 147, (163), (348)
flooding, 657, 658, 690
flood stage forecasting in rivers, 707–16
Florida State University, study of tropical climate at, 43, 557
flows, *see* currents, fluxes, winds
fluxes
divergence, 586
eddy, 40, 133, 179, 262, 280–1
Ekman, 473
energy, 23, 492, 494, 495–6, 497, 498, 499–500, 501, 502, 503, 504, 506
heat, 165, 168, 179, 187, 188, 190, 239, 280–1, 495–6, 497, 498, 499–500, 503–4, 505, 512, 513, 619, 644
mass, 279, 280, 282, 285
moisture, 219, 242, 618
momentum, 38, 39, 40–1, 179
sensible heat, 359–60, 361, 362, 493, 494, 497, 509
water vapour, 262
zonal, parameterization of, 170, 187
forcing
barometric, 691, 705
local, 543–4
periodic, 473–4, 475, 479, 558, 565, 572–5
remote, 543
terms, omega equation, 602–3
tidal, 689
wind-forcing, 530, 531, 532, 534, 551
forecasting
'break' of monsoon, use of SST anomalies, 246–9
hydrological, 708
long-range techniques, development of, 309, 317
medium range, of monsoon rains, 221–34
onset of monsoon, use of SST anomalies, 244–6
storm-surge prediction, 659–85
surface pressure, with orography, 596–7
see also weather prediction
Fourier
components, 40
series, 66–70
transform, 434, 435, 436
zonal analysis, 151–5, 161, 162
fresh water, Bay of Bengal simulation
discharge, 689, 690, 693, 695, 705
input, 689
friction, 423, 537, 538, 603, 696
bottom friction, 689, 705
empirical coefficient, 694, 703
lateral, 543, 551, 561
Froude number, 557, 562, 563, 564, 567, 569
functional variation, discrete model, 646, 647–8, 649, 650, 653

Ganges River, 657, 683, 690, 691, 704
Gan Island, Indian Ocean, 466
Garissa, Kenya, 314–16
GARP, *see* Global Atmospheric Research Programme
Gaussian distributions, 100, 711
general circulation models (GCMs), 111–28, 131–44, 148, 166, 385, 584
Geophysical Fluid Dynamics Laboratory (GFDL), general circulation model, 112, 115, 118, 120, 127
geopotential, 170, 195, 196, 353, 354, 368, 373, 378, 602, 603
equation, 595
fields, 371, 377, 606, 653–5
hydrostatic, 355, 582, 586
perturbation, 373, 405, 641, 642, 653
p-system, 589
geostrophic
adjustment, 194

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-10426-5 - Monsoon Dynamics
Edited by James Lighthill and R. P. Pearce
Index
More information

geostrophic (*cont.*)
assumption, 134, 602, 603
balance, 196, 549, 558
closed geostrophic contours (laboratory ocean model), 559
coastal jet, 546
currents, 239
flow, 558, 561, 562
streamfunctions, 562
western boundary current (laboratory ocean model), 561
wind, 585, 586, 588, 602, 616, 665, 668
Gilchrist, A., (129), (145), 148, 162, (163)
Global Atmospheric Research Programme (GARP)
Atlantic Tropical Experiment (GATE), 45
GARP Global Weather (FGGE), 81, 148, 167, 322
GATE Central Programme Workshop, 137, 145
JOC Study Group Conference, 598
Goddard Institute for Space Studies (GISS), 100, 112
gradients
atmospheric pressure, 19, 295, 510
dry static energy, 272, 274–5, 276
mixing ratio of water vapour, 272
oceanic pressure, 546
potential vorticity, 406–7, 417
sea-surface, 466–7
temperature: oceanic, 460, 484; Somali Current model, 533
gravity, 113
acceleration, 644, 663
reduced gravity model, 542, 553, 564
waves, 195, 198, 460, 598, 683
grid-domain, discrete model, 645, 646, 648, 649, 650
grid-point models, 597
ground terrain, 603, 609, 610
Guardafui, Cape, 448
Gulf Stream, 239
gyres, 531, 534, 535, 537, 538, 539, 566, 568, 573

Hadley circulation, 21, 25, 105, 107, 166, 219, 241, 242
Hahn, D. G., (129), 148, 163, 166, 167, (191), (599)
harmonic analysis, of mean monthly temperatures, 50–61, 483
harmonic method, of tidal prediction, 660
harmonics, zonal, 23, 32, 35, 36, 41
Hart, J. E., 568, (576)
heat
budget, 491–506, 509, 511, 512, 513
convective heat release, 278
fluxes, 165, 168, 179, 187, 188, 190, 239, 280–1, 495–6, 497, 498, 499–500, 503–4, 505, 512, 513, 619, 644
heat potential, upper oceanic layer, 509, 518–19, *see also* hurricane heat potential
mixing coefficients, 533
net heat gain, 509, 512–13, 516–18, 519
poleward transport of, 558
see also latent heat, sensible heat, specific heat
heating
condensation, 416
convective, 157, 158, 162
differential, 23, 491
perturbation, 405
solar, 57, 59
see also diabatic heating
Heaviside step function, 436
Hermite polynomials, 198, 200
Himalayas, 61, 117, 118, 120, 128, 131, 133, 140, 143, 222, 229, 231, 246, 253–60, 577
homogenous fluid, laboratory model, 557, 559, 564, 565, 567–70, 573
Hooghly River, 683
Hövmuller diagram, 397, 399
humidity, relative
land and sea, 135
percentage, 494
hurricane heat potential, 511, 518–19, 520
hurricanes, *see* typhoons
hydrodynamic laws, equations, 641, 645, 662–3
hydrographs, 711, 712–13, 714–16
hydrographic conditions, Indian Ocean, 453–63
hydrolapse, 135
hydrological forecasting, 708
hydrology, ground, 128, 135, 137, 138
hydrometeorological observatories, Lake Victoria, 334, 338
Hydrometeorological Services, USSR, 455
Hydromet Survey Project, 334
hydrostatic
component of geopotential, 355
equation, 113, 584, 588–9
equilibrium, 354
law, 665
numerical prediction models, approximation, 580

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-10426-5 - Monsoon Dynamics
Edited by James Lighthill and R. P. Pearce
Index
More information

hydrostatic (*cont.*)
pressure, 432
relation of temperature, pressure and geopotential, 582

ice age simulations, general circulation models, 127
India Meteorological Department, 61, 63, 212, 214, 234, 246, 658
Indian Council of Agricultural Research, 523
Indian Ocean
bathymetric contours of, 456
currents, 451, 453–63, 465–79
oceanographic data, 482
Rossby waves, 475
salinity, 448
sea-surface temperatures, 244–6, 491–2, 494, 495–6, 499–500
thermal components, subsurface, 518–19
upwelling, 497–9
Indian Ocean Experiment (1976), (INDEX), 457, 547
station position, 469
Indo-Soviet Monsoon Experiment (1973), (ISMEX), 242, 453, 482, 511
inertia-gravity waves, 356, 362
inertial current
oscillation, 544, 546
Somali Current model, 531, 532
translation speed, 550
infrared
radiation, 115, 128, 132–3
radiometers, 448
thermal scanner flights, 243
initial fields, 640, 653
initialization
dynamic iterative, prediction model, 151
numerical model monsoon trough, 356–7, 639, 678
insolation, *see* solar radiation
instability
atmospheric, 491
baroclinic, 106, 170, 375, 378, 385, 389, 403, 416, 557, 568–9
barotropic, 25, 45, 66, 71, 383–5, 403–4, 417–22, 425, 427
barotropic–baroclinic, 19, 46, 411, 423–7
conditional instability of the second kind (CISK), 269, 285, 403
horizontal shearing, 532, 534
internal jet, 417, 423
stability curves, 568
synoptic scale flow, 99, 100, 101, 106
threshold of latent vertical, 242
Institute of Oceanographic Sciences (IOS), 659, 660
interactions
air–sea, 492
interactive effects, 7–8, 694
nonlinear, 101, 162, 690, 696, 704
resonant, between atmospheric waves, 194, 198–9
scale, 65–6
surge-tide, 689, 695, 696, 701, 704, 705
wave, 25–6, 27, 41–3, 68–73
internal waves, 460, 481, 482, 485, 487
International Indian Ocean Expedition, 1963–5 (IIOE), 123, 242, 365, 366, 416, 446, 454, 482, 511
intertropical convergence zone (ITCZ), 30, 46, 60, 270, 274, 333, 335
position over Africa, 336, 347
isotachs, 34, 84
isothermal atmosphere, 584–5, 588

Jacobian operator, 602, 607
Jagannathan, P., 634, (638)
Jets (*see also* Somali Jet)
Asian easterly, 384, 385, 389
daily low-level, jet stream, East Africa, 310–13
diurnal variations in strength of, 313–14, 315
easterly, upper troposphere, 19, 21, 23, 30, 45, 112, 113, 126, 416
equatorial surface, 465
Findlater (low-level), 561, 565, 566
geostrophically balanced coastal, 546
internal instability, 417, 423
kinetic energy transfer to eddies, 385
low-level, 551
oceanic westward, 453, 460
subsurface oceanic, 469–72, 475–8
supergeostrophic longshore, 546–7, 550
JOC Study Group Conference (GARP 1972), 598
Joint Typhoon Warning Centre, Guam, 30

Kalman filter, 707, 708, 710, 711, 716
Kanamitsu, M., 19, 20, 21, 25, 26, 30, 41, 43, (47), 66, 68, (80), 148, 159, 161, (163), 166, (191)
Kelvin waves, 198, 200, 201, 203, 472, 475, 534, 553
Kenya, 127
low-level cross-equatorial airflow, 309–18
Nairobi, base for aerial observations of

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-10426-5 - Monsoon Dynamics
Edited by James Lighthill and R. P. Pearce
Index
More information

Kenya (*cont.*)
Somali Jet, 322
Victoria, Lake, 333–48
Kerala, India, 211–12, 215, 217, 223, 246
kinematic conditions, 543
boundary, 580
surface, 700
kinematic structure of low-level jet, 321–31
kinematic viscosity, 564
kinetic energy
balance: zonal interactions for, 189, 237; angular momentum and, 189, 242
barotropic, 25
budget, 377
decay, eddies, Somali Current, 549
equation, 67–8, 69–71, 72–3
exchanges, 66, 74–9, 385
in prediction model, 151, 153, 157, 159–60
turbulent, 617, 622–3, 624
Kolomogoroff's hypothesis, 618
Kosi Himalayas area, 254–60
Krishnamurti, T. N., 19, 20, 21, 23, 25, 26, 30, 32, 37, 43, 45, (47), 66, 68, (80), 148, 159, (163), 166, (191), (308), (401), (412), (613)

laboratory model, of oceanic circulation, 557–75
Lagrange: interpolation formula, 355, 363; multiplier vector, 648
Lagrangian motions, 43, 288
lake breezes, Lake Victoria, 343–4, 347–8
land breezes, Lake Victoria, 343–4, 347–8
Laplace
method, 439
operator, 607
transforms, 684
Laplacian terms, 395, 563
lapse rate of temperature, 133, 584, 620
adiabatic: dry, 644; moist, 275; super-adiabatic, 622
latent heat, 23, 50, 53, 60–1, 62, 63, 117, 134, 166, 214, 237, 238, 239, 269, 270, 285, 344, 361, 362, 377, 421, 491
flux, 493, 494, 497, 501, 505, 506, 509, 512, 517, 520
Lighthill mechanism, 530, 531
Lighthill, M. J., (441), (452), 472–3, 479, (480), 530, (540), 543, (554), (576)
long waves
in parameterization of zonal flux, 170, 187
quasi-stationary, 23
radiation, 493
radiative flux divergence, 23
see also waves
Lorenz, E. N., 23, (47), 101, (108), 203, (413)

Manabe, S., 112, (129), 115, 116, 118, 120, 127, 148, (163), 166, 167, (191), (599)
Markov process, 104
mass
conservation of, 601
continuity equation, 114
flux, 279, 280, 282, 285
horizontal divergence, 272
Meghna, River, 683, 690, 691, 696, 704
meteorological interface, 661, 664–6, 668–72, 708
meteorological model, 195
Mexican High, 21, 151, 155
Middle East anticyclone, 219
mixed layer, 481, 484, 485, 487, 488, 509, 520, 621
temperature, 518–19, 523, 525, 526
turbulence, 619
mixing
coefficients of heat and momentum, 533
convective, 313, 518
forced, by winds, 530
length, 615, 617
ratio of liquid water, 271, 285; of water vapour, 272, 280, 283, 285
turbulent, 532
models
air–ocean coupled, 541, 542, 553, 554
atmospheric, 673–81
autoregressive moving average, 708
baroclinic (Eady), 385–90
barotropic, 382–5
beta-plane, 194, 196
boundary layer, 644
Bushby–Timpson 10-level, atmospheric, 659, 660
cumulus parameterization, 60
discrete, 642–8, 649, 650, 653
'domain-average', 167, 168–71, 174
finite-difference, 645, 646, 659, 666
finite-element, 645
general circulation (GCMs), 111–28, 131–44, 148, 166, 385, 584
grid-point, 597
laboratory model, oceanic circulation, 557–75

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-10426-5 - Monsoon Dynamics
Edited by James Lighthill and R. P. Pearce
Index
More information

models (*cont.*)
monsoon trough, numerical model, 351–63
non-adiabatic atmospheric, 642–3
nonlinear depth-integrated, 690
North Sea, 660–1
numerical prediction, with orography, 579–98
'phenomenological', 167
planetary boundary layer, 615–24
planetary scale monsoon, 165–91
prediction, 150–62
quasi-geostrophic, 112, 234, 404–11, 405–21, 422–6, 429–36
sigma-model, 586–95
Somali Current, 530–9
Sommeria, 3-dimensional, 615, 619–20, 622
spectral, 597, 598, 645
stochastic, 708
storm-surge prediction, 659–705
modes
baroclinic, 530, 541
meridional, 475–8
unstable: *N* modes, 370, 372, 377, 378; *P* modes, 370, 371, 372, 376, 377; tropospheric (lower), 410–12 424–5, 427; tropospheric (upper), 409–11, 424–6, 427
moisture
budget, 266, 267
changes, 618
fluxes, 219, 242
sources and sinks, 170, 271, 285
vertical turbulent flux, 618
Mombasa, Kenya, 314–16
momentum
conservation, laws of, 640
convergences of, 165, 168, 170, 179, 183, 187, 188–9, 190
equation, 582
fluxes, 38, 39, 40–1
general circulation models (GCMs), 128, 133
gradient transfer law, 700, 701
meridional eddy, 179, 185
mixing coefficients, 533
transport of, 322, 354, 385, 427, 472, 703
vertical transfer of, 598
monitoring, of monsoon outflow, 81–96
MONSOON-77, 221, 222–3, 232, 269, 491–506, 509–27, 624
Monsoon Experiment (MONEX), 127, 148, 167, 220, 232, 454, 482, 511, 624
mountains
role in monsoon circulation, 111, 118–20, 352, 357–9, 360, 361, 362
as vertical walls, 581, 595–7, 598
'multiple scales' method, 194
Murakami, T., 65–(80), 112, (130), 148, (163), 166, 167, (192), (308)

Namias, J., 26, (47), 105, (108)
Nansen casts, 455
National Center for Atmospheric Research (NCAR), 104, 321
GCM, 111, 115, 118, 123, 124, 126, 584
Puerto Rico Experiment, 615, 619–20, 621–4
National Environmental Satellite Service, 81
National Meteorological Center (NMC), 66, 148, 352
Navier–Stokes equations, 532
nephanalysis, of cloud cover, 292
Newell, R. E., 23, 24, (47), 147, 153, (163), 188, (192), (220)
Nile, River, 333–4
NOAA (GOS) satellites, 244, 292
noise system, 711
non-adiabatic
effects, 170
heating or cooling, 60
model, 642–3
non-divergence
circulation, 30–2, 535, 536
level of, 274
non-geostrophic component of oceanic surface flow, 524
nonlinear
advective terms, 196, 664
barotropic processes, 70, 71
depth-integrated model, 690
equations, 689, 693–4
interactions, 75, 101, 162, 690, 696, 704
Somali Current dynamics, 541–54
nonlinearities, 466, 479, 689, 691, 704, 705
North Equatorial Current, 468
North Sea
model, 660, 661
storm surges, 659, 681–5
northward transport experiment, laboratory ocean model, 565–9, 570
numerical integration, planetary boundary layer model, 618–21
numerical models
of monsoon trough, 351–63
with orography, 579–98
storm surge prediction, 659–85
numerical sensitivity experiments, 118–27

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-10426-5 - Monsoon Dynamics
Edited by James Lighthill and R. P. Pearce
Index
More information

ocean–atmosphere climate model, 165–91
ocean currents, *see* currents
oceanic thermal structure
  Arabian Sea, 481–8
  Bay of Bengal, 526
  gradients, 484, 486
  subsurface components, 518–19
Oceans (*see also* Arabian Sea; Bay of Bengal, Indian Ocean)
  circulation models, 530–1, 532
  cyclonic vorticity, 240–1
  laboratory model of general circulation, 559–75
  oxygen levels, 525–7
omega equation, 601–4, 606–8, 609, 611
Oort, A. H., 50, 57, (64), 189, (192), (521)
optimum gradient method, 648–9
orography
  atmospheric motions, influence on, 49
  GCMs, associated problems, 128
  in numerical prediction models, 579–98
  steep orographic features, 602
  water vapour flux, interception, 262
orthogonal polynomial regression analysis, of rainfall/elevation, 256, 258–9
oxygen content of oceans, 525, 526, 527

Paramena, J. A., 344–6, (363)
parameterization
  baroclinic instability, 170
  convective, 143–4
  cumulus, model, 60
  eddy stresses, 616
  radiative processes, 132–3
  sub-grid scale processes, 598
  zonal flux, 170, 187
periodicities in monsoon circulation, 221
perturbation, 170, 193, 202, 404
  in Eady model, 170, 193, 202, 404
  equations, 367–8, 371, 373
  geopotential, 405
  heating, 405
  mechanisms, 549
  pressure, 433
  streamfunction, 382, 394
  velocity, 440–1
  wave perturbation theory, 577, 639–55
phase
  distribution of, 56
  upward propagation of, 475
'phenomenological' models, 167
Phillips, N. A., (363), 580, 582, (599), 700, (705)
photosynthesis, in euphotic zone, 526
phytoplankton, 527
planetary boundary layer, 603, 615–24
precipitation, *see* rainfall
power spectrum analysis, 221, 483
predictability of monsoons, 99–107
prediction model, 150–62
predictions, *see* forecasts
pressure, atmospheric, 492, 665, 683
  ambient, Bay of Bengal storm surges, 696
  Bombay, pressure over, 374–5
  constant pressure surface, variable in prediction model, 150
  coordinates, 601–2
  correlations, 14
  distribution, 601, 660
  equation, 662
  high pressure belt, tropical, behaviour of, 209–12
  hydrostatic, 432, 582, 586
  perturbation, 433, 641, 644
  planetary boundary model, equations, 618
  pressure force terms, 579, 586
  p-system, 580, 581, 586, 589
  sea-level surface pressure, 20, 23, 24, 101–3, 104, 131, 138–9, 165–6, 430, 494, 495–6, 497, 499–500, 503–4: over Africa, 336; distributions, 138–9, forecasts, 596–7; persistence, 165–6
  tendencies, model of monsoon trough, 356–9
  upper troposphere, 20
  variations, long-term, at Jakarta, 27
pressure field, 295, 297, 300, 303, 306, 439, 548, 550, 552
pressure gradient
  atmospheric, 138, 510, 664, 665, 681
  equation, 616
  force, 491, 497, 498, 501, 502, 505, 581, 582, 583, 584, 585, 586, 587, 589, 595
  meridional, 19, 295
  oceanic: long-shore gradient, Somali Current, 546; in thermocline, 466; two-layer model, 561
pressure, oceanic
  hydrostatic, Bay of Bengal storm surges, 691
primitive equation model, 351–63
prismatic elements, 601, 604, 607–8
Puerto Rico experiment, NCAR, 615, 619–20, 621–4
pycnocline, 542, 546, 552–3
  anomaly, 544, 545, 547–8, 549, 550, 551, 552, 554

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-10426-5 - Monsoon Dynamics
Edited by James Lighthill and R. P. Pearce
Index
More information

quasi-biannual pulse, 13–14, 18
quasi-five-year oscillation, 13–14, 18
quasi-geostrophic models, 112, 234
  beta-plane model, 429–36
  dynamics of, 367, 378
  Eady model, potential vorticity, 386, 388
  multi-level model, 422–3
  two-level model, 404–11, 415–21, 423–6
Quirk, W. J., 100, 106, (108), (109), 112, (130), 148, (163), (363)

radiation (*see also* infrared radiation, solar radiation)
  fluxes, 498, 506
  net, 491, 492, 493, 494, 501, 512, 516–17, 520
  processes, 150, 431, 433–4, 435, 436, 509
  rates: cooling, 137, 619; heating, 277, 279
  satellite data, 509
radiative processes, 30
  cooling, 342
  enhancement of dry bulb temperature, 512
  heat fluxes, 239
  heating, 362
  parameterization of in GCMs, 132–3
  sensible heating, 165, 187
radiometersonde, 272, 277
radiosonde, 262–4, 272, 366
radius of deformation, 474, 564, 572
  baroclinic, 529, 568
  equatorial, 546
  see Rossby radius of deformation
rainfall
  anomalies, 5–18, 247–9
  average precipitation, 261–7
  convective, 103
  deficit, related to subtropical ridge, 209–11
  distribution of: during 1977 monsoon, 226–7; during 'break-monsoon' conditions, 229, 231
  elevation, effect on rainfall distribution, 253–60
  estimates, using empirical orthogonal functions, 627–38
  forecasting: medium-range, 221–34; long-range, 309, 317
  Maharashtra Province, India, 309–18
  natural cycles of precipitation, Nevada, 628, 631
  orographic, 416, 421
  oscillations in records, 9–14
  patterns of precipitation, 118, 127, 222, 226, 227
  persistence of precipitation, 6–8
  Rajasthan, India, 627–38
  seasonal distribution, 707
  sea-surface temperatures, effect of, 529, 530
  simulation in GCMs, 141, 143–4
  summer rainfall, western India, 309–18
  tropical rainfall belt, 61
  Victoria, Lake, frequency and amount, 339, 343
Rajasthan, India, 627–38
Ramage, C. S., 88, (96), 117, 123, (130), 137, 138, 142, (145), 166, (192), (401), (521), (599)
Raman, C. R. V., 88, (96), 117, 123, (130), 142, (145), (212), (235), (401)
Rand General Circulation Model, 112, 118
rawin (radio wind finding), 92–6
rawinsonde stations, 92
recursive least-square algorithm, 710, 715, 716
resonance
  coupling mechanism, 683
  interactions between atmospheric waves, 194, 198–9
  side-band resonance, Rossby wave, 193
Reynolds-averaged components, 691, 694, 701
ridge
  sub-equatorial, 88–91
  sub-tropical, 84–8, 209–11
Rossby
  number, 557, 563, 564, 568, 569, 570
  radius of deformation, 564
  waves, 107, 195, 198, 200, 356, 382, 395, 396, 397, 400, 403, 429–41, 475; baroclinic Rossby wave, 572; dispersion of, 393; Somali Current, 543, stationary topographic Rossby wave, 566, 569
Rossby gravity waves, 198, 203
rotation, of gyres, 538, 539
roughness length (parameter), 617, 701

Sadler, J. C., 84, (96), (97), 115, 116, 127, (129), (130), 178, 183, (192), (599)
salinity
  gradient, 533
  Indian Ocean, 448, 454, 455, 460–2
  Somali Current, distribution, 532
Saltzman, B., 41, (48), 66, 68, 71, (80), 127, (130), 159, (163)

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-10426-5 - Monsoon Dynamics
Edited by James Lighthill and R. P. Pearce
Index
More information

satellite
  buoys, satellite-tracked, 449–50
  cloud pictures, 230, 546, 609, 611
  geosynchronous data, 81–96
  radiation data, 509
  sea-surface temperatures, 244, 532
  winds, 92–6, 150
saturation vapour pressure, 494
sea model, of North Sea, 660, 661, 662
  boundary conditions, 663, 664, 665
  sensitivity of predictions, 666–8
sea-surface
  elevation, 662, 690
  equilibrium level of, 691
  gradient, 466–7
  pressure, 494, 495–6, 497, 499–500, 503–4
  temperature (SST), 19, 28, 30, 37, 46, 99, 100, 105–6, 107, 115; anomalies, 111, 120–7, 244–9; Arabian Sea, 529–30; in GCMs, 135, 144; Indian Ocean, 237–49, 491–2, 494, 495–6, 499, 500, 509, 512–16, 519, 520; in prediction model, 150; rainfall, 529, 530; satellite data, 244, 532; Somali Current, 445, 447–9, 451, 542, 554; Somali–Secotra area, 237
'secular terms', wave interactions, 194, 199
sensible heat
  exchange, 491, 516, 517, 518, 520
  flux, 359–60, 361, 362, 493, 494, 497, 509
  transfer, 512
  transportation, prediction model, 153, 162
sensible heating, 52, 60, 62, 63, 237–9
  in GCMs, 117, 128, 131, 136–7, 138
  radiative, in ocean regions, 165, 187
sensitivity
  method, 639
  of predictions, 666–81
  problem, 640, 646, 650–3
  theory, 640, 647
shallow water
  equations, use in meteorological model, 195
  shelf, *see* Continental Shelf
  waves, equations, 542
shapefunctions, 562
shear, atmospheric
  anticyclonic, 69, 70
  of baroclinic waves, 387, 388, 395, 397
  cyclonic, 45
  midtropospheric shear zone, 415–16, 417–18, 427
  vertical wind shear, 19, 324, 357, 385
shear, oceanic
  current shear zone, 453, 460
  horizontal shearing instability of Western Boundary Current, 534
  tidal shear layer, 702
shelf, *see* Continental Shelf
shelf model, 660, 672, 685
Shukla, J., 105, 106, (109), 116, 120, (130), (251), (413), (428), (521), (540), (555)
Shuman and Hovermale, finite-difference scheme, 352–6
sigma-coordinates, meteorological, 700
sigma-system model, 580, 581, 586–95, 597, 598
Simmons, A. J., (401), (402)
Siwana, Rajasthan province, India, 637–8
Sobolev spaces, 608
soil moisture, 99, 100, 112, 135, 361–2
solar declination, 135, 165, 171
solar energy, input, 359
solar radiation, 50, 57, 59, 60, 115, 128, 137, 190, 237, 344–6, 482, 491, 493, 509, 517
Somalia, 310–11
Somali Current, 443–4, 445–51, 472
  models, 530–9
  nonlinear dynamics, 541–54
Somali Jet, 112, 113, 116, 120, 292, 295, 312, 321–31
Somali–Socotra area, 237
Sommeria, G., 615, 619–20, 622, (623)
sources and sinks
  diabatic, 604
  laboratory model, 565, 574
South Equatorial Current, 448, 449
Southern equatorial trough (SET), 124, 293, 295
Space Applications Centre, 243
space fields, 630, 633, 635, 636, 637
specific heat of water, 115
specific humidity
  planetary boundary model, 618, 621, 622–4
  prediction model, 150, 170
  in Somali Jet, 325, 327, 328
spectral analysis techniques, 20
spectral diagnostic method, 269, 270
spectral models, 597, 598, 645
spectral representation of variables, 581, 588
spectrum analysis of monthly rainfall, 9–14
speed field, 32, 34
splitting method, 639, 640, 648
spin-down time, 194
spring-neap cycle, 672

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-10426-5 - Monsoon Dynamics
Edited by James Lighthill and R. P. Pearce
Index
More information

SST, *see* sea-surface temperatures
stability
  curves, 568
  monsoon zonal flow, 403–12
  static, 366, 377, 602, 606, 610
  stationary wave, 202
standing-wave components, 20, 71–3, 74–9
static energy
  dry, 272, 274–5, 276, 285
  moist, 118, 272, 274–5, 276, 285
stationary monsoon wave, 403–12
Stefan–Boltzman constant, 359
Stewartson layer, 561
Stidd, C. K., 628, 631, (638)
stochastic models, 708
Stommel-type western boundary layer, 561, 563
Stone, P. H., 100, 106, (108), (109), 112, (130), 148, (163), 179, (192), (203)
storms
  cyclonic, Bay of Bengal, 215
  intensity, 684
  tracks, 105
storm surges
  negative, 666, 682, 683, 696, 698, 699
  numerical experiment, 695
  numerical simulation of, 689–705
  positive, 699
  prediction, 659–85
  velocity of, 691, 693
  see also surge-elevations
'storm wave', 683, 685
streak diagrams, 116
streamfunction
  field, 30, 31, 75, 76
  geostrophic, 562
  isopleths, 32
  mass transport, 534
  omega equation, 603, 606
  perturbation, 382, 394
  Tibet–Himalaya region, 589–94
  vertically integrated flow, 537
streamlines, 116, 141–2, 392–3, 431, 438–9
  fields, 33
  mass transport, 535, 536
  predicted, 151–2
  seasonal mean, 32, 33
stress (*see also* wind stress)
  bottom stress, 662, 663, 693, 694, 703, 704
  eddy stresses, 616
  patterns, laboratory model, 557
student '*t*' statistic, 123, 256
'surfacing and separation' experiment, 569, 575
surfacing of lower layer, laboratory model, 557, 558
surge-elevations, 675–6, 679, 680, 681
surges, *see* storm surges
Sverdrup
  balanced solution, 561
  interior flow, 561, 563, 566
  transport, 558
Swallow, J. C., 444, 445–51, (452), (463), (480)
synoptic systems, 214, 215, 234

Tamil Nadu, 657, 682, 684
Tanzania, Lake Victoria, 333–43
Tchebycheff polynomials, 627
teleconnections, 5, 14–16, 18, 27, 28, 125
temperature, atmospheric
  annual variation, 50, 51–5, 57
  dew point, 492, 494, 495–6, 499–500, 503–4
  differences, 272, 481, 483–4, 485–7, 488
  distribution, 494, 495–6, 499–500, 503–4, 641, 642
  dry bulb, 492, 512, 513
  gradient, 106, 161, 171, 179, 187, 533
  harmonic analysis of mean monthly temperatures, 50–61
  hydrostatic relation, temperature, pressure and geopotential, 582, 586
  lapse rate, 644
  potential: mean, 195; Eady model, 386; numerical model, 354, 355; omega equation, 606; planetary boundary model, 616, 618, 619, 620; prediction model, 150, 153, 154
  Somali Current, 532–7
  surface air temperatures, model, 171, 172, 174, 175, 178
temperature, oceanic
  Arabian Sea, sea temperature variations, 481–8
  gradient, 460
  of mixed layer, 518–19, 525
  of sea water, 511, 525
terrain
  ground, 603, 609, 610
  smoothed terrain height, 150
Thames, River, 660, 682, 689, 701–2
Theissen's method, 713
thermal
  coefficient of thermal diffusivity, 617
  equation, 587
  equator, 244
  equilibrium, 509
  inertia, 244
  processes, 580

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-10426-5 - Monsoon Dynamics
Edited by James Lighthill and R. P. Pearce
Index
More information

winds, 106, 117, 358, 386
thermocline, 239, 240–1, 447, 449, 451, 460, 466, 468, 481, 484, 485–7, 488, 523, 525, 526
thermodynamics
equation, 582, 586, 601, 602
laws, 114, 354, 640
thunderstorms
Rajasthan, thunderstorm activity, 632, 634
thunderstorm days, 61, 62
Victoria, Lake, 342, 344, 347
thymol blue, 564, 565
Tibetan High, 19, 21, 32, 55, 151, 153, 155, 219
Tibet–Himalaya region, 589–94
tides
astronomical, 657, 690
currents, 482, 701, 702
cycle, 672, 703
elevation, 701
forcing, tidal, 689
model, vertically integrated, 702, 705
prediction: harmonic method of, 660; sensitivity to tidal influence, 672–3
topography
Arabian Sea, dynamic topography charts, 530
bottom topography, 531, 683
in forecasts, 150, 429, 596–7
trade winds, 20, 279, 295, 569
transient waves, 66, 71–3, 74–9
tropopause, 61, 93
troposphere
differential heating, 23
lower-tropospheric unstable mode, 410–12, 424–5, 427
midtroposphere: cyclogenesis, 365–79; shear zone, 415–16, 417–18, 427
motion fields, 147–8
temperature, 20, 49–63, 133, 174–7
thermal structure, 157
upper troposphere: air observations, 150; circulations, 81–91; pressure, 20, 50; pressure gradient, 138; trough (TUTT), 84–5, 88–91; unstable mode, 409–11, 424–6, 427; winds, 112, 166, 381–401, 432
zonal wind, 171, 173
troughs
atmospheric low-pressure, 131, 513, 516, 517
frontal, 666, 667
mid-oceanic, 21, 32, 75, 151, 155
monsoon, 351, 363
offshore, 509
southern equatorial trough (SET), 124, 293, 295
tropical upper-tropospheric trough (TUTT), 84–5, 88–91
truncation
errors, 128, 354, 356, 581, 588–9, 597
in sigma-systems, 586–7, 597
spectral model, 392
turbulence
closure scheme, 577, 617, 690, 701
coefficients of, 644
dissipation of, 703
exchange model, 644
isotropic, 618
kinetic energy, 617, 622–3, 624
in mixed layer, 619
mixing, 532
planetary boundary layer, model, 616
velocity correlation, 694
two-layer fluid, laboratory model, 557, 558, 559, 561, 562–4, 565–75
typhoon days, 19, 30
typhoons, 43, 46, 396, 400–1

Uganda, Lake Victoria, 333–43
UK Meteorological Service, 238–9
UK Universities' Modelling Group, Reading, 391
undercurrents, 454, 456–7, 460, 465–6, 467–8, 574
unidirectional flow, 690, 692, 693, 699, 703
United Nations Development Project (UNDP), 334
United Nations Food and Agricultural Organisation, 334
University of California at Los Angeles (UCLA), 112
upwelling, 239, 447–9, 523–7, 529, 530, 535, 541, 542, 546, 553, 624
US National Science Foundation, 321
US Naval Research Laboratory, 541, 544

vapour pressure, 359–60, 493, 494
variational principle, 653
variance associated with eigenvectors, 629–30
vector motion films, 43–5
vectors, 455, 458
vegetation cover, 100, 107, 128
velocity
alongshore, 531
Bay of Bengal, storm surges, 691, 693
downward group velocity, 475
field, 178, 184, 369, 377, 550
fluctuations, planetary boundary model, 618

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-10426-5 - Monsoon Dynamics
Edited by James Lighthill and R. P. Pearce
Index
More information

velocity (*cont.*)
horizontal, 601
laboratory model, 561, 562
meridional component, 178, 182, 197, 366, 367, 436, 437, 438
numerical prediction model, 580
perturbation, 405, 440–1
potential, 20–1, 22, 603, 606
profile: Indian Ocean, 465–79; laboratory model, 564–5
Somali Current, component, 543, 545
vector, 170, 603, 641, 642
vertical velocity, 244, 275, 286, 354, 601: Eady model, 586; field, 369, 377; general circulation models, associated with warm anomaly pattern, 124–6, 137–8; Indian Ocean, 475; laboratory model, 559, 561, 562; pressure coordinate system, prediction model, 150; *z*-system model, 586
zonal velocity, 32: component, 178–9, 180–1, 183, 366, 367; field, 178, 184; 475, 478
vertical coordinate systems, 579–98
vertical exchange coefficient, 700
vertical motion, 149, 157, 601–13
vertical time sections, of oceanic temperature, salinity, density, 455, 461–2, 483, 484–5
Veronis, G., (203), 558, 571, (576)
Victoria, Lake
annual water balance, 334
lake breezes, 393–4, 347–8
rainfall, frequency and amounts, 339–43
viscosity, 544, 550, 564
Volterra integral equation of the second kind, 271
Von Karman's constant, 617, 701
vortex
shrinking, 561
stretching, 529, 537, 538, 559, 561, 562
vorticity
absolute, 39, 382, 383
advection, 538
anticyclonic, in ocean, 239–40, 244
budget, 148
conservation of, 382, 435, 601
cyclonic, in ocean, 240–1
decay of, 194
diffusion of, 561
in Eady model, 386
equations, 66, 382, 433, 434, 537, 562–3, 602, 606
interior, laboratory model, 562
perturbation, 418
planetary, 538
potential, 194
relative, 491, 497, 501, 502, 503, 559, 602, 603
sources and sinks, 529, 538

Wainganga, River, 707, 708, 711–16
Walker circulation, 16–17, 18, 96, 212, 241–2
Walker, G. T., 14, (18), 27, (48)
Washington, W. M., 111, 112, 115, 116, 120, 121, 125, 127, (130), 148, (164), 166, (192), (599)
water vapour
in atmosphere, 114, 133
budget, 262–7
equation of continuity, 261, 264, 354
fluxes, 261, 262–5, 266–7
mixing ratio of, 272, 280, 283, 285
pressure, *see* vapour pressure
in Somali Jet, 321, 322, 327–30
transport, across equator, 292–3
wave-energy
flux, 375, 377
propagation, 106, 475
wave interactions, 193–203
wave–wave, 25–6, 27, 41–3, 68–73
wave–zonal, 25, 41–3, 68–73, 198–203
wavenumber
domain, 65–79, 147, 151–62, 198
meridional, 198–9, 409, 530
quasi-stationary, 161, 162
zonal, 20, 21, 22, 32, 37, 40, 43
zonal, of Rossby waves, 431
waves
baroclinic, 194, 381–401
cold-cored tropical wave disturbances, 30
Eady wave, 390
energetics analysis, 159–61
equatorial planetary, 472, 530–1, 544, 549
gravity, 195, 198, 598, 683
inertia–gravity, 356, 362
internal, 460, 481, 482, 485, 487
Kelvin, 198, 200, 201, 203, 472, 475, 534, 553
perturbation: relative group velocity, 383; relative phase speed, 382; theory, 639–55
quasi-stationary, 23, 147–62
resonant interactions between atmospheric waves, 194, 198–9
standing-wave components, 20, 71–3
stationary monsoon wave, 202, 403–12
'storm wave', 683, 685

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-10426-5 - Monsoon Dynamics
Edited by James Lighthill and R. P. Pearce
Index
More information

transient-wave components, 66, 71–3
ultra-long waves; energetics of, 159–61, structures of, 153–9
zonal current, wavelength, 200
weather prediction, 580, 659, 660, 674, 678, 684
Webster, P. J., 50, 60, (64), 166, 167, 168, 170, 174, 190, (192)
westerlies, 32, 84, 88, 106, 113, 115, 166, 171, 178, 187, 219, 222, 223, 231, 295, 323, 569
Western Boundary Current, 530–1
laboratory model, 557, 558, 561–3, 564, 566, 568, 571
western boundary, Somali Current model
meridional, 530–2, 533–4, 534–5, 536
sloping, 530, 533–4, 535–7
wet bulb depression
diurnal variation of, 509, 512–15, 519
phase averaged, 520
winds
aircraft observations, 84, 88, 92, 150, 313
cross-equatorial flow, 37, 45, 84, 88, 219, 309–18
data input, omega equation, 606
direction, 668
drag, 239
fields, 84–91, 95, 147, 152, 153, 178, 272, 274, 292, 293, 296, 299, 302, 305
forcing, 530, 534, 551
geostrophic, 558, 562, 602, 616, 665, 668
hodographs, 615, 619, 620, 621
index: cross-equatorial, 315–16, 317; zonal indices, 96
laboratory ocean model, monsoonal winds, 557–75
local, 449–51, 466
longshore, 544
meridional, 37, 38, 154, 155, 156, 221, 543
mixing, of ocean temperatures, 174, 482, 530, 554
observations of, 138, 140–2; accuracy, 149
offshore, Bombay region, 526
patterns, 115–17, 127
profile, 574
satellite data, 92–6, 150
shear, 19, 324, 357, 385
spectra, meridional, 35, 36, 37, 43, 324, 326, 327
speed, 492, 493, 494, 495–6, 499–500, 502–4, 509, 512, 514–16, 518, 519, 520, 665, 696
stress, 529, 531–5, 537–9, 541, 543–4, 546–50, 551–3, 557, 559, 561, 660, 662, 664–5, 668, 669–72, 681, 684, 689, 693, 695–6, 700, 703
surface, 603, 664
thermal, 106, 117, 358
time-varying winds, 558–9
vectors, 81, 82, 84, 274, 275, 285, 601, 616
Victoria, Lake, 343–4
upper tropospheric, 112, 166
wind-driven ocean circulation, 530–1
wind-generated currents, 683
zonal, 20, 32, 35, 50, 69, 107, 155, 179, 183, 323, 326, 357, 358, 407, 408, 415, 416–23, 427
see also easterlies, trade winds, westerlies
Witte–Margules formula, 561
Woods Hole Oceanographic Institute, USA, 457
World Meteorological Organisation, 50, 61, 64, 334
Wunsch, C., theoretical model, 473–9, (480)

Yanai waves, 534, 538, 544

zero-order
equations, 199
solution, 198
zonal asymmetry, 23, 41, 50, 55, 148, 152
zonal index, 221, 231–3
see also zonal wind indices
z-system, 580, 581, 582–3, 584–6

© Cambridge University Press www.cambridge.org