

Index

abuse and parasomnias 25	autosomal dominantly inherited spinocerebellar ataxia type 2 and 3 (SCA2, SCA3) 55, 57	bulimia nervosa 29
acephalgic migraines 197		bupropion–levodopa–trazodone therapy 309
acute focal pontine inflammatory lesions 54–5	bed partner, information from 19, 20	caffeine and parasomnias 50
ADHD, association with RMD 272, 275	bed-wetting <i>see</i> sleep enuresis	capnograph 39
Adolescent Dissociative Experiences Scale 170–1	Belicki scale of nightmare distress 154	cardiovascular system examination 26
agrypnia excitata 54	benign rolandic epilepsy 291	caregivers, information from 19–20
alcohol	benign sleep myoclonus of infancy 233	cataplexy 142
and parasomnias 49–50	benzodiazepines 4, 303–5	catathrenia (sleep-related groaning) 184–92
and seizures 91–2	and arousal parasomnias 303–4	clinical findings 184–9
and sleep-related violence 91	and RBD 304–5	differential diagnosis 189–91
and the law 92	and sleep bruxism 305	distinction from snoring 190–1
alcoholic blackout 92	and sleepwalking 46–7	epidemiology 9–10
alternating leg muscle activation (ALMA) 233	and SRED 47–8	future directions for research 192
Alzheimer’s disease	clonazepam 303–5, 306	genetic factors 191
and RBD 5, 55	effects on SWS 47	history 184
neuroimaging 17	Big Five Factor model of personality 155	ICSD-2 classification 184
American Academy of Sleep Medicine atlas of sleep scoring 131, 132–3	binge-eating disorder (BED) 208	laboratory investigations 189–91
amitriptyline 46, 306–7	bipolar disorder 43, 44, 45	management 192
amyotrophic lateral sclerosis (ALS) 55, 57	blackouts, alcohol-related 92	natural history 189
anti-depressants 306–7	“blip” syndrome 231	pathology 191–2
and parasomnias 46	blood pressure (BP) monitoring 40	terminology 184
nightmare disorder treatments 319	blood tests 30	central apnea 190
anti-hypertensives 307–8	body rocking RMD 271	cerebral metabolic rate for glucose (CMRgl) 17
anxiety disorders 29	body rolling RMD 270	Charles Bonnet syndrome 194, 195–6
APOE e4 variant 17	Bonkalo, Alexander 81, 99, 105	hallucinations 23, 28
arousal disorders <i>see</i> disorders of arousal	Bonnet, Charles 194 <i>see also</i> Charles Bonnet syndrome	Child Dissociative Checklist 171
arterial blood gas tests 30	botulinum toxin 308	children
asthma 26–7, 282	brain, iron depletion and RLS 14	confusional arousals 100–2
autism spectrum disorders 55, 272, 274	brain volumetric changes, neuroimaging 14–15	pharmacological treatment of parasomnias 301–3, 305
automatism, and violent behavior 83–4, 85–7	brainstem lesions and RBD 5	sleep terrors 8–9
autoscopy 145, 147	bromocriptine 308	sleepwalking 3–4, 8, 112, 115, 116
	bruxism <i>see</i> sleep bruxism	children with disabilities, pharmacotherapy and parasomnias 305
	brycose <i>see</i> sleep bruxism	chloral hydrate 43
		chlorpromazine 46

- chlorprothixene 46
- chronic obstructive pulmonary disease (COPD) 26, 27
- circadian rhythms 207, 293, 306
- classifications of parasomnias and parasomnia-like events 7, 19, 20
- clinical evaluation 19–31
- arterial blood gas tests 30
 - blood tests 30
 - characterizing the sleep disturbance 19–21
 - chief complaint 19
 - classification of parasomnias and parasomnia-like events 7, 19, 20
 - differential diagnosis 19, 21, 23, 27
 - electroencephalogram (EEG) 29
 - evoked potential studies 30
 - family history 23–4
 - heart monitoring 30
 - laboratory investigations 29
 - legal implications 24–5
 - need for extensive evaluation 29
 - neuroimaging 29
 - normal behaviors 21
 - patient education about diagnosis 30
 - patient history 19–21
 - patient's functional status and mood 23
 - physical examination 25–7
 - polysomnogram 29
 - precipitating factors 21–3, 25
 - psychiatric assessment 23
 - pulmonary function tests 30
 - serum ferritin level 30
 - sleep log or diary 25
 - sleep questionnaires 25
 - systematic approach 19
 - testing for drug abuse 30
 - thyroid function tests 30
 - timing of abnormal events 21
 - treatment 30
 - urine screening 30
 - violent parasomnias 24–5
- Clinical Global Impression of Improvement measure 208
- clonazepam 47, 303–5, 306, 319
- clonidine 307
- prescription in children 301
- clozapine 304
- cognitive behavioral therapy (CBT)
- nightmare disorder 314–16
 - nocturnal panic disorder 318–19
- complex nocturnal visual hallucinations (CNVH) 194, 195–6
- complex partial seizures 28 *see also* epilepsy; sleep-related epilepsy
- compression neuropathies 28–9
- confusional arousals 99–107
- continuum of arousal disorders 100
 - definition 99
 - distinction from sleep panic arousals 282
 - Elpenor syndrome 99, 105
 - epidemiology 7–8
 - history 99
 - terminology 99–100
 - violent behavior 8
 - see also* disorders of arousal
- confusional arousals in adults 102–6
- associations with other conditions 103–4
 - associations with other sleep disorders 103, 104
 - clinical manifestations 103
 - complications 105–6
 - diagnosis 104–5
 - differential diagnosis 104–5
 - forensic implications 105–6
 - hypersomnia 104
 - predisposing and precipitating factors 103
 - prevalence 103
 - prognosis 106
 - sleep-related sexual behavior 103, 105–6
 - sleep-related violence 103, 105–6
 - treatment 106
- confusional arousals in children 100–2
- clinical features 102
 - features of arousal disorders in childhood 100–2
 - genetic predisposition 101
 - management of 101–2
 - precipitating factors 101
- conversion disorders 29
- Crown–Crisp experiential index 121
- culpability for sleep-related violence 83–4
- culture-bound syndromes, recurrent isolated sleep paralysis (RISP) 150
- cyclic alternating pattern (CAP) scoring system 4
- de novo* parasomnias 42–3, 51
- delirium tremens 54
- delta sleep 43 *see also* slow-wave sleep (SWS)
- dementia with Lewy bodies (DLB) and RBD 5, 56
- link with dream-enactment behavior (DEB) 17
 - hallucinations 196, 198
- desipramine hydrochloride 43
- developmental disabilities and RMD 271, 272, 274
- diazepam 304
- differential diagnosis 19, 21, 23, 27 *see also* clinical evaluation
- disorders of arousal (ICSD-2) 7–9
- continuum 100
 - differential diagnosis 27
 - in childhood 100–2
 - see also* confusional arousals; sleep terrors; sleepwalking
- disorders of arousal, treatments 312–14
- avoid engaging the patient mid-episode 313
 - benzodiazepines 303–5
 - education of patient and family 312
 - good sleep hygiene 313
 - hypnosis 314
 - medications 314
 - progressive muscle relaxation (PMR) 314
 - psychotherapy 313–14
 - safety 313
 - scheduled awakenings 313
 - sleep scheduling 313
 - stress management 314
- dissociation, medico-legal context 92–3
- dissociative disorders 29 *see also* sleep-related dissociative disorders
- Dissociative Experiences Scale 171
- Dissociative Processes Scale 171
- dopamine system
- role in RBD 16
 - role in RLS/PLMD 13–14
- dream-enactment behavior 5
- link with dementia with Lewy bodies 17
 - neuroimaging 17
 - see also* REM sleep behavior disorder (RBD)

Index

- drugs
 and RBD 5
 interactions 42, 44–5
 iatrogenic RBD 5
 testing for drug abuse 30
 violence related to 91, 92
see also parasomnias due to medications or substances
- DSM IV-TR
 classification of parasomnias and parasomnia-like events 20
 criteria for nightmares 153–4
 dissociative disorders 29, 163, 164
- Eating Attitudes Test (EAT) 206
- eating disorders 28–9 *see also* sleep-related eating disorder (SRED)
- education of patient and family 312
- electrical status epilepticus during sleep (ESES) 291
- electrocardiogram (ECG) 39–40
- electroencephalogram (EEG) 29, 38
 CAP analysis 4
 quantified 4
 use of sleep EEG in parasomnias 4
- electromyogram (EMG) 29, 38–9
- electrooculogram (EOG) 38
- Elpenor syndrome 99, 105 *see also* confusional arousals
- end-stage renal disease, and RLS 215
- endoesophageal pressure measurement 39
- enuresis, nocturnal, early studies 3, 4
see also sleep enuresis
- epidemiology of parasomnias 7–10
 catathrenia 9–10
 classification of parasomnias 7
 confusional arousals 7–8
 disorders of arousal (ICSD-2) 7–9
 exploding head syndrome 9
 nightmare disorder 9
 other parasomnias (ICSD-2) 9–10
 parasomnia due to drug or substance 9
 parasomnia due to medical condition 9
 parasomnias associated with REM sleep (ICSD-2) 9
 recurrent isolated sleep paralysis 9
 REM sleep behavior disorder (RBD) 9
- sleep enuresis 9, 10
 sleep-related dissociative disorders 9
 sleep-related hallucinations 9, 10
 sleep terrors 8–9
 sleepwalking 8
 unspecified parasomnia 9
- epilepsy
 complex partial seizures 28
 epileptic hallucinations 196–7
 nocturnal 3
 sleep-related violence 90–1
see also seizure disorders; sleep-related epilepsy
- episodic nocturnal phenomena, early studies 3
- Epworth Sleepiness Scale 25
- essential startle disease 234
- eszopiclone (Lunesta) 42, 49
- ethnicity and parasomnias 10
- evoked potential studies 30
- excessive daytime sleepiness 142
- excessive fragmentary hypnic myoclonus (EFHM) 233, 237
- excessive fragmentary myoclonus (EFM)
 characteristics 237
 clinical findings 237–8
 FM index (FMI) 239
 future directions for research 241–2
 genetics 241
 ICSD-2 classification 241
 laboratory investigations 241
 management 241
 natural history 241
 pathology 241
- excessive sleep inertia *see* confusional arousals
- expert opinion in legal cases 87–9
- exploding head syndrome 29, 194, 199, 229
 clinical findings 199
 epidemiology 9
 genetics 198
 history 195
 ICSD-2 classification 194
 laboratory investigations 197
 management 198
 natural history 199
 pathophysiology 199
- exposure therapy, nightmare disorder 316
- familial patterns in parasomnias 3–4
see also genetic factors in parasomnias
- familial periodic paralyses 29
- families
 education about the condition 312
 information from 20
 learning how to react to behaviors 30
- family history 23–4
- fatal familial insomnia 54, 55
- fatigue severity scale 25
- Feinberg, Joel 83
- fictive motor movements 145
- finger plethysmograph (FP) 40
- flip-flop model of RISP 144–5
- flunitrazepam 47
- fluoxetine 50–1
- flurazepam 46, 47
- forensic opinions 87–9
- fragmentary myoclonus 237–42
 clinical findings 237–41
 FM index (FMI) 239
 future directions for EFM research 241–2
 genetics 241
 history 237
 laboratory investigations 241
 management of EFM 241
 natural history of EFM 241
 pathology 241
 physiologic hypnic myoclonias (PHM) 237–42
 terminology 237
- fragmentary NREM myoclonus 237
- Freud, theory about night terrors 119
- Gastaut, Henri 3
- genetic factors in parasomnias 10, 23–4
 catathrenia (sleep-related groaning) 191
 confusional arousals in children 101
 excessive fragmentary myoclonus (EFM) 241
 exploding head syndrome 198
 mouse models of SRED 207
 nightmares 9
 predisposition to parasomnias 43
 propriospinal myoclonus 267

- recurrent isolated sleep paralysis (RISP) 150
- REM sleep behavior disorder (RBD) 138
- RLS 7, 217–8
- sleep bruxism (SB) 254
- sleep enuresis 10, 176–7
- sleep-related dissociative disorders 171
- sleep-related hallucinations 198
- sleep terrors 124
- sleepwalking 115
- vulnerability to abnormal arousals 51
- groaning in sleep *see* catathrenia
- group A xeroderma pigmentosus 55
- Guillain–Barré syndrome 55
- hallucinations
- legal implications 25
 - RISP hallucinoid experiences 145
 - sleep-related 10
 - see also* hypnagogic hallucinations; hypnopompic hallucinations; sleep-related hallucinations
- Hardy, Thomas 106
- head banging (jactatio capitis nocturna) RMD 270
- head rolling RMD 270
- headache syndromes 29
- heart monitoring 30
- hereditary hyperekplexia syndrome 234
- history, patient *see* patient history
- history of parasomnia studies 3–5
- homicide, during sleepwalking/sleep terrors 8
- hypersomnia 104
- hypnagogic foot tremor 233
- hypnagogic hallucinations 10, 54, 58, 142, 194, 195 *see also* hallucinations; sleep-related hallucinations
- hypnagogic jerks *see* sleep starts
- hypnic jerks 21 *see also* sleep starts
- hypnic myoclonus *see* fragmentary myoclonus
- hypnic starts *see* sleep starts
- hypnopompic hallucinations 10, 54, 58, 194, 195 *see also* hallucinations; sleep-related hallucinations
- hypnosis and sleep 323–4
- hypnotherapy and parasomnias 323–8
- arousal disorders 314
 - case studies 326–7
 - nightmares 317, 325
 - nocturnal enuresis 325–6
 - post-hypnotic suggestions 326
 - REM sleep behavior disorder (RBD) 326
 - sleep bruxism 326
 - sleepwalking 325
 - suggestions 326
 - therapeutic issues 326
- iatrogenic RBD 5
- ICD-9-CM classification of parasomnias and parasomnia-like events 20
- ICSD-2 classification
- catathrenia (sleep-related groaning) 184
 - confusional arousals 99, 103
 - excessive fragmentary myoclonus (EFM) 241
 - nightmares 153–4
 - parasomnias 19
 - parasomnias due to medications or substances 42–3
 - REM sleep behavior disorder (RBD) 131, 132
 - sexsomnias 70
 - sleep bruxism (SB) 252
 - sleep-related dissociative disorder 29
 - sleep-related eating disorder (SRED) 203
 - sleep-related movement disorders 19
 - sleep-related rhythmic movement disorder (RMD) 271
- ICSD-R, parasomnias due to medications or substances 42
- idiopathic hypersomnia 104
- idiopathic RBD 5, 132, 133, 135–6
- idiopathic RLS (iRLS) 14
- imagery rehearsal therapy (IRT) 156, 314–15, 316
- imipramine 50, 304, 306
- incontinence 175 *see also* sleep enuresis
- incubus hallucinations 119, 120, 145–6, 148, 149
- infants, breathing patterns 191
- infective diseases and parasomnias 59
- injuries *see specific conditions*
- insanity defense for sleep-related violence 84–5
- insomnia
- and PTSD 64–5
 - and trauma 64–5
- International Children's Continence Society (ICCS) 175
- International Classification of Sleep Disorders 2nd edition (ICSD-2) 7
- International Restless Legs Syndrome Study Group (IRLSSG) diagnostic criteria 213–14
- intruder hallucinations 145–6, 148, 149
- iron depletion in RLS 14
- iron status and secondary RLS 219–20, 221
- iron-deficiency anemia, and RLS 215
- isolated sleep paralysis (ISP), definition 142 *see also* recurrent isolated sleep paralysis (RISP)
- jactatio capitis nocturna (head banging RMD) 270
- Karolinska Sleepiness Scale 25
- Kleine–Levin syndrome 28, 44
- Klüver–Bucy syndrome 28
- l'ivresse du sommeil *see* confusional arousals
- L-tryptophan 308
- laboratory investigations 29
- Landau–Kleffner syndrome 291
- leg cramps *see* sleep-related leg cramps
- legal implications of parasomnias 24–5 *see also* medico-legal consequences of parasomnias
- legal responsibility, alcohol and parasomnias 49
- levodopa 309, 318
- Lewy bodies and RBD 5
- Lewy body dementia *see* dementia with Lewy bodies

Index

- limbic encephalitis and RBD 55, 57
- lithium carbonate 44, 45–6
- lucid dreaming treatment (LDT), nightmare disorder 317
- McNaghten Rules 84
- malingered 29
 and sexsomnias 75–6
 distinction from RBD 135
 medico-legal context 93
- mater puerorum 119, 120
- medical conditions *see* parasomnias
 due to medical and neurological disorders
- medications
 and sleep terrors 8–9
 and sleepwalking 8–9
see also parasomnias due to medications or substances;
 pharmacotherapy and parasomnias
- medico-legal consequences of parasomnias 81–93
 alcohol and substance-related violence 91–2
 assessment of sleep-related violence 89–93
 automatism 83–4, 85–7
 conditions associated with sleep-related violence 82, 89–93
 culpability 83–4
 dissociation 92–3
 expert opinion 87–9
 insanity defense 84–5
 McNaghten Rules 84
 malingering 93
 role of the sleep expert 87–9
 sleep-related violence 81–2
 the law and forensic parasomnias 85–7
 UK and common law 82–3, 84, 85–7, 88–9
 US law 83–4, 85, 87–8
- melatonin 304, 305–6, 318
- mental illness
 and nocturnal eating syndrome (NES) 58
 and sleep-related eating disorder (SRED) 58
- methaqualone 46
- migraine 29, 58–9, 116
 migraine equivalents 197
- migraine-related hallucinations 197
- Minnesota Multiphasic Personality Inventory (MMPI) 23, 121
- mirtazapine 50
- mood stabilizers and parasomnias 44–5
- Morvan's fibrillary chorea 54, 55
- motor activity sensors 38–9
- multiphase sleep–wake schedule (MPS) 143
- multiple medications 42, 44–5
- multiple sclerosis 54, 57
- multiple system atrophy (MSA) and RBD 5, 55, 56
 neuroimaging 16
- Munchausen by proxy 29
- myoclonic seizures, distinction from sleep starts 233
- myoclonus, history of the term 261
- narcolepsy 9, 54
 comorbidity with RBD 134
 loss of orexin neurons 144
 narcoleptic tetrad 142
 treatment 149
- narcoleptic tetrad 142
- National Ambulatory Medical Care Survey (NAMCS) 302
- neurodegenerative diseases and parasomnias 55–8
 association with RBD 134, 135–6, 138
- neuroimaging of healthy human sleep 13
- neuroimaging of parasomnias 13–7
 dream-enactment behavior 17
 periodic limb movement disorders (PLMD) 13–14
 REM sleep behavior disorder (RBD) 15–17
 restless legs syndrome (RLS) 13–15
 sleepwalking 15
 use in clinical evaluation 29
- neurological examination 27
- neurological syndromes and RBD 5
see also parasomnias due to medical and neurological disorders
- night eating syndrome (NES) *see* nocturnal eating syndrome (NES)
- night shift paralysis 143–4
- night sweats, distinction from sleep panic arousals 283
- night terrors *see* sleep terrors
- night-time eating *see* sleep-related eating disorder (SRED)
- nightmare disorder *see* nightmares/nightmare disorder
- nightmare recording 317
- nightmares/nightmare disorder 9, 153–8
 and PTSD 65
 and sleep physiology 154–5
 and sleep quality 154
 and trauma 65
 Belicki scale of distress 154
 case report (adult) 156–7
 case report (child) 157–8
 clinical findings 153
 diagnostic criteria for nightmare disorder 153–4
 differential diagnosis 28, 153
 distinction from sleep panic arousals 282
 etiology 155–6
 frequency vs. distress 154
 history 153
 history of the concept 3
 nature of 153
 prevalence 155
- nightmares/nightmare disorder management 156, 329–33
 anti-depressants 318
 cognitive behavioral therapy (CBT) 314–16
 exposure therapy 316
 hypnotherapy 317, 325
 imagery rehearsal therapy (IRT) 156, 314–15, 316
 lucid dreaming treatment (LDT) 317
 nightmare recording 317
 pharmacologic treatments 317–18
 prazosin 317–18
 progressive muscle relaxation (PMR) 316
 prolonged exposure for PTSD 315–16
 psychodynamic psychotherapy 315
 psychotherapeutic approaches 314–17
 relaxation strategies 316
 sleep dynamic therapy (SDT) 315
 systematic desensitization (SD) 316
 therapeutic principles 156
- nocturnal angina 281
- nocturnal asthma 282

- nocturnal bruxism *see* sleep bruxism
- nocturnal eating syndrome (NES)
202–3
demographics 205
differential diagnosis 204–5
in obesity and mental illness 58
neuroendocrine studies 207
pharmacologic treatments 207–8
treatment 207–8
- nocturnal eating/drinking syndrome (NEDS) 203
- nocturnal frontal lobe epilepsy (NFLE)
90–1
distinction from RBD 134–5
distinction from RMD 274
see also sleep-related epilepsy
- nocturnal gastroesophageal reflux,
distinction from sleep panic
arousals 282
- nocturnal panic attacks 29, 153
- nocturnal panic disorder 318–19
cognitive behavioral therapy (CBT)
318–19
pharmacotherapy 319
- nocturnal psychogenic dissociative
disorders, distinction from RBD
135
- nocturnal seizures
differential diagnosis 28
distinction from sleep panic
arousals 280–1
distinction from sleep starts 233
see also sleep-related epilepsy
- non-familial hyperekplexia 234
- normal sleep phenomena 21
- NREM parasomnias
and medications 43–9, 50
and substances 49–50
differential diagnosis 27–8
distinction from RBD 134
Push/Pull model 49
spectrum of disorders 27–8
- NREM partial arousals, distinction
from sleep panic arousals 282
- NREM sleep
early studies 3
instability 4
- obesity
and nocturnal eating syndrome
(NES) 58
and sleep-related eating disorder
(SRED) 58
- obstructive sleep apnea (OSA)
syndrome
physical examination 25, 26, 27
and parasomnias 4
and violent behavior 7–8
- obstructive sleep apnea with agitated
arousals, distinction from RBD
135
- olanzapine 46
- “old hag” attacks *see* recurrent isolated
sleep paralysis (RISP)
- oneirism 131 *see also* REM sleep
behavior disorder (RBD)
- oronasal air flow sensors 39
- other parasomnias (ICSD-2) 9–10
- out-of-body experiences 145, 146, 147
- overlap disorders 28, 42, 51,
133
- panic arousals *see* sleep panic arousals
(SPA)
- paradoxical sleep without atonia *see*
REM sleep behavior disorder
(RBD)
- paraphilias 75
- parasomnia overlap disorders 28, 42,
51, 133
- parasomnias
common approaches to treatment
323
consequences for patients 19
derivation of the term 3
early studies 3–5
history of the concept 3
- parasomnias associated with REM
sleep (ICSD-2) 9
- parasomnias due to medical and
neurological disorders 9, 27, 54–9
- agrypnia excitata 54
- disorders associated with RBD
54–7
- hypnagogic and hypnopompic
hallucinations 54, 58
- infective diseases 59
- migraine 58–9
- neurodegenerative diseases 54–7
- nocturnal eating syndrome (NES) in
obesity and mental illness 58
- pharmacologically induced RBD
58–9
- REM sleep without atonia (RSWA)
55, 56, 57
- secondary sleep parasomnias 54
- sleep disordered breathing 58
- sleep-related eating disorder (SRED)
in obesity and mental illness 58
- sleepwalking 59
- symptomatic RBD 54–7
- synucleinopathies 55–6
- taupathies 55, 56–7
- parasomnias due to medications or
substances 9, 27, 42–51
- alcohol 49–50
- amitriptyline 46
- anti-depressants 46
- benzodiazepines 46–8
- caffeine 50
- chloral hydrate 43
- chlorpromazine 46
- chlorprothixine 46
- de novo* parasomnias 42–3, 51
- desipramine hydrochloride 43
- diagnostic criteria 42–3
- disorders of arousal (DOA) 42
- drug interactions 42, 44–5
- effects of psychiatric medications
43–6
- effects of stopping smoking 42
- effects on a specific sleep stage or
marker 43
- eszopiclone (Lunesta) 42, 49
- flunitrazepam 47
- fluoxetine 50–1
- flurazepam 46, 47
- genetic predisposition to
parasomnias 43
- genetic vulnerability to abnormal
arousals 51
- ICSD-R and ICSD-2 criteria 42–3
- imipramine 50
- imprecise nature of early studies 43
- lithium carbonate 43, 44–5
- methaqualone 46
- mirtazapine 50
- mood stabilizers 44–5
- NREM parasomnias and
medications 43–9, 50
- NREM parasomnias and substances
49–50
- olanzapine 46
- overlap disorder 42, 51
- paroxetine 46
- patients taking multiple medications
42, 44–5
- perphenazine 43, 45–6
- prolixin 43
- RBD and associated medications 42,
50–1
- sexsomnia 48
- sleep disorder patients 46–9
- sleep-related eating disorder (SRED)
42, 43, 47, 48–9, 206–7

Index

- parasomnias (*cont.*)
 sleepwalking 43, 46–51
 sleepwalking in psychiatric patients 44–6
 thioridazine hydrochloride 43, 45
 timing of the onset of parasomnia 42
 triazolam 45
 venlafaxine 50
 zolpidem (Ambien) 42, 48–53, 206–9
- Parkinson's disease (PD)
 and RBD 5, 55, 132–40
 and parasomnias 54, 59
 assessment for signs of 27
 hallucinations 194, 196
 neuroimaging 13
- parkinsonism
 and RBD 50
 assessment for signs of 41
- paroxetine 60, 321
- paroxysmal nocturnal dyspnea,
 distinction from sleep panic
 arousals 295
- patient
 education about diagnosis 44, 326
 functional status and mood 23–4
- patient history 19–21
 characterizing the sleep disturbance 19–21
 chief complaint 19
 information from bed partner 19, 20
 information from family or caregivers 19, 20
 timing of abnormal events 21
- pavor nocturnus 119, 120
- peduncular hallucinosis 28, 196
- periodic leg/limb movement disorder (PLMD) 13–14, 213
- periodic leg/limb movements during sleep (PLMS) 14, 213, 214, 234
- periodic leg movements (PLM) 213
- periodic leg movements during wake (PLMW) 213, 214
- perphenazine 43, 44–5, 46
- personality and parasomnias 23
- pharmacologically induced RBD 52–8
- pharmacotherapy and parasomnias 4, 32, 301–9
 amitriptyline 306–7
 anti-depressants 306–7
 anti-hypertensives 307–8
 benzodiazepines 303–5
 botulinum toxin 308
 bromocriptine 308
 bupropion–levodopa–trazodone therapy 309
 children with disabilities 305
 clonazepam 303–5, 306
 clonidine 301–7
 clonidine prescription in children 301
 clozapine 304
 diazepam 304
 imipramine 304, 306
 L-tryptophan 308
 melatonin 304, 305–6
 off-label concerns 301, 302
 paroxetine 307
 pediatric considerations 301–3
 pramipexole 309
 prazosin 307–8
 propranolol 307
 topiramate 308–9
see also specific conditions
- physical examination 25–7
- physiologic fragmentary or partial hypnic myoclonus (PFHM) 232
- physiologic hypnic myoclonias (PHM) 237–41 *see also* fragmentary myoclonus
- Pittsburgh Sleep Quality Index 25
- polysomnographic recording 36–8
 digital resolution 37
 sampling rate 37–8
 telemetry recording 37
- polysomnography
 nocturnal 5
 sleepwalking 112–14
 use in clinical evaluation 29
see also video-polysomnography
- post-sigh apnea 190
- post-traumatic re-enactments,
 distinction from nightmares 153
- post-traumatic stress disorder (PTSD) 23, 64–7
 and RBD 57, 134
 and REM sleep 65–6
 body/limb movement during sleep 66
 clinical course 64
 combat-related 318–19
 comorbidities 57, 64, 134
 diagnostic criteria (DSM-IV) 64
 insomnia 64–5
 nightmares 64, 158
 parasomnias 66–7
 prevalence 64
- prolonged exposure therapy 315–16
 sleep disturbances 64–7
 symptoms 64
- pramipexole 33, 309
- prazosin 317–18, 307–8
- precipitating factors for parasomnias 21–3, 24, 30
- pregnancy
 and parasomnias 54
 and RLS 215
- progressive muscle relaxation (PMR) 314, 316
- progressive supranuclear palsy and RBD 56
- prolixin 43
- prolonged exposure for PTSD 315–16
- propranolol 307
- proprioisplinal myoclonus 261–7
 clinical findings 262–5
 differential diagnosis 266–7
 future directions for research 267
 genetics 267
 history 261–2
 ICSD-2 classification 262
 laboratory investigations 265–6
 management 267
 natural history 265
 pathology 267
 terminology 261–2
- proprioisplinal myoclonus at sleep onset (PSM) 232
- pseudo-RBD 135
- psychiatric disorders
 and parasomnias 23
 differential diagnosis 29
- psychiatric medications and parasomnias 43–6
- psychodynamic psychotherapy 315
- psychotherapy
 arousal disorders 313–14
 nightmare disorder 314–17
- PTSD *see* post-traumatic stress disorder
- pulmonary function tests 30
- pulse oximeter 39
- Push/Pull model of NREM parasomnias 49
- RBD *see* REM sleep behavior disorder (RBD)

- recurrent isolated sleep paralysis (RISP) 142–51
 - age of onset 147–8
 - cognitive arousal and sleep pressure 143–4
 - culture-bound syndrome 150
 - definition 142
 - definition of isolated sleep paralysis (ISP) 142
 - definition of sleep paralysis 142
 - education of the public and health professionals 151
 - effects of sleeping position 147
 - epidemiology 9
 - fear associated with 148–9
 - flip-flop model of RISP 144–5
 - frequency and severity 142–3
 - frequency of episodes 148, 150
 - genetic factors 150
 - hallucinations 142, 145–7, 148, 149
 - incubus hallucinations 145–6, 148, 149
 - intruder hallucinations 145–6, 148, 149
 - management 149
 - neurophysiology 144–5
 - night shift paralysis 143–4
 - prevalence 142–3
 - PTSD patients 149
 - relation to affective disorders 148–9
 - relation to nightmares 149
 - research questions 150–1
 - severity and distress 150
 - severity and frequency 142–3
 - sex differences 148
 - sleep onset REM periods (SOREMPs) and timing 143
 - terminology 142
 - threat-activated vigilance system (TAVS) 146, 149
 - timing of episodes 143
 - vestibular–motor hallucinations 145, 146–7, 148
- relaxation strategies 314, 316
- REM parasomnias, differential diagnosis 28
- REM sleep, and PTSD 65–6
- REM sleep behavior disorder (RBD) 5, 131–9
 - AASM scoring criteria 131, 132–3
 - acute form 131
 - age of onset 131, 135
 - alternative names for 131
 - and alcohol 49–50
 - and Alzheimer's disease 56
 - and Lewy body dementia 54, 55
 - and limbic encephalitis 55, 57
 - and multiple system atrophy (MSA) 55, 56
 - and neurodegenerative diseases 55–6, 134, 135, 136, 139
 - and Parkinson's disease 55
 - and parkinsonism 55
 - and post-traumatic stress disorder (PTSD) 57, 134
 - and progressive supranuclear palsy 56
 - and synucleinopathies 5, 55–6, 131, 134, 135, 136–8
 - and tauopathies 55, 56–7
 - and violent behavior 9
 - benzodiazepines 314–15
 - chronic form 131
 - clinical findings 131–3
 - clinical–pathophysiological subtypes 133
 - co-existing pathologies 133–4
 - diagnostic criteria 132–3
 - differential diagnosis 27, 134–5
 - disorders associated with 54–7
 - distinction from epileptic nocturnal seizures 134–5
 - distinction from malingering 135
 - distinction from nocturnal frontal lobe epilepsy (NFLE) 134–5
 - distinction from nocturnal psychogenic dissociative disorders 135
 - distinction from NREM parasomnias 134
 - distinction from OSA with agitated arousals 135
 - distinction from pseudo-RBD 135
 - distinction from rhythmic movement disorder (RMD) 134
 - distinction from sleep panic arousals 283
 - due to medications or substances 42
 - epidemiology 9
 - future directions in research 139
 - genetic factors 138
 - history 131
 - hypnotherapy 326
 - iatrogenic 5
 - ICSD-2 criteria 131, 132
 - idiopathic 5, 131, 132, 135–6
 - injuries caused by 131
 - laboratory investigations 136–8
 - management 139
 - narcolepsy comorbidity 133
 - natural history 135–6
 - neuroimaging 15–17, 136–8
 - neuropathological studies 138
 - neurotransmission abnormalities 138
 - parasomnia overlap disorder 133
 - pathology 138–9
 - pharmacological therapy 139
 - pharmacologically induced 50–1, 57–8
 - physiopathogenesis 138–9
 - polysomnography 136, 137
 - possible role of mirror neurons 139
 - preclinical RBD 133, 136
 - prevalence 131
 - prodromes 135
 - role of the dopamine system 14
 - sexual or sexualised behaviors 77–8
 - sleep-related violence 90
 - status dissociatus 133, 135
 - structural and functional abnormalities 138
 - subclinical RBD 133, 136
 - symptomatic 54–7, 131, 135, 136
 - see also* REM sleep without atonia
- REM sleep motor parasomnia *see* REM sleep behavior disorder (RBD)
- REM sleep without atonia (RWSA) 55, 56, 57 *see also* REM sleep behavior disorder (RBD)
- respiratory activity sensors 39
- restless legs syndrome (RLS) 213–26
 - A11 system 219
 - age of onset 215–16
 - and brain volumetric changes 14–15
 - anti-convulsants (alpha-2 delta medications) 224–5
 - associations with iron depletion 14
 - augmentation on medication 224
 - autopsy evaluations 219
 - blood tests 217
 - brain imaging 219
 - clinical presentation 215
 - CSF studies 219
 - diagnosis 213–14
 - differential diagnosis 214–15
 - discomfort correlated with brain function 15
 - distinction from sleep starts 234–5
 - dopamine agonist treatments 222–4
 - dopamine pathology 218–19, 220
 - endogenous opioid release 15
 - epidemiology 216–17
 - evaluation and treatment 221–5
 - frequency, time and intensity of symptoms 221
 - future directions for research 225–6
 - genetic factors 217, 218–19
 - history 213
 - hormones and RLS 218
 - idiopathic RLS (iRLS) 14
 - iron status and secondary RLS 219–20

Index

- restless legs syndrome (RLS) (*cont.*)
 iron treatments 221
 laboratory investigations 217
 laboratory tests 221
 management 221–5
 medical and medication history 221
 morbidity 217
 natural history 215–17
 neuroimaging 13–15
 opioid treatments 225
 pathology 218–20
 pharmacological response 218
 pharmacological treatments 222
 polysomnograms 217
 risk factors 216–17
 role of the dopamine system 13–14
 secondary causes 215
 secondary RLS and iron 219–20
 secondary RLS evaluation and treatment 221
 secondary vs. primary RLS 215
- rhythmic masticatory muscle activity (RMMA) 252
- rhythmic movement disorder (RMD)
 distinction from RBD 134
 distinction from sleep starts 214
see also sleep-related rhythmic movement disorder (RMD)
- rhythmic movements of sleep (RMS) 271
- RLS *see* restless legs syndrome (RLS)
- Roger, Henri 3
- safety
 arousal disorders 213
 sleep environment 30
- scheduled awakenings 313
- schizoaffective disorder 44, 45
- Schlafrunkenheit *see* confusional arousals
- secondary sleep parasomnias 54
- seizure disorders
 differential diagnosis 27
 link with episodic nocturnal events 3
 sleep-related 4–5
see also epilepsy; sleep-related epilepsy
- seizures, and alcohol 91–2
- serum ferritin level test 30
- sexsomnia 70–8
 clinical course 74–5
- clinical features of NREM parasomnias 71–2
 clinical features of sexsomnia 72–3
 conditions with sexual behavior during sleep 75–8
 confusional arousals in adults 103, 105–6
 diagnosis 73–4
 differential diagnosis 75–8
 due to medications or substances 48
 forensic implications 74–5
 historical overview 70–1
 ICSD-2 classification 70
 paraphilias 75
 pharmacological interventions 74
 RBD 77–8
 safe sleeping arrangements 74
 sexual behavior in sleep (SBS) 70
 sleep-related penile erections (SRE) 72
 suspected malingering 75–8
 terminology 70–1
 treatment objectives 74–5
see also disorders of arousal
- sexual behavior in sleep (SBS) 70 *see also* sexsomnia
- sexualized behavior during sleep, sleep-related dissociative disorders 168–9
- sleep apnea, distinction from sleep panic arousals 282
- sleep bruxism (SB) 4, 252–7
 ambulatory recordings 254
 arousal-related SB episodes 255
 benzodiazepines 305
 clinical features 252–3
 clinical findings 252–3
 differential diagnosis 253
 etiology 255–6
 genetics 254
 history 252
 hypnotherapy 326
 ICSD-2 classification 252
 laboratory investigations 254
 lifestyle and sleep hygiene 256
 management 256–7
 natural history 253–4
 neurochemical link 255
 normal RMMA 255
 pathophysiology 255–6
 pharmacologic treatment 257
 physiologic sequence 255
 prevention of damage 256–7
 rhythmic masticatory muscle activity (RMMA) 252, 253, 254, 255
 risk factors 253
 sleep hygiene 256
- sleep-disordered breathing 256
 swallowing 255–6
- sleep disorder patients, parasomnias due to medications 46–9
- sleep disordered breathing (SDB) and parasomnias 4, 58
- sleep disorders, and PTSD 64–7
- sleep disturbance, characterization 19–21
- sleep drunkenness 21 *see also* confusional arousals
- sleep dynamic therapy (SDT) 315
- sleep enuresis (SE) 175–81
 behavioral therapy 179
 bladder control training 179
 clinical findings 175–6
 conditioning therapy 179
 definition 175
 diagnosis and treatment 177–81
 differential diagnosis 27
 enuresis monitoring 40
 epidemiology 9, 10
 genetic factors 176–7
 hereditary component 10
 hypnotherapy 325–6
 incontinence alarms 30
 laboratory investigations 176
 management 177–81
 motivational therapy 177
 natural history 176
 pathophysiology 177
 pharmacological therapy 179–81
 primary and secondary conditions 175–6
 relationship to sleep disorders 181
 sleep diary 176
- sleep environment, safety issues 30
- sleep expert, role in legal cases 87–9
- sleep history *see* patient history
- sleep hygiene 30, 313
- sleep inertia 21 *see also* confusional arousals
- sleep log or diary 25
- sleep panic arousals (SPA) 278–85
 clinical features 278–9
 cognitive behavioral therapy (CBT) 284–5
 comorbidity 279
 definition 278
 differential diagnosis 280–3
 epidemiology 278
 future directions for research 285
 management 283–5

- pathophysiological considerations 280
- patient education and reassurance 284
- pharmacological treatment 284
- phenomenology 278
- polysomnography 279
- sleep hygiene 285
- sleep paralysis 9
 - definition 142
 - distinction from sleep panic arousals 282
 - see also* isolated sleep paralysis (ISP); recurrent isolated sleep paralysis (RISP)
- sleep paralysis without narcolepsy *see* isolated sleep paralysis (ISP)
- sleep questionnaires 25
- sleep-related dissociative disorders 31, 163–72
 - and sexualized behavior during sleep 168
 - and sleepwalking/sleep terrors 165
 - and violent sexual behavior during sleep 169
 - case presentations 165–8, 169
 - clinical findings 164
 - clinical presentations 165–9
 - differential diagnosis 169–70
 - dissociative disorder NOS 163, 164
 - dissociative fugue 163, 164
 - dissociative identity disorder 163, 164
 - DSM-IV-TR classification 163, 164
 - epidemiology 10
 - evaluation questionnaires 165–6
 - familial clustering of dissociative disorders 171
 - genetic factors 171
 - history 163–4
 - indicators of psychiatric distress 172
 - investigations 170–1
 - management 172
 - natural history 164–9
 - nature of dissociation 163–4
 - pathology 171
 - trauma-related distress 163
 - treatments 319–20
- sleep-related eating disorder (SRED) 202–8
 - association with eating disorders 206
 - association with mood disorders 206
 - association with sleep disorders 206
 - comorbid sleep disorders 206
 - consequences 205
 - definition and characteristics 203–4
 - demographics 205
 - differential diagnosis of SRED and NES 204–5
 - due to medications or substances 45, 46, 50, 51–2, 216–17
 - genetic studies (mouse models) 207
 - historical perspective 202–3
 - ICSD-2 definition 203
 - in obesity and mental illness 58
 - mouse models 207
 - neuroendocrine studies in NES 207
 - night-eating syndrome (NES) 202–3, 204–5
 - pharmacologic treatments 207–8
 - physiology of SRED 206–7
 - role of circadian rhythms 202
 - treatment 207–8
 - weight gain 205
 - see also* disorders of arousal
- sleep-related epilepsy 289–97
 - benign rolandic epilepsy 291
 - differential diagnosis 289–90, 292
 - distinction from RBD 134–5
 - distinction from RMD 274
 - effects of epilepsy drugs on sleep 293–4
 - effects of seizures on sleep 292
 - effects of sleep deprivation on seizures 292, 293
 - effects of sleep disruption on seizures 292, 293
 - effects of sleep drugs on epilepsy 294
 - effects of sleep on seizures 292–3
 - electrical status epilepticus during sleep (ESES) 291
 - generalized epilepsy syndromes 290
 - history 289
 - sleep-related violence 90
 - influence of circadian rhythms 293
 - laboratory investigations 294–6
 - Landau–Kleffner syndrome 291
 - localization-related epilepsy 289, 291, 292
 - parasomnias frequently confused with epilepsy 292
 - partial seizures 289, 291, 292
- sleep-related groaning *see* catathrenia
- sleep-related hallucinations 194–9
 - Charles Bonnet syndrome 194, 195–6
 - clinical findings 195, 196, 197
 - complex nocturnal visual hallucinations (CNVH) 194, 195, 196
 - definitions 194, 195
 - dementia with Lewy bodies 195, 196
 - epidemiology 10
 - epileptic hallucinations 196, 197
 - exploding head syndrome 194, 199
 - genetics 198
 - historical perspective 194
 - hypnagogic and hypnopompic hallucinations 194, 195
 - laboratory investigations 197
 - management 198
 - migraine-related hallucinations 197
 - natural history 195, 197
 - Parkinson's disease 194, 196
 - pathophysiology 198
 - peduncular hallucinosis 196
 - see also* hallucinations; hypnagogic hallucinations; hypnopompic hallucinations
- sleep-related laryngospasm, distinction from sleep panic arousals 282
- sleep-related leg cramps 244–50
 - anti-epileptic medications 250
 - calcium channel blocker therapy 249
 - definition 244
 - diagnosis 245–6
 - epidemiology 244
 - gabapentin therapy 250
 - magnesium sulfate therapy 248–9
 - naftidrofuryl oxalate therapy 250
 - non-pharmacologic treatments 246–7
 - orphenadrine citrate therapy 250
 - pathophysiology 244–5
 - phenytoin therapy 250
 - quinine sulfate therapy 247–8
 - risk factors 245
 - stretching exercises 246–7
 - treatments 246–50
 - vitamin B complex therapy 250
 - vitamin E therapy 249
 - work-up 246
- sleep-related movement disorders 21, 213
- sleep-related penile erections (SRE) 72
- sleep-related rhythmic movement disorder (RMD) 270–5
 - association with ADHD 272, 275
 - body rocking 271
 - body rolling 270
 - characteristics 270
 - clinical manifestations of RMD 270–1
 - comorbidity of RMD 272
 - complications of RMD 272
 - conditions which mimic RMD 274–5
 - diagnostic criteria 271

Index

- sleep-related rhythmic (*cont.*)
 differential diagnosis 274–5
 epidemiology of RMD 271–2
 head banging (jactatio capitis nocturna) 270
 head rolling 270
 ICSD-2 diagnostic criteria 271
 natural history of RMD 271–2
 polysomnography in RMD 272–3
 postulated causes of RMD 273–4
 treatment of RMD 275
- sleep-related twitching 237
- sleep-related violence 81–2
 alcohol-related 91–2
 alcoholic blackout 92
 conditions associated with 82, 89–93
 confusional arousals in adults 102–3
 dissociation 92–3
 drug-related 91, 92
 epilepsy 90–1
 forensic assessment 89–91
 malingering 93
 nocturnal frontal lobe epilepsy (NFLE) 90–1
 parasomnias 89–90
 RBD 90
 sleep terrors 123
 sleepwalking 8, 89, 90
 substance-related 91, 92
see also violent behavior; violent parasomnias
- sleep scheduling 313
- sleep starts 229–35
 acoustic sleep starts 232
 “blip” syndrome 231
 clinical subtypes and descriptions 229–32
 conditions mimicking sleep starts 232–4
 differential diagnosis 232–4
 exploding head syndrome 231
 history 229
 intensified hypnic jerks 230–1
 motor sleep starts (“hypnic jerks”) 229–30
 pathophysiology 234–5
 polysomnographic findings 234–5
 pure sensory sleep starts 230
 repetitive spells in neurologically impaired children 231–2
 sensory-motor types 230
 treatment 235
- sleep terrors 119–26
 age of onset 122–3
- and sleep-related dissociative disorders 165–8
 clinical evaluation 123–4
 clinical findings 120–2
 diagnostic criteria 122
 differential diagnosis 121
 distinction from nightmares 153
 distinction from sleep panic arousals 182
 early studies 3, 4
 epidemiology 7–8
 Freudian theory 119
 genetic predisposition 124
 history 119–20
 laboratory investigations 123–4
 management 124–6
 natural history 122–3
 precipitating factors 122–3
 treatment 124–6
 triggers 8–9
 violent behavior and injury 8, 123
- sleepsex *see* disorders of arousal; sexsomnias
- sleepwalking (somnambulism) 109–16
 and sleep-related dissociative disorders 165–8
 and thyrotoxicosis 59
 associated conditions 115–16
 children 112, 115, 116
 clinical presentation 109–10
 comorbid sleep disorders 111
 diagnostic considerations 110–12
 due to medications or substances 42, 43–4, 45, 46, 47, 48
 early studies 3–4
 epidemiology 8
 familial patterns 3–4, 8
 genetic predisposition 115
 hypnotherapy 325
 injury to self and others 8, 109–10
 management 116
 natural history 112
 neuroimaging 15
 NREM sleep parasomnia classification 109
 pathophysiology 115–16
 polysomnography 112–14
 precipitating factors 111, 112
 psychiatric patients 44–7
 sleep laboratory investigations 110–14
 triggers 9–10
 violent behavior 8, 109–10
see also disorders of arousal
- sleepwalking polysomnography 112–14
- hypersynchronous delta waves 113
 NREM sleep instability 112–13
 post-arousal EEG activity 113–14
 slow-wave activity 113
- slow-wave sleep (SWS) 43, 46–7, 51
- smoking, effects of stopping 42
- snoring 190–1
- somnambulism *see* sleepwalking
- somniloquy (sleep talking) 21
- somnolent starts *see* sleep starts
- spasmus nutans 274
- sporadic Creutzfeldt–Jacob disease 54
- stage 1 REM 137 *see also* REM sleep behavior disorder (RBD)
- Stanford Sleepiness Scale 25
- status dissociatus 28, 133, 135
- stereotypic movement disorder 274
- stress management, arousal disorders 314
- stridor 190
- substances *see* parasomnias due to medications or substances
- substantia nigra iron depletion, role in RLS 14
- sudden unexplained nocturnal death syndrome (SUNDS) 123
- sympathetic skin response (SSR) monitoring 40
- symptomatic RBD 54–7, 131, 135, 136
- synucleinopathies and RBD 55–6, 131, 134, 136, 138
- systematic desensitization (SD), nightmare disorder 316
- tauopathies and RBD 55, 56–7
- teeth grinding *see* bruxism
- thioridazine hydrochloride 45, 46
- threat-activated vigilance system (TAVS) 146, 149
- thyroid function tests 30
- thyrotoxicosis and sleepwalking 59
- timing of abnormal events 21
- tonic immobility 147
- tooth grinding/clenching *see* sleep bruxism
- topiramate 308–9

- Tourette’s syndrome 55, 116
- tracheal microphone 35
- trauma 64–5
 - and nightmares 65
 - and parasomnias 23
 - see also* post-traumatic stress disorder (PTSD)
- trazodone 318
- treatment for parasomnias 30 *see also specific conditions*
- triazolam 47
- tricyclic antidepressants and RBD 5
- triggers for parasomnias 23–4, 25, 30
- twin studies 4–5
- two-oscillator model of breathing 192
- UK and common law, consequences of parasomnias 82–3, 84, 85–7, 88–9
- unspecified parasomnia (ICSD-2) 9
- upper airway resistance syndrome (UARS) 190
- urine screening 30
- US law, consequences of parasomnias 82–3, 84, 85–88
- venlafaxine 50
- vestibular–motor hallucinations 145, 146–7, 148
- video-polysomnography 34–40
 - blood pressure (BP) 40
 - capnograph 39
 - diagnostic use 34
 - electrocardiogram (ECG) 39–40
 - electroencephalogram (EEG) 38
 - electromyogram (EMG) 38–9
 - electrooculogram (EOG) 38
 - endoesophageal pressure measurement 39
 - enuresis monitoring 40
 - environmental microphone 35
 - features of the video camera(s) 35
 - file size and quality of the video recording 36
 - finger plethysmograph (FP) 40
 - fundamental elements 34
 - infrared lights 35
 - motor activity sensors 38–9
 - oronasal air flow sensors 39
 - polysomnographic recording 36–8
 - pulse oximeter 39
 - recorded parameters 38–9, 40
- recording room 34
- research use 34
- respiratory activity sensors 39
- role of the technician 34, 40
- sleep stages recording 38
- sympathetic skin response (SSR) 40
- telemetry recording 43
- tracheal microphone 39
- video recording 34–6
- violent behavior
 - confusional arousals 7–8
 - obstructive sleep apnea 7–8
 - RBD 9
 - sleep terrors 8
 - sleepwalking 8
 - substance-related 91, 92
 - see also* sleep-related violence
- violent parasomnias
 - distinction from mindful criminal acts 25
 - legal implications 24–5
 - see also* sleep-related violence
- violent sexual behavior during sleep, sleep-related dissociative disorders 169
- vittiligo and parasomnias 59
- zolpidem (Ambien) 42, 48–9, 50, 51, 206–7