

Index

- A123 systems, 255
- accelerometer, 122
- access
 - cellular access, 179
 - fixed access, 178
 - local wireless internet access, 176
- active matrix addressing, 216–18, 221–4
- actuation, 4, 122, 123, 124, 160
- actuators
 - biological, 160, 164
 - electroactive polymers, 160–3
 - performance, 160
- ad-hoc communication, 178
- allosteric control, 128
- ambient intelligence, 3, 11–13, 76, 77
- amorphous metal oxide, 222–4
- analog telephone systems, 175
- antenna, 3, 179, 197, 202
 - flexible antenna, 6, 175, 201
 - multiantenna, 116, 176
 - thin antenna, 175, 201
 - transparent antenna, 6
 - tunable antenna, 175, 201
- application specific integrated circuits (ASICs), 175, 186
- application specific processing, 76, 83, 88, 113, 116
- architecture, 18, 178, 210
 - CMOL, 101–2
 - cross-bar architectures, 101–2, 156–7
 - modular device architecture, 3, 8
 - network-on-terminal architecture, 76, 77
 - von Neumann, 79, 88, 96, 113
- arrays of nanoscale components
 - architectures, 156–7
 - synchronisation, 156
- artificial intelligence, 10
- artificial skin, 7
- asymmetric partnerships, 234
- atomic layer deposition (ALD), 206, 255
- augmented reality, 5, 11–13, 209

- bacterial chemotaxis, 127
- ballistic transport, 190–1

- battery, 3, 52
 - Li-ion cell, 53
 - NiCd, 53
 - NiMH, 53
 - lead acid, 53
 - thickness, 53
 - batteries and supercapacitors, 55
- biocompatible systems, 7
- biological materials, 21, 23, 30, 34–5
- biological systems
 - actuators, 129, 160
 - allosteric control, 128
 - compartmentalisation, 129
 - data storage, 129
 - dynamic equilibria, 129
 - evolution, 130
 - hierarchies, 127, 131
 - multicellular control strategies, 130
 - threshold effects, 127
 - use of chemical modification, 129
- biomimetics (bioinspired materials), 22–3, 26, 30, 37–8, 125
- block copolymer, 22, 25, 30, 32–3, 35
- Bluetooth (BT), 176, 178–9, 183, 198
- Boltzmann equation, 191
- broadcast, 175, 177, 180

- cadmium telluride solar cells, 255
- Cambridge Integrated Knowledge Centre, 242
- carbon nanohorns, CNHs, 56, 58, 59
 - nanocones, 58
 - chemical properties, 58
- carbon nanotubes (CNTs), 24–7, 33, 42–3, 56, 61, 63–4, 67, 72, 132, 190, 199, 204, 209, 219
 - actuators, 163
 - chemical functionalization, 26, 41
 - chemical sensors, 136–7
 - forest, 42–3
 - in composites, 28–9
 - memory (NRAM), 105, 110, 112
 - multiwalled carbon nanotubes, 27–8
 - resonators, 137, 140, 201

- single walled carbon nanotubes (SWCNTs), 27–8, 72
- strain gauges, 132–3
- transmission line, 192
- Castells, Manuel, 1
 - network society, 8
 - timeless time, 8
- cathode ray tube, 213, 214
- cellular 2G, GSM/EDGE, 180, 183
- cellular 3G, WCDMA/HSPA, 51, 52, 53, 180, 183
- cellular 4G, LTE, 52, 180, 183
- cellular multimode, 179
- cellulose, 24–5, 28–30
- central processing unit (CPU), 185
- chemical functionalization of carbon nanotubes, 26, 41
- chemical vapour deposition (CVD), 205
- cleantech, 256
- coatings
 - antireflection, 6
 - dirt repellence, 6, 39–41
 - surface adhesion, 41–3
- code-division multiple access (CDMA), 184
- cognitive radio, 122, 174, 180
- collaboration, forms of, 236
 - joint ventures, 236
 - strategic alliances, 236
 - licensing, 237
 - spin-outs, 237
 - informal relationships, 237–8
- commercialization challenges for nanotechnology, 229–30
 - basic research, 229–30
 - investment, 230
 - market and technological uncertainties, 230
 - timescales, 230
- communication
 - cellular communication systems, 177
 - digital communication, 175
 - near field communication, 19, 174–5
 - secure communication, 3
 - short-range communication, 5
 - terahertz radiocommunication, 190
 - ubiquitous communication, 3, 174
 - wireless communication, 205
- community
 - Facebook, Twitter, LinkedIn, 8
- complementary metal-oxide semiconductor (CMOS), 78–82, 84, 89, 92, 94–5, 97–8, 100–2, 105, 107, 112, 114–15, 123, 178, 187, 189–90, 195, 202
- composites *see* nanocomposites
- computer
 - mobile multimedia computer, 2
 - computer aided design (CAD), 208
 - computing, 2–4, 8, 11, 13, 18, 209
 - adiabatic computing, 81
 - cellular automata, 85, 93, 95, 98, 102, 113, 115
 - molecular or chemical computation, 93
 - neuromorphic computing, 83, 88, 113, 157
 - parallel computing, 77, 80–1, 84–5, 88, 90, 94, 96, 98, 102, 113, 156
 - plasmonics, 158–9
 - reconfigurable computing, 92, 97–102, 113
 - ubiquitous computing, 12
- conjugated polymer, 32–4
- connectivity 4, 8, 10, 13, 18
 - low-end connectivity, 175
 - secure connectivity, 1
- context aware, 4
 - context aware map of the environment, 5
- contrast ratio, 217, 219
- copper indium gallium selenide solar cells, 255
- corporate venturing, 240–1
- customization, 7, 13
- diamond-like Carbon, 219
- digital data, 175
- digital identity, 3
- digital video broadcasting – handheld (DVB-H), 179
- dirt repellency, 21, 39–41
- display, 3, 19
 - 3D, 227
 - backlight, 219, 221, 222
 - digital watch, 215
 - e-book, 223
 - haptic, 226
 - helmet, 214
 - liquid crystal, 214–21
 - power consumption, 219, 221
 - touch display, 5
 - video camera, 218
- distributed system, 3
- DNA (deoxyribonucleic acid),
 - DNA computing, 90, 94–5, 98
 - DNA origami templating, 38–9, 204
- elderly people, 9
- electrochemical sensors, 148
 - nanoscale arrays, 149–151
- electroluminescence, 221
- electromagnetic interference (EMI), 201
- electromagnetic shielding, 3
- electron affinity, 219
- electronegativity, 53, 56
- electronics integration, 3, 7
- electrophoresis, 223
- email, 3
- embedded electronics, 3, 13, 209
- embedded intelligence, 10, 13, 18, 174
- emerging markets, 52

- energy, 2, 10, 14, 16
 density, 51, 52
 losses, 209
 sources, 4, 16, 20
 storage, 5, 55
- energy harvesting, 18, 63, 78
 from temperature gradients, 63–4
 ambient RF, 64–7
- entertainment, 8, 175
- environment, 2, 3, 4, 8, 13, 15–18, 176
 environmental challenges, 15–18
 intelligent environment, 10
 local environment, 3
 human environment, 3
 green footprints, 11
- European Patent Office, 254
- exciton, 221, 222, 224
- Federal Communications Commission (FCC), 180
- field-effect transistor (FET), 207
- field emission, 219, 220
 resonating carbon nanotubes, 140
- filter, tunable, 187
- first solar, 255
- form factor, 3
 compliant, 3
 flexible, 3, 6
 small and thin, 3
 stretchable, 3, 6, 190
 transformable mechanics, 3, 6
 transparent, 6, 190
- framework programme 7, 253
- frequency modulation (FM), 176, 198
- fuel cell, 53, 55
 micro fuel cells, 62
 polymer electrolyte membrane fuel cell, PEMFC, 62
 low-temperature, 62, 63
 oxygen reduction reaction, 62
 direct methanol fuel cell, DMFC, 62
 solid oxide fuel cell, SOFC, 63
 hydrogen storage, 63
 challenges, 63
- functional materials, 7–8, 21–50, 160–6
- functionalization, 28, 136
 chemical, 26, 41
 electrode, 150
- future energy solutions, 55
 nanotechnologies, 55
- Gartner, 250
- geometric field enhancement factor, 219, 220
- global positioning system (GPS), 176–7, 179, 198
- global system for mobile communications (GSM), 176, 179, 198
- Google trends, 253
- graphene
 as conductor, 203
 graphene field-effect transistor (GRAFET), 206
 nanoribbons, 201, 204
 graphite structure, 58–9
- Hall effect, 203
- health 8
 medical engineering, 8
 remote health care, 9, 16
- heat management, 78
- hierarchical structure, 28–9, 34–5, 37, 41–3
- high-definition television (HDTV), 178
- high-speed packet access (HSPA), 180
- human cognitive processes, 10, 84
 human nervous system, 7
- human-machine interaction, 4
- hydrogenated amorphous silicon, 218, 222, 224
- hype, 250
 hype cycle, 250
- imaging, 3
 using terahertz, 190
- impedance matching, 192
- indium tin oxide, 214
- industrial, scientific, medical (ISM), 176, 178
- information
 digital information, 3
 embedded processing, 122
 global information, 1–3, 8
 information processing, 3, 181
 local information, 2–4, 8, 174
 location based information, 5
 information technologies, 14
 information transport, 3
- innovation, 229
 disruptive, 230, 246
 generic, 230, 246
 new models, 230–2
 open versus closed, 230–2
 radical, 229–30, 246
- integration, 6, 17, 44, 111–16, 125, 165–6, 243–6
- intellectual property (IP), 239–40, 241–2
- interaction, 175
 social interaction, 7
- interference management, 176
- international mobile telecommunications –
 advanced (IMT-A), 176
- International Telecommunication Union (ITU), 180
- Internet, 1–3, 5, 8, 10–11, 13, 15–16, 18, 122, 174, 180
 browsing, 3
 of things, 13, 174, 190
 usage, 252
 wired internet, 176
 wireless internet, 176, 178

- keyboard, 3
- learning, 10
 liquid crystal,
 in-plane switching, 219
 twisted nematic, 214, 215
- lithography, 204
- Lux Powershares Index, 253
- machine learning,
 for computing, 77, 82, 83, 86, 98, 116, 157–8
 for radio, 187
- magnetic logic, 92–3, 114
- magnetic material, 33
- magnetic nanoparticles, 78, 115
- manufacturing, 2, 4, 7–8, 11, 17, 19, 210, 229
 definition, 228
 fabrication of graphene, 205
 global value chain networks (GVCN), 244
 ink jet printing, 7
 mobile communications industry, 243
 nanomanufacturing, 230
 new configurations, 243
 new manufacturing solutions, 2
 reel-to-reel fabrication, 7, 17
 self-assembly, 18
 value creation and capture, 231
 value chain, 229
- map, dynamic, 5
- markets, global, 8
- mass spectrometry, 137
 resonating field emission, 140
 principle of resonating mass sensors, 138
 resolution of resonator mass sensors, 138
- materials, 2, 18, 21–50
- matter manipulation, 2, 8
- measure matter, 2
- mechanical properties, 22–5, 28–9, 34–7
 fracture toughness, 28
 of nanocomposites, 27–8
 of silk, 35–6
 of abalone shell (i.e. nacre), 35, 37–8
 stiffness, 22–3, 25–6
 tensile strength, 22, 26, 28, 30, 34–5, 37
 Young's modulus, 28
- mechanics, 3
- mechanical metamaterials, 164–5
- medium access control (MAC), 185
- memory, 4, 122, 209
 CNT memory (NRAM), 105, 110, 112
 dynamic RAM (SRAM), 104
 ferroelectric RAM (FeRAM), 105–7, 112
 flash memory, 104–6
 local memory, 11
 magnetic RAM (MRAM), 105–7, 112
 molecular memory, 110–11
 nonvolatile memory (NVM), 104–6
 phase change memory, 105, 108, 112
 probe storage, 105, 109–10
 polymer FeRAM, 105, 107
 random access memory (RAM), 103
 read only memory (ROM), 103
 resistive RAM (RRAM), 105, 108–9, 112
 static RAM (SRAM), 104
 volatile memory (VM), 104
- metal-oxide semiconductor field-effect transistor (MOSFET), 203
- microcrystalline silicon, 222
- microelectromechanical system (MEMS), 123
- miniaturization, 17, 202
 challenges for fuel cells, 63
- MIT, 255
- mixed reality, 2
- mobile communications industry, 243
 1G and 3G, 243
 value chains, 244
- mobile multimedia and energy, 51
- mobile TV, 176
- mobility, 4, 176
- molecular electronics, 92
- Moore's law, 87, 184, 189
- morphology,
 of Lotus leaf, 40
 of nacre, 37
 of nanocomposites, 24
 of silk, 35
- MPEG-1 audio layer 3 (MP3), 177
- multifunctional, 6
 multifunctional material 21, 35
- multimedia, 2
- multiple-input and multiple-output (MIMO), 182
- nanocomposites, 21–30, 32, 34–8
 biological, 35–8
 biomimetic, 30
 inorganic/organic, 37
 morphology, 24
 organic, 22, 35
 with carbon nanotubes (CNTs), 28–9
 with cellulose nanofibers, 28
- nanocrystalline Silicon, 222
- nanoelectromechanical systems (NEMS), 196, 199–200
 based on: carbon nanotubes, 132–3, 140–1, 199–201; diamond, 208; graphene, 207; silicon nanowires, 137–40; zinc oxide nanowires, 134–5
 for computing, 94, 116
 for RF filters, 197, 199–201, 207
 for sensors, 132–41
 strategies for realising NEMS, 132

- nanofiber, 24–5, 28–30, 41
 - cellulose, 24–5, 28–30
- nanofiller, 24–5
 - fiber-like, 25
 - nanoparticle, 25
 - rod-like, 29
 - sheet-like, 25
- nanoclay, 24–6, 37–8
 - composites, 25, 38
- nanoparticles,
 - magnetic, 202
- nanophotonics, 143–4
- nanosolar, 255
- nanostucture, 21, 30
 - of blockcopolymers, 31–2
 - of gecko foot pad, 42
 - of lotus leaf, 40
 - of nacre, 37–8
 - of silk, 36
- nanostuctured electrodes, 56
 - advantages and disadvantages, 56, 57
 - carbon nano-onions CNOs, 57
 - carbon nanohorns, CNHs, 57
 - carbon nanotubes, CNTs, 57
 - cycle life, 57, 58
 - equivalent series resistance, ESR, 57
 - nanoparticle agglomeration, 57
 - particle size vs. cycling, 58
 - safety, 57
 - (specific) surface area, SSA, 57
 - synthesis, 57
 - self discharge, 57
- Nanotech 1.0, 253
- Nanotech 2.0, 255
- nanotube, carbon, 219
- nanowires, 191
 - field effect transistors (FETs), 135–6
 - nanowire antenna, 190
 - piezoelectric, 134–5
 - silicon, 135
 - zinc oxide (ZnO), 134, 225
- NASDAQ, 252
- National Nanotechnology Infrastructure Network, 254
- National Nanotechnology Initiative, 253
- navigation, 3–5, 177
- network, 1–2
 - body area network (BAN), 179
 - cellular network, 175
 - digital network, 177
 - local-area network, 174
 - mobile ad hoc network (MANET), 178
 - mobile communication network, 1
 - personal area network, 174
 - second-generation digital network, 177
 - sensor network, 13, 174,
 - social network, 8
 - third generation digital network, 177
- neural network, 84–5, 101–2
- noise,
 - 1/f, 126, 136, 152
 - compensation for, 126
 - measurement resolution, 126, 133, 138–9, 141
 - nanowire FET sensors, 136
 - resonating mass sensors, 138–9, 141
 - sensor fluctuations, 126
 - signal-to-noise ratio, 126, 153–5, 175, 182
 - stochastic resonance, 153–5
 - thermal noise, 126, 133, 138, 139, 153–5, 177, 182
 - Nokia Research Center, 242
- open innovation, 1, 230
 - definition, 230
 - for nanotechnologies, 241
 - intellectual property, 231
 - open source development, 1
 - strategic and operational issues, 232
- open innovation partners, 232
 - customers and users, 232
 - intermediaries, 235
 - public research institutes, 235
 - start-up companies, 234
 - suppliers, 233
 - universities, 234
- open innovation processes, 238
 - corporate venturing, 240–1
 - IP management, 239
 - technology intelligence, 238
- open system interconnection (OSI), 185
- operating voltage, 53
- operation range, 176
- operator, 176
- optical functions, 7
- optical sensing, 142
 - optical fibres, 143
 - optical waveguides, 143
- organic electroluminescent material, 221–4
- organic semiconductor, 223, 224
- passive matrix addressing, 215, 216, 222, 225
- phosphor, 214, 219
- photovoltaic cell, 55
 - nanostuctured, 55
- piezoelectric nanostuctures, 134–5
- plasma enhanced chemical vapour deposition, 218
- plasmonics, 93, 144–8
 - localized surface plasmons, 146
 - signal processing, 158–9
 - surface plasmon polaritons, 144
 - surface plasmon resonance, 144, 147
- polarizer, 215, 216
- polycrystalline silicon, 218, 222

- polymers 21–38, 43–4
- population, 1, 9, 14–17
- portable device energy
 - enabling form factor, 52
 - energy density, 51, 52, 53
 - energy storage, 52
 - portable energy sources, 51
 - power density, 51, 53
 - RF engine power use, 51
 - stand-by time, 51
 - wireless module power consumption, 51
- power consumption, 3–4, 19, 175, 178
 - average power consumption, 54–5
 - display, 53, 55
 - high speed interface, 53
 - power control, 184
 - processing, 53
 - radio interface power, 54
 - RF front end, 53
 - serialized interconnects, 53
 - smartphone, 51
 - stand-by, 53
- power management, 51
- printed electronics, 175, 195
- privacy, 3, 8, 10, 12, 16
 - controlled, 3
 - in healthcare, 8
- product life cycle, 11
- protein, 30, 35–6, 38
- protocols for communication, 176

- Q* value (factor) of resonators, 138–9, 198, 207–8
- quality of service (QoS), 180
- quantum capacitance, 191, 205, 208
- quantum confinement, 204
- quantum dots, 142–3, 224
- quantum resistance, 191

- radio, 3, 10, 12, 18
 - CNT, 196
- radio frequency (RF), 174
- radio frequency (RF) identification (RFID), 175–6, 178–9
- radio frequency (RF) processing
- receiver, 177, 182, 193
- reinforcement, 22, 24, 26, 28–9, 36–7
 - with carbon nanotubes, 26
 - with cellulose nanofibers, 28
- reliability, 12, 78, 92, 98, 100, 103, 105, 108, 112, 114, 116, 174
- regulations, 175
- renewable energy, 51
- requirements, 3, 13, 19, 175
 - for data rates and spectral efficiency, 176
 - for noise level,
 - for radio protocol, 176
- resonator, 137–40, 199–201
 - carbon nanotube (CNT), 140, 196, 199
 - graphene, 207
 - optical resonator sensors, 143
 - resonator array, 200
 - silicon nanowires, 137–40
- RUSNANO, 253

- S-curve, 251
- safety, 8, 12, 210
- scalability, 175
- security, 8, 12, 16
- self-assembly, 22, 33
 - aperiodic, programmed, 39
 - in silk, 35
 - of blockcopolymers, 30, 32
 - of DNA, 38
- self-cleaning, 22, 39
 - lotus effect, 40
 - superhydrophobic, 40–1
- self-healing, 22, 32, 43–4
- sensing, 3–4, 6–8, 11, 13, 121–73
 - based on mobile devices, 123–7
 - nature's way of sensing, 127–31
 - ubiquitous sensing, 3, 18, 121–3
- sensors, 121–76
 - applications and performance, 126
 - arrays, 135, 156
 - based on plasmonics, 144–8
 - chemical, 136–7
 - distributed sensors, 6
 - electrochemical, 148–51
 - integration with signal and data processing, 125
 - measurement accuracy (error), 126
 - networks, 122
 - optical, 142–4
 - physical, 131–41
 - system, 125
- server, 3, 13
- services, 2–3, 4, 6, 8, 10–12, 14–15, 18, 176–7, 180
 - digital services, 1
 - mobile network services, 1
 - voice services, 1
 - messaging services, 1
 - location-based services, 18, 174
- Shannon's theorem, 175, 177
- Sharvin model, 191
- signal processing, 151–9, 174–5
 - amplification, 152
 - analog, 184
 - baseband (BB), 186
 - digital, 184
 - machine learning, 157–8
 - noise-enhanced, 153–5
 - parallel computing, 156–7
 - plasmonics, 158–9
 - RF, 186, 199
 - sensor signal processing, 151–9

- signal processing (*cont.*)
 signal coding, 152–3
 silk, 35–7
 silicon carbide (SiC), 205
 silicon nitride, 218
 silicon oxide nanowires (SiNW), 135
 smart sensor system, 123
 smart spaces, 3, 13, 19, 175
 Internet of things, 13
 smart home, 16
 society, 2, 16–17
 global networked society, 8
 software-defined radio (SDR), 180, 186
 solar cells, 67
 PN-junction, 67
 coaxial nanowire, 68, 69
 nanowire arrays, 69
 indium tin oxide, ITO, 69
 dye-sensitized solar cells, DSSC, 69
 artificial light, 73
 spectrum, 176
 dynamic spectrum allocation, 176
 spectral efficiency, 176
 spike (or pulse) modulated signals, 152
 spintronics, 92, 114–15
 standard, 1, 16, 177, 179
 Radio, 201
 stochastic processes
 in biological systems, 131
 stochastic resonance, 89
 device networks, 154
 nanomechanical structures, 154–5
 signal processing, 154–5
 storage, mass, 3
 strain gauge, 132–3
 supercapacitor, 18, 53, 55, 56
 charge storage, 55
 electrochemical double layer capacitor, EDLC,
 56, 57, 59
 impedance, 59
 power and energy, 60
 pseudocapacitors, 56
 series resistance, 59
 time constant, RC, 60
 supramolecular polymer, 32, 43–4
 surface topography (or structure)
 gecko, 42
 lotus leaf, 40–1
 swarm intelligence, 86
 system on chip (SoC), 188
 system design, 210
 system in package (SiP), 188

 tags
 Chemical tags, 12
 RFID tags, 13, 19

 teaching, 11
 technological discontinuities, 252
 technology intelligence, 238
 thermoplastic elastomer, 32
 thin film transistor, 217, 222–4,
 Time Division Synchronous Code Division Multiple
 Access (TD-SCDMA), 176
 touch sensor
 capacitive, 225
 transducer, 204
 integration with sensors, 125
 nonideal characteristics, 125
 transduction,
 mechanical, 131
 piezoelectric, 134
 transformation, 5–6
 transistor, 79, 83, 91–3, 96, 100, 102–4, 107–8, 114,
 179
 graphene, 205
 nanotube, 190, 194
 transmission, 175, 184
 digital transmission, 175
 transmission line, 191
 transmission mask, 184
 transmitted power, 176
 transmitter, 180, 182
 transparent electrode, 214, 216, 217, 221, 223, 225
 turing machine, 82, 86, 89, 96

 ultra-wideband (UWB), 176, 178
 usage scenario, 3
 user interface, 6, 10, 12, 18
 graphical user interface, 6

 viewing angle, 219, 221
 virtual community, 14
 virtual connection, 9
 virtual world, 11

 wearable computing, 78
 wearable objects, 7
 web 2.0, 252
 wideband code-division multiple access (WCDMA)
 wireless local access network (WLAN), 176, 178–9,
 183, 198
 work function, 219
 World Radiocommunication Conference (WRC),
 180
 worldwide interoperability for microwave access
 (WiMAX), 176
 World Wide Web, 252

 Young's modulus, 199, 204, 209

 zinc oxide (ZnO), 201, 225
 nanostructures, 134