

## Index

- accreditation 48–50  
 Advanced Simulation and Computing Program (ASC) 378, 678–679, 684  
 adjoint method  
   for adaptation 349, 354–356  
   for discretization error estimation 298, 299, 306–309  
 aleatory uncertainty 51–52, 53, 70–71, 97–99, 101–107, 118, 121, 384, 488, 489, 527–528, 544–548, 556, 566–569, 572, 601–605, 609, 720–721, 742  
   definition 51–52  
   sources 386, 417  
 algorithm consistency 145, 177, 178–180, 196, 225–226, 286, 297, 345  
 anisotropic mesh (*see* mesh refinement, anisotropic)  
 application domain 41–44, 61, 72–73, 378–380, 491, 573–575  
 application of interest 60, 70–73, 478, 674  
 asymptotic range 185, 229, 241, 288, 299, 312, 317–318, 322, 325, 331, 343  
  
 Bayesian inference 479, 483–484, 556, 567, 611, 627–628, 630–632, 663–664  
 benchmark numerical solution 241, 243, 715  
 bisection method 262  
 boundary condition 153, 193, 203, 204  
   order 210  
   types 210  
   Verification 221, 223–225, 289  
   Validation 40, 412–415, 429, 462  
 bug (*see* coding mistake)  
 Burgers' equation 213, 214–216, 235, 272–273, 278, 344–347, 361–366  
  
 calculation verification (*see* solution verification)  
 calibration 7, 31–32, 64, 373, 382–385, 393–394, 401–404, 476–479, 625–626, 663–664, 704, 715  
   definition 44–47  
   experimental 57, 415, 430  
   parameter (*see* parameter calibration)  
 capability maturity model integration (CMMI) 166, 696  
  
 certification 47–48, 417, 707  
 closed form solution 199, 213, 228, 240  
 code  
   complexity 151, 160–161  
   coverage 156, 158–159, 716, 729  
   definition 170  
   reliability (*see* software, reliability)  
 code verification 63–64, 145, 170, 180, 190–192, 208, 220, 222–223, 225–228, 383, 715–716, 731–732  
   criteria 171–175  
   definition 32–34  
   responsibility 204–205, 729–731  
 coding error (*see* coding mistake)  
 coding mistake 56–57, 64, 124, 146, 151, 157, 170, 175, 193, 196, 202, 215, 226, 383, 482, 630  
 coefficient of variation (COV) 492, 500, 581  
 conceptual model 22–23, 30, 117–119, 128–132, 209, 478, 699  
 confidence interval 440, 493–497, 501–502, 508–510, 514–517, 611–614, 653  
 configuration management 34, 165–166, 715–716  
 consistency (*see* algorithm consistency)  
 convergence  
   asymptotic (*see* asymptotic range)  
   discretization error 172, 174, 179–180, 183, 186–189, 193, 203, 249, 286, 294, 297, 312, 335, 337, 350, 354, 355, 383, 585  
   iterative (*see* iterative convergence)  
   rate (*see* order of accuracy)  
   statistical 258–260, 605  
 Cramer's rule 266  
 credibility 8–15, 23, 67, 401, 696–702  
 computational simulation phases  
   Phase 1: conceptual modeling 118–119, 128–132  
   Phase 2: mathematical modeling 119–121, 132–135  
   Phase 3: discretization and algorithm selection 121–123, 135  
   Phase 4: computer programming 123–124, 135  
   Phase 5: numerical solution 124–125, 136  
   Phase 6: solution representation 125–127, 136

- Cumulative Distribution Function (CDF) 52, 70–71, 96, 99, 103, 136–137
- customer 13, 50, 60, 65, 373, 731
- databases, for verification and validation 747–753
- debugging 146, 155–156, 196, 201, 226, 410
- Dempster–Shafer theory (*see* evidence theory)
- design of experiments (DOE) 422, 437, 441, 442–455, 465, 472
- direct solution methods (for linear systems of equations) 261, 263–264, 265–266, 269
- direct substitution iteration 262, 320
- discontinuities (*see* singularities)
- discretization
- of the domain 294–297
  - of the mathematical model 288–294
- discretization error 35, 174, 177, 181, 184, 185, 189, 252, 343–348, 592
- definition 178, 286
  - estimation (*see* discretization error estimators)
  - temporal 196–201
  - transport 181, 286–287
- discretization error estimators 297–309, 337, 588–591
- a posteriori* 297–299
  - a priori* 297
  - for system response quantities 304, 306–309
  - higher-order estimates 299–301
  - reliability 317–322
  - residual-based methods 301–309
  - uncertainty of 322–329
- discretization error transport equation 301–304, 351–352
- continuous 181, 286, 302–303, 305, 312, 344
  - discrete 303, 344
- discretization methods
- finite difference 289–290
  - finite element 292–294
  - finite volume 290–291
- dual problem (*see* adjoint method)
- dynamic software testing 34, 155–157, 161–162
- defect testing 155–157
  - regression testing 34, 157, 196, 686
  - validation testing (in software engineering) 157
- effectivity index 298–299
- Empirical Distribution Function (EDF) 101–107, 354–356
- energy norm 297–298, 300–301, 305, 308, 589
- environment, of a system 5, 38, 41–44, 87–89, 97, 119, 130–132, 395, 557
- epistemic uncertainty 51, 70–71, 99, 488–489, 527–528, 544–548, 556, 606–610, 617, 660, 742
- blind (*see* uncertainty, blind)
  - definition 53–57
  - recognized (*see* uncertainty, recognized)
  - sources 72, 108–113, 117–119, 284, 288, 323, 324, 386–388, 413, 440, 487, 561, 566–569, 591–592
- error 25–27, 63–64, 67, 474–476, 495–497, 529, 630–631
- bias 68–69, 72–73, 107
  - code (*see* coding mistake)
  - definition 57–59, 481–483
  - discretization (*see* discretization error)
  - iterative (*see* iterative error)
  - measurement 371–372, 421, 432–434, 437–442
  - model (*see* model form uncertainty)
  - numerical 34–35, 145, 249, 250–252, 283–284, 286, 313, 320, 382–383, 487, 591–592, 630, 701, 717–718
  - round-off (*see* round-off error)
  - sources 32, 56–57, 116, 123–125, 126–127, 381–385
  - truncation (*see* truncation error)
- error transport equation (*see* discretization error transport equation)
- Euler equations 230–231, 282, 335
- evidence theory 56, 98, 556
- exact solution
- manufactured solution (*see* Method of Manufactured Solutions)
  - traditional exact solution 210–219, 226
- expert opinion 25, 54–58, 121, 570–572, 625, 689
- experimental uncertainty 377, 381–385, 387–388, 421, 437–442, 454–455
- design of experiments (*see* design of experiments)
  - ISO Guide (GUM) 421, 437, 440, 448
- factor of safety 324–326, 328, 329, 590, 733
- failure (system) 115–116
- false position method 263
- finite element residual (*see* residual, continuous)
- finite element residual methods 305–306, 352
- explicit 302, 305, 352–354, 356
  - implicit 302, 305–306, 308
- formal methods (for software) 159
- formal order of accuracy 174, 190, 194, 208, 210, 215, 291, 293, 300, 312, 314, 322, 360
- definition 180–182, 312
  - evaluating 177, 181–182, 345–347
  - reduction due to discontinuities 182, 335–336
- Fourier stability analysis (*see* von Neumann stability analysis)
- fractional uniform refinement 331–332
- gap analysis 62, 678, 684–689
- commercial codes 690–691
  - definition 684
- Gauss–Jordan elimination 266
- Gauss–Seidel iteration 266–268, 274, 579
- Gaussian distribution (*see* normal distribution)
- Gaussian elimination 265–266
- generalized truncation error expression (GTTEE) 177–178, 302–304, 345–347

- governing equations (*see* mathematical model)  
 grid (*see* mesh)  
 grid convergence index (GCI) 323–329, 590, 733  
   definition 324–325  
   factor of safety method 328  
   global averaging method 327–328  
   implementation 325–326  
   least squares method 326–327  
 grid refinement (*see* mesh refinement)  
 grid refinement factor 183, 186, 199–201, 311, 314, 318–320,  
 329, 330–332, 595
- heat conduction equation  
   steady 228, 241, 271, 292, 377  
   unsteady 176, 212, 213, 214, 221, 269  
 hypothesis testing 479–483, 493, 611
- imprecise probability 99, 528, 609  
 inconsistency (*see* algorithm consistency)  
 infinite series solution 195, 240, 241  
 integral equation (*see* mathematical model)  
 iteration matrix 266, 268, 271, 273–275, 279–281  
 iterative convergence 184–185, 229, 241, 262–263, 264,  
 266–267, 273–283, 317, 587–588  
   criteria 276–278  
   definition 263, 264, 273–274  
   error (*see* iterative error)  
   general 275–276  
   monotone 274–275  
   oscillatory 275  
 iterative error 35, 185, 260–261, 263–264, 265, 274, 382,  
 586–588, 591  
   definition 260, 273  
   estimation 278–281  
   local convergence rate 279–281  
   machine zero method 279  
   practical approach for estimating 282–283  
   relation to iterative residual 281–282  
 iterative method 261–269  
   hybrid 269  
   Krylov subspace 268–269  
   stationary 266–268  
 iterative residual (*see* residual, iterative)
- Jacobi iteration 229, 267, 269, 274  
 JCEAP (Joint Computational Experimental Aerodynamics  
 Program) 409  
   experimental design 422–437  
   experimental uncertainty estimation 437–455  
   synergism with simulation 455–465
- Latin hypercube sampling (LHS) (*see* Monte Carlo sampling)  
 LU decomposition 266  
 Lax's equivalence theorem 180
- machine precision 229, 258, 279, 362  
 machine zero (*see* machine precision)  
 manufactured solution (*see* Method of Manufactured  
 Solutions)  
 mathematical model 13, 29, 69–71, 91, 119–121, 170  
   definition 38, 92–98  
 maturity assessment (of models and simulations)  
   CMMI (*see* capability maturity model integration)  
   credibility assessment scale 701  
   PCMM (*see* predictive capability maturity model)  
   technology readiness levels (TRL) 697–699  
 mean, sample 438, 493–495
- mesh  
   body-fitted (*see* mesh, curvilinear)  
   Cartesian 191, 228, 269, 290, 291, 295–296, 312, 331, 344  
   curvilinear 189, 191, 295  
   quality (*see* mesh refinement, consistent)  
   refinement (*see* mesh refinement)  
   resolution (*see* mesh refinement, uniform)  
   structured 189, 191, 294–295, 331, 332, 358, 359  
   topology 190–192, 195  
   transformation 173, 189–190, 228, 312, 345–347, 361  
   unstructured 189, 191, 203, 295, 330, 332, 358, 589  
 mesh adaptation (*see* solution adaptation)  
 mesh refinement 317, 329, 332  
   adaptive (*see* solution adaptation)  
   anisotropic 188, 345–346, 347–348, 351  
   consistent 186–189  
   factor (*see* grid refinement factor)  
   fractional uniform (*see* fractional uniform refinement)  
   methods (*see* richardson extrapolation)  
   systematic 176, 185–189, 313, 324, 329–330, 346  
   unidirectional 197, 333–334  
   uniform 186  
 method of characteristics 213  
 Method of Manufactured Solutions (MMS) 33, 219–234, 729,  
 750  
   examples with order verification 228–234  
   guidelines 222–223  
   physically realistic 234–239  
   procedure 220–222  
   verifying boundary conditions 223–225  
 mixed order 181, 335–336  
 model  
   accuracy assessment (*see* validation metric)  
   adequacy (*see* validation, aspects)  
   alternative plausible models 575, 611, 615–617  
   calibration (*see* calibration)  
   competing models (*see* model, alternative plausible  
   models)  
   conceptual (*see* conceptual model)  
   definition 92  
   extrapolation/interpolation 36, 43–44, 541–544, 611–615,  
   646, 657–663

- form uncertainty 36–40
- mathematical (*see* mathematical model)
- strong form 98
- tree structure 565
- types 92–95
- updating (*see* calibration)
- weak form 98
- modeling and simulation (*see* scientific computing)
- Monte Carlo sampling (MCS) 103–113, 125, 582, 600–610
  - Latin hypercube sampling (LHS) 135–136, 605–610
  - nested (second order, two-dimensional) 98–99
  - replicated 112, 608
- Newton's method 263, 272, 275
- normal distribution 102, 440, 493–495, 576–578, 640–642
- norm 171, 184, 195, 198–200, 273, 274, 297–298, 472, 485, 501–502, 586
- numerical benchmark solution (*see* benchmark numerical solution)
- observed order of accuracy 182–185, 195–196, 198–201, 318, 320–322, 324, 383, 590
  - constant grid refinement factor 318–320
  - definition 175, 182, 318
  - non-constant grid refinement factor 320
- order of accuracy
  - observed (*see* observed order of accuracy)
  - formal (*see* formal order of accuracy)
- order verification procedures
  - downscaling method 203–204
  - residual method 202–203
  - standard 192–197
  - statistical method 203
  - with spatial and temporal discretization 197–201
- parameter 401–404
  - calibration 44–47
  - estimation 44–47, 375, 479–480
  - types 622–625
  - uncertainty 559–560, 566–572, 606–610
  - updating 478–479, 483–484, 626–633
- partial differential equation (*see* mathematical model)
- phenomena identification and ranking table (PIRT) 677–684, 688–691
- planning and prioritization 673–678
- pollution error (*see* discretization error, transport)
- polynomial chaos 125, 601
- pooling CDFs (u-pooling) 535–544, 649–662
- possibility theory 56
- precision (floating point)
  - double 253, 279
  - single 253, 279
- prediction 35–40, 59–75, 96–100, 476–479, 555–557
  - definition 28
  - extrapolation/interpolation 41–44, 46–47
  - predictive capability 38–40, 59–75, 134, 402–405, 478–479, 622–626
    - responsibilities, staff 729–738
    - responsibilities, management 738–747
    - Step 1: identify uncertainties 557, 561, 640
    - Step 2: characterize uncertainties 565–575, 640–654
    - Step 3: estimate solution error 584–592
    - Step 4: estimate total uncertainty 599–617, 655–663
    - Step 5: model updating 622–633
    - Step 6: sensitivity analysis 633–638
  - predictive capability maturity model (PCMM)
    - aggregation of scores 723–724
    - characteristics 711–721
    - purpose 707–711
    - structure 702–707
  - probability interpretations 113, 494, 609, 627
  - probability bounds analysis (PBA) 556, 606
    - definition 98–100
    - example 111–113, 135–137
    - p-box (*see also* imprecise probability) 99, 136, 474, 526–528
  - probability density function (PDF) 52, 102
  - programming, agile 150–151
  - programming error (*see* coding mistake)
- random uncertainty (*see* aleatory uncertainty)
- random variable (*see* aleatory uncertainty)
- reality of interest 30
- recovery methods 300–301
- reducible uncertainty (*see* epistemic uncertainty)
- replicated Monte Carlo sampling (*see* Monte Carlo sampling)
- residual 305, 349, 351–356, 444–447
  - continuous 277, 304, 305, 352
  - discrete 182, 202, 307, 314, 315
  - finite element (*see* residual, continuous)
  - iterative 262, 263, 264, 268, 272, 277–278, 283
  - method (*see* order verification procedures, residual method)
  - relation to iterative error (*see* iterative error, relation to iterative residual)
  - relation to truncation error 303–304
- revision control (*see* version control)
- Richardson extrapolation 299, 309, 589
  - assumptions 312–313
  - completed 314
  - completed in space and time 314
  - error estimate 315
  - generalized 311–312
  - least squares extrapolation 314–315
  - standard 310–311
- risk 89, 90, 119, 120, 130–132
  - definition 115–116

766

risk-informed decision-making 59, 93, 610, 721–725,  
 737–738  
 round-off error 185, 252–258

sampling (*see* Monte Carlo sampling)

scenario 61, 97–101, 115, 119, 130–131, 395, 557, 561, 599,  
 615  
 definition 87–89

scientific computing (defined) 2

screening (scoping) analysis 557–558, 707

secant method 263

sensitivity analysis 15, 100–101, 456, 633–634, 664,  
 719–721  
 global 635–638  
 local 634–635

separation of variables 211–212

series solution (*see* infinite series solution)

similarity solution 239–241, 520

simulation 51, 71, 96–101  
 definition 92–95

singularities 241, 244, 287, 322, 334–336, 349

software  
 cost estimation 165  
 defect 149, 153  
 development 147–151  
 failure 154  
 fault 153  
 management 164–167  
 quality 159–161  
 quality assurance 33–34, 63–64, 166, 729–732  
 refactoring 151  
 reliability (*see* software, quality)  
 requirements 162–164  
 static analysis (*see* static analysis)  
 testing (*see* dynamic software testing)  
 validation 153  
 verification 153

software engineering 146–147

solution adaptation 249, 343  
 adaptive remeshing 358  
 criteria 349–356  
 mesh refinement (h-adaptation) 358–359  
 mesh movement (r-adaptation) 359–360  
 order refinement (p-adaptation) 360

solution verification 382, 716  
 definition 34, 249, 250  
 error sources 34–35, 250–252  
 responsibilities 732–734

stability (of discretization methods)

stakeholders 60–61, 565, 697, 709–710, 733  
 definition 675

standard deviation 38, 69, 84–87, 440, 496, 501

standards, development 94–95, 753–754

static analysis (of software) 154–155

Index

statistical sampling error 258–260  
 strong solution 209, 289  
 superconvergence 300–301  
 surroundings 38, 69, 94–95, 118–119, 128–131, 440, 496,  
 558–560, 753–754  
 definition 84–87, 501

symbolic manipulation 222

system 69–71, 92–95, 128–131, 558–560  
 definition 84–87

system failure (*see* failure, system)

system response quantity (SRQ) 41–44, 61, 66–67, 97–101  
 spectrum character 377–378, 418–420

T experiments 161–162

temporal refinement factor (*see* grid refinement factor)

Thomas algorithm 265, 266, 270

transformations  
 for solving differential equations 212–213  
 mesh (*see* mesh, transformation)

truncation error 180–182, 190, 203, 301–304, 335, 349,  
 351–354  
 analysis 175–178, 344–345  
 analysis on nonuniform meshes 345–347  
 definition 175

uncertainty  
 aleatory (*see* aleatory uncertainty)  
 blind  
 characterization 66, 70, 108–113, 119, 384, 386,  
 565–575  
 definition 51–57  
 epistemic (*see* epistemic uncertainty)  
 lack of knowledge (*see* epistemic uncertainty)  
 model (*see* model form uncertainty)  
 model input 97–101, 475–476, 558–560, 569–572  
 numerical 283–284, 288  
 parameter (*see* parameter uncertainty)  
 predictive (*see* predictive capability)  
 quantification, responsibilities 736–747  
 recognized

validation  
 aspects 35–39, 374–375  
 definitions 22, 24, 25  
 difficulties 401–405  
 domain 41–44, 61, 378–381, 573–575  
 experiment 64–66, 372–388, 409–422  
 hierarchy 27, 388–396  
 metric (*see* validation metric)  
 plan 61, 593, 596  
 project-oriented 378–381  
 pyramid (*see* validation, hierarchy)  
 responsibilities 734–736, 738–747  
 scientific 375–378

Cambridge University Press

978-0-521-11360-1 - Verification and Validation in Scientific Computing

William L. Oberkampf and Christopher J. Roy

Index

[More information](#)*Index*

767

- Validation metric 67–69, 474–476, 573–575, 611–615  
  area metric (comparing CDFs and p-boxes) 486, 524–548,  
    612–654, 655–663  
  definition 36, 374, 473  
  difference between means 484–486, 491–524  
  pooling (*see* pooling CDFs)  
  recommended features 486–490  
variability (*see* aleatory uncertainty)  
verification  
  calculation (*see* solution verification)  
  code (*see* code verification)  
  definition 13–14, 26  
  plan 61, 593, 596  
  responsibilities 204–205, 729–734,  
    738–747  
  solution (*see* solution verification)  
version control 151–153, 166  
von Neumann stability analysis 179  
weak solution 209, 211, 226