

## Index

- absolute threshold of hearing, 224
- accuracy
  - 1/4th-pixel, 211
  - 1/8th-pixel, 211
  - half-pixel, 211
- algorithm
  - Blahut, 49, 53
  - for lattice quantization, 34
  - Levinson–Durbin, 83, 85, 87, 154, 162
  - Linde–Buzo–Gray (LBG), 25, 26
  - Lloyd–Max, 22
  - LOCO, 186
  - Viterbi, 36, 37, 38
- aliasing, 11, 13
- analysis
  - closed-loop, 154
  - open-loop, 153
- approximating values, 15
- audio, 1, 63, 223
- autoregressive model, 81
- basis
  - for the  $n$ -dimensional lattice, 28
  - functions, 10
  - vectors, 93
- binarization, 220, 257
- binary alpha blocks (BAB), 206
- bit-rate, 141
- centroid, 19, 25, 30
- circular displacement, 102
- code
  - convolutional, 36, 58
  - Elias, 256
  - Gallager-van Voorhis, 255
  - Golomb, 218, 254
  - Golomb–Rice, 188
  - Levenstein, 256
  - monotonic, 254
  - prefix-free, 239
  - terminated convolutional, 37
  - trellis, 38
  - unary, 254
  - zero-tail terminated convolutional, 37
- codebook, 26, 27
  - adaptive, 154
  - adaptive gain, 155
  - stochastic, 156
  - stochastic gain, 156
- codec
  - ACELP, 158
  - code excited linear predictive (CELP), 79
  - FS-1015 LPC-10E, 142
  - FS-1016 CELP, 142, 153
  - G.722 Wideband, 141, 142
  - G.723.1 MPC-MLQ, 142, 153
  - G.728 LD-CELP, 141, 142, 153, 161
  - G.729 CS-ACELP, 142, 153, 160
  - GSM 06.10, 161
  - IS-54 VSELP, 142, 153
  - IS-96 QCELP, 142, 153
  - mixed excitation linear prediction (MELP), 144, 162
  - PDC PSI-CELP, 142
  - PDC VSELP, 142
  - RPE-LTP(GSM), 142, 153
  - VSELP, 161
- coding
  - adaptive, 258
  - adaptive delta modulation, 148
  - adaptive differential pulse code modulation (ADPCM), 141, 142, 147, 150,
  - analysis-by-synthesis, 152
  - arithmetic, 175, 243, 246
  - audio, 223
  - backward adaptive, 153
  - bit-plane, 136, 189
  - CABAC, 217, 220
  - CAVLC, 217
  - context, 175, 190, 249
  - delta-modulation, 78, 147
  - differential, 183
  - differential pulse code modulation (DPCM), 149
  - embedded block with optimized truncation (EBCOT), 189
  - embedded zerotree wavelet (EZW), 135, 136
  - entropy, 16, 217, 238

- coding (cont.)
  - forward adaptive, 153
  - Huffman, 172, 183, 239
  - linear predictive, 78, 147
  - lossless, 238
  - lossless block, 241
  - object-based, 206
  - perceptual, 223
  - predictive, 66
  - pulse code modulation (PCM), 63, 141
  - QM, 175, 190, 220, 251
  - run-length, 172, 183
  - scalable, 202
  - set partitioning in hierarchical trees (SPIHT), 135, 136
  - Shannon–Fano–Elias, 240
  - speech, 141
  - sprite, 207
  - subband, 227
  - transform, 66, 91, 208, 227
  - video, 197
- coefficient
  - AC, 182
  - DC, 182
- companding, 145
  - A-law, 145
  - $\mu$ -law, 145
- component
  - chrominance, 178
  - luminance, 178
- compression
  - image, 132
  - lossless, 3, 238
  - lossy, 3,
    - ratio, 172, 177
- conditional exchange, 252
- constraint length, 36
- convolution, 111
  - circular, 100, 111
  - discrete-time, 68
- coset, 32, 34
- critical bands, 224
- cyclic extension, 120
  
- decimation, 116
  - in-frequency, 103
  - in-time, 103
- discrete-time pulse response, 68
- discrete-time system, 67
- distortion
  - average, 42
  - just noticeable, 226
  - measure, 15
  - perceptual, 153
- dot, 63
- downsampling, 14, 116
  
- effective bandwidth, 14
- encoder
  - trellis, 38
- entropy
  - conditional differential, 43
  - differential, 43
  - relative, 50
- equation
  - dilation, 125, 127
  - wavelet, 125, 127
- error
  - mean squared (MSE), 18
  - squared, 18
- escape symbol, 218, 259
- Euler's formula, 7
  
- fidelity criterion, 16, 44
- filter
  - autoregressive, 81
  - deblocking, 212
  - discrete-time, 67
  - excitation, 152
  - finite (im)pulse response (FIR), 68, 111
  - highpass, 114
  - infinite (im)pulse response (IIR), 69, 114
  - linear phase, 112
  - lowpass prototype, 229
  - lowpass, 112
  - moving average, 112
  - moving difference, 114
  - nonrecursive, 68
  - prediction, 87
  - recursive, 69
  - time-invariant discrete-time, 67
  - wavelet, 110, 132
- filter bank, 115
  - analysis, 117
  - cosine modulated, 229
  - Haar, 115, 118
  - hybrid, 232
  - perfect reconstruction, 127
  - polyphase, 228
  - synthesis, 117
  - wavelet, 127
- formant frequencies, 152
- format
  - bitmap (BMP), 178
  - CIF, 64, 201
  - HDTV, 64, 197
  - NTSC, 64
  - PAL, 64
  - QCIF, 64, 201
  - RGB, 178, 197
  - VGA, 63
  - XVGA, 63

- YCbCr, 178
- YUV, 178, 197
- Fourier series expansion, 6
- frames
  - B-type, 211
  - I-type, 201
  - inter-, 201
  - intra-, 201
  - P-type, 211
- function
  - amplitude, 77
  - Dirac's delta, 12, 68
  - distortion-rate, 44
  - frequency, 75
  - information rate-distortion, 42
  - Kronecker's delta, 68, 159
  - match, 156
  - phase, 77
  - rate-distortion, 15, 24, 42
  - sinc-, 8
  - spreading, 226
  - transfer, 75
- generator matrix, 28, 32
- granular noise, 148
- high-resolution theory, 58
- image, 1, 63, 171
  - coding, 132, 171
  - fax, 172
  - fields, 203
  - grayscale, 63, 178
  - halftone, 177
- International Telecommunication Union (ITU), 141
- interval inversion, 252
- interval of quasi-stationarity, 79
- Kullback Leibler distance, 50
- lattice, 28
  - $n$ -dimensional, 30
  - based on linear codes, 31
  - cubic, 28
  - hexagonal, 29, 31, 57
  - integer, 57
  - scaled integer, 31
  - square, 28
- levels, 204
- linear prediction coefficients (LPCs), 154
- linear spectral parameters (LSPs), 154, 165
- macroblock, 199, 203, 206
- mask-to-noise ratio, 234
- masking, 225
  - global threshold, 234
  - noise-masking-tone, 225
  - tone-masking-noise, 225
- matrix
  - covariance, 47
  - Toeplitz's 47, 83
- maximal asymptotical shaping gain, 57
- method
  - autocorrelation, 81, 86
  - covariance, 81, 83
  - motion compensation, 197
- MIPS, 142
- model-templates block, 175
- motion compensation 197
  - block matching, 197
  - logarithmic search, 199
- motion vectors, 197, 211
- multilevel decomposition, 127
- multimedia signals, 1, 63
- multiresolution analysis, 123
- mutual information, 42, 50
- normalized frequency, 76
- normalized second moment, 57
- Nyquist sampling rate, 8, 11, 147
- orthogonal decomposition, 10
- pass
  - cleanup, 190
  - magnitude refinement, 190
  - significance propagation, 190
- peak signal-to-noise ratio (PSNR), 177
- peakiness measure, 163
- pitch period, 153, 154
- pixel, 63
- power spectral density, 47
- pre-echo, 232
- precinct, 289
- prediction
  - B-type, 211
  - backward, 201, 203
  - backward adaptive, 151, 161
  - bi-, 211
  - bidirectional, 201, 203, 211
  - bottom-layer typical, 176
  - deterministic, 176
  - differential-layer typical, 176
  - filter, 87
  - forward, 201, 203
  - intra in spatial domain, 208
  - long-term, 154
  - P-type, 211
  - short-term, 153
  - weighted, 212
  - zero-value, 203
- prediction coefficients, 78, 81

- prefiltering, 14
- process
  - Gaussian, 47
  - Gaussian Markov, 49
- profiles, 204
- psychoacoustic model, 223, 226
  - PAM-I, 232
  - PAM-II, 233
- quantization, 6, 15
  - gain, 44
  - multi-pulse maximum-likelihood, 158
  - noise, 15, 46
  - rate, 16, 24, 42, 46, 60
  - step, 17
- quantizer
  - entropy-constrained scalar (ECSQ), 20
  - fixed-rate, 16
  - lattice, 30, 188
  - lattice vector, 28, 29, 32, 35
  - $n$ -dimensional lattice, 30
  - nonuniform optimal scalar, 18
  - nonuniform scalar, 60
  - optimal nonuniform scalar, 19
  - optimal uniform, 21
  - optimal with extended zero zone, 22
  - scalar, 15
  - suboptimal with extended zero zone, 22
  - uniform fixed-rate scalar, 17
  - uniform scalar, 17
  - variable-rate, 16
  - vector, 23, 60
  - with extended zero zone, 21
- redundancy, 257
  - spatial, 183
  - temporal, 183, 212
- relative prediction error, 92
- resolution, 68
- resolution reduction, 186
- sampling, 6
  - dyadic, 122
  - frequency, 6
  - function, 10
  - period, 6
  - rate, 11
  - theorem, 6, 12, 14
- scalability, 191, 204
  - SNR, 191, 204
  - spatial, 191
- scaling function, 124
- scaling subspace, 124
- second moment, 56
- sequence
  - causal, 71
  - detail, 126
  - reference, 126
- Shannon lower bound, 54
- shaping gain, 30
- signal
  - noncausal, 70
  - time-limited, 14
- signal-to-mask ratio (SMR), 227
- signal-to-noise ratio (SNR), 143, 177, 224
- signals
  - analog, 5
  - digital, 5
- significance map, 135
- significance state, 190
- sound attack, 232
- sound pressure level, 224
- source
  - Gaussian memoryless, 45
  - generalized Gaussian, 59
  - geometric, 187
  - Laplacian, 46, 59
  - Markov, 234
  - memoryless, 43, 44, 54
  - uniform, 46, 59
  - with memory, 66
- spatial orientation trees, 137
- spectral band replication (SBR), 235
- spectrum, 6
- speech, 1, 63, 79, 141
  - coding, 141
  - frame, 153
  - production model, 143
- standard
  - G.711, 141, 142
  - G.722, 141, 142
  - G.726, 141, 142, 150
  - G.727, 142, 147
  - G.728, 141, 142, 153, 161
  - G.729, 142, 153, 160
  - G3, 172
  - G4, 172
  - H.261, 91, 200
  - H.263, 91, 200
  - H.264, 200, 208
  - HE-AAC, 227
  - ISO-MPEG-4 Part 2, 200
  - ISO-MPEG-4 Part 10, 200
  - JBIG-1, 173
  - JPEG, 91, 177
  - JPEG-2000, 138, 188
  - JPEG-LS, 186
  - MPEG Audio, 227
  - MPEG-1, 200, 202
  - MPEG-2, 200, 202

- MPEG-4, 135, 200, 202, 205
- MPEG-AAC, 227
- MPEG-1-audio, 107
- MPEG-1 layer III, 228
- stereo
  - intensity, 232
  - middle-side (MS), 232
  - parametric, 235
- subband, 116
- symbol
  - less probable (LPS), 175, 220, 251
  - more probable (MPS), 175, 220, 251
- system
  - causal, 67
  - stable, 67
- theorem
  - Cauchy's integral, 72
  - of residues, 74
  - Parseval's, 93
  - rate-distortion, 45
  - sampling, 6, 14
- tiles, 189
- transform
  - 2D-DFT, 99
  - $z^-$ , 70
  - 2D DCT, 106, 179
  - coding, 66, 91, 208, 227
  - coefficients, 93
  - continuous wavelet (CWT), 121
  - DCT-II, 107, 214
  - DCT-IV, 107, 230
  - discrete cosine (DCT), 91, 104, 179
  - discrete Fourier (DFT), 98
  - discrete wavelet (DWT), 121, 123, 188
  - fast Fourier (FFT), 103, 230
  - Fourier, 6, 14
  - Hadamard, 216
  - IDFT, 102
  - inverse  $z^-$ , 72
  - Karhunen–Loeve, 95, 105
  - Laplace, 6
  - linear, 93
  - matrix, 91
  - modified DCT (MDCT), 107, 227, 230
  - one-sided  $z^-$ , 70
  - orthogonal, 117
  - orthonormal, 92–94, 105
  - overlapped, 107, 227
  - separable, 92, 105
  - window, 229
- upsampling, 117
- video, 1, 63
  - interlaced, 202
  - progressively scanned, 203
  - sequentially scanned, 203
- video object plane (VOP), 206
- Voronoi
  - cell, 29
  - partition, 26
  - region, 25, 30
- wavelet
  - coefficients, 133
  - discrete, 122
  - equation, 125, 127
  - father, 124
  - filter bank, 127
  - filtering, 110, 132
  - mother, 124
  - series decomposition, 123
  - subbands, 133
  - subspace, 124
- Yule–Walker equations, 80, 83, 86
- zerotree, 135, 136
- zigzag ordering, 184, 217