

Index

- Activation function of neuron, 41
- Actor–critic:
 - interpretation of policy iteration, 165
- Attention, 2, 20
 - executive, 21
 - explore–exploit strategy, 214
 - perceptive, 21
- Back-propagation algorithm, 31
- Bayes rule, 79
- Bayesian filter, 9, 77, 90, 176
 - approximation of, 94
 - block diagram of, 93
 - measurement equation, 87
 - measurement update, 92
 - optimality, 93
 - posterior distribution, 91
 - predictive distribution, 91
 - principle of duality, 121
 - state-space model, 92
 - system equation, 87
 - time update, 93
 - transition-state distribution, 91
- Bayesian framework of vision, 121
- Bayesian inference, 39, 80
 - probabilistic modeling, 80
 - statistical analysis, 81
- Bispectrum, 75
- Cognitive dynamic systems, 1
 - actuator, 3
 - perceptor, 3
- Cognitive dynamic wireless systems, 3
 - cognitive radar, 3
 - cognitive radio, 4
- Cognitive radar: case study, 192
 - simulation results, 196
 - target falling in space, 192
- Cognitive radar: multiscale memory, 211
 - cyclic directed information flow, 213
 - explore–exploit strategy, 214
 - features-of-features strategy, 213
- Cognitive radar: perception–action cycle, 169
 - approximation in measurement space, 187
 - cost-to-go function, 182
 - mean-square error, 182
 - mutual information approach, 183
 - Shannon’s entropy, 183
 - cubature Kalman filtering, 176
 - cyclic direct information flow, 184
 - dynamic optimization, 190
 - executive dynamics, 185
 - feedback information, 180
 - imperfect state information, 186
 - optimal control using ADP, 186
 - perceptual dynamics, 184
 - transition from perception to action, 180
 - waveform library, 191
- Cognitive radar: single-level memory, 199
 - chattering, 209
 - communication among subsystems, 201
 - communication between:
 - environmental scene actuator and executive memory, 203
 - environmental scene analyzer and perceptual memory, 202
 - cyclic directed information flow, 200
 - system-model library, 200
 - unexpected disturbances, 206
- Cognitive radar networks, 285
 - self-organizing, 287
 - weather forecasting, 285
- Cognitive radio, 230
 - advanced television systems, 237
 - attention, 234
 - digital television, 237
 - directed information flow, 232
 - IEEE 802.22 standard, 244
 - intelligence, 235
 - learning and memory, 234
 - multitaper method, 240
 - perception–action cycle, 232
 - predictive modeling, 235
 - radio scene actuator, 232
 - radio scene analyzer, 238
 - shadowing, 238
 - signal fading, 238
 - spectrum holes, 231, 237

- spectrum sensing, 239
- spectrum under utilization, 231
- transceiver, 232
- users,
 - primary (legacy), 232
 - secondary, 232
- white spaces, 237
- wireless microphones, 238
- Cognitive radio: case study, 242
- wideband ATSC-DTV, 242
- Cognitive radio networks, 235
 - cooperative, 244, 268
 - double-layer network dynamics, 288
 - dynamic spectrum management, 125
 - emergent behavior, 270
 - noncooperative, 244
 - orthogonal frequency division multiplexing, 244, 251
 - security, 290
 - transient behavior, 259
 - transmit-power control, 248
 - variational inequality, 259, 281
- Complexity, 271, 281
- Cramèr representation of stochastic process, 58
- Cubature Kalman filters, 97, 177
 - cubature rule, third degree, 97, 123, 189
 - properties, 104
 - radial rule, 100
 - relationship with unscented Kalman filter, 97
 - spherical rule, 99
 - spherical–radial rule, 100
- Curse of dimensionality, 109, 190
- Cyclostationarity, 64, 241
 - cyclic power spectrum, 62
 - Fourier framework for, 64
 - Fourier spectral coherences, 65
- Dynamic programming, 125
 - Bellman’s dynamic programming algorithm, 130
 - Bellman’s equation:
 - expectation form, 132
 - standard form, 132
 - Bellman operator, 164
 - for target policy, 153
 - off-policy, λ -weighted version, 154
 - Bellman’s optimality criterion, 129
 - cost-to-go function, 129
 - credit-assignment problem, 125
 - imperfect state information problem, 137
 - Markov decision processes, 126
 - planning horizon, 130
 - policy iteration, 132
 - algorithm, 134
 - summary, 135
 - Q -factor, 132
 - definition, 133
 - state, defined, 127
 - value iteration, 135
 - algorithm, 136
 - summary, 137
- Dynamic spectrum management, 265
 - centralized, 265
 - graph-coloring problem, 281
 - decentralized, 265
 - Hebbian learning, 267
 - self-organized, 265
- Emergent behavior of cognitive radio networks, 270
- Encoder–decoder, *see* replicator
- Energy detection, 240
- Euler approximation, 194
- Extended Kalman filter, 95, 116
 - algorithmic summary, 96
 - decoupled, 117
 - supervised training of RMLP, 114
- Feedback channel, 272
- Feedback information, 8, 180
- Femtocell networks, 275
- Fore-active radar, 168
- Fast Fourier transform, 277
- Fastest Fourier transform in the west, 277
- Fredholm integral of the first kind, 74
- Fundamental equation of spectral analysis, 74
- Fundamental integration across time in cognition, 15
- Game theory, 245, 246, 280
 - coalitional games, 269
 - mixed strategy, 246
 - Nash equilibrium, 246
- Generalized Fourier transform of nonstationary process, 58
- Generalized spectral density, 59
- Graph-coloring problem, 265, 281
- Hadamard’s condition for well-posedness, 39
- Harmonic F -test for line components, 67
- Hebbian learning, 35
 - generalized, 36
- Hypothesis testing, 84, 240
- Information overload, 20, 40
- Information theory, 245, 248
 - information capacity formula, 250, 280
 - iterative water-filling controller, 252
 - normalized interference gain, 250
 - signal-to-noise ratio gap, 250
 - transmit power control, 248
 - two-user noncooperative example, 249
 - water-filling, 248
- Impulsive noise, 276
- Intelligence, 2, 21, 206
 - efficiency of processing information, 22
- Interleaving, 240

- Kalman filter, 5
 - cubature, 97, 177
 - extended, 95
 - prediction–correction, 116
 - unscented, 105
- Likelihood, 82
- Likelihood function, 91, 122
- Likelihood principle, 58, 60
- Loève’s spectral coherences, first and second, 61
 - computational instrument, 62
- Markov chain, 88
- Markov property, 91, 127
- Maximum a–posterior probability (MAP)
 - rule, 83
- Maximum likelihood estimation, 122
- Memory, 17
 - associative, 29
 - executive, 18
 - hierarchical, 23
 - perceptual, 17
 - roles in cognition, 19
 - working memory, 20, 40
- Monomials, 99, 123
- Moore’s approach to complex stochastic processes, 75
- Multitaper method (MTM), 47
 - adaptive modification, 49
 - attributes, 47
 - bias–resolution tradeoff, 47
 - degrees of freedom, 47
 - dynamic spectrum, 60
 - generalized spectral density, 59
 - harmonic F -test for line components, 67
 - MTV-SVD processor, 54
 - regularization, 47, 74
 - robustness, 240
 - singular value decomposition (SVD), 53
 - Slepian tapers (sequences), 48
 - space–time processing, 52
 - theory, 48
 - time–frequency analysis, Loève’s nonstationary approach, 58
 - time–frequency magnitude-squared coherence, 61
- Mutual information, 228
- Nash equilibrium, 246, 280
- Neural networks, 24
 - back propagation algorithm, 31
 - benefits, 25
 - generalized Hebbian learning, 36
 - Hebbian learning, 35
 - multilayer perceptron, 27
 - neuron, model of, 27
 - recurrent multilayer perceptron, 34, 112
 - replicator, 30
 - unsupervised learning, 41
- Nonstationary processes, 57
- Optimization,
 - constrained, 253
 - convex, 216, 255
 - robust, 257
 - stochastic, 256
 - utility function, 256
- Particle filters, 95, 123
- Perception, two different views, 39
- Perception–action cycle, 14
 - radar, 169
 - radio, 232
- Periodogram, 46
- Power spectrum, 43
- Power spectrum estimation, 44
 - ill-posedness, 73
 - nonparametric methods, 46
 - parametric methods, 44
- Principle of information preservation, 8
- Probability theory, 78
 - axioms of, 78
 - central limit theorem, 122
- Q -factor, 132
- Qualcomm competition on wireless microphones, 200, 278
- Recurrent multilayer perceptron, 34
- Regularization,
 - multitaper method, 47, 74, 240
 - sparse coding, 219, 229
- Reinforcement learning, 141
 - approximate form of dynamic programming, 141
 - Q -learning, 141
 - behavior policy, 141
 - summarizing remarks, 143
 - temporal difference (TD) learning, 144
 - eligibility traces, 146
 - λ -return, 149
 - multistep TD learning, 145
 - relationship with dynamic programming, 148
 - value function, 149
- Sarsa, 165
- Reinforcement learning (modern), 150
 - GQ (λ) algorithm, 151, 156
 - Bellman operator, 154
 - comparison to other algorithms, 152
 - eligibility traces, 159
 - gradient operator, 156
 - objective function, 153
 - predictive learning, 152
 - practical considerations, 161
 - root mean-square of Bellman error, 155

- root mean-square of projected Bellman error, 155
 - summary of algorithm, 160
 - Sutton trick, *see* weight-doubling trick
 - weight-doubling trick, 158
- Greedy-GQ algorithm, 163
- Robbins–Monro stochastic approximation, 166
- Robustness
 - multitaper method, 240
 - transmit-power control, 256
- Root mean-square error, 196
 - Ensemble-averages root mean-square error, 196
- Schwarz’s inequality, 226
- Self-organized dynamic spectrum management, 265
- Self-organized learning, 36
- Sequential state estimation, 88
- Singular value decomposition, 53
- Slepian tapers (sequences), 74
- Sparse coding, 215
 - mathematical basis of sparseness, 216
 - overcomplete representation, 216
 - predictive sparse decomposition, 220
 - sparse encoding symmetric machine, 217
- Space–time processing, 52
- Spectral coherences of nonstationary processes, 60
- Spectrum sensing, 240
- State-space models, 87
 - linear, 5, 206
 - hierarchy of, 89
 - nonlinear, 87
- Sufficient statistic, 83
- Time-frequency analysis, 58
- Traditional active radar, 168
 - ambiguity function, 172
 - baseband model, 170
 - complex envelope, 171
 - matched filters, 171
- Unscented Kalman filter, 105
 - sigma points, 105
 - relationship to cubature Kalman filter
- Unsupervised learning, 41
- Variational inequality, 259, 281
- Wigner–Ville distribution, 61
- Wireless, microphones, 200
- Working memory, 20, 40