

Index

- abrasive blasting, 234–6, 249, 279
 adherens, 61
 alginates, 156, 199, 217–23
 alumina, 104, 166, 168–9, 174–6, 236, 381, 390
 nanophase alumina, 192–4
 amalgam, 381–2
 anisotropic, 14–15, 27
 assay, 54, 69, 72, 314–15, 317, 367–71
 AlamarBlue *see* Celltiter-Blue
 Celltiter-Blue, 369
 CyQUANT[®], 370
 ELISA, 316
 metabolic, 368–9
 MTT, 369
 PicoGreen, 370
 atomic force microscopy, 75, 94
 autocrine signaling, 56, 364

 basement membrane, 204, 297–8, 304
 bioactive glass, 169, 188
 bioceramics, 169–70, 185, 195
 bioreactor, 361–4, 367
 bonds, 7–9, 11, 15, 17, 81, 88, 136, 144, 166
 covalent, 9, 11, 136, 165
 hydrogen, 11, 14, 157
 ionic, 7–8, 11
 metallic, 8, 11
 secondary, 10–11, 17
 van der Waals, 136
 bone, 296, 298, 301
 bone cement, 134, 147–9

 cadherins, 61, 310
 calcium phosphates (CaP), 180, 183–4, 187, 194–5,
 236, 357
 nanophase calcium phosphate, 194
 calcium sulfate, 187, 220–1
 carbon, 14, 88–9, 120–2, 138, 179–80, 194
 carbon nanotubes, 194
 cardiovascular, 113, 130–1, 155, 210, 224, 226,
 304, 315, 380
 assist device, 376
 stent, 2, 16, 20, 96, 114, 127, 130, 378–9
 cell culture, 314
 cell junctions, 57–61
 cellulose, 134, 213–17, 393
 ceramics, 11, 15, 32, 165, 255

 Charnley, 6, 15
 chemical vapor deposition (CVD), 180, 261–3
 atmospheric pressure (APCVD), 263
 low pressure (LPCVD), 263
 plasma enhanced (PECVD), 263
 ultrahigh vacuum (UHVCVD), 263
 chitosan, 156, 199, 210–12, 333, 354
 chondroitin sulfate, 226–7, 307, 334
 chromatography, 75, 106, 108, 185
 co-culture, 315, 372
 cobalt–chromium alloy, 114, 123
 collagen, 15, 62, 199–201, 203, 298, 301–2, 304,
 354–5, 396
 composite resin, 382
 confocal microscopy, 68, 367
 connexin, 60
 contact angle, 43–4, 75–8, 80, 110
 coral, 184, 199, 228–9
 coralline, 230
 corrosion, 12, 35, 113, 119, 121, 128, 130, 233, 249
 crevice, 39–40
 erosion, 41
 fretting, 42
 galvanic, 38
 intergranular, 41
 leaching, 41
 passivity, 37
 pitting, 40, 119, 122–3
 stress, 42
 uniform attack, 38
 cryopreservation, 347
 cytoskeleton, 53–4, 61, 68–70, 312
 microtubules, 53, 70
 intermediate filaments, 53, 56, 312
 microfilaments, 53, 70

 definition, 1, 5–6, 20, 50, 134, 165, 195, 348, 393
 biomaterials, 5–6
 ceramics, 165
 corrosion, 35
 degree of polymerization, 142
 intracellular receptors, 66
 restenosis, 379
 wavenumber, 83
 dental, 2–3, 16, 236, 243, 381–3
 crown, 2, 16, 175, 383
 implant, 2–3, 12, 16, 236, 243, 384

- dental (cont.)
restoration, 381–3
- desmosomes, 61
- dialysis membrane, 217, 393
- dipoles, 10–11
- drug delivery, 321–2
chemically controlled, 323, 328, 338
controlled release, 322, 365
diffusion controlled, 323, 338
electrically responsive, 334
liposomes, 335–7
magnetic-sensitive, 334
membrane controlled, 323, 325
micelles, 195, 335–6
microcapsules, 335, 338
microparticles, 103, 335
microspheres, 212, 335, 338
monolithic matrix, 323–4, 338
osmotic pressure controlled, 325, 338
pH-responsive, 332
polymer–drug conjugate, 328–9, 338
polymer–drug dispersion, 328–9, 338
solvent-responsive, 333
swelling controlled, 325, 327, 338
temperature responsive, 157, 331
ultrasound responsive, 333
water penetration controlled, 323, 338
zero-order release, 322, 329, 335
- elastin, 199, 204–6, 309
- electrospun, 161
- endocrine, 57, 315, 364
- endurance limit, 35
- enzyme linked immunosorbant assay (ELISA), 316
- exocrine, 57
- extracellular matrix, 204, 223, 226, 296–7, 309, 355, 371
- fatigue, 34, 116, 122–3, 176, 377
- Fick's first law of diffusion, 50, 323
- flow, 49
- fluorescence activated cell scanning, 318
- flux, 50
- focal adhesions, 310
- focal contacts, 312, 319
- Fourier transform infrared spectroscopy (FTIR), 75, 81, 83, 87
attenuated total reflection (ATR), 83
diffuse reflectance infrared (DRIFTS), 83, 85
infrared reflection absorption spectroscopy (IRRAS), 83
specular reflectance, 83, 85
- fracture, 12, 24, 30–1, 33, 124
brittle, 31–3
ductile, 31
fixation, 32, 122, 131, 144
strength, 208
toughness, 12, 33–4, 129, 390
- gap junctions, 56, 59, 71
- gel permeation chromatography, 75, 106, 108
- genetic regulation, 51, 68
- glass ionomer, 381–2
- glow discharge, 238, 240, 266
alternating current, 240
capacitively coupled radiofrequency, 241
direct current, 239
inductively coupled radiofrequency, 242
- glycocalyx, 297
- grafting, 234, 264–5
chemical, 265
radioactive, 265
- growth factors, 357, 364–6, 372, 396
- hardness, 41, 43–4
Brinell, 45
Mohs, 45
Rockwell, 44
Vickers, 44
- high performance liquid chromatography, 75, 106
- hip replacement, 6, 15, 20
- homeostasis, 49
- Hooke's law, 22, 27, 95
- hyaluronan, 199, 223–6, 307, 395
- hydrogel, xvii, 51, 134–5, 155–6, 159–60, 220, 334, 387, 390
- hydrophilicity, 20, 76, 189, 233, 331
- hydrophobicity, 20, 76, 151, 153, 331
- hydroxyapatite (HA), 169, 183, 230, 243, 355, 385, 390
nano-sized HA, 195
- immunoglobulins, 310
- immunoprecipitation, 318
- immunostaining, 314, 316, 371
- implant, 1, 15, 20, 38, 42–3, 127, 134, 235, 383–4
breast, 155, 204, 375
orbital, 387–8
orthopedic, 12, 15, 62, 113, 129, 146, 228, 236, 243, 390, 392
- integrin, 306, 308, 310, 312
- isotropic, 14, 26–7, 180
- lamellipodium, 54
- laminin, 298, 304–5, 312, 317
- layer-by-layer (LbL), 234, 274, 277
spin coating, 277
spray, 277
- lens, 16, 160–1, 387, 390
contact, xvii, 14, 16, 160
intracorneal, 387
intraocular, 226–7, 287, 387
- magnesium, 114, 129, 168
- matrikine, 309
- mechanotransduction, 363
- metals, 3, 9, 12, 15, 20, 25, 30, 35, 37, 96, 113, 165, 261, 376
- micropipette aspiration, 69
- molecular weight, 139, 144, 146, 150–1, 160
- monomer, 135–7, 160, 198, 265

- nanoceramics, 189
nanopolymers, 134–5, 161–2
nitinol, 89, 114, 126, 131, 378
- occluding, 58
oligomers, 135, 139
organ culture, 314
- paracrine, 56, 315, 364
physical vapor deposition (PVD), 251
 evaporative deposition, 252
 ion implantation, 260
 pulsed laser deposition, 253
 sputter deposition, 254
 direct current, 255
 dual ion beam sputter, 260
 ion beam, 258
 ion beam-assisted (IBAD), 259
 radiofrequency (RF), 256
 radiofrequency (RF) magnetron, 256
plasma membrane, 51, 53, 56–7, 63, 66, 69, 295, 297
 fluid-mosaic model, 53
 primary functions, 51
Poisson's ratio, 26
polyanhydrides, 153, 328
polycaprolactone, 152, 288, 336
polydispersity index, 140
polyethylene, 9, 137, 141, 143, 388, 390
polyglycolic acid, 150, 380
polylactic acid, 150, 350, 353, 380
polymer, 14, 24, 30, 100, 105, 108, 134, 205, 207, 227, 264, 275, 277, 323, 327, 342
 amorphous, 12, 32, 102, 139, 151, 154, 162
 configuration, 138, 142, 202, 224
 conformation, 138, 202, 205, 220, 332
 copolymer, 136, 151, 210
 cross-linking, 137, 144, 154, 200, 221, 227
 crystalline, 14, 142, 151, 162, 208, 215
 homopolymer, 136, 156, 218
 thermoplastic, 137
polymerization, 134, 139, 146, 160, 210, 215
 addition, 141, 154
 condensation, 141, 150, 162, 188, 270
 copolymerization, 226, 332
 degree of, 142, 215
 graft, 264
 microemulsion, 335
 radical, 265
polymethylmethacrylate (PMMA), *see* bone cement
polystyrene, 134, 137, 143, 288
polyurethane, 153, 357, 377, 396
porcelain, 16, 165, 381–2
proportional limit, 23
protein adsorption, 74, 264, 267, 394
- receptor affinity, 63
receptor classes, 64
 enzyme linked, 66
 g-protein linked, 65
- intracellular, 66
 ion channel, 65
 tyrosine kinase, 66
receptor reversibility, 67
reductionism, 48
- saturation kinetics, 63
scaffold, 342, 349
 assessment, 358
 fabrication techniques, 349, 357, 373
 permeability, 349, 358
 porosity, 349–50, 358, 388
scanning electron microscopy, 75, 98
second messengers, 60, 63, 66
secondary ion mass spectrometry, 75, 91
selectins, 310
self-assembled monolayer (SAM), 85, 266
 organosilicon, 270
 organosulfur, 269
 patterning of, 271
 dip-pen nanolithography, 272
 micro-contact printing, 271
shape memory alloys, 126, 131
shear modulus, 27
signal transduction, 63, 367
signal transport, 63, 72
silicate glass, 170, 174, 188
 displacive transformation, 172
 reconstructive transformation, 172
silicone, 154, 161, 199, 377, 387, 396
silk, 199, 207
size exclusion chromatography, 106, 108
sodium dodecyl sulfate polyacrylamide gel electrophoresis (sds-page), 319
stainless steel, 15, 114, 119, 128, 130
 316L, 114, 121, 128, 131, 378
 austenitic, 120, 126, 130
 duplex, 122, 130
 ferritic, 120, 122, 130
 martensitic, 119, 126, 130
 nitrogen-strengthened, 122, 131
stem cells, 342–3, 345, 348
sterilization, 213, 234, 282, 375, 393
 bioburden, 282
 dry heat, 289, 293
 electron beam, 289, 291, 293
 ethylene oxide, 282, 285, 290, 293
 formaldehyde and glutaraldehyde, 289, 293
 gamma radiation, 147, 282, 287
 gaseous chlorine dioxide, 291–2
 low temperature gas plasma, 291
 phenolic and hypochloride, 289–90, 293
 steam, 282–3, 290
 sterility assurance level, 282
 UV radiation, 289–90, 293
strain hardening, 25
stress concentration, 12, 32, 34, 42, 178, 234, 237
stress shielding, 113
surface chemistry, 74, 119, 233, 243
surface energy, 20, 43–4, 74, 77, 177, 268
surface oxide, 113, 119, 128, 130, 233

- surface roughness, 43, 75, 149, 177, 189, 237
 surface tension, 44, 76
 surface texture, 40, 74
 sutures, 1, 14, 144, 151, 207, 209, 393
- tantalum, 114, 118, 128, 131
 tensile testing, 21, 26
 - elastic modulus, 112–14
 - gage section, 21
 - specimens, 21
 - strain, 21
 - stress, 21
- tensiometry, 79
 therapeutic index, 321, 337
 thermal spraying, 243, 279
 - flame, 243, 250
 - high velocity oxy-fuel (HVOF), 243, 250
 - plasma, 245
- tight junctions, 57, 61
 tissue culture, 314–15
 tissue engineering, 12, 150, 221, 341
 titanium, 2, 114, 126, 130, 384
 - alpha alloys, 116, 130
 - alpha–beta alloys, 116, 118
 - beta alloys, 118, 130
 - commercially pure, 114, 128, 176
 - dioxide, 175
 - oxide, 176
 - Ti-6Al-4V, 114–15, 118, 130
- total joint replacement, 118–19
 - hip, 15, 169
 - knee, 15
- toughness, 12, 14, 25, 33, 75, 120, 122, 145, 176, 178, 193, 208
 transmission electron microscopy, 75, 100
 tricalcium phosphate, 169, 186, 255
- UHMWPE, 141, 146, 288, 392 *see also* ultrahigh molecular weight polyethylene
- ultimate tensile strength, 120–1
 ultrahigh molecular weight polyethylene, 15, 133, 287
- viscoelastic, 28, 224–7, 372
 - creep, 29, 116, 118
 - stress relaxation, 29–30
- wettability, 75, 80, 110, 161, 177, 194, 237
 Wiskott–Aldrich syndrome proteins, 55
- X-ray diffraction (XRD), 75, 103, 110, 216
 X-ray photoelectron spectroscopy (XPS), 75, 87, 110
- yield stress, 24
- zirconia, 168, 177, 193