

Index

Numbers in **bold** are definitions: numbers in *italics* refer to figures

- affine
 ambiguity, 147
 fundamental matrix, 156
 transformation, 27, 147
- ambiguity
 affine, 147
 direction of translation, 144
 metric, 147
 projective, **129**, **130**, 145–147
 circular motion, 171
- ambiguous surfaces, 140
- apparent contour, 55, *56*, *57*
 bitangent to, *60*, 61
 concave, 64, *64*
 convex, 64, *64*
 curvature, 62
 cusp on, 61, 62, *62*, 63, 65, 66, *67*, 73, 78,
 96, 105
 cylinder, 65, 68
 ending of, 62, 96
 envelope of, 103, 150, 165
 inflexion on, 62, 66, 72
 matching, 84
 normal to, 61, 66, 73
 of curve, 70
 of envelope, *110*, 111
 orthographic projection, **55**
 parametrization, 80
 perspective projection, **58**
 reparametrization, 81
 sphere, 65, 67
- arclength, **6**, 21
- area of a region, 19
- aspect ratio, 121
- Aström, K., 4, 149, 155
- asymptotic curve, **46**, *46*
- asymptotic direction, **35**, *39*, 43, 46, 62, 66,
 73, 78
 condition for, 40
 line in, *49*, *50*
 number of, 40
 on saddle surface, 39
 via contact, 51
- auto-epipolar, *see* epipolar geometry
- B-splines, *116*
 active contours, *118*
 algorithm to fit, 117
 control points, 116
 fitting to edges, 117
 knots, 116
 segments, 116
 snakes, 117
- Banchoff, T.F., 46
- Barsky, B., 116
- Bartels, R., 116
- beaks, **62**, *63*, 65, 66, 96, *99*
- Beatty, J., 116
- Begbie, D., *3*
- Berger, M.O., 138
- bilateral symmetry, 161
- binormal, **21**
 discontinuous, *24*, *25*
- bitangent plane, *60*
- bitangents
 circular motion, 166
 pure translation, *150*, *151*
- Blake, A., 2, 4, 58, 79, 81, 94, 107, 117, 118,
 131, 132, 136
- Boyer, E., 138
- Brady, J., 155
- Bruce, J.W., 46
- calibrated camera, 85, 86
 reconstruction, 129
- camera calibration, *122*, *124*
 constraints from fundamental matrix, 143
 internal parameters, 121
 matrix, 123
- camera centre
 as null space, 130
 from projection matrix, 125
- camera model, *122*
 orthographic, 124
 perspective, 119, 121, *122*
 weak perspective, 123

- camera motion
 circular, *see* circular motion
 from epipolar geometry, 142
 from essential matrix, 144
 from fundamental matrix, 145
 linear, **86**, 133
 planar, **83**
 pure translation, **86**, 131, 149
- canal surface, **109**
- Canny, J., 115
- canonical cameras, 130, 146
- CCD array, 120, 121
- Cham, T.J., 117, 167
- characteristic curve, 109
- characteristic point, 85
- Cipolla, R., 2, 4, 58, 63, 72, 79, 81, 94, 106,
 107, 117, 118, 131, 132, 136, 149, 151,
 155, 167
- circular motion, **82**, 82, **87**, 89, 134, 158
 axis of rotation, 165
 fixed points, 158, 160, 162, 170
 horizon, 165
 projection matrix, 169
 projective ambiguity, 171
- collineation, *see* projective transformation
- cone of rays, 58, 69, 78, 79
- conjugate, **30**, 34, 74
 determination of, 31
 in epipolar parametrization, 84
 on Monge form, 41
 points on ellipse, 35
 self-, 35
 to ruling, 78
 to view direction, 61
 to visual ray, 66, 76, 77
- conjugate gradient
 optimization, 154
- conjugate grid, 138
- contact, **48**
- contour generator, 16, 50, 55, **55**, 56, 57, **58**
 and coordinate grid, 96, 98
 concave, 67
 convex, 67
 cusp on, 68
 cylinder, 65, 68
 envelope of, 101, 102, 103
 in principal direction, 66
 of curve, 70
 singular, 62, 63, 65, 69, 74, 96
 slips over surface, 80
 smooth, 62, 66
 sphere, 65, 67
 tangent to, 61, 66
 two intersecting, 65, 79, 148, 149
- convolution, 115
- coordinate transformations
 rigid body motion, 120
- cost function
 optimization, 161
 using geometric distance, 142, 154
- critical surfaces, 140
- cross ratio, 141
- Cross, G., 158, 169, 171
- crosscap, **10**, 11
- curvature
 curve, **21**
 formulae, 22
 geodesic, *see* geodesic curvature
 line of, **46**
 normal, *see* sectional curvature
 plane curve, **22**
 principal, *see* principal curvature
 sectional, *see* sectional curvature
- curve
 asymptotic, **46**
 curvature, **21**
 helix, 6
 parametrization, 5
 principal, 46
 projection of, 70
 regular, 5
 Taylor expansion, 23
 unit speed, **6**
 velocity, 5
- cuspidal
 by projecting space curve, 23, 24
 in tangent plane, 25
 ordinary, **61**
- cuspidal generator curve, 105
- cuspidal locus, 106
- cylinder, 26
 apparent contour, 65, 68
 conjugate directions, 37
 contour generator, 65, 68
 first fundamental form, 20
 normal, 12
 of rays, 78, 85
 parametrization, 10
 principal direction, 38
- cylinder axis developable, 97
- depth formula, **80**, **86**
 indeterminate, 103
 numerical approximation, 135
- developable surface, 20, 38
- developable, cylinder axis, 97
- distance formula, **80**, **86**
- E, F, G , 18
- edge detection, 115
- edgel, 115
- eigenvalue
 least squares, 125, 140, 143
 relative, 32
 symmetry transformation, 161
- ellipsoid, 44
 Gauss curvature, 45
- elliptic point, 25, 26, **36**
 condition for, 40
- envelope
 bilateral symmetry of, 165
 characteristic point, 85

- of apparent contours, 104, 110, 111, 150, 166
- of cones, 79
- of contour generators, 101, 102, 103
- of cylinders, 85
- of epipolar planes, 93
- of planes, 20, 78
- of spheres, 111, 111
- of surfaces, 109
- symmetry, 166
- under circular motion, 165
- epipolar constraint, 84, 126, 127, 128, 139
 - coplanarity, 128
 - generalized, 149
- epipolar curve, 90, 91, 133
 - reconstruction, 138
- epipolar distance, *see* geometric distance
- epipolar geometry, 92, 126, 127
 - auto-epipolar, 150, 160
 - epipole, 129, 141, 143, 149, 151, 152, 171
 - pencil, *see* epipolar lines
 - under circular motion, 159, 161, 162, 164
 - under pure translation, 149, 150
 - weak perspective, 155, 157
- epipolar great circle, 92
- epipolar lines, 129, 131, 152
 - pencil, 126, 127
 - under weak perspective, 156
- epipolar matching, *see* epipolar constraint
- epipolar parametrization, 84, 89
 - and geometry of rays, 93
 - degeneracies, 95
 - formulae assuming, 94
 - implementation, 131, 134
- epipolar plane, 80, 84, 84, 90, 90, 92, 126, 127
 - normal to, 91
- epipolar plane image, 132
- epipolar tangency, 100, 100, 134, 148, 149, 151, 152, 156, 157
- epipolar transformation, 141, 143, 149, 152
- essential matrix, 128, 128
 - factorization, 128, 142
 - properties, 128, 142
- Euler's formula, 43, 43
- F**, *see* fundamental matrix
- Faugeras, O.D., 2, 128, 131, 140, 142, 143
- Fidal, D., 46
- finite differences, 115, 135
- first fundamental form, 18, 18
 - cylinder, 20
 - from planar motion, 84
 - invariance, 19
 - matrix of, 19
 - of Monge form, 39
 - reparametrization, 34
 - special Monge form, 41
 - sphere, 20
- Fitzgibbon, A., 158, 169, 171
- flecnodal curve, 51
 - on surface of revolution, 52
- flecnodal point, 51, 96
 - condition for, 52
- flecnodal scroll, 51, 96
- flecnode, 50
- Fletcher, G.J., 63, 104, 106
- Frobenius norm, 143, 144
- frontier, 96, 97, 102
- frontier point, 83, 134, 148
 - discrete motion, 148
 - interpretations of, 102
 - projection of, 149
- fundamental matrix, 128, 139
 - constraints on camera parameters, 143
 - epipoles, 129
 - factorization, 130, 145
 - null space, 129
 - parametrization, 141, 164
 - rank, 129, 141
 - recovery from points, 140
 - relation to essential matrix, 128
 - under circular motion, 161, 164
 - under weak perspective, 156
- Gaffney, T., 46
- Gauss curvature, 66, 81
 - ellipsoid, 45
 - formula, 35, 45
 - from apparent contours, 62
 - from following cusps, 107
 - from moving camera, 95
 - from planar motion, 84
 - hyperboloid, 45
- Gauss map, 31, 65
- Gauss sphere, 31, 65
- Gaussian
 - convolution, 115
- geodesic curvature, 37, 66
 - compared with curvature, 44
 - of curve projection, 71
- geodesic inflexion, 44
- geometric distance, 142, 152
- geometric error, *see* geometric distance
- geometric proof, 78
- Giblin, P.J., 2, 4, 46, 63, 79, 81, 83, 91, 93, 98, 106, 108, 148, 149, 154, 155, 165
- Gordon, G., 46
- Gutierrez, C., 46
- Hallinan, P., 46
- harmonic homology, 163
- Hartley, R.I., 130, 140, 143–145, 147
- homogeneous coordinates, 120, 121, 130
 - of a line, 126, 129
- homography, *see* projective transformation
- horopter, 160
 - constraints on fundamental matrix, 160
- Huang, T.S., 128, 140
- hyperbolic point, 25, 26, 36
 - condition for, 40
- hyperboloid, 44
 - Gauss curvature, 45
- I, *see* first fundamental form

- II, *see* second fundamental form
 image plane, **59**
 rotating, 81
 image sphere, **58**
 image velocity, 94
 of cusp point, 108
 immersion, **7**
 infinite homography, *see* plane at infinity
 inflexion, **22**, 23
 Isard, M., 117

 Jacobian matrix, **7**

 Kahl, F., 155
 Kass, M., 117
 Koenderink formula, **62**, **66**
 proof, 74–77
 Koenderink, J.J., 2, 62, 66, 78
 Kruppa equations, 143
 Kruppa, E., 143

L, M, N, 28
 latitude circle, 47, 47
 least squares, 125, 140, 152
 solution from singular values, 125
 line of curvature, **46**
 linear motion, **86**, 133
 lips, **62**, 65, 66, 96, 98
 Longuet-Higgins, H.C., 128
 Luong, Q.-T., 142, 145

 Maybank, S.J., 128, 140, 143
 McCrory, C., 46
 mean curvature
 formula, **35**, 45
 from following cusps, 107
 meridian curve, 47, 47
 metric, 18
 Monge form, 13
 asymptotic direction, 40
 conjugacy, 41
 elliptic point, 40
 first fundamental form, 39
 geodesic curvature, 43
 hyperbolic point, 40
 parabolic point, 40
 second fundamental form, 39
 shape operator, 40
 special, **13**, 21, 41, 72
 Monge patch, **13**, 13
 Monge, G., 13
 Monge–Taylor proof, 72, 74, 112
 Moore, H.
 sculpture, 154, 158
 Mumford, D., 46

 near and far points, **55**, 56, 59, 66
 Netravali, A.N., 140
 normal
 curvature, **32**
 derivative of, 31, 32
 of plane curve, **22**
 plane, 6
 principal, **21**
 surface, **7**, 15
 to surface, 8
 variation of, 27, 30
 normal parametrization, 93
 normal plane
 curve, **6**
 meeting surface, 33
 projection to, 23, 24
 normalization
 of image data, 140
 projection matrix, *see* canonical cameras
 null space
 essential matrix, 143
 fundamental matrix, 129
 projection matrix, 130

 opaque surface, 60
 optical axis, 121, 122
 optical centre, **55**
 optimization
 conjugate gradient, 154
 orthogonal projection, **54**, 61
 orthographic projection, *see* orthogonal
 projection
 osculating circle, **21**, 22, 131, 133
 osculating plane, **21**, 22, 72

 parabolic curve, **45**
 on surface of revolution, 47
 parabolic point, 25, 26, **36**, 62, 66, 73
 characterization, 36
 condition for, 40
 flat, 37, 73
 paraboloid of revolution, 25
 parameter plane, **7**
 pencil of lines, *see* epipolar lines
 perspective projection, 55, 66, 121
 planar homology, 161
 plane at infinity, 147
 homography, 145
 points on lines
 projective representation, 126, 129
 polar plane, **16**, 17
 Pollick, F., 4, 148, 154, 165, 169
 Porteous, I.R., 46
 principal curvature, **33**
 ellipsoid, 44
 hyperboloid, 45
 of special Monge form, 41
 principal curve, **46**
 on surface of revolution, 47
 principal direction, 14, **33**, 34, 34, 39, 43, 46
 of special Monge form, 41
 on cylinder, 38
 on saddle surface, 39
 on sphere, 37
 principal point, 121
 projection

- orthogonal, *see* orthogonal projection
 orthographic, *see* orthogonal projection
 parallel, *see* orthogonal projection
 perspective, *see* perspective projection
 projection matrix, **120**, 123
 calibration, 124
 circular motion, 169
 from essential matrix, 144
 normalization, *see* canonical cameras
 null space, 130
 projective ambiguity, **129**, 147
 projective reconstruction, 129, 130, 144, 146
 projective reduction, 155, 168
 projective representation
 lines, 129
 points, 121
 points on lines, 126
 projective symmetry
 estimation, 167
 transformation, 161, 163
 projective transformation
 estimation, 152
 one-dimensional, 141, 143, 149, 152
 three-dimensional, 146, 147
 two-dimensional, 145, 146
 pure translation, *see* camera motion
 bitangents of apparent contours, 151
 frontier points, 151
- QR decomposition, 125
 quadric surface, **16**, 17, 44, 69
 cone of rays, 69
 quaternion, 143
- Rayleigh's principle, 32
 reconstruction, 131
 projective, 144
 Rieger, J.H., 4, 79, 148
 Roberts, L.G., 120
 rotated coordinates, **86**, 87, 87, 104
 rotation
 constant, 88
 estimation using quaternion, 143
 from essential matrix, 144
 infinitesimal, 88
 instantaneous axis, 88
 matrix, 120
 rotation of object, 82, 88
 ruled quadric, 140
 Rycroft, J.E., 4, 110, 148, 154, 165
- saddle surface, 25, 39, 39, 44
 Sato, J., 151, 167
 scaled orthographic projection, *see* weak perspective
 second fundamental form, **29**
 diagonal, 31
 evaluation, 29
 from following cusps, 108
 from planar motion, 84
 invariance of, 29
- matrix of, **28**
 of Monge form, 39
 reparametrization, 34
 singular, 36
 special Monge form, 41
 sectional curvature, **32**
 along contour generator, 62, 67, 74, 95
 along ray, 62, 66, 95
 as curvature of section, 42
 Euler formula, 43
 formula for, 32, 42
 maxima and minima, 32
 self-calibration, 143
 shape operator, **31**
 eigenvectors, 33
 matrix of, 31
 of Monge form, 40
 Shapiro, L., 155
 singular value decomposition, 125
 essential matrix, 143
 factorization of essential matrix, 144
 factorization of fundamental matrix, 146
 skew-symmetric matrix
 vector product, **128**
 smoothing, 115
 Soares, M.G., 63, 108
 Sotomayor, J., 46
 spatio-temporal image, 132
 spatio-temporal surface, **100**, 101, 103, 103
 sphere
 apparent contour, 65, 67
 cone of rays, 70
 conjugate directions, 37
 contour generator, 65, 67
 first fundamental form, 20
 latitude and longitude, 9
 Monge form, 14
 Monge patch, 15
 parametrization, 8
 principal direction, 37
 Springer, C., 163
 stereo
 baseline, 126, 127
 geometry of, *see* epipolar geometry
 triangulation, 126, 135
 stereographic projection, **8**, 9
 structure from motion, 139
 surface
 graph, 20
 immersed, 7
 implicit form, 15, 45
 intersection with tangent plane, 15
 opaque, 59, 62, 66, 107
 parametrized, 7
 reconstruction of, 79
 rotating, 82, 88
 semi-transparent, 59
 surface of revolution, 11, 47, 109, 165
 as envelope of spheres, 111
 envelope under circular motion, 165
 flecnodal curve, 52

184

normal, 48
 principal curve, 47, 47
 swallowtail, 96, **96**, 97
 symmetry
 bilateral, 161, 164, 165, 166
 envelope of apparent contours, 165
 epipoles under circular motion, 161
 projective, 163, 164
 Szeliski, R., 131
 tangent
 curve, **5**
 tangent cone of rays, 58
 tangent developable, 20, **38**, 38
 cusp edge, 39
 tangent plane, 8
 bilinear form, 19
 equation, 16
 intersection with surface, 25
 meeting surface, 26, 28
 reconstruction of, 85
 Tari, F., 46
 Terzopoulos, D., 117
 torsion, **21**
 torus, 12, 12, 26, 48, 109, 110
 transformation
 rigid-body, 120, 122
 translation
 from essential matrix, 144
 sign ambiguity, 144
 transverse curvature, **62**, 66, 95

Index

triangulation, 126, 135
 Tsai, R.Y., 128
 tubular surface, **109**
 umbilic, 46
 uncalibrated camera, 144
 Vaillant, R., 131
 vector proof, 76, 77
 velocity, 5
 Vieville, T., 145
 view direction, **54**
 asymptotic, 62
 visual events, 96
 visual ray, **54**, **55**, 124
 asymptotic, 66
 closest approach, 93, 93
 in asymptotic direction, 62, 67
 mapping from pixel, 123
 weak perspective, 54, 123
 condition for, 124
 Weingarten map, **31**
 Weiss, R.S., 2, 4, 79, 81, 83, 91, 93, 98, 131
 Whitney umbrella, **10**, 11
 Witkin, A., 117
 world coordinates, **81**, 87
 Yuille, A., 46
 Zisserman, A., 72, 155, 158, 169, 171