

Cambridge University Press

978-0-521-12336-5 - Computational Logic and Human Thinking: How to be Artificially Intelligent

Robert Kowalski

Index

[More information](#)

## Index

---

- abduction, 38, 134–43, 203
  - by deduction, 193–94
- abductive derivation, 282
- abductive logic programming, 163, 280–95
- achievement goal, 8, 109, 207, 238, 253
- actions, 116, 120
- activation levels, 56
- activation networks, 275
- active databases, 208, 282
- active observation, 60, 202
- active voice, 186
- ACT-R, 94, 103, 104
- Adam and Eve, 102
- admissibility semantics, 293
- Aesop, 40
- affirmation of the consequent, 199, 203, 207
- agent, xii
- agent cycle, xvi, 106
- agent programming languages, 105
- algebra, 100
- algorithm, 30
- ambiguity, 35, 88, 89, 127
- ambivalent syntax, 214, 225
- analysis, 19
- and–or tree, 50
- antonyms, 70
- appreciative system, 113
- argument (of predicate), 48, 231
- argumentation, 37, 70, 73, 294
- Aristotle, 1
- arithmetic, 62, 67, 89
  - incompleteness theorem, 197, 225, 255
  - induction, 196
  - intended model, 255
  - natural numbers, 234, 237
  - Peano arithmetic, 197
  - standard model, 254
  - successor function, 234
  - truth, 254–56
  - truth versus proof, 195–97
- articles, 79
- Artificial Intelligence, 6
- atomic formula, 231–32
- atomic sentences, 48
- atoms, 231–32
- autoepistemic
  - failure, 191
  - logic, 268
  - sentence, 64
- automated reasoning, 46, 277
- axiom schema, 255
- axioms
  - of arithmetic, 197
  - of belief, 215
- backtracking, 53
- backward reasoning, xii, 5, 18, 43–45, 65, 259–61
  - completeness, 261–62
  - soundness, 261–62
  - truth-preserving, 259–61
- barber paradox, 271
- Baron, J., 50, 228
- behavioural psychology, 9, 41
- behaviourism, 92–93, 127, 179
- beliefs, 22
- best explanation, 135, 141–42
- best-first search, 55–57, 221, 286
- biconditionals, xix, 188–97, 203, 282
- bidirectional search, 57
- BNA. *See* British Nationality Act
- Book of Genesis, 102
- Boole, G., 1
- bottom-up reasoning, 19
- brain, 221, 275
- breadth-first search, 53
- British Nationality Act, xv, 77–89

Cambridge University Press

978-0-521-12336-5 - Computational Logic and Human Thinking: How to be Artificially Intelligent

Robert Kowalski

Index

[More information](#)

304

*Index*

- British Nationality Act, (cont.)  
 acquisition by abandonment, 82–84  
 acquisition by birth, 78–80  
 deprivation of citizenship, 84  
 renunciation of citizenship, 84–86  
 satisfying the Secretary of State, 86–89,  
 217–21  
 Byrne, R., 32
- case-based reasoning, 228  
 causal beliefs, 108  
 causality, 80–82, 161–62  
 cause and effect, 37, 58, 118, 137, 138–39, 150,  
 194–95  
 cheater detection, 28, 30, 210  
 Checkland, P., 113, 228  
 Cheng and Holyoak, 28  
 chess, 51  
 Chisholm's paradox, 163  
 circumscription, 268  
 citizen's advice, 72  
 Clark, K. L., 190  
 classes, 109  
 classes of objects, 182, 236  
 classical logic, 66, 139, 146, 167, 199, 206, 212,  
 238–39, 242–45, 252, 253, 262, 264, 267,  
 270  
 classical planning, 155  
 clausal logic, 242–45, 286  
 clauses, 235, 243, 269  
 closed predicates, 67, 137, 280  
 closed-world assumption, 63–64, 281, 288  
 closed-mind assumption, 64  
 close-minded agent, 135  
 cognitive science, 94, 106  
 coherence, 15–16  
 Colmerauer, A., 246  
 combining object-language and meta-language,  
 225–26  
 common noun, 79, 236  
 communicating agents, 183  
 compilation, 11, 20, 57, 71, 73, 85, 132, 175,  
 208, 239, 269  
 complete knowledge, 67  
 completeness  
 of ALP proof procedure, 284–85  
 of connection graph proof procedure, 279  
 completion semantics, 188  
 computable predicate, 235  
 computation, 238  
 in logic programming, 260  
 Computational Logic, 5–6  
 condition–action rules, 92, 94, 131, 208  
 conditional, xx, 13, 42, 234–36  
 conflict resolution, 43, 95, 96–97, 128, 155,  
 229–30  
 conjunction, 235, 249  
 connection graph proof procedure, 295  
 connection graphs, 16–20, 43–46, 51, 53, 183,  
 204, 216, 218, 222, 272–76  
 completeness, 279  
 non-conformist, 279  
 connectionist model of the brain, 57,  
 221, 229  
 of the mind, 275  
 consciousness, 101  
 consequences of actions, 155  
 consequentialism, 156  
 consistency constraints, 266, 287  
 consistency view  
 of integrity satisfaction, 281  
 consistent explanations, 140–41  
 constants, 79, 233  
 constraints, 42, 58, 61, 63, 122–23, 140–41,  
 189, 194, 208, 224, 249, 261, 266  
 context, 14–15, 33, 34–37  
 contrapositive, 27, 31  
 contraries, 70, 140–41, 193, 201, 209, 287  
 converse, 26, 31, 38, 194, 211, 253  
 Cosmides, L., 28  
 credulous semantics, 267  
 Cyc Project, 58
- Darwinian algorithms, 149  
 Darwinism, 93  
 databases, 62, 122  
 active, 208, 282  
 deductive, 62  
 integrity checking, 206, 207  
 integrity constraints, 122  
 relational, 241  
 violations of integrity constraints, 164  
 Datalog, 62  
 Davis, M., 245, 255  
 decision table, 144, 147  
 decision theory, 56, 97, 128, 144–52,  
 155, 275  
 decision-making, 112, 113  
 decompilation, 132  
 deduction, 136, 138, 193–94, 200, 203  
 deductive databases, 62  
 default logic, 268

Cambridge University Press

978-0-521-12336-5 - Computational Logic and Human Thinking: How to be Artificially Intelligent

Robert Kowalski

Index

[More information](#)*Index*

305

- default reasoning, xv, 34, 66, 68–69, 139, 195  
 defeasible deontic logic, 164  
 defeasible reasoning, 34, 66, 136  
 definite clause, 235, 252–54  
 definite description, 80  
 definite goal clause, 237  
 definitions, 189  
   recursive, 237  
 denial of the antecedent, 199, 205, 209  
 denotation, 233, 248  
 deontic  
   constraints, 21  
   logics, 21, 163  
   notions, 28  
 depth-first search, 53  
 descriptive theories, 2, 4  
 dialectic, 293  
 discourse, 34–36, 38  
 disjunction, 139, 146, 193, 194, 214, 238, 249,  
   267, 269, 280  
 domain of discourse, 248  
 double effect, 156–57  
 dual process theories, 2, 101, 130–33, 279  
 duration, 176–78  
  
 efficiency, 12  
 emergent property, 100  
 encapsulation, 129, 180–81  
 English writing style, 4–5, 33, 34,  
   185–87, 245  
   active voice, 186  
   ambiguity, 35, 88, 89, 127  
   coherence, 15–16, 34–36  
   parallel syntax, 91  
   passive voice, 187  
   relative clause, 78–79  
   relative pronoun, 79  
   topic, 186  
 epistemic, 86  
   logic, 64  
   sentence, 64  
   view of integrity satisfaction, 281  
 epistemology, 64  
 equality, 241–42  
 equation solving, 100–1  
 equivalences, 190–91  
 event calculus, 81–82, 86, 159, 169–78  
   constraint, 171, 174–75  
   frame problem, 173  
 event–condition–action rules, 208, 282, 295  
 evolution, 100, 102, 125  
  
 evolutionary algorithms, 28  
 evolutionary psychology, 210  
 execution (of program), 11  
 existential quantification, 60, 111, 112, 280  
 existentially quantified goals, 109  
 expected utility, 56, 147  
 expert systems, 94, 103, 228  
 explanations, 135  
  
 factoring, 270, 271–72, 283  
 facts, 42, 60, 82, 235  
 fallacy of affirmation of the consequent, 200, 203  
 feedback, 117  
 Fodor, J., 3  
 formal systems, 247  
 forward chaining, 95, 102  
 forward reasoning, xii, xvi, 5, 19, 45, 102, 257–59  
   completeness, 261–62  
   soundness, 261–62  
   truth-preserving, 257–59  
 fox and crow, 40–49  
   in the agent cycle, 113–18  
 frame axiom, 169  
 frame problem, 169, 173  
 free will, 129  
 Frege, G., 1  
 function symbols, 234  
 functional relationship, 201  
 functions, 241–42  
  
 games, 51  
 general logic programs  
   intended models, 265–67  
 generalised goal clauses, 283  
 Gillies, D., 228  
 global warming, 142  
 goal clauses, 237–38, 253, 280  
 goal reduction, xvi, 5, 12, 18, 42–43, 53, 65, 103  
 goals, 22  
   achievement goals, 109  
   existentially quantified, 109  
   maintenance goals, 107–24, 131  
 Gödel, K., xx, 1, 226, 255  
 Grand Designer, 96, 125–29  
 Green, C., 245  
 Grice, H., 250  
 ground terms, 234  
  
 Hamm, F., 178  
 Hammond, Keeney and Raiffa, 228  
 Hayes, P., 178

Cambridge University Press

978-0-521-12336-5 - Computational Logic and Human Thinking: How to be Artificially Intelligent

Robert Kowalski

Index

[More information](#)

306

*Index*

- Herbrand interpretations, 251–52, 281  
 Herbrand, J., 252  
 heuristics, 139, 152, 177  
 hierarchies, 59, 109, 118, 230  
   of classes, 185  
   of rules and exceptions, 73–75  
 history, 62  
 homeostasis, 112  
 Horn clauses, 238, 271  
 Horn, A., 238  
 Housing Benefit, 72  
 human communication, 3–5, 34–37, 72, 239  
 hyper-resolution, 270  
 hypothesis, 135, 202
- identity, 241–42  
   crisis, 46  
 IFF proof procedure, 282, 290, 291, 293  
 if–then rules, 94  
 if–then–else statement, 64  
 imperative mood, 43  
 implications. *See* conditionals  
 incompleteness theorem, 67, 197, 225, 255  
 inconsistency tolerance, 290  
 individuals, 47, 180, 233  
 induction, 135, 196, 228  
 inductive logic programming, 118, 228  
 inference, 50  
 inference rules, xii, xiv, 239, 269  
   completeness, 248  
   for ground Horn ALP, 282–84  
   soundness, 248  
   truth-preserving, 248  
 infinite failure, 67, 285  
 infinite loop, 54, 264, *See* loop, infinite  
 inheritance, 182, 236  
 input–output associations, 129, 131  
 instantiation, 42, 44–46, 111, 258  
 integrity checking  
   for deductive databases, 295  
 integrity constraints, 122, 163, 201, 206, 280, 281  
   with disjunctive conclusions, 286  
 intended model of arithmetic, 255  
 intended models, 253  
   of general logic programs, 265–67  
 interpretations, 47, 248
- Kahneman and Frederick, 130  
 knowledge representation, 29–31, 57–59  
 Kowalski, R., 246  
 Kuehner, D., 246
- language of thought, 2, 9, 13–15, 47, 232, 239,  
   243, 276  
 legacy systems, 132  
 legal reasoning, 228  
 liar paradox, 225  
 linguistic meaning, 47  
 literals, 269  
 locally stratified programs, 266  
 logic program, 42–43, 235  
 logic programming, 19, 62, 64, 103, 104, 226,  
   238, 260  
 logical consequence, 248, 252, 262, 270  
 logical form, 13–15, 47, 231–46, 276  
 logical meaning, 47  
 logical simplification, 283, 285, 290  
 London Underground, 10–23, 32, 64, 131–32,  
   138–39  
   security measures, 24–25, 210–12  
 loop, infinite. *See* infinite loop  
 LOT. *See* language of thought  
 louse. *See* wood louse  
 Loveland, D., 246  
 Lucas, J. R., 226
- machine learning, 228  
 Maes, P., 57, 275  
 maintenance goals, 8, 107–24, 131, 207,  
   239, 254  
   as the driving force of life, 112–13  
 management science, 113  
 manslaughter, 157  
 Mars explorer, 98–100  
 matching, 44–46  
 material implication, 250  
 mathematical induction, 255  
 mathematical logic, 22, 80, 195–97, 234  
 mathematics, 22, 60, 66, 166, 201  
 maximal consistency, 289  
 maximal model, 253  
 McCarthy, J., 1, 178  
 meaning, 36, 47  
 meaning of life, 125–33  
 mental models, 32, 38, 256  
 merging, 270  
 message passing, 183  
 meta-interpreters, 214  
 meta-language, 83, 213  
 meta-level, 86  
 meta-logic, 64, 213–26, 255  
 meta-sentences, 49, 64  
 methods, 180–82

Cambridge University Press

978-0-521-12336-5 - Computational Logic and Human Thinking: How to be Artificially Intelligent

Robert Kowalski

Index

[More information](#)

## Index

307

- mind/body problem, 129–30
- minimal explanations, 140
- minimal model view
  - of integrity satisfaction, 282
- minimal models, 252–54, 281
  - negation, 263–68
- minimax search strategy, 51
- modal logic, 72, 163, 166–67, 215
- modal non-monotonic logic, 268
- modal operators, 167
- model generator, 286
- models, 47, 250
- model-theoretic semantics, 250
- modules, 18, 59
- modus ponens*, 26, 199, 202, 207, 258, 260
- modus tollens*, 199, 203–05, 207–09, 210–12
- Moore, R., 68
- moral constraints, 160–62
- morality, 156–57
- most general unifier, 259
- motivations, 155–62
- motor processes, 124
- motor system, 131
- Mueller, E., 178
- multi-agent systems, 3, 183
- murder, 157
- names, 242
- natural language, 185–87, 276
- natural numbers, 195, 234, 237, 261
- negation, 234, 240–41
  - as constraints, 240
  - as failure, xv, 60–76, 84, 240, 263, 281
  - as finite failure, 190–91
  - as infinite failure, 196
  - as potentially infinite failure, 67, 196
  - by abduction, 287–91
  - completion semantics, 188
  - in classical logic, 241
  - minimal models, 263–68
  - rewriting rule, 211, 223, 289–91
- negative observations, 35, 61, 203–05
- neural networks, 221, 229, 275
- Newell, A., 94
- nominalisation, 82
- non-classical logics, 250
- non-conformist connection graphs, 279
- non-constructive semantics, 66, 196
- non-monotonicity, 66
- normative ideal, 152, 177
- normative theories, 2, 4
- object language, 83, 213
- object-orientation, 59, 179–87
  - classes, 182, 236
  - inheritance, 182
  - message passing, 183
  - methods, 180–82
- obligations, 121
- observations, 60, 134, 251
  - active, 60
  - negative, 61, 203–05
  - passive, 60
- observation–thought–decision–action cycle, 108
- Ockham’s razor, 140
- ontology, 167
- open predicates, 67, 136, 137, 199, 280
- operational semantics, 108
- or-tree, 52–54, 285
- paraconsistency, 277–78
- paraconsistent logics, 278
- paradoxes of material implication, 250, 277
- parallel syntax, 91
- parallelism, 20, 217
- parentheses, 89, 235
- partially ordered time, 175–76
- passive observation, 60
- passive voice, 187
- Peano arithmetic, 197
- Peirce, C. S., 136
- Penrose, R., 226
- Pereira, L., 165
- philosophy
  - of language, 3
  - of science, 228
- Pinker, S., 28
- plan of actions, 8, 44, 110, 115, 280
- planning, 155, 171, 174
- Pollock, J., 37
- Poole, D., 154
- Poole, Goebel and Aleliunas, 143
- possible world semantics, 166–67, 215
- possible worlds, 47
- Post, E., 94
- pragmatic reasoning schemes, 28, 149
- pragmatics, 250, 278
- preactive thinking, 49
- preconditions, 171
- predicate, 48, 233
- predicate logic, 233
- predicate symbols, 48, 232–33
- preventative maintenance, 121, 291

Cambridge University Press

978-0-521-12336-5 - Computational Logic and Human Thinking: How to be Artificially Intelligent

Robert Kowalski

Index

[More information](#)

308

*Index*

- Prisoner's Dilemma, 144–52, 164  
 private language. *See* language of thought  
 proactive thinking, 40  
 probability, 56, 146, 228  
 problem solving, 29–31  
 production rules, 94  
 production systems, 94–106  
   conflict resolution, 95, 96–97, 155  
   cycle, 94  
   for forward reasoning, 102–03  
   for goal reduction, 103–05  
   with implicit goals, 100–01  
   with internal state, 97–100  
   with no representation of the world, 95–97, 128  
 program requirements, 132  
 prohibitions, 121–22, 240  
 Prolog, 6, 19, 54, 62, 80, 233  
 proof, 44, 45, 278  
 proof procedure, xiv, 44, 50  
   for ALP, 285–86  
 proper noun, 80  
 properties, 47, 233  
 propositional formulas, 232  
 propositional logic, 233  
 propositions, 233  
 psychological studies, 36, 156–58  
 public language, 3 *See* human communication  
 punctuation, 78  
 purpose, 82, 101, 125  
 Putnam, H., 245
- Quine, W., 18, 58, 123  
 quotation marks, 214
- range restriction, 103, 280, 294  
 reactive plans, 105  
 reactive rules, xvi, 100  
 reactive thinking, 40  
 real world, 36, 48, 169, 248, 252  
 recursive clauses, 274  
 recursive definitions, 237, 252  
*reductio ad absurdum*, 243  
 refraction, 102  
 refutation, 202, 262, 272  
 refutation completeness, 262, 270  
 reification, 82, 83, 167, 184  
 Reiter, R., 281  
 relational databases, 241, 281  
 relations, 47, 233, 241  
 relative clause, 78–79, 88  
 relative pronoun, 79  
 relevance logic, 250, 278  
 relevance theory, 4  
 relevant  
   beliefs, 43, 45  
   hypotheses, 135, 140  
 religion, 156  
 renaming, 258  
 residual conditionals, 283–85  
 resolution, 115, 239, 269–79  
 resolvent, 269  
 Robinson, J. A., 1, 245, 269, 278  
 robot, 61, 98  
 rule-based systems, 50  
 rules, 48, 62, 94  
   condition–action rules, 94, 131  
   enabled, 95  
   event–condition–action, 282, 295  
   fired, 95  
   if–then rules, 94  
   production rules, 94  
   triggered, 95, 97  
 rules and exceptions, 33, 71, 84–86, 164  
 Russell, B., 1
- SATCHMO, 286  
 sceptical semantics, 267  
 search, 43, 50–57, 272  
 search space, xiv, 50, 173, 285  
 search strategy, xiv, 50, 286  
   best-first, 55–57, 221  
   bidirectional, 57  
   breadth-first, 53  
   depth-first, 53  
 search tree, 285  
 second-order logic, 255  
 security on London underground, 24–25, 210–12  
 selection task, 24–31, 67–68, 198–212  
 selective closed world assumption, 67–68  
 self-referential sentences, 225  
 self-resolving clauses, 274  
 semantic networks, 184–85  
 semantic structure, 7, 32, 108, 166, 183  
 semantics, 47, 108, 233, 247–56, 281  
   argumentation-theoretic, 294  
   logical consequence, 248  
   negation, 263–68  
   non-constructive, 66, 196  
   of ALP, 281  
   of beliefs, 108–09

Cambridge University Press

978-0-521-12336-5 - Computational Logic and Human Thinking: How to be Artificially Intelligent

Robert Kowalski

Index

[More information](#)

- of goals, 109–11
- of integrity constraints, 281
- of maintenance goals, 120–21
- possible world semantics, 166–67
- sensory processes, 124
- sensory system, 119, 131
- sentence, 248
- Shanahan, M., 178
- Shapiro, S., 226
- shared environment, 183
- Sherlock Holmes, 134, 136
- significance, 36
- Simon, H., 100, 113
- situation calculus, 167–69
  - frame problem, 169
- Skolem functions, 234, 243, 280
- SL-resolution, 270, 278
- smart choices, 152–53
- Soar, 94, 103, 104
- social constraint, 206–12
- soft systems methodology, 113
- sorted logics, 236
- sorts, 236, 252
- soundness, 248
  - of ALP proof procedure, 284, 293
- source language, 11
- speaker's meaning, 47
- Sperber, Cara and Girotto, 35, 38
- splitting, 286
- stable model semantics, 266–67
  - by abduction, 287
  - by argumentation, 293
- stable models, 266–67, 282
- stack, 104
- standard model of arithmetic, 254
- statistical information, 56, 142, 195
- Stenning, K., 35, 38
- stimulus-response associations, 8
- strong negation, 70, 141, 265
- substitution interpretation of quantifiers, 251
- subsumption, 251, 277
- successful derivation, 284
- successfully terminating derivation, 283
- successor function, 234
- suppression task, 71
- symbolic logic, 1, 60, 231, 247
- syntax of logical form, 231–46
- synthesis, 19
- tabling, 55, 285
- target language, 11
- taxonomic
  - hierarchies, 182
  - knowledge, 69, 111
  - reasoning, 114
- terms, 233–34
- Thagard, P., 50, 94, 103, 105
- theoremhood view
  - of integrity satisfaction, 281, 282
- theoretical beliefs, 109
- theory, 250
- Theory of Multiple Intelligences, 18
- thermostat, 92–93, 129
- thinking, 29–31, 50
  - deliberative, 130–33
  - intuitive, 130–33
- time, 57, 80–82, 111–12
  - duration, 176–78
  - partially ordered, 175–76
- top-down reasoning, 19
- topic, 186
- totality constraints, 223, 266, 287–89
- traditional logic, 23, 47, 108, 276
- transformation, 132
- trolley problems, 157–62
- trust, 224
- truth, 110, 120, 247–56
- truth value, 48, 249
- truth value gap property, 141
- truth preservation, 257
- Turing Machines, 238
- two wise men, 221–25
- typed logics, 236
- types, 216, 236, 252
- uncertainty, 146
- unification, 44–46, 259, 271
- unique names, 241
- universal quantification, 60, 112, 235, 251
- University of Michigan Lease Termination
  - Clause, xv, 89–91
- unknowns, 60, 61, 110
- utilitarianism, 158
- utility, 56, 147
- vagueness, 88
- van Benthem, J., 268
- van Lambalgen, M., 35, 38, 178
- variables, 60, 79–80, 112, 233
- Vickers, G., 113
- violations, 206
- violations of constraints, 162–64

Cambridge University Press

978-0-521-12336-5 - Computational Logic and Human Thinking: How to be Artificially Intelligent

Robert Kowalski

Index

[More information](#)

310

*Index*

violations of integrity constraints, 164, 210  
vocabulary, 252, 267

Wang, H., 226

Wason, P., 26

weak disjunction, 250

web of belief, 18, 58, 123

weight of evidence, 202

well-formed formula, 248

Whitehead, A. N., 1

Williams, J., 4–5, 15, 228, 245

wise men. *See* two wise men

wood louse, 95–97, 125–29

working memory, 97