

## Index

---

- additive spatial pattern, 10
- adjacency matrix, 71
- aggregation, 62, 118, 169, 335, 376, 382
  - clumping, patchy, patchiness, underdispersion, 50
  - indices, 21
- Akaike information criterion (AIC), 191
- Analysis of Molecular Variance (AMOVA), 313
- analysis of movement
  - angles, 333
  - biased correlated random walks, 337
  - biased random walk, 342
  - correlated random walk, 337, 355
  - path tortuosity, 337
  - random walk, 336
  - spatial complexity, 338
- angles, 150, 333, 336, 384
  - angle zone, 61
  - angular autocorrelation, 334
  - angular concentration, 334
  - boundary, 264
  - class matrix, 152
  - orientation, 61
  - tolerance, 61
  - turning, 333–334
- angular
  - autocorrelation, 334, 372
  - concordance, 334
  - correlation, 334
- anisotropic autocovariance, 235
- anisotropy, 9, 14, 44–45, 59, 110, 131, 150, 156, 170, 176, 196, 235, 321, 323, 345
  - geometric, 156, 176
  - zonal, 156, 176
- area pattern analysis, *see* surface pattern process

- aspatial, 1, 172, 307, 351, 357, 374
  - graph, 47, 69, 351, 367
  - network, 351
  - regression, 377
- association 142, 286, 325, 371 *see also* spatial association
  - asymmetric, 34
  - multi-species, 222
- assumption, 17, 20, 367
- assumptions, 12, 17, 25, 41, 93, 106, 110, 122, 140, 142, 144–145, 152, 164, 175, 206, 244, 284, 289, 312, 341, 362, 364, 369, 390, 393
- asymmetric matching coefficient, 306
- atemporal
  - graph, 351
- autocorrelation, 7, 69, 80, 206, 214, 217, 220–221, 224, 229, 231, 300
  - angular, 334, 372
  - cycles, 240, 362
  - detecting, 11
  - exponential decline, 240, 362
  - induced, 218, 389
  - inherent, 206, 389
  - matrix, 217
  - models, 207, 212
  - negative, 221, 289, 305, 340
  - neighbourhood, 230
  - nonsignificant, 363
  - positive, 283
  - range, *see* spatial range
  - serial, 111, 258
  - spatial, 2, 8, 31, 145
  - spatio-temporal, 320, 360, 376
  - statistical nuisance, 15, 207
  - temporal, 341, 388
  - true, 206
- autocovariance, 145, 152, 230, 233
  - spatial, 145
- autologistic model, 230
- autoregressive 210, 219
- autoregressive model (AR), 2
- autoregressive integrated moving average (ARIMA), 381
- autoregressive moving average (ARMA), 381
  - conditional autoregressive (CAR), 171
  - correlation, 220
  - double autoregression model, 209
  - simultaneous autoregressive (SAR), 171
- $\beta$ -diversity
  - several gradients, 291
  - with gradient, 289
  - without gradient, 287
- Bayesian analysis, 389
  - Bayesian spatial models, 234
  - Bayesian state-space movement model, 341
- bilinear function, 264
- binomial distribution
  - negative, 393
  - test, 266
- biogeography, 293
- bivariate
  - graph, 84
  - pattern, 51, 97
  - tests, 182, 221
- block size, 123–124, 126–128
- Bonferroni correction, 147, 165
  - progressive Bonferroni correction, 147
- bootstrap, *see* randomization tests
- boundary, 264
  - clumping, 258
  - cohesive, 266, 270, 276
  - cohesive ecological boundaries, 271
  - edge, 251
  - elements, 264
  - intermingling, 257
  - overlap of ranges, 256
  - pairwise clumping, 111
  - persistence, 267, 275
  - properties, 244
  - rate of change, 264
  - spatial autocorrelation, 266
  - width, 252, 262, 265
  - zone, 169, 250, 252, 265
- boundary delineation, *see* boundary detection
- boundary detection, 71, 244, 249, 306
  - angles, 264
  - Bayesian areal wombling, 268
  - Bayesian point wombling, 268
  - Canny adaptive filter, 275
  - Canny algorithm, 268
  - categorical-wombling, 267
  - contiguous quadrat data, 259
  - convolution, 262
  - hierarchical spatial partitioning, 273
  - image segmentation, 251
  - kernel, 262, 274
  - Laplacian filter, 275
  - lattice-wombling, 262
  - moving windows, 255, 262

- scale-space, 275
- triangulation-wombling, 267
- wavelet transform analysis, 273
- boundary statistics, 270
  - direct overlap  $O_s$ , 272
  - maximum diameter, 270
  - maximum length, 270
  - mean diameter, 270
  - mean length, 270
  - mean minimum nearest distance  $O_1$ , 272
  - mean minimum nearest distance  $O_2$ , 272
  - number of boundaries, 270
  - number of singletons, 270
  - overall minimum nearest distance  $O_{12}$ , 272
  - overlap statistics, 272
  - superfluity statistic, 270
- box size, 112
- branching linear structures, 343
- brousse tigrée, 9, 40, 320, 323, 343
- butterfly effect, 346
- catastrophe theory, 39
- causality, 22, 31, 189, 191, 206, 218, 319
- cellular automata models, 350
- change of support, 163
- chaos, 31, 39, 42, 346–348
  - attractor, 346
  - bifurcation, 347
  - edge, 348
  - phase space diagram, 347
  - spatial, 347, 349–350
  - spatio-temporal, 346, 349
  - strange attractor, 347
  - temporal, 347, 350
- checkerboard patterns, 297
- chess moves, *see* connectivity
- circle score maps, 118
- circuit theory, 79
- circumcircle method, 116, 135, 371
  - bivariate, 117
  - multivariate, 119
- Clementsian model, 35
- Clifford *et al.*'s correction, 183, 220
- climax, 35
- clonal plant, 46, 62, 323–324, 333, 336, 342
- cluster, 169
  - change detection, 323
  - membership, 247, 250
  - size, 103
- cluster analysis, *see* clustering
- clustering
  - algorithms, 245
  - fuzzy classification, 249
  - fuzzy *c*-means, 250
  - fuzzy *k*-means, 250
  - hierarchical agglomerative, 245
  - k*-means, 247
  - spatial, 249, 267
  - spatial *k*-means, 250
- coefficients
  - correlation, 211, 220
  - determination, 196
  - dilation, 202
  - dissimilarity, 183, 192, 246, 289, 291, 293, 301
  - distance, 86, 183, 192
  - Jaccard, 292, 301
  - Pearson correlation, 145, 184, 306
  - regression, 172
  - scaling, 202
  - similarity, 70, 86, 245–246, 270, 288, 291–292, 306, 385
  - spatial autocorrelation, 145–146
- cold spots, 167–168
- community, 34–36, 41, 280, 286, 300, 317, 319
  - unit, 254
- competition, 376
- complement (graph), 84
- complementary combinations, 297
- complete census, 89, 91, 283
- complete graph, 84, 86, 395
- complete independence model, 207
- complete randomization, 191, 242, 265
- complete spatial randomness, 23–24, 26, 44, 50, 89, 106, 141, 168
- concept
  - alternate stable states, 39
  - constellation, 39
  - cyclic change, 36
  - mosaic-cycle, 36–37, 39
  - self-organization, 39–40
- Condit's  $\Omega$  functions 371
- conditional annealing, 171, 178
- confidence envelope, 226
- connectance, 86
- connectedness, 86
- connectivity, 70, 87
  - algorithms, 141
  - bishop, 57, 142
  - functional, 48, 363
  - matrix, 56, 141, 183, 189, 195–196, 359

- connectivity (cont.)  
 queen, 57, 142, 231  
 rook, 57, 142  
 spatial, 57
- contiguous quadrats, 371
- contingency tables, 34, 100–101, 222
- convex hull, 77, 340
- correlation, 7, 144, 146, 181, 183, 210–211, 215, 218–221, 292, 380  
 linear, 183  
 Mantel tests, 184  
 matrix, 215, 380, 393  
 partial, 189  
 Pearson, 144  
 serial, 207, 226  
 spatially autocorrelated variables, 182  
 Spearman, 186, 345, 381  
 spurious, 22, 189
- correlogram  
 directional, 152  
 Mantel, 189  
 modified, 345, 380  
 omnidirectional, 372  
 one-dimensional, 150  
 spatial, 147, 150, 183
- covariance, 20, 118, 127
- covariance matrix, 174
- covariate variables, 206
- Cressie's correction factor, 214
- critical scales, 159
- cross-correlation, 164, 344, 380–381
- cross-correlogram, 82
- cross-validation, 156, 175
- cross-variance, 164
- cyclic autocorrelation, 223
- data, *see* sampling, *see* pilot study  
 accuracy, 4, 12  
 censused, 88  
 continuous, 22, 133–134, 140, 156, 158, 180, 230, 256, 261–262, 320  
 detrending, 10  
 discrete, 4, 140, 230, 320, 325  
 ecological, 4  
 grid, *see* data, lattice  
 lattice, 14, 54, 57, 59, 142, 144, 198, 230, 232, 262, 268  
 missing, 179–180  
 model, 194, 392  
 multivariate, 39, 65, 100, 182–183, 185, 192, 262
- point, 4, 7, 21, 24, 46, 53–54, 64, 68, 84, 88–89, 91, 105, 116, 286, 354
- population, 14
- qualitative, 4, 65, 109, 140–141, 156, 168, 178, 262
- quantitative, 4, 10, 54, 65, 88, 106, 109–110, 133, 140, 144, 172, 198, 203, 221, 249, 255, 262, 291, 372
- spaced, 14, 115, 144, 195, 240, 259, 267, 372
- sparse, 14
- surface, 4, 140
- transect, 4, 14, 273
- degree of freedom, 27, 182–183, 207, 220, 297, 338, 370
- Delaunay graph, *see* graph theory
- Delaunay triangulation, 50, 53, 116, 267, 315
- delineating boundaries, *see* boundary detection
- design matrix, 189
- deterministic structural function, 152
- detrending data, 10, 22, 203, 213
- Diggle's *F* function, 91, 100  
 bivariate, 96
- Diggle's *G* function, 90, 100  
 bivariate, 96
- directional, 253  
 directional angle-based spatial neighbours, 59
- directional connectivity matrix, 196
- directional-based neighbors, 61
- directionality, 231, 334 *see* anisotropy, *see* angle
- Dirichlet polygons, *see* Voronoi polygons
- Dirichlet tessellation, 115
- discriminant functions, 255
- dispersal, 7–8, 37, 83, 206, 313  
 corridors, 74, 81, 308, 353  
 routes, 74
- dispersion index, 124
- distance algorithms, 55
- distance as key factor, 362
- distance class  
 connectivity matrix, 57  
 equal frequency, 59  
 equidistant, 59  
 matrix, 150, 185
- distance decay, 8
- distance interval, 8
- distance to crowding, 131
- distance to independence, 214, 239, 242, 362
- distance to regularity, 131
- distance to the mainland, 303
- distance to the nearest neighbour, 303

- distance-based MEM (dbMEM)  
 formerly named PCNM, 196
- distance-based neighbors, 61
- distance-based spatial neighbours, 57
- diversity, 278–279, 316, 364  
 $\alpha$ -diversity, 284  
 aspatial, 278, 294  
 $\beta$ -diversity 195, 279, 287, 388  
 biological, 363  
 combination, 303  
 combinatorial, 298, 300–301  
 compositional, 302–303  
 directional, 291  
 discrete natural sampling units, 283  
 ecological, 296  
 effective number of species, 285  
 entropy, 301  
 evenness, 280, 284  
 first-order, 283, 288, 293  
 florula, 299, 301  
 $\gamma$ -diversity 293  
 genetic, 313  
 Gleason, 290, 300  
 graph, 49  
 Hill's index, 285  
 indices, 300  
 richness, 284  
 Ripley's K multivariate, 315  
 sampling unit, 280  
 second-order, 281  
 Shannon-Weaver index, 284  
 Simpson's index, 119, 278  
 Sørensen index, 292  
 spatial, 278–279, 285, 314  
 spatial heterogeneity, 279  
 spatial location, 280  
 species, 119, 278  
 species combination, 296  
 species composition, 283, 296  
 species turnover, 280, 291  
 taxonomic distances, 312  
 taxonomic distinctness index, 311  
 temporal, 315  
 turnover, 290
- Dixon's method, 100–101, 371
- drift, 156, 175, 337
- dummy variables, 189
- Durbin's autoregressive procedure, 150
- Dutilleul's correction, 183
- dyadic grid, 196
- dynamic graphs, 351
- ecological boundaries, 251
- ecological data, 4, 7, 156
- ecological fallacy, 163
- ecological hypotheses, 3, 22, 80
- ecological memory, 207, 358
- ecological processes, 32–33, 159
- ecological questions, 362
- ecotones, 251
- edge detection, *see* boundary detection
- edge effect, 16, 59
- edge enhancement, *see* boundary detection
- effective number of combinations, 300
- effective sample size, 182, 213–214, 220–221, 223, 236, 294  
 adjustment, 214
- eigenanalysis, 128–129, 192, 196  
 asymmetric eigenvector map (AEM), 196  
 eigenfunction, 195  
 eigenvalues, 222, 365  
 eigenvector, 71, 128–129, 192  
 Moran's eigenvector maps (MEM), 195  
 orthogonal, 195  
 spatial, 195, 197, 205
- empirical variogram, 195
- empty space function, 67, 95
- entropy  
 measure, 301
- environmental gradient, 253, 261, 287, 289
- environmental gradients, 32–33, 280
- epidemiology, xii, 98, 170, 326
- ergodic covariance, 156
- error, 27, 31, 179, 191, 207–208, 213, 227, 229, 231, 241, 247, 370, 378, 389, 393  
 experiment-wise, 339  
 Kriging, 175–176  
 measurement, 154, 178  
 spatial, 230  
 spatial regression, 233  
 Type I, 189, 191, 206, 213, 225, 233, 241  
 Type II, 369
- Euclidean distance, 183, 192, 235  
 classes, 144  
 matrix, 189  
 minimum, 272  
 squared, 255
- Euclidean space, 57, 158

- event–event distance, 91
- events, 88
- event-to-nearest-event, 116
- event-to-nearest-event function, 100
- experimental
  - design, 239–241
  - units, 239, 241, 338, 340
- Exploratory Spatial Data Analysis (ESDA), 182, 234
- exponential decay, 281
- exponential decline, 239
- exponential distribution, 72
  
- feedbacks
  - loops, 37
  - negative, 37
  - positive, 37
  - reaction switch, 38
  - switch, 37
  - two-sided switches, 38
- Fibonacci spiral, 240
  - partial, 240
- fibre pattern analysis, 61
  - angles, 61
  - autocorrelation, 215, 231, 337, 381
  - autoregressive, 210, 214, 389
  - Bézier curves, 65, 67
  - bivariate, 65
  - branching curves, 66
  - curving fibres, 65
  - diversity, 283
  - filtering, 380
  - first-order, 8
  - heterogeneity, 144
  - marked, 65
  - moment, 152
  - moving average, 381
  - moving average model, 215
  - neighbours, 50, 53, 80, 82, 285, 308, 359, 384, 395
  - parallelism, 67
  - residuals, 380
  - statistics, 21
  - temporal, 343, 380
- fixed effect, 237
- Fourier analysis, 135
  - transform, 133, 199
- fractal dimension, 158, 338, 358
  - self-similarity, 158
- fragmentation, 73, 133, 323, 331
- Friedman's measure of concordance, 345
  
- functional connections, 365
- fuzzy set theory, 250
  
- gap circle, 116–117
- gap size, 37, 117, 259
- Gaussian random field, 393
- Geary's  $c$ , 146, 153
- Geary's  $c$ 
  - local, 165
- geographically weighted regression (GWR)
  - adaptive kernel, 234
  - fixed kernel, 234
- Geostatistics, 152, *see* variography, *see* variogram, *see* Kriging
- Getis'  $G$ 
  - local, 167
- Getis statistics, 371
- gliding box, *see* moving window
- global analysis, 93
- global spatial analysis, 145
- global spatial statistics, 10, 20
- goodness-of-fit statistic, 223, 247, 297, 314, 338–339
- gradient, 156, 253
- graph theory, 48
  - aspatial, 47, 84
  - bipartite, 70
  - comparison, 80, 82
  - complete, 73, 81, 101, 315
  - component, 72
  - connected, 87
  - digraph, 49, 70
  - directed, 49, 85
  - distance, 85
  - dynamic, 351
  - edges, 46, 84
  - edge dynamic, 351
  - empty, 315
  - footprint, 77
  - functional network, 73
  - geometric, 74, 85
  - graph-of-graphs, 71, 84
  - hierarchy, 82
  - interior nodes, 77
  - leaf, 49, 76
  - least-cost links, 78
  - least-cost paths, 80
  - minimum planar, 78, 85
  - modularity, 71
  - modules, 71
  - nearest neighbour (NN), 81

- network, 49
- node dynamic, 351
- nodes, 46, 84
- path, 47–48, 73
- planar, 73, 84
- planar, 73, 84
- perimeter nodes, 77
- random, 47, 72
- ring, 72
- scale-free, 72
- signed, 70
- small world, 72
- spatial, 50, 85
- spatial digraph, 85
- subgraph, 51, 71, 85
- topological, 48, 80
- tree, 47, 85
- Ulam tree, 55
- graph evolution, 357
- graph metrics
  - betweenness, 86
  - centrality of a node, 86
  - cut-edge, 73, 84
  - cut-point, 73, 84
  - cycle, 85
  - degree of a node, 71, 73, 85–86
  - degree of the node, 49
  - diameter, 70, 86
  - diameter of a graph, 74
  - eccentricity, 74
  - edge connectivity, 73
  - index of dispersal flux, 76
  - path, 85
  - path length, 82, 85, 315, 340
  - recruitment index, 76
  - traversability, 76
- gravity model, 77
- Griffith's space-time index, 321, 325
  
- H* Moran statistic, 144
- Hadamard product, 184, 196
- heterogeneous, 44
- hierarchical analysis, 391
- hierarchical Bayesian analysis, 378
- hierarchical Bayesian spatial analysis, 394
- hierarchical hypotheses, 395
- hierarchical organization, 283
- hierarchical wavelet transform, 195
- hierarchy of hypotheses, 68
  
- hierarchy of neighbours, 286
- hierarchy of networks, 286
- home range, 341
- homogeneity, 40, 106, 315
- homogeneous, 17, 44–45, 264
- homogeneous areas, 11–12, 20, 22, 244, 274, 368
- hot spots, 167–168
- hypothesis testing, 81, 395
  
- independent and identically distributed (i.i.d.), 20, 393
- independent variables, 8, 22, 80, 172, 280
- index of dispersion, 123
- individualistic model, 254
- induced autoregression model, 209
- inferential tests, 15, 191, 205–207, 213, 364
- information theory, 292
- inherent autoregression model, 208
- inhomogeneity, 20, 106
- inhomogeneous, 106, 108–109
- Integrated Nested Laplace Approximation (INLA), 235, 390
- intrinsic random function of order *k*, 176
- inverse distance, 59
- isolation by distance, 41
- isotropy, 9, 14, 44, 57, 59, 146, 170, 175, 196, 275–276, 372
  
- join count statistics, 141
  - k*-categories, 142
  
- kernel function, 234
- Knox's approach, *see* Mantel tests
- Kriging
  - blocked, 175
  - co-Kriging, 164, 177
  - indicator function, 156, 178
  - multivariate 178
  - nonlinear 176
  - ordinary 175
  - punctual, 175
  - stratified 177
  - three-dimensional, 175
  - universal 175
  - variance, 174
  
- lack of independence, 8, 126, 145, 206, 243, 320, 340, 360, 365, 380
- lack of linear independence, 365
- lacunarity, 112, 125, 133, 323, 330
- lag
  - time, 344

- lagged covariates, 229  
 Lagrangian multiplier, 174  
 landscape, 9, 14, 35  
   connectivity, 70, 73, 85  
   corridors, 79  
   ecology, 73  
   fragmented, 79, 370  
   genetics, 77  
   graphs, 74  
   indices, 10  
   location, 14  
   memory, 31, 39, 358  
   metrics, 244, 364  
 latent effects, 394  
 least-cost matrix, 195  
 lichen, 40  
 lichen mosaic analysis, 325  
 linear, 194  
   coincidence, 384  
   collinear, 66, 194  
   combinations, 128  
   correlation, 144, 183  
   dependence, 210, 212–213  
   equations, 173  
   events, 112, *see* fibre pattern analysis  
   features, 62, 385  
   fibre, 62  
   interpolation, 172  
   nonlinear, 172, 176, 186, 234, 280, 386  
   nonlinear responses, 37  
   relationship, 192  
   response, 386  
   structure, 382  
   trend, 10, 125, 172, 230, 378  
 local analysis, 93  
 local indicator for categorical data (LICD), 168  
 local indicator of spatial association (LISA), 164  
 local spatial statistics, 10, 20, 164  
 log-likelihood model, 191  
 log-likelihood ratio, 285  
 log-likelihood ratio G, 222  
 Lyapunov exponent, 348  
  
 macroecology, 2–3, 293  
 Mahalanobis distances, 255  
 Mantel tests  
   Mantel correlogram, 189  
   partial, 189  
   spatial autocorrelation, 187  
  
 mark correlation, 110, 371  
 mark correlation function, 105  
 marked process, 88  
 Markov  
   inhibition model, 137  
   model, 222–223  
   reversible model, 222  
 Markov chain  
   first-order, 358  
 Markov Chain Monte Carlo (MCMC), 390  
 mark-recapture, 320  
 Matérn model, 235  
 metacommunity, 41, 46  
 metapopulation, 41, 46  
 metapopulations, 40  
 Minimum Spanning Tree, 195, 308, 315  
 mobile animal, 336  
 model  
   data, 391, 393  
   parameter, 392–393  
   process, 391, 393  
 modifiable area unit problem (MAUP), 163  
 monotonic changes, 253  
 Monte Carlo, *see* randomization tests  
 Moran's eigenvector maps (MEMs), 195  
 Moran's *I*, 145, 196, 321  
   bivariate, 164  
   local, 164  
 Morisita's index of clumping, 260  
 mosaic  
   tile, 37  
 mosaic partitioning, 37  
 movement, 74, 79  
   animal, 352–353, 355  
   complete avoidance, 355  
   complete randomness, 355  
   corridors, 79  
   costs, 78  
   crossing unusually rapid, 355  
   direction, 331  
   disease, 350  
   distance, 70  
   events, 331  
   few crossings, 355  
   path, 68, 70, 79  
   temporal units, 320  
   tortuosity, 340  
   units, 333  
 moving average (MA), 171



- moving window, 18, 88, 112, 124–125, 137, 152, 169, 215, 255, 262, 287, 289, 327, 329, 371
- multiple regression, 191, 194
- multiple regression on distance matrices (MRDM), 191
- multiple testing, 146
- multiscale analysis, 182
- multiscale decomposition, 196
- multiscale pattern analysis, 196
- multispecies  
 analysis, 371  
 interactions, 71  
 pattern, 128  
 point pattern, 103
- multivariate analysis, 261
- multiscale spatial analysis, 205
- pattern index, 103
- point analysis, 100
- Ripley's  $K$ , 286
- nearest neighbours, 48, 50, 89–90, 100–101, 141  
 event, 91  
 first-order, 80  
 function, 67  
 graph, 395  
 time and space, 396
- neighbour networks (topological graph)  
 Delaunay triangulation, 52  
 Gabriel, 51  
 Minimum Spanning Tree, 51  
 mutually nearest neighbour pairs (MNN), 48, 50, 51  
 nearest neighbour (NN), 50  
 relative neighbourhood, 51  
 Ulam tree, 55
- neighbourhood  
 autocorrelation, 230  
 effects, 396  
 fibre analysis, 65  
 matrix, 195  
 position, 229  
 search, 12, 165, 168, 172, 174
- nested subsets, 303–305
- nestedness, 291, 303, 305, 315, 317
- network, *see* graph  
 dendritic, 235
- network analysis, 72
- noise, 255, 268, 275–276 *see also* random
- non-parametric rank test, 340
- nonrandom, 7, 9, 127, 280, 286
- nonrandomness, 32, 98, 253, 302, 373
- non-spatial, *see* aspatial
- non-stationarity, 235, 241, 253, 376, 378, 386
- non-stationarity point pattern analysis, 109
- normal distribution approximation test, 146
- null hypothesis, 108, 183
- null model, 41, 44, 93
- ordination, 192, 303  
 canonical correspondence analysis (CCA), 192  
 direct, 192  
 horseshoe effect, 291  
 multiscale (MSO), 128, 195, 371  
 partial CCA, 193  
 partial RDA, 193  
 principal components analysis (PCA), 128  
 redundancy analysis (RDA), 192  
 spatial principal components analysis (sPCA), 313
- orthogonal spatial eigenvectors  
 surrogate predictors, 196
- overdispersion, 376
- partial correlation, 218, 221
- partial Mantel tests, 342
- partitioned variation, 234
- partitioning diversity, 288
- patch, 73, 244, 264  
 overlap, 116
- patch size, 115, 117, 147, 323 *see also* spatial range, *see also* zone of influence
- patch-gap model, 37
- patchiness, 7, 9–10, 16, 21, 32, 44, 147, 150, 196, 224, 239, 280–281, 291, 389
- patchy, 41, 142, 196, 239–241, 289, 357, 362
- path, 79, 82, 93, 334, 338, 340, 354–355  
 complexity, 354  
 least-cost, 77, 79–80  
 movement, 340  
 shortest, 86
- path analysis, 189, 191
- pattern, 6  
 aggregated, 7  
 association, 34  
 checkerboard, 308  
 overdispersed, 24  
 patchiness, 14  
 random, 7  
 repetitive, 14, 241  
 spatio-temporal, 349, 381  
 temporal, 35, 160

- pattern (cont.)  
   trend, 7  
   underdispersed, 24  
   uniform, 7  
   wave, 14, 221, 223–224, 241  
 peak, 15  
   boundary, 255  
   variance, 117–118, 124–126, 128, 134  
 pilot study, 240, 243  
 point analysis  
   bivariate, 96  
 point event, 48  
 point events, 50, 55, 64, 67–68, 88, 106, 108–110, 140, 171, 329, 382, 385–386  
 point events on lines, 68  
 point pattern analysis, 24, 61, 89  
   multivariate, 54, 99  
 point pattern process, 22, 44  
 point–event distance, 91  
 point-to-nearest-event function, 100  
 Poisson distribution, 21, 44, 72, 92, 123, 230, 392–393  
 Poisson space-time joint index, 325  
 Poisson–Poisson distribution, 137  
 Pollard's index, 90  
 polygon change analysis, 329  
   primitive events, 330  
 polygons, 67, 332, 383, 385  
   footprint, 388  
 polynomial regression, 195  
 population data, 88, 140, 195  
 population of inference, 14  
 power, 20, 84, 159, 241, 368  
 power law distribution, 72  
 predictor, 172, 191–192, 194, 205–209, 227, 229, 234, 237, 377, 388, 395  
   spatial, 233  
 pre-whitening, 213  
 principal components analysis (PCA), 128  
 principal coordinate analysis, 195  
 Principal Coordinates of Neighbour Matrices (PCNM)  
   currently named dbMEM, 195  
 processes, 361  
   allelopathy, 34  
   competition, 36  
   continuous, 22  
   cyclic succession, 40  
   deterministic, 39, 346  
   dispersal, 41, 45, 69, 76, 305, 349, 353  
   disturbances, 35  
   double stochastic Poisson, 44  
   ecological, 8, 32, 40  
   endogenous, 7  
   exogenous, 7  
   facilitation, 34–35  
   fibre, 62, 65  
   induced, 7  
   inherent, 7  
   inhibition, 35  
   inhomogeneous Poisson, 106  
   interspecific competition, 33  
   latent spatio-temporal, 393  
   mass effects, 41  
   neutral dynamics, 41  
   Neyman Type A, 18  
   Neyman–Scott, 93, 102, 106  
   patch dynamics, 41  
   phenology, 359  
   Poisson–Poisson, 18  
   population, 24, 40  
   regeneration, 36  
   self-inhibition, 35  
   spatial, 43  
   species sorting, 41  
   stochastic, 27, 41, 43  
   succession, 35–36, 39  
   temporal, 43  
   tolerance, 35  
 propinquity, 281  
 proximity, 34, 172, 291, 394  
   matrix, 231, 233  
   polygons, 171  
   temporal, 357  
   temporal and spatial, 327  
   time and space, 357  
 pseudo-replication, 338, 340, 345, 360  
 quadrat variance methods, 123, 127  
   Galiano's quadrat variance, 125  
   paired quadrat variance (PQV), 124, 126–127  
   three term local quadrat variance (3TLQV), 125  
   triplet quadrat variance (tQV), 125  
   two term local quadrat variance (TTLQV), 124  
   two-dimensional, 129  
 quadtree decomposition, 274  
 random, 361  
 random effect, 227, 235, 393

- random paired quadrat frequency, 325
- randomization
- caterpillar, 30, 225
  - complete, 110
  - complete spatial, 29
  - restricted, 29, 61, 110, 126, 185, 190, 224
- randomization tests, 24–25, 30, 67, 83, 126, 132, 158
- bootstrap, 25, 224, 226, 242
  - jackknife, 225
  - toroidal shift, 16, 27, 224
  - torus distances, 16
- randomly generated patterns, 18
- randomness, 346
- random-point-to-nearest event, 116
- range, *see* spatial range
- reference distribution, 25–26, 222, 224
- refined nearest neighbour, 90, 99
- regionalized variable theory, 152
- regression, 227
- aspatial, 377
  - generalized least-squares (GLS), 233
  - generalized linear mixed model (GLMM), 227
  - geographically weighted (GWR), 234
  - Kriging, 233
  - linear, 31, 174, 184, 189, 208, 218, 221, 227, 233, 235, 344, 394
  - multiple, 172
  - non-spatial, 237
  - polynomial, 172
  - spatial, 227, 234
  - spatial error, 233
  - spatial lag, 230
- repulsion (overdispersion), 50
- re-sampling, *see* randomization tests
- residual sums of squares, 191
- residuals, 10, 20, 22, 117, 189, 234, 367, 381
- Freeman–Tukey standardized residual, 116, 223, 260, 297, 339, 381
  - spatial, 152, 237
  - spatial structure, 21
  - standardized, 118, 223
- resource selection function, 340
- response variable, 206
- restricted randomization, 265, 304–305
- Ripley's  $K$ , 24, 62, 91, 95, 99, 106, 371
- bivariate, 96–97, 112
  - edge effects, 62
  - inhomogeneous, 106
  - multivariate, 286
  - three dimensions, 115
- Ripley's  $L$ , 103
- robust, 207, 224, 236, 370
- robustness, 147, 175, 214, 221, 370
- rooted trees, 358
- runs test, 335
- sample data, 140, 195
- sample size, 11, 160, 184–191, 213, 321, 364, 368–370
- sampling
- extent, 11
  - grain, 11
  - sampling units, 4
  - strategy, 14
- sampling design, 1, 10–11, 16, 27, 140, 159, 239
- random, 160
  - spacing, 160
  - systematic, 15
- sampling designs, 251
- sampling unit, 9, 11, 14, 281, 370, 392
- sampling unit size, 160
- scale, 9, 281, 361
- scales of pattern, 376
- scalogram, 203
- scan statistics, 98, 168, 287
- search window, 21, 168–169
- second-order, 8, 99, 116
- derivatives, 275
  - moment, 152
  - neighbours, 53, 82, 314
  - nodes, 71
  - point pattern analysis, 91
  - polynomial, 172
  - statistics, 8
- segregation, 118, 376, 382
- index, 100
- semi-variance, 153
- bivariate, 164
- semi-variogram, 153
- signed graphs, 351
- significance tests, 126
- similarity matrix, 196
- smooth, 171–172, 230, 235, 267
- spatial pattern, 175
- smoothed, 156, 170, 255
- smoothing, 105, 275
- space, 230, 279
- confounding variable, 31
  - diagnostic indicator, 31
  - effects of space, 207

- space (cont.)  
 predictor variable, 31  
 spatial surrogate, 31  
 statistical nuisance, 31  
 surrogate predictor, 194
- spatial  
 adjacency, 245, 247  
 aggregation, 31, 141  
 arrangement, 291  
 association, 141  
 autocorrelation, 4, 8, 59, 82, 160, 394  
 autocovariance, 145  
 clustering, 249, 267  
 clusters, 244, 247  
 component, 317  
 connectivity, 57  
 contingency, 194, 207  
 correlogram, 147  
 covariance, 8, 152  
 dependence, 4, 8  
 diversity, 278–279, 285, 314  
 edge, 396  
 extent, 12  
 extrapolation, 2, 205  
 grain, 293  
 heterogeneity, 9  
 homogeneity, 9  
 inhibition, 7  
 interaction, 2, 30  
 interpolation, 2  
 interval, 59  
 lag, 8, 15, 59, 153, 211, 215, 361  
 legacy, 194  
 mosaic, 39–40  
 partitioning, 2, 244, 317  
 range, 41, 147, 152, 154–155, 160, 163, 168, 175–176, 241, 281, 363  
 regression, 2, 227  
 repulsion, 141  
 resolution, 11  
 scale, 9  
 series, 207  
 structure, 2, 4, 30  
 variance, 152
- spatial analysis by distance indices (SADIE), 131  
 spatial autocorrelation, 145, 182, 188, 196, 206, 213–214, 219, 230, 234, 241, 266, 293, 343, 365  
 absent, 31  
 bivariate, 164  
 boundary, 266  
 coefficients, 145  
 false, 8  
 inherent, 8, 145, 362  
 negative, 31  
 positive, 126, 370  
 significance, 146  
 true, 8
- spatial autocovariance, 230  
 spatial dependence, 7, 15, 27, 145, 281, 362  
 induced, 8, 145, 206  
 spatial error models (SEM), 230  
 spatial extent, 12, 164, 199, 293, 368  
 spatial filtering, 230  
 conditional autoregressive models (CAR), 232  
 Moran's eigenvector maps (MEM), 233  
 moving average models (MA), 232  
 simultaneous autoregressive models (SAR), 231
- spatial graphs, 69, 101, 292, 314, 396  
 spatial independence model, 208  
 spatial interpolation, 170  
 inverse distance weighting, 171–172  
 Kriging, 173  
 proximity polygons, 171  
 trend surface analysis, 171–172, 175
- spatial neighbourhoods, 56  
 spatial neighbouring search, 59  
 spatial partitioning, *see* boundary detection  
 spatial sampling  
 design, 14  
 optimal, 11, 175
- spatial scales, 40, 338, 365  
 spatial scan statistic, 168  
 spatial segregation hypothesis, 286  
 spatial statistics, 17, 364  
 global, 2  
 local, 2
- spatial stochastic simulations, 178  
 spatial time series modelling, 381  
 spatial variance, 22, 156  
 spatially contagious, 305  
 spatially explicit temporal autocorrelation, 39  
 spatially independent, 31  
 Spatial-Temporal Analysis of Moving Polygons (STAMP), 331  
 spatio-temporal  
 analysis, 319, 323, 360, 379, 382  
 anisotropy, 321  
 association, 325, 327  
 autocorrelation, 320–321, 339, 360, 376

- chaos, 346, 349
- clustering, 327
- clusters, 325
- data, 77
- digraph, 356
- dimensions, 1, 329
- distances, 320
- domains, 11
- graph, 350–353, 357, 359, 395–396
- join count, 324
- relationship, 183
- resolution, 9
- Ripley's  $K$ , 327
- scales, 1, 11, 16, 244, 365, 368
- scan statistics, 170, 329
- stationarity, 375
- statistics, 359
- trajectory, 350
- spatio-temporal autoregressive (STAR), 393
- spatio-temporal autoregressive integrated moving average (STARIMA), 381
- spatio-temporal graphs, 355
  - disease spread, 355
- species association, 286
- species associations, 295
- species composition, 289
- species equivalents, 288
- species replacement, 254
- species response
  - unimodal curve, 33
- species turnover, 258, 262, 264, 279, 290
- species–area curve, 279–280
- spectral analysis, 133, 135
- spectral decomposition, 195
- spectral decomposition methods, 195
- spurious correlation, *see* correlation
- square window, 262, 264
- stationarity, 17, 21, 106, 144, 170, 195
  - intrinsic hypothesis, 152
  - lack of stationarity, 203, 234
  - quasi-stationarity, 152
  - second-order, 175
  - temporal, 378
  - weak stationarity, 152
- stationary, 20, 43
- statistical testing, 207, 370
- stochastic, 41, 43, 171, 178, 346, 348
- stochastic disturbances, 34
- stochastic spatial modelling, 389
- structure, 6
- Sturge's rule, 59
- subareas, 244
- summary graph, 352
- surface pattern process, 59
- surface pattern processes, 140
- survey
  - design, 241
- symmetric matching coefficient, 307
- symmetric matrix, 183, 196
- synchronous cycles, 343
- synchrony, 343–345, 380
  - spatial, 344
- Tavaré's approach, 222–223
- temporal
  - analysis, 379
  - autocorrelation, 321, 341, 343, 365, 380, 388
  - cycles, 343, 379
  - dependence, 393
  - dimensions, 283
  - distance metric, 357
  - edge, 396
  - edge effects, 328
  - explicit, 374
  - graphs, 351
  - implicit, 374
  - label, 352, 354
  - lag, 361, 381
  - memory, 359
  - network, 351
  - non-stationarity, 329
  - partitioning, 315
  - sampling interval, 340
  - scales, 380
  - subsets, 317
  - units, 351
- temporal autocorrelation, 145
- tessellation, *see* Voronoi polygons, *see* graph, *see* network, *see* Delaunay triangulation
- tests for proportions, 222
- Thiessen polygons, *see* Voronoi polygons
- three-dimensional, 32, 73, 88, 116, 133, 135
- threshold distance, 69, 74, 79, 82, 93, 195–196, 286, 315, 376
- tile, 37
- time lag, 320, 344, 380, 395–396
- time series, 133, 150, 160, 169, 207, 213, 231, 328, 343, 345, 347, 360, 379–381
- time to independence, 339–340

- Tobler's Law, 7, 281, 362  
 topological algorithms, 50, 142  
 topological neighbours, *see* neighbour networks  
 topology, 2, 25, 47, 142, 286, 350  
 tortuosity path, 340  
 transition probabilities, 222  
 transition zone, 250, 252  
 travelling waves, 40, 321, 343, 345  
 trend surface analysis, 172  
 triangle window, 267  
 triangular window, 267  
 turnover, 291–292
- underdispersion, 376
- variance partitioning, 197  
 variance-covariance matrix, 128, 174, 210, 231–233  
 variance-mean ratio, 21  
 variance-to-mean, 131  
 variance-to-mean ratio, 123  
 variogram, 153, 174, 230, 239  
   directional, 156  
   experimental, 153  
   head locations, 156  
   linear, 155, 159  
   multivariate, 195  
   nugget effect, 154  
   omnidirectional, 372  
   sill, 154  
   spatial range, 154  
   spherical, 155–156, 196  
   tail locations, 156  
   theoretical, 155  
 variograms  
   bounded theoretical, 155  
   unbounded theoretical, 155  
 Variography, *see* variogram, *see* semi-variance,  
   *see* geostatistics, Kriging  
 Voronoi polygons, 50, 53, 77, 171, 285, 376  
 voxel, 133
- wavelengths, 133  
 wavelet covariance analysis, 181  
 wavelets, 117–118, 134, 371  
   boater, 135  
   French top hat (FTH), 135  
   Haar, 135  
   Haar wavelet, 235  
   Mexican hat, 134  
   Morlet, 135  
   revised model, 235  
   Walsh transform, 134–135  
   wavelet transform, 134–135, 199, 201, 203, 274  
   wavelet variance, 134  
 weight matrix, 59, 145, 165, 232, 381  
 weighted matrix, 195  
 white noise, 213  
 window shape, 262  
 window size, 255  
 wombling, *see* boundary detection
- zonal overlap, 34  
 zone of influence, 147, 363  
 zone of overlap, 254