THE ONE-DIMENSIONAL HUBBARD MODEL

The description of a solid at a microscopic level is complex, involving the interaction of a huge number of its constituents, such as ions or electrons. It is impossible to solve the corresponding many-body problems analytically or numerically, although much insight can be gained from the analysis of simplified models. An important example is the Hubbard model, which describes interacting electrons in narrow energy bands, and which has been applied to problems as diverse as high-T_c superconductivity, band magnetism and the metal-insulator transition.

Remarkably, the one-dimensional Hubbard model can be solved exactly using the Bethe ansatz method. The resulting solution has become a laboratory for theoretical studies of non-perturbative effects in strongly correlated electron systems. Many methods devised to analyse such effects have been applied to this model, both to provide complementary insight into what is known from the exact solution and as an ultimate test of their quality.

This book presents a coherent, self-contained account of the exact solution of the Hubbard model in one dimension. The early chapters develop a self-contained introduction to Bethe's ansatz and its application to the one-dimensional Hubbard model, and will be accessible to beginning graduate students with a basic knowledge of quantum mechanics and statistical mechanics. The later chapters address more advanced topics, and are intended as a guide for researchers to some of the more recent scientific results in the field of integrable models.

The authors are distinguished researchers in the field of condensed matter physics and integrable systems, and have contributed significantly to the present understanding of the one-dimensional Hubbard model. Fabian Essler is a University Lecturer in Condensed Matter Theory at Oxford University. Holger Frahm is Professor of Theoretical Physics at the University of Hannover. Frank Göhmann is a Lecturer at Wuppertal University, Germany. Andreas Klümper is Professor of Theoretical Physics at Wuppertal University. Vladimir Korepin is Professor at the Yang Institute for Theoretical Physics, State University of New York at Stony Brook, and author of *Quantum Inverse Scattering Method and Correlation Functions* (Cambridge, 1993).

THE ONE-DIMENSIONAL HUBBARD MODEL

FABIAN H. L. ESSLER
Oxford University

HOLGER FRAHM
University of Hannover

FRANK GÖHMANN
Wuppertal University

ANDREAS KLÜMPER
Wuppertal University

VLADIMIR E. KOREPIN
State University of New York at Stony Brook

CAMBRIDGE
UNIVERSITY PRESS

CAMBRIDGE UNIVERSITY PRESS
Cambridge, New York, Melbourne, Madrid, Cape Town, Singapore,
São Paulo, Delhi, Dubai, Tokyo, Mexico City

Cambridge University Press
The Edinburgh Building, Cambridge CB2 8RU, UK

Published in the United States of America by Cambridge University Press, New York

www.cambridge.org
Information on this title: www.cambridge.org/9780521143943

First published 2005
First paperback printing 2010

A catalogue record for this publication is available from the British Library

Library of Congress Cataloguing in Publication data

The one-dimensional Hubbard model / F. H. L. Essler . . . [*et al.*].
p. cm.
Includes bibliographical references and index.
ISBN 0 521 80262 8
1. Hubbard model. 2. Quantum theory. 3. Statistical mechanics. I. Essler, F. H. L., 1965–
QC176.8.E4E89 2005
530.4´1–dc22 2004051917

ISBN 978-0-521-80262-8 Hardback
ISBN 978-0-521-14394-3 Paperback

Contents

Preface

On account of Lieb and Wu's 1968 Bethe ansatz solution, the one-dimensional Hubbard model has become a laboratory for theoretical studies of non-perturbative effects in strongly correlated electron systems. Many of the tools available for the analysis of such systems have been applied to this model, both to provide complementary insights to what is known from the exact solution or as an ultimate test of their quality. In parallel, due to the synthesis of new quasi one-dimensional materials and the refinement of experimental techniques, the one-dimensional Hubbard model has evolved from a toy model to a paradigm of experimental relevance for strongly correlated electron systems.

Due to the ongoing efforts to improve our understanding of one-dimensional correlated electron systems, there exists a large number of review articles and books covering various aspects of the general theory, as well as the Bethe ansatz and field theoretical methods. A collection of these works is listed in the General Bibliography below.

Still we felt – and many of our colleagues shared this view – that there would be a need for a coherent account of all of these aspects in a unified framework and from the perspective of the one-dimensional Hubbard model, which, moreover, would be accessible to beginners in the field. This motivated us to write this volume. It is intended to serve both as a textbook and as a monograph. The first chapters are supposed to provide a self-contained introduction to Bethe's ansatz and its application to the one-dimensional Hubbard model, accessible to beginning graduate students with only a basic knowledge of Quantum Mechanics and Statistical Mechanics. The later chapters address more advanced issues and are intended to guide the interested researcher to some of the more recent scientific developments in the field of integrable models.

Although this book concentrates on the one-dimensional Hubbard model, we would like to stress that the methods used in its solution are general in the sense that they apply equally well to other integrable models, some of which we actually deal with in passing. In fact, the application of Bethe's ansatz to the Hubbard model is more involved than in other cases. We expect the reader who has mastered the solution of the Hubbard model to be able to apply his/her knowledge readily to other integrable theories.

This volume does not pretend to cover its subject completely. Rather, we attempted to find a balance between being didactic and being comprehensive. Our selection of material

was necessarily governed by our predispositions. We apologize if we have failed to cover important issues adequately.

Ultimately this book originates in the many collaborations between the authors over the last ten years, which are documented in the reference section at the end of the book. Although the material presented has matured in the discussions between us, it is not difficult to infer from our different styles which author bears primary responsibility for which chapter, namely FG for chapters 2, 3, 11, 12, 14, 15, FHLE for chapters 4–7, 10 and 17, HF for chapters 8 and 9, AK for chapter 13, VEK for chapter 16, and FG and FHLE jointly for chapter 1.

Throughout this project and in many fruitful collaborations before we have benefitted immeasurably from numerous discussions with our colleagues and friends A. M. Tsvelik, N. d'Ambrumenil, T. Deguchi, H. Fehske, F. Gebhard, F. D. M. Haldane, V. I. Inozemtsev, A. R. Its, E. Jeckelmann, G. Jüttner, N. Kawakami, R. M. Konik, E. H. Lieb, S. Lukyanov, M. J. Martins, S. Murakami, A. A. Nersesyan, K. Schoutens, H. Schulz, M. Shiroishi, F. Smirnov, J. Suzuki, M. Takahashi, M. Wadati, A. Weisse and J. Zittartz. Special thanks are due to Andreas Schadschneider for discussions and his constructive criticism after reading the entire manuscript. We are grateful to M. Bortz, A. Fledderjohann, M. Karbach, P. Boykens, A. Grage, M. Hartung, R. M. Konik and A. Seel for proofreading parts of the manuscript and helpful comments.

Despite the joint efforts of many dear friends we do not expect the first edition of such a thick volume to be free of misprints. We plan to keep a record of all misprints brought to our knowledge on our personal websites.

We thank the Physics Departments at Brookhaven National Laboratory and the Universities of Bayreuth, Dortmund, Hannover, Stony Brook, Warwick and Wuppertal for providing stimulating environments during the course of writing this book.

FHLE acknowledges support by the Department of Energy under contract DE-AC02-98 CH10886.

General bibliography

Books

R. J. Baxter, *Exactly Solved Models in Statistical Mechanics* (London: Academic Press, 1982).
J. L. Cardy, *Scaling and Renormalization in Statistical Physics* (Cambridge: Cambridge University Press, 1996).
P. Di Francesco, P. Mathieu and D. Sénéchal, *Conformal Field Theory* (New York: Springer Verlag, 1997).
E. Fradkin, *Field Theories of Condensed Matter Systems* (Reading, Mass.: Addison Wesley, 1991).
P. Fulde, *Electron Correlations in Molecules and Solids* (Berlin: Springer Verlag, 1991).
M. Gaudin, *La fonction de l'onde de Bethe pour les modèles exacts de la méchanique statistique* (Paris: Masson, 1983).
F. Gebhard, *The Mott Metal-Insulator Transition* (Berlin: Springer Verlag, 1997).

A. O. Gogolin, A. A. Nersesyan and A. M. Tsvelik, *Bosonization and Strongly Correlated Systems* (Cambridge: Cambridge University Press, 1998).
I. A. Iziumov and I. N. Skriabin, *Statistical Mechanics of Magnetically Ordered Systems* (New York: Consultants Bureau, 1988).
V. E. Korepin, N. M. Bogoliubov and A. G. Izergin, *Quantum Inverse Scattering Method and Correlation Functions* (Cambridge: Cambridge University Press, 1993).
S. Sachdev, *Quantum Phase Transitions* (Cambridge: Cambridge University Press, 2000).
F. Smirnov, *Form Factors in Completely Integrable Models of Quantum Field Theory* (Singapore: World Scientific, 1992).
B. Sutherland, *Beautiful Models: 70 Years of Exactly Solvable Quantum Many–Body Problems* (Singapore: Worlds Scientific, 2004).
M. Takahashi, *Thermodynamics of One-Dimensional Solvable Models* (Cambridge: Cambridge University Press, 1999).
A. M. Tsvelik, *Quantum Field Theory in Condensed Matter Physics* (Cambridge: Cambridge University Press, 1995; 2nd edition 2003).
K. Yosida, *Theory of Magnetism* (Berlin: Springer-Verlag, 1996).

Review articles

I. Affleck, Field theory methods and quantum critical phenomena, in E. Brézin and J. Zinn-Justin, eds., *champs, cordes et phénomène critique* (Amsterdam: North-Holland, 1990), 563–640. Les Houches, Session XLIX, 28 June–5 August 1988.
N. Andrei, Integrable models in condensed matter physics, preprint, cond-mat/9408101.
N. Andrei, K. Furuya and J. H. Lowenstein, Solution of the Kondo problem, *Rev. Mod. Phys*. **55** (1983) 331.
J. L. Cardy, Conformal invariance and statistical mechanics, in E. Brézin and J. Zinn-Justin, eds., *champs, cordes et phénomène critique* (Amsterdam: North-Holland, 1990), 169–245. Les Houches, Session XLIX, 28 June–5 August 1988.
T. Deguchi, F. H. L. Essler, F. Göhmann, A. Klümper, V. E. Korepin and K. Kusakabe, Thermodynamics and excitations of the one-dimensional Hubbard model, *Phys. Rep*. **331** (2000) 197.
P. Ginsparg, Applied conformal field theory, in E. Brézin and J. Zinn-Justin, eds., *Champs, cordes et phénomène critique* (Amsterdam: North-Holland, 1990), 1–168. Les Houches, Session XLIX, 28 June–5 August 1988.
P. P. Kulish and E. K. Sklyanin, Quantum spectral transform method – recent developments, in *Lecture Notes in Physics 151* (Berlin: Springer Verlag, 1982), 61–119.
P. P. Kulish and E. K. Sklyanin, Solutions of the Yang-Baxter equation, *J. Soviet Math.* **19** (1982) 1596.
E. H. Lieb, The Hubbard model – some rigorous results and open problems, in D. Iagolnitzer, ed., *Proceedings of the XIth International Congress of Mathematical Physics, Paris 1994* (Cambridge, Mass.: International Press, 1995), 392–412.
H. Saleur, Lectures on non-perturbative quantum field theories and quantum impurity problems, in A. Comtet, T. Jolicoeur, S. Ouvry and F. David, eds., *Aspects topologiques de la physique en basse dimension* (Berlin: Springer Verlag, 1999). Les Houches, Session LXIX, 7–31 July 1998, 473–550.
H. Saleur, Lectures on non-perturbative quantum field theories and quantum impurity problems: part II, preprint, cond-mat/0007309 (2000).

P. Schlottmann, Exact results for highly correlated electron systems in one dimension, *Int. J. Mod. Phys. B* **11** (1997) 355.

H. J. Schulz, Interacting fermions in one dimension: from weak to strong correlation, in V. J. Emery, ed., *Correlated Electron Systems, Vol. IX* (Singapore: World Scientific, 1993), 199–241. Jerusalem Winter School for Theoretical Physics, 30 Dec. 1991–8 Jan. 1992.

H. J. Schulz, G. Cuniberti and P. Pieri, Fermi liquids and Luttinger liquids, in G. Morandi *et al*. eds, *Field Theories for Low-Dimensional Condensed Matter Systems* (Berlin: Springer Verlag, 2000). Chia Laguna Summer School, September 1997, preprint cond-mat/9807366.

B. Sutherland, An introduction to the Bethe ansatz, in *Lecture Notes in Physics 242* (Berlin: Springer Verlag, 1985), 1–95.

H. Tasaki, The Hubbard model – an introduction and selected rigorous results, *J. Phys.: Condens. Matter* **10** (1998) 4353.

A. M. Tsvelick and P. B. Wiegmann, Exact results in the theory of magnetic alloys, *Adv. Phys*. **32** (1983) 453.

Reprint volumes

M. Jimbo, *Yang-Baxter Equation in Integrable Systems* (Singapore: World Scientific, 1989).

V. E. Korepin and F. H. L. Essler, *Exactly Solvable Models of Strongly Correlated Electrons*, vol. XVIII of Advanced Series in Mathematical Physics (Singapore: World Scientific, 1994).

A. Montorsi, *The Hubbard Model* (Singapore: World Scientific, 1992).

M. Rasetti, *The Hubbard Model, Recent Results* (Singapore: World Scientific, 1991).

Instead of a reading guide



The figure shows the logical interdependence of the chapters and may serve the reader to find individual paths through this book. Chapters 16 and 17 have the character of appendices and are logically independent from the remaining part of the book.