
Index

- Γ -function
 - multidimensional, 83
 - one-dimensional, 82
- Γ -functions connected with p -adic quasi
 - associated homogeneous distributions, 94
- Γ -functions connected with real quasi
 - associated homogeneous distributions, 315
- \mathbb{Q}_p and the Cantor-like sets, 28
- η -self-adjoint
 - Hamiltonian, 221
 - operator in $\mathcal{L}_2(\mathbb{Q}_p)$, 218
- p -adic
 - additive valuation, 6
 - criterion of series convergent, 36
 - order of a rational number, 6
 - Schrödinger-type operator, 209
 - series, 36
 - Tauberian type theorem, 231
 - units, 20
 - wavelet, 106
- p -adic number
 - canonical form, 17
 - fractional part, 18
 - integer, 19
 - integer part, 18
- \mathcal{B} -function, 83
- “natural” set of shifts for \mathbb{Q}_p , 112
- “variable separation method”, 194
- adelic formula, 10
- algebra of asymptotic distributions
 - p -adic, 279
 - real setting, 266
- almost quasihomogeneous distribution, 291
- analytical function, 39
- associated distribution, 272
- associated homogeneous distribution
 - p -adic, 84
- associated homogeneous distribution (real setting), 287
- asymptotic
 - distribution
 - p -adic, 281
 - real setting, 267
 - expansion
 - of a distribution, 250
 - parameter of stabilization, 250
 - stable, 250
 - of the Fourier integral
 - p -adic setting, 248
 - real setting, 249
 - sequence, 250
- ball
 - in \mathbb{Q}_p
 - closed, 21
 - open, 21
 - in \mathbb{Q}_p^n , 33
- Bernoulli numbers, 317
- canonical
 - 1-sequence, 61
 - δ -sequence, 61
- Cantor-like set, 25
- Cauchy sequence, 2
- change of variables in integrals, 52
- character
 - additive of the field \mathbb{Q}_p , 40
 - additive of the group B_γ , 40
 - multiplicative of the field \mathbb{Q}_p , 43

- multiplicative of the group S_0 , 44
 - normed multiplicative, 44
- clopen, 22
- Colombeau-type algebra
 - p -adic setting, 271
 - real setting, 264
- Colombeau–Egorov algebra, 271
 - generalized function, 271
 - generalized number, 273
- completion procedure, 11
- complex-conjugate p -adic wavelet basis, 212
- connection between the p -adic and real Haar wavelets, 111
- construction of
 - p -adic Haar multiresolution analysis, 115
 - p -adic Haar wavelet basis, 118
- convergence
 - in $\mathcal{D}(\mathbb{Q}_p^n)$, 56
 - in $\mathcal{E}(\mathbb{Q}_p^n)$, 55
- convolution of distributions, 65
- density of the Lizorkin space $\Phi(\mathbb{Q}_p^n)$ in $\mathcal{L}^p(\mathbb{Q}_p^n)$, 104
- density of the Lizorkin space $\Phi_\times(\mathbb{Q}_p^n)$ in $\mathcal{L}^p(\mathbb{Q}_p^n)$, 104
- dilatation operator, 288
- Dirac delta-function, 60
- direct product of distributions, 63
- distribution
 - principal value of the function, 296
 - regular, 60
 - with a point support, 60
- distribution asymptotic estimate at infinity, 231
- equality
 - of Parseval–Steklov, 70
- equivalent norms of a normed field, 3
- Euclidean metric, 6
- Euler
 - equation, 309
 - type system of equations, 309
- field
 - normed, 2
 - of p -adic numbers \mathbb{Q}_p , 14
- Fourier transform
 - for a distribution with a compact support, 72
 - of p -adic homogeneous distribution, 82
 - of p -adic quasi associated homogeneous distribution, 93
 - of a convolution, 73
 - of a test function, 68
 - of distribution, 71
 - of quasi associated homogeneous distribution (real setting), 313
- Friedrichs extension of the symmetric operator, 222
- function
 - automodel (or regular varying), 232
 - locally constant, 54
 - of generalized functions, 272
- generalized convolution of asymptotic distributions, 283
- group of invertible elements in \mathbb{Z}_p , 20
- Haar measure, 47
 - in \mathbb{Q}_p^n , 48
 - on \mathbb{Q}_p
 - additive, 47
 - multiplicative, 48
- Haar wavelet
 - 2-adic, 121
 - 2-adic real case, 126
 - p -adic case, 128
 - as eigenfunction of pseudo-differential operator, 186
 - as eigenfunction of the Taibleson fractional operator, 189
 - real setting, 106
- Haar wavelet basis
 - 2-adic multidimensional, 151
 - 2-adic one-dimensional, 125
 - p -adic multidimensional, 154
 - p -adic one-dimensional, 140
 - real setting, 106
- Hadamard formula (radius of convergence for series), 38
- harmonic regularization of distribution, 266
- Hellinger integral, 332
- homogeneous distribution
 - p -adic case, 80
 - multidimensional (real setting), 308
- homogeneous distribution (real setting), 288
- improper integral in \mathbb{Q}_p^n , 49
- inequality
 - of Cauchy–Bunjakovsky, 77
 - of Young, 76
 - strong triangle, 1
 - triangle, 1

Cambridge University Press

978-0-521-14856-6 - Theory of p -adic Distributions: Linear and Nonlinear Models

S. Albeverio, A. Yu. Khrennikov and V. M. Shelkovich

Index

[More information](#)

350

Index

- Krein's resolvent formula, 220
- Laplacian
of the first kind, 182
of the second kind, 182
- lemma
Erdélyi, 247
Erdélyi (p -adic version), 261
Heine–Borel, 24
- linear change of variables for a distribution, 62
- linear space of asymptotic distributions
real setting, 267
- locally compact group, 47
- maximal ideal
of the ring, 20
of the ring \mathbb{Z}_p , 20
- metric, 1
non-Archimedean, 1
- Monna map, 30
- multiplicative group
of the field, 2
of the field \mathbb{Q}_p , 19
of the ring \mathbb{Z}_p , 20
- multiresolution analysis, 106
2-adic Haar multidimensional, 151
 p -adic, 112
 p -adic multidimensional, 149
- non-Haar wavelet
 p -adic multidimensional basis, 166
 p -adic one-dimensional basis, 158
as eigenfunction of pseudo-differential operator, 184
as eigenfunctions of the Taibleson fractional operator, 189
- norm
 p -adic, 6
non-Archimedean, 3
on the field, 2
trivial, 3
- operator
conjugate, 62
fractional
multidimensional Taibleson's, 180
multidimensional Vladimirov's, 178
one-dimensional, 176
Taibleson's in the Colombeau–Egorov algebra, 277
Vladimirov's in the Colombeau–Egorov algebra, 276
linear in $\mathcal{D}'(\mathbb{Q}_p^n)$, 62
order in \mathbb{Q}_p , 28
oscillatory integral
 p -adic setting, 247
real setting, 247
- parameter of constancy of a locally constant function, 56
- point value of generalized function, 273
- points of interaction, 224
- principal ideal
of the ring, 20
of the ring \mathbb{Z}_p , 20
- principal value integral in \mathbb{Q}_p^n , 49
- product of asymptotic distributions
real setting, 268
- pseudo-differential equation
linear evolutionary of the first order in t , 197
linear evolutionary of the second order in t , 202
semi-linear evolutionary, 205
simplest, 194
- pseudo-differential operator
conjugate, 182
in the Lizorkin space $\Phi'(\mathbb{Q}_p^n)$, 182
in the Lizorkin space $\Phi(\mathbb{Q}_p^n)$, 182
spectral theory, 184
- quasi associated homogeneous distribution
 p -adic, 83
multidimensional (real setting), 309
real setting, 302
- quasi-asymptotics
at infinity, 232
real case, 292
at zero, 233
real case, 292
- quasihomogeneous distribution, 290
- rank
of the additive character, 40
of the normed multiplicative character, 45
- refinable function
 p -adic, 108
- refinement equation
2-adic, 108
 p -adic, 140
“natural”, 108
for real Haar multiresolution analysis, 108

Cambridge University Press

978-0-521-14856-6 - Theory of p -adic Distributions: Linear and Nonlinear Models

S. Albeverio, A. Yu. Khrennikov and V. M. Shelkovich

Index

[More information](#)

Index

351

- residue field, 20
- Riesz fractional operator (real setting), 99
- Riesz kernel
 - of multidimensional Taibleson's fractional operator, 179
 - of multidimensional Vladimirov's fractional operator, 177
 - of one-dimensional fractional operator, 175
- Shannon–Kotelnikov
 - p -adic basis, 169
 - p -adic multiresolution analysis, 170
 - refinable function (real setting), 170
- space
 - \mathbb{Q}_p^n , 33
 - $\mathcal{L}^p(A)$, 49
 - $\mathcal{L}_{loc}^p(\mathcal{O})$, 49
 - compact topological, 23
 - complete metric, 2
 - connected topological, 23
 - disconnected topological, 23
 - finite-dimensional of test functions
 - $\mathcal{D}'_N(\mathbb{Q}_p^n)$, 56
 - locally compact topological, 23
 - metric, 1
 - of Bruhat–Schwartz distributions $\mathcal{D}'(\mathbb{Q}_p^n)$, 58
 - of distributions $\tilde{\Phi}'(\mathbb{Q}_p^n \times \mathbb{R}_+)$, 194
 - of distributions $\mathcal{D}'(\mathcal{O})$, 59
 - of Lizorkin distributions of the first kind, 100
 - of Lizorkin distributions of the second kind, 101
 - of Lizorkin test functions of the first kind, 99
 - of Lizorkin test functions of the second kind, 101
 - of locally constant functions $\mathcal{E}(\mathcal{O})$, 54
 - of real Lizorkin test functions, 98
 - of test functions $\mathcal{D}(\mathbb{Q}_p^n)$, 56
 - of test functions $\mathcal{D}(\mathcal{O})$, 57
 - totally disconnected topological, 23
 - ultrametric, 1
- sphere
 - in \mathbb{Q}_p , 21
 - in \mathbb{Q}_p^n , 34
- stabilization of a solution to linear evolutionary pseudo-differential equation of the first order in t , 200
- stabilization property of sequence of p -adic norms, 35
- standard one-dimensional Schrödinger operator, 222
- support of distribution, 60
- theorem
 - Abelian, 230
 - Fubini, 50
 - Lebesgue dominated convergence, 50
 - of “decomposition of the unity”, 58
 - of “piecewise sewing”, 61
 - of characterization
 - for p -adic homogeneous distributions, 81
 - for p -adic quasi associated homogeneous distributions, 89
 - Ostrovski, 8
 - Riemann–Lebesgue, 75
 - Schwartz of “kernel”, 64
 - Shannon–Kotelnikov
 - p -adic, 168
 - real setting, 168
 - Tauberian, 230
 - with respect to asymptotics, 234
 - with respect to quasi-asymptotics, 240
- ultrametric, 1
- vector-valued distribution
 - p -adic setting, 280
 - real setting, 267
- wavelet, 106
- weak convergence in $\mathcal{D}'(\mathbb{Q}_p^n)$, 58