

Index

- acoustic crypsis, 331–336
- addax, *Addax nasomaculatus*, 312
- African hunting dog, *Lyacon pictus*, 311
- African linsang, *Poiana richardsoni*, 311
- Allocyclosa bifurca*, 258
- alpine grasshopper, *Kosciuscola tristis*, 244
- Amazonian manatee, *Trichechus inunguis*, 314
- American badger, *Taxidea taxus*, 303
- angelfish, *Centropyge bicolor*, 200
- angelfish, Pomacanthidae, 198, 199
- angelfish, *Pygoplites diacanthus*, 200
- anglerfish, Antennariidae, 193
- Angolan black-and-white colobus, *Colobus angolensis*, 307
- Antarctic minke whale, *Balaenoptera bonaerensis*, 314
- apatetic coloration, 81, *See* background matching
- Apis mellifica*, 262
- aposematism, 4, 227, 230, 242, 259, 298, 299, 300, 301, 302, 303, 304, 305, 306, 308, 309, 310, 312, 321
- apostatic selection, 24
- Arabidopsis thaliana*, 287
- arctic charr, *Salvelinus alpinus*, 244
- arctic fox, *Alopex lagopus*, 312
- arctic hare, *Lepus arcticus*, 312
- Argiope aetherea*, 255
- Argiope aurantia*, 256
- Argiope bruennichi*, 259
- Argiope keyserlingi*, 255
- Argiope mascordi*, 257
- Argiope versicolor*, 257
- art, vi, 4, 11, 63, 87, 91, 92, 98
- Asiatic black bear, *Ursus thibetanus*, 307
- Atlantic humpback whale, *Megaptera novaeangliae*, 314
- Atlantic white-sided dolphin, *Lagenorhynchus acutus*, 313, 314
- background matching, 5, 6, 7–8, 9, 17–30, 34, 39, 49, 54, 56, 60, 61, 62, 64, 65, 74, 81, 89, 92, 97, 98, 99, 101, 102, 111, 113, 114, 136, 147, 150, 151, 152, 158, 168, 169, 170, 178, 186, 192, 193, 202, 214, 219, 238, 239, 240, 241, 245, 246, 248, 260, 261, 265, 266, 275, 299, 300, 307, 309, 314, 321, 338, 342
- compromise background matching, 22, 23
- compromise strategy, 7
- general protective resemblance, 7
- specialisation–compromise continuum, 22, 29
- specialist strategy, 7
- banded palm civet, *Hemilagus derbyanus*, 309
- bark beetle, *Dendroctonus pseudotsugata*, 345
- bark beetle, *Ips pini*, 339
- barracuda, *Sphyræna helleri*, 205
- bats, 129, 312, 331, 332, 335
- constant absolute target direction strategy (CATD), 129
- behavioural orientation, 114
- 102, 113, *See also* behaviourally mediated crypsis
- behaviourally mediated crypsis, 101, 245
- decoration, *See* decoration
- disruptive coloration, 113
- habitat choice, *See* habitat choice
- human predator system, tests using, 112
- in moths, 102–103
- orientational behaviour, 101, 114
- bell miner, *Manorina melanophrys*, 334
- beluga, *Delphinapterus leucas*, 313
- biology, 3, 4, 150, 186, 221, 261, 267
- bioluminescence, 3, 188, 205
- Biston robustum*, 338
- black bear, *Ursus americanus*, 312
- black lemur, *Eulemur macaco*, 305
- black pacarana, *Dinomys branickii*, 308
- blackbuck, *Antilope cervicapra*, 306, 307
- black-footed cat, *Felis nigripes*, 310
- black-footed ferret, *Mustela nigripes*, 304
- black-shouldered possum, *Caluromysiops irrupta*, 306
- black-tailed jackrabbit, *Lepus californicus*, 311
- black-tufted-ear marmoset, *Callithrix penicillata*, 305
- blennies, Blenniidae, 193

- blue jays *Cyanocitta cristata*, 8, 23, 102
- bontebok, *Damaliscus pygargus*, 306, 307, 310
- braconid parasitoid, *Coeloides vancouverensis*, 345
- brush-tailed possum *Trichosurus vulpecula*, 311
- Brush, George de Forest, 91
- buffy-tufted-ear marmoset, *Callithrix aurita*, 305, 311
- bullfrog, *Rana catesbeiana*, 245
- Burchell's zebra, *Equus burchelli*, 309
- butterflies, 24
- butterflyfish, Chaetodontidae, 198
- camouflage
- history of, 3–4
 - camouflage officer, 87
 - candy-stripe spider, *Enoplognatha ovata*, 259
 - Cape buffalo, *Syncerus caffer*, 301
 - carotenoids, 260
 - Catocala* moths, 8
 - cephalopods, 1, 18, 145, 146, 147, 150, 151, 152, 154, 155, 156, 157, 159, 160, 166, 180, 189, 237, 240, 245, 248
 - body patterns, categories of
 - Mottle vs. Disruptive, 151–152
 - See also* disruptive coloration; cuttlefish
 - deceptive resemblance, 150
 - See also* masquerade.
 - disruptive function, 151
 - flounder mimicry, 158
 - general background match, 150
 - masquerade and mimicry, 157–158
 - flounder mimicry, 158
 - night camouflage, 159
 - pattern control, feature detection for, 152–156
 - colourblind camouflage, 154–155
 - skin, light sensing in, 156
 - skin, 156–157
 - specific background match, 150
 - chameleons, 1, 18, 239, 241, 246, 247
 - cheetah, *Acinonyx jubatus*, 311
 - chemical background matching, 338
 - chemical camouflage, 336–342
 - chemical mimicry, 336
 - Chilean dolphin, *Cephalorhynchus eutropia*, 315
 - chimpanzee, *Pan troglodytes*, 305
 - chiru, *Panthlops hodgsoni*, 310
 - chromatophore, 237, 245
 - coevolution, 275, 284, 332
 - colour change, 19, 217, 227, 231, 237–249, 254, 260, 261, 268, 313
 - rapid adaptive camouflage, 145, 157, 159
 - visual sampling rule, 147
 - colour mixing, 201
 - colour space, 37, 38
 - Commerson's dolphin, *Cephalorhynchus commersonii*, 313, 314
 - common tenrec, *Tenrec ecaudatus*, 301
 - complementary colours, 200
 - compromise coloration, *See* background matching, compromise
 - computer science, 4, 9
 - computer vision, 73
 - camouflage assessment and design, 73
 - camouflage breaking, 73, 74, 77, 80, 81, 84, 165
 - convexity detection, 77–78
 - neuronal implementation, 80
 - countershading, 82–83
 - operators for detection of convex domains, 74–77
 - conspicuousness, 321
 - costs of camouflage, 66, 212, 223, 245
 - Cott, Hugh, 3, 34, 35, 53, 56, 64, 248
 - cotton-topped tamarin, *Saguinus oedipus*, 305
 - counter-illumination, 206
 - countershading, 3, 5, 9, 28, 42, 49, 53–68, 73–84, 88, 89, 90, 91, 92, 97, 98, 99, 191, 202, 239, 299, 300, 307, 313, 321
 - body outline obliteration, 66
 - concealing function of, 59–66
 - duck decoys, 88, 89, 90, 95
 - flattening hypothesis, 64
 - in Eurasian perch *Perca fluviatilis*, 58
 - in eyed hawkmoth *Smerinthus ocellata*, larvae, 59, 62, 63, 65
 - in grey squirrels *Sciurus carolinensis*, 63
 - in mammals, 58
 - in primates, 58
 - luminescent countershading, 74
 - obliterative shading, 3, 9, 28, 53, 56
 - optical flattening, 64
 - posture and level of contrast, 58–59
 - protection from abrasion, 67
 - protection from UV, 66
 - self-shadow concealment, 6, 9, 28, 54, 56, 62, 67, 74, 78, 314
 - Venus de Milo, 95
 - thermoregulation, 67, 323
 - crab spiders, 260, 275, 276, 287
 - crested rat, *Lophiomys imhausi*, 301
 - cricket, *Telero Gryllus oceanicus*, 344
 - cuttlefish, 146, 164, 237, 241, 246
 - body patterns, categories of, 147
 - Uniform, Mottle and Disruptive (UMD), 146, 147, 150, 160
 - body patterns, categories of, 167
 - Disruptive pattern, 152, 153, 157, 170, 177
 - papillae expression, 154, 178
 - pattern control, edge information, role of, 170
 - pattern control, feature detection for
 - contrast, role of, 153
 - Cyclosa argenteoalba*, 258
 - Cyclosa confusa*, 258

- Cyclosa ginnaga*, 259
Cyclosa mulmeinensis, 258
- Dakin, William, 55, 56, 93
Dall's porpoise, *Phocoenoides dalli*, 314
Dall's sheep, *Ovis dalli*, 312
damselfish, 194, 199
Darwin, Charles, 3
Darwin, Erasmus, 3, 7
dazzle camouflage on ships, 3
De Brazza's monkey, *Cercopithecus neglectus*, 305
decoration, 11, 212, 213, 214, 215, 216, 217, 219, 220, 221, 222, 223, 225, 226, 227, 228, 230, 231, 232, 256, 257, 258, 268
decorator crabs, Majoidea, 212–232
Derby's eland, *Taurotragus derbianus*, 310
Dictyota menstrualis, 220, 223
dik-dik, *Madoqua kirkii*, 306
disruptive coloration, 5, 8, 9, 10, 26, 27, 34, 37, 101, 113, 186, 219, 239, 298, 299, 304, 307, 314, 321, 342
 coincident disruptive coloration, 9, 34, 43, 45, 47, 48, 49, 50
 constructive shading, 151
 differential blending, 27, 35, 36, 38, 48, 49, 50, 151
 maximum disruptive contrast, 151, 169
 object recognition, 34, 50, 170, 180, 181, 240, 241
 pictorial relief, 151
distastefulness, 219
distractive markings, 5, 10–11, 28, 97, 98, 242, 259, 298, 299, 309, 312
domestic chicks *Gallus gallus domesticus*, 10
dottyback, *Pictichromis paccagnellae*, 200
Douclangur, *Pygathrix nemaeus*, 310, 316
dragonflies, 128, 129
Drosophila melanogaster, 255
dusky dolphin, *Lagenorhynchus obscurus*, 314
dwarf lemurs, Cheirogalidae, 304
dwarf minke whales, *Balaenoptera acutorostrata*, 314
- eland, *Taurotragus oryx*, 311
electric camouflage, 342–343
electroreception, 342
emperor tamarin, *Saguinus imperator*, 305
Epeirotypus spp., 255
Eriophora sagana, 258
ermine, *Mustela erminea*, 311, 312
eumelanin, 300, 316
European badger, *Meles meles*, 303
European beewolf, *Philanthus triangulum*, 337
- European mantid, *Mantis religiosa*, 7
European marten, *Martes martes*, 306
evolving backgrounds, *See* live backgrounds
- feather-tailed possum, *Distoechurus pennatus*, 304
fennec, *Vulpes zerda*, 312
ferret badgers, *Melogale*, 302
fiddler crab, *Uca vomeris*, 243
figure-ground segregation, 18, 165, 180
fin whale, *Balaenoptera physalus*, 314
flatfish, 18, 193, 239, 241, 248
flavonoids, 340
flicker-fusion camouflage, 10, 11
flounder, 193
fluorescence, 265
fork-marked dwarf lemur, *Phaner furcifer*, 304
four-eyed opossum, *Philander opossum*, 311
Fraser's dolphin, *Lagenodelphis hosei*, 314
fringe-lipped bat, *Trachops cirrhosus*, 331
frogfish, *Antennarius commerson*, 193
- Galapagos penguins, 19
game theory, 276, 288
garden dormice, *Eliomys* sp., 304
Gasteracantha cranciformis, 256
gemsbok, *Oryx gazella*, 306, 310
Geoffroy's cat, *Felis geoffroyi*, 311
Geoffroy's marmoset, *Callithrix geoffroyi*, 305, 311
giant anteater, *Myrmecophaga tridactyla*, 303
giant flying squirrel, *Petaurista alborufus*, 307
giant panda, *Ailuropoda melanoleuca*, 304
giant tree rat, *Mallomys* sp., 307
giant wood spider, *Nephila pilipes*, 260
gibbon, Hylobatidae, 306
gobies, Gobiidae, 193
golden-rumped elephant shrew, *Rhynchocyon cirnei*, 311
goral, *Naemorhedus goral*, 310
grasshoppers, 22, 24, 53, 276
great tit, *Parus major*, 23
greater glider, *Petauroides volans*, 312
Grevy's zebra, *Equus grevyi*, 309
grison, *Galictis vittata*, 306
grivet, *Chlorocebus aethiops*, 306
guereza, *Colobus guereza*, 306
- habitat selection, 215, 245
hanuman langur, *Semnopithecus entellus*, 306
happy-face spider, *Theridion grallator*, 259
Hardy, Sir Alister, 87
harp seal, *Pagophilus groenlandicus*, 313
hartebeest, *Alcelaphus buselaphus*, 310
hatchet fish, *Argyrolepecus*, 205
hatchetfish and lanternfish, Myctophidae, 205
Hawaiian spinner dolphin, *Stenella longirostris*, 314

- Heaviside's dophin, *Cephalorhynchus heavisidii*, 315
- Hector's dolphin, *Cephalorhynchus hectori*, 315
- hedgehogs, 301
- Herbert River ringtail possum, *Pseudocheirus herbertensis*, 307
- Herbstia parvifrons*, 220
- heterogeneous backgrounds, 19, 21, 247, 268
- hog badger, *Arctonyx collaris*, 302
- hog-nosed skunks, *Conepatus*, 302
- hooded seal, *Cystophora cristata*, 320
- hornet, *Vespa dybowskii*, 337
- horse, *Equus ferus*, 313
- hourglass dolphin, *Lagenorhynchus cruciger*, 314
- hoverflies, 128, 129
- Huenia heraldica*, tropical Pacific crab, 219
- human, *Homo sapiens*, 312
- Huon tree kangaroo, *Dengrolagus matschiei*, 316
- hydrodynamic crypsis, 343–344
- Hymenoptera, 257
- impala, *Aepyceros melampus*, 311
- Inachus phalangium*, 214, 220, 221
- indri, *Indri indri*, 305
- industrial melanism, 7
peppered moth, *Biston betularia*, 7
- inquiline ant, *Temnothorax minutissimus*, 337
- insects, 1, 11, 28, 53, 120, 121, 129, 193, 237, 239, 244, 255, 257, 258, 260, 262, 276, 299, 335, 336, 337, 339
- Jentink's duiker, *Cephalophus jentinki*, 307
- Kettlewell, Henry, 8
- killer whale, *Orcinus orca*, 314
- kowari, *Dasyuroides byrnei*, 311
- leafy seadragon, 206
- least weasel, *Mustela nivalis*, 312
- lemmings, 307
- leopard, *Panthera pardus*, 305
- Libinia dubia*, 220, 223
- light underwater, 191
absorption, 191, 194
attenuation, 192, 198
chlorophyll fluorescence, 203
downwelling light, 191, 202, 205
pelagic zone, 201
scatter, 191, 194
- Liljefors, Bruno, 93
- limpet, *Notoacmea palacea*, 339
- lion, *Panthera leo*, 311
- little spotted cat, *Felis tigrina*, 311
- live backgrounds, 275–288
- lizardfish, Synodontidae, 193
- lizards, 24, 53, 67, 244, 245
- llama, *Llama glama*, 307
location obfuscation, 345
- locust, *Locusta migratoria*, 262
- long-eared jerboa, *Euchoreutes naso*, 311
- long-finned pilot whale, *Globicephala melas*, 314
- long-nosed bandicoot, *Parameles* sp., 309
- long-tailed weasel, *Mustela frenata*, 312
- Loxorhynchus crispatus*, 220
- Lumholtz's tree kangaroo, *Dendrolagus lumholtzi*, 309
- lures, 259, 312
- Macropodia rostrata*, 220
- Malagasy broad-striped mongoose, *Galidictis fasciata*, 302
- Malayan sun bear, *Ursus malayanus*, 306
- Malayan tapir, *Tapirus indicus*, 307
- mammals, 1, 298–323, 335
- mandrill, *Mandrillus sphinx*, 320
- Mangora pia*, 255
- Mantis religiosa*, 262
- marbled polecat, *Vormela peregusna*, 308
- marine environments, 3, 186, 298
- marine isopods, 1
- markhor, *Capra falconeri*, 320
- marsupial mole, *Notoryctes typhlops*, 312
- masked palm civet, *Paguma larvata*, 304
- masquerade, 2, 5, 9–10, 28, 29, 136, 146, 150, 151, 157, 158, 159, 219, 231, 240, 312, 330, 338, 342, 345
- Mechanitis polymnia*, 338
- melanin, 237, 262
- melanism, 310
- melanophores, 237
- Micrathena gracilis*, 260
- midland snake, *Nerodia coosae pleuralis*, 336
- mimic octopus, *Thaumoctopus mimicus*, 241
- mimicry, 4, 9, 157, 193, 225, 231, 240, 246, 254, 262, 265, 267, 268, 283, 301, 336, 337
Batesian mimicry, 9, 267
- Misumena vatia*, 260
- mole rat, *Spalax ehrenbergi*, 306
- moon rat, *Echinosorex gymnura*, 306
- moon wrasse, *Thalassoma lunare*, 243
- mosquitofishes, 19
- moths, 1, 7, 8, 24, 74, 102, 103, 104, 105, 106, 107, 108, 110, 111, 112, 114, 332, *See* insects
- motion camouflage, 11, 154, 158, 186, 206, 246
- motion dazzle, 10, 11, 179, 186, 240, 246
- mouflon, *Ovis orientalis*, 312
- mountain zebra, *Equus zebra*, 309
- mouse possums, Marmosidae, 304
- moustached guenon, *Cercopithecus cephus*, 305
- musk ox, *Ovibos moschatus*, 313
- mutualism, 276, 280

- Myrmarachne gisti*, 267
Myrmarachne melanotorsa, 267
- Nephila clavipes*, 255
 night camouflage, 158
 in cuttlefish *Sepia apama*, 158
 night monkeys, *Aotus* sp., 304
 nilgai, *Boselaphus tragocamelus*, 310
 non-visual camouflage, 330–345
 North American mountain goat, *Oreamnos americanus*, 312
 North American porcupine, *Erethizon dorsatum*, 301
 North-Atlantic right whale, *Eubalaena glacialis*, 314
 northern minke whale, *Balaenoptera acutorostrata*, 315
 North-Pacific right whale, *Eubalaena japonica*, 314
 noxiousness, 219, 223
 Nubian ibex, *Capra ibex nubiana*, 82, 83
 numbat, *Myrmecobius fasciatus*, 309
 nyquist frequency, 112
- octopuses, 146, 158, 159, 237
 okapi, *Okapi johnstoni*, 311
 olfactory camouflage, 336–342
 ommochromes, 260, 265
 Omura's whale, *Balaenoptera edeni*, 314
 oriental civet, *Viverra zanguebarica*, 306
 oriental linsangs, *Prionodon* sp., 308
 Owston's palm civet, *Chrotogale owstoni*, 311
- Pacific tree frog, *Hyla regilla*, 244
 Pacific white-sided dolphin, *Lagenorhynchus obliquidens*, 314
 parrotfish, Scaridae, 194, 201
 Patagonian weasel, *Lyncodon patagonicus*, 302
 Peale's dolphin, *Lagenorhynchus australis*, 314
Pelia tumida, 220
 pen-tailed tree shrew, *Ptilocercus lowii*, 311
 peppered moths, *See* industrial melanism
 perceptual mechanisms, 5
 Persian fallow deer, *Dama dama mesopotamica*, 81, 82
 phenotypic plasticity, 246
 photography, 3
 photophores, 203
 phylogenetic approaches, 225
 piebald shrew, *Diplomesodon pulchellum*, 304
 pied marmoset, *Saguinus bicolor*, 307
 pigments, 154, 156, 166, 203, 217, 231, 237, 254, 255, 260, 262, 263, 316
 Pinto bat, *Euderma maculatum*, 308
 plains viscacha, *Lagostomus maximus*, 34, 306
 polar bear, *Ursus maritimus*, 312
 polecat, *Mustela putorius*, 304
 pollinators, 276, 284
 polymorphism, 104, 259, 267, 280, 312
 porcupinefish, Diodontidae, 193
 porcupines, 301
 Poulton, Edward P., 54, 90, 91
 Prevost's squirrel, *Callosciurus prevostii*, 307
 prosperine rock wallaby, *Petrogale persephone*, 311
 pufferfish, Tetradontidae, 193
Pugettia producta, 217
 purple emperor butterfly, *Aptura iris*, 54
 pygmy beaked whale, *Mesoplodon peruvianus*, 314
 pygmy seahorse, *Hippocampus bargibanti*, 193
 quagga, *Equus quagga*, 309
 quoll, *Dasyurus* sp., 308
- rabbit-eared bandicoot, *Macrotis lagotis*, 311
 raccoon dog, *Nyctereutes procyonides*, 304, 310
 raccoon, *Procyon*, 311
 Raman scattering, 203
 rapid adaptive camouflage, 145, 146, 170
 ratel, *Mellivora capensis*, 303
 red-eye bass, *Micropterus coosae*, 336
 red fox, *Vulpes vulpes*, 310
 red panda, *Ailurus fulgens*, 304
 red-tailed hawk, *Buteo jamaicensis*, 312
 reef fish, 193, 194
 reflectance spectrometry, 24
 ribbon seal, *Phoca fasciata*, 313
 Richardson's ground squirrel, *Spermophilus richardsonii*, 335
 ringtail, *Bassariscus astutus*, 311
 ring-tailed lemur, *Lemur catta*, 305
 Roosevelt, T., 3
 rudd, *Leuciscus erythrophthalmus*, 19
 ruffed lemur, *Varecia variegata*, 305
 ruptive coloration, *See* disruptive coloration
 Ryukyu flying fox, *Pteropus tonganus*, 306
- sable antelope, *Hippotragus niger*, 307
 salamander, *Ambystoma* spp., 245
 San Diego Zoo, 19
 sand perch, Pinguipedidae, 193
 sao la, *Pseudoryx nghetinhensis*, 306, 310
 scorpionfish and stonefish, 193
 Scott, Peter, 88, 91
 seahorses, Syngnathidae, 193
 sei whale, *Balaenoptera borealis*, 314
 Selous's mongoose, *Paracynictis selousi*, 310
 sensory bias, 257
 sexual dimorphism, 222, 248, 305, 316–321
 sexual ornamentation, 4
 sexual selection, 247, 259, 286, 299, 323
 sexual signals, 3, 6, 247, 248, 336, 343
 Shepherd's beaked whale, *Tasmacetus shepherdi*, 314

- short-beaked common dolphin, *Delphinus delphis*, 315
- short-nosed echidna, *Tachyglossus aculeatus*, 301
- sifakas, *Propithecus* sp., 305
- signal detection theory, 276, 277, 288
- signalling, 201, 242, 247, 248, 254, 256, 257, 262, 298, 299, 305, 307, 308, 312, 320, 321
- silky anteater, *Cyclopedes diactylus*, 312
- silver leaf monkey, *Trachypithecus villosus*, 301
- silvery camouflage, 205, 206
- slender loris, *Loris tardigradus*, 304
- sloth bear, *Ursus ursinus*, 306
- slow loris, *Nycticebus*, 304
- snails, 3
- snakes, 11, 53, 241
- snub-nosed monkey, *Rhinopithecus* sp., 310
- soles, Soleidae, 193
- Southern right whale dolphin, *Lissodelphis peronii*, 314
- Southern right whale, *Eubalaena australis*, 314
- Southern tamandua, *Tamandua tetradactyla*, 303
- sparrowhawk, *Accipiter nisus*, 332
- spatial frequency, 26, 112, 148, 152, 165, 173, 174, 180, 242, 255
- spectacled bear, *Tremarctos ornatus*, 306
- spectacled porpoise, *Phocoena dioptrica*, 314
- Sphodomantis viridis*, 262
- spiders, 1, 2, 18, 22, 40, 42, 193, 254–268, 275, 276, 287
- Spodoptera frugiperda*, 338
- spotted cuscus, *Spilocuscus* sp., 308, 312
- spotted skunk, *Spilogale putorius*, 302, 308
- springhare, *Pedetes capensis*, 311
- startle displays, 146
- stink badgers, *Mydaus*, 302
- strap-toothed whale, *Mesoplodon layardii*, 314
- streaked tenrec, *Hemicentetes semispinosus*, 301
- striped dolphin, *Stenella coeruleoalba*, 314
- striped possum, *Dactylopsila trivirgata*, 303, 311
- striped skunk, *Mephitis mephitis*, 302
- structural colours, 194
- Sumatran short-eared rabbit, *Nesolagus netscheri*, 307
- surgeonfish, Acanthuridae, 198, 200
- swamp wallaby, *Wallabia bicolor*, 309
- Synaema globosum*, 263
- tahr, *Hemitragus hylocrius*, 310
- Tasmanian devil, *Sarcophilus harrisii*, 306
- terminology, 5, 6, 201, 290
- Thayer, Abbott, 3, 20, 34, 53, 54, 63, 87–99, 281
 - copperhead snake, 95
 - flamingoes, 98
 - ruptive coloration, 99, *See* disruptive coloration
- Theridiosoma globosum*, 255
- thermal crypsis, 345
- thermoregulation, 67, 242, 244, 247, 248, 256, 299, 313, 321
- Thomomys onustus*, 260
- three-toed sloth, *Bradypus* sp., 304
- thylacine, *Thylacinus cynocephalus*, 309
- Tinbergen, Niko, 1
- transparency, 5, 189, 203, 204, 206
- tree lizard, *Urosaurus ornatus*, 245
- treefrog, *Hyla cinerea*, 245
- treehopper, *Guayaquila xiphias*, 339
- trevallies and jacks, Carangidae, 205
- tricolour shiner, *Cyprinella trichostia*, 336
- tropical ponerine ant, *Ectatomma ruidum*, 338
- True's beaked whale, *Mesoplodon mirus*, 314
- trumpetfish, *Aulostomus chinensis*, 195
- tuna and mackerel, Scombridae, 205
- tungara frog, *Physalaemus pustulosus*, 331
- uakari, *Cacajao* sp., 304
- ultraviolet protection, 66, 239, 254, 262, 268, 300
- unpalatability, 219
- urocoulis, *Aotus* sp., 304
- vibratory crypsis, 344–345
- visual acuity, 6, 112, 113, 170, 191, 197, 242
- visual models, 25, 198, 199, 257, 258, 260
 - colour space, 25
 - discrimination of objects, 25
 - just noticeable difference, 37
 - visual difference predictor (VDP) model, 137
- visual perception
 - 3D objects, human perception of, 132–133
 - camouflage, implications for, 121–122
 - colour vision in fish, 198
 - depth cues, 177
 - edge concealment strategy, 124
 - edge detection, 5, 170, 171
 - edge grouping, 122
 - higher-level vision, 165
 - inhibitory pool, 124
 - local features, 165
 - low-level vision, 164
 - motion perception and camouflage, 126–127, 179
 - cuttlefish, 128
 - infinity-point strategy, 129
 - motion disruption, 128, 129
 - motion signal minimisation (MSM), 128
 - non-specific suppression, 124
 - optic flow mimicry (OFM), 128
 - object recognition, 122–132
 - properties and issues of, 118–121
 - receptive field, 26, 123, 124, 127, 164, 171
 - shape recovery, 131–132
 - texture perception, 175

- visual search, 133–138
 conjunction search, 134
 natural scenes, 136–138
 search efficiency, 42, 48, 134, 135
 search image, 134
 visual psychology, 4
- Wallace, Alfred Russel, 90
 warning colours, *See* warning signals
 warning signals, 4, 321, 323
 wasp, *Hedychrum rutilans*, 337
 wasp, *Polistes semenowi*, 338
 wasp, *Polistes sulcifer*, 337
 waterboatman, *Arctocorisa distincta*, 19
 water opossum, *Chironectes minimus*, 311
 West African brush-tailed porcupine, *Atherurus africanus*, 311
 white-beaked dolphin, *Lagenorhynchus albirostris*, 314
- white-faced capuchin, *Cebus capucinus*, 335
 white-tailed deer, *Odocoileus virginianus*, 311
 wolverine, *Gulo gulo*, 303
 World War I, 92, 96, 129
 87, 93
 dazzle paint, 129, 130
 World War II, 88, 93
 wrasse, Labridae, 198, 201
- xanthommatin, 261
- yellow-footed rock wallaby, *Petrogale xanthopus*, 316
 yellow-handed marmoset, *Saguinus midas*, 310
 yellow-throated pine marten, *Martes flavigula*, 306
- zebras, 309
 zorilla, *Ictonyx striatus*, 302