

Preface

Cambridge University Press 978-0-521-15282-2 - Dictyostelium: Evolution, Cell Biology, and the Development of Multicellularity Richard H. Kessin Table of Contents More information

Contents

| 1 | A Bri | ief Introduction to Dictyostelium discoideum and its Relatives | 1 |
|---|--|--|----|
| 2 | A History of Research on Dictyostelium discoideum | | |
| | 2.1 | The classical experiments of Kenneth Raper | 12 |
| | 2.2 | Chemotaxis and aggregation | 16 |
| | 2.3 | Biochemistry and molecular biology | 18 |
| 3 | 3 The Evolutionary Biology of <i>Dictyostelium</i> | | |
| | 3.1 | A digression into ecology | 20 |
| | 3.2 | Soil amoebae have predators | 21 |
| | 3.3 | The amoebae can respond to starvation in three ways | 22 |
| | | 3.3.1 The microcyst | 25 |
| | | 3.3.2 The macrocyst | 25 |
| | | 3.3.3 Fruiting bodies | 27 |
| | 3.4 | The forms of development evolved in a sequence | 27 |
| | 3.5 | Genetic heterogeneity in wild populations | 28 |
| | 3.6 | The evolution of cooperativity | 29 |
| | 3.7 | The cells in a <i>Dictyostelium</i> aggregate compete to form spores | 30 |
| | 3.8 | Size limitations in an aggregative organism | 33 |
| | 3.9 | The extraordinary parasitism of D. caveatum | 33 |
| | 3.10 | Molecular phylogeny | 35 |

vii

xii



viii CONTENTS

| 4 | The • | Genome and Genetics | 40 |
|---|-------|---|----|
| | 4.1 | The genome is relatively small and will be sequenced soon | 40 |
| | 4.2 | The ribosomal genes are coded in an extra-chromosomal | |
| | | palindrome | 43 |
| | 4.3 | Dictyostelium species contain several families of replicating | |
| | | plasmids | 44 |
| | 4.4 | The genome is littered with transposable elements | 45 |
| | | 4.4.1 Tdd-2 and Tdd-3 | 46 |
| | | 4.4.2 DIRS-1 | 46 |
| | | 4.4.3 DRE | 47 |
| | | 4.4.4 Skipper | 47 |
| | 4.5 | The mitochondrial genome | 48 |
| | 4.6 | Maintaining the genome – the DNA repair mechanisms of | |
| | | Dictyostelium | 49 |
| | 4.7 | Molecular genetics | 50 |
| | 4.8 | Mutagenesis | 51 |
| | 4.9 | Restriction enzyme-mediated integration | 53 |
| | 4.10 | Parasexual and sexual genetic manipulations | 55 |
| | | 4.10.1 Parasexual genetics | 55 |
| | | 4.10.2 Sexual recombination | 57 |
| 5 | Mem | branes and Organelles of Dictyostelium | 59 |
| | 5.1 | The plasma membrane | 59 |
| | 5.2 | Channels and pumps of the plasma membrane | 61 |
| | 5.3 | Membrane systems that transiently connect to the plasma | |
| | | membrane | 61 |
| | 5.4 | Axenic cells feed by macropinocytosis | 64 |
| | 5.5 | Phagocytosis | 66 |
| | 5.6 | Lysosomes | 67 |
| | 5.7 | Endoplasmic reticulum, Golgi, and nuclei | 68 |
| | 5.8 | Mitochondria and peroxisomes | 69 |
| | 5.9 | The autophagic vacuole | 69 |
| 6 | Cell | Motility and the Cytoskeleton | 70 |
| | 6.1 | Actin and its binding proteins | 71 |
| | | 6.1.1 G-actin-binding proteins | 72 |
| | | 6.1.2 F-actin-binding proteins | 72 |
| | | 6.1.3 Cross-linking proteins | 74 |
| | | 6.1.4 Attaching to the membrane | 75 |
| | 6.2 | Myosin motors – conventional myosin | 76 |
| | 6.3 | Myosin motors – the unconventional myosins | 78 |
| | 6.4 | Building and retracting the pseudopod | 79 |
| | 6.5 | Strengthening the filaments of actin | 82 |
| | 6.6 | Moving the cell | 82 |
| | 6.7 | Signaling to the cytoskeleton | 84 |
| | 6.8 | Cytokinesis | 85 |
| | | | |



| | | | CONTENTS | s ix | | |
|---|---|---------|---|------------|--|--|
| | 6.9 | The n | nicrotubule cytoskeleton | 86 | | |
| 7 | The Transition from Growth to Development: From Starvation to | | | | | |
| | Self-S | Sustain | ing cAMP Signal Relay | 89 | | |
| | 7.1 | Cells | can detect imminent starvation | 89 | | |
| | 7.2 | | th-specific events cease during development | 92 | | |
| | 7.3 | | irst events after starvation | 93 | | |
| | 7.4 | YakA | A kinase regulates the growth to development transition | 95 | | |
| 8 | Chemotaxis and Aggregation | | | | | |
| | 8.1 | | verview | 98 | | |
| | 8.2 | | e are several ways to study the cellular response to P binding | 99 | | |
| | 8.3 | | nd messengers and cytoskeletal events can be studied | | | |
| | | | suspended cells | 100 | | |
| | 8.4 | Comp | ponents of the cAMP signal transduction and relay | | | |
| | | pathy | vay | 103 | | |
| | | 8.4.1 | | 105 | | |
| | | 8.4.2 | * * * * * * * * * * * * * * * * * * * | 108 | | |
| | | 8.4.3 | cAR1 initiates G protein-dependent signal transduction pathways | 111 | | |
| | | 8.4.4 | 1 • | | | |
| | | | conjunction with other proteins | 112 | | |
| | | 8.4.5 | | 114 | | |
| | | 8.4.6 | RegA is an unusual phosphodiesterase (PDE) and | | | |
| | | | affects the activity of cAMP-dependent protein kinase | | | |
| | | | (PKA) | 115 | | |
| | | 8.4.7 | e | | | |
| | | | events in the cytoplasm | 115 | | |
| | 8.5 | | levelopmental regulation of chemotactic components | 116 | | |
| | 8.6 | | P and calcium mobilize the cytoskeleton | 116 | | |
| | 8.7 | | P controls motility during chemotaxis | 118 | | |
| | 8.8 | | amoebae control extracellular cAMP by secreting a | 101 | | |
| | 9.0 | | and a PDE inhibitor (PDI) | 121 | | |
| | 8.9 | | tells can sense density and aggregate size | 125 | | |
| | 8.10 | | induction of the chemotactic response | 127 128 | | |
| | 8.11 | | lizing the chemotactic machinery | 128 | | |
| | 8.12 | activa | ity of movement and the polarity of G-protein ation | 131 | | |
| | 8.13 | Math | ematical simulations to explain signaling in | | | |
| | | Dicty | ostelium | 135 | | |
| 9 | | | ion and Adhesion in the Aggregate | 139 | | |
| | 9.1 | | ebae form a sheath during aggregation | 140 | | |
| | 9.2 | | ransition from aggregation to loose mound is | | | |
| | | media | ated by a transcription factor named GBF | 141 | | |



X CONTENTS

| | 9.3 | The discovery of cell type-specific genes provided important | |
|----|------------|---|-----|
| | | tools to study pattern formation | 143 |
| | 9.4 | Pattern formation begins in the mound | 144 |
| | 9.5 | The position of PstA, PstO, and PstAB cells | 146 |
| | 9.6 | Differentiation inducing factor (DIF) and the origin of | |
| | | prestalk cells | 147 |
| | 9.7 | Are any prestalk genes expressed without DIF? | 151 |
| | 9.8 | The history of a cell affects its fate | 152 |
| | 9.9 | How are the constant ratios of prestalk and prespore cells | |
| | | to be explained? | 154 |
| | 9.10 | What is the basis of cell sorting? | 156 |
| | 9.11 | | 158 |
| | 9.12 | The cells induce several adhesion systems during formation | |
| | | of the mound | 158 |
| | | 9.12.1 Gp24 | 159 |
| | | 9.12.2 Gp80 | 159 |
| | | 9.12.3 Gp64 | 162 |
| | 9.13 | Substrate adhesion | 162 |
| | 9.14 | The genetic complexity of mound formation | 163 |
| | | | |
| 10 | The I | Behavior of Cells in the Slug | 166 |
| | 10.1 | The tight aggregate elongates under control of the tip | 166 |
| | 10.2 | Tips inhibit the formation of other tips | 167 |
| | 10.3 | Slugs move toward light and heat | 171 |
| | 10.4 | The unanticipated complexity of cells in the slug | 173 |
| | | 10.4.1 The prestalk region in the slug can be subdivided | 174 |
| | | 10.4.2 Cellular traffic and cell-type conversion during slug | |
| | | migration | 177 |
| | | 10.4.3 How do prespore segments restore their severed | |
| | | prestalk tips? | 177 |
| | 10.5 | How do the cells in the slug move? | 178 |
| | 10.6 | Gene regulation within the prestalk and prespore zones | 180 |
| | | 10.6.1 The <i>ecmA</i> and <i>ecmB</i> promoters are highly regulated | 181 |
| | | 10.6.2 Dd-STATa binds to the <i>ecmB</i> promoter inhibitory | |
| | | sequences | 182 |
| | | 10.6.3 Regulation of <i>ecmA</i> | 183 |
| | | 10.6.4 The prespore gene promoters | 184 |
| | 10.7 | Sie 88 c. marante manitam inter represent of tammation | 185 |
| | 10.8 | The stability of the differentiated slug cells | 186 |
| | <i>a</i> : | | 100 |
| 11 | | ination | 188 |
| | 11.1 | Deciding when migration has gone on long enough | 188 |
| | 11.2 | Early steps in culmination | 189 |
| | 11.3 | Movements at the Mexican hat stage | 192 |
| | 11.4 | | 193 |
| | 11.5 | Cellulose synthesis and the formation of stalk | 197 |



| | | CONTENTS | xi |
|-----|----------------------|---|-----|
| | 11.6 | Death comes to the stalk cells | 198 |
| | 11.7 | Participation of the prespore cells in culmination | 199 |
| | 11.8 | The final step in spore formation is regulated exocytosis | 199 |
| | 11.9 | The coordination of spore and stalk formation | 201 |
| | 11.10 | Small peptides and the timing of encapsulation | 204 |
| | 11.11 | Genetic experiments suggest the source of the inducer of | |
| | | spore encapsulation | 205 |
| | 11.12 | Ligands for two-component sensors | 206 |
| | | The targets of PKA | 208 |
| | 11.14 | Culmination-defective mutants | 208 |
| 12 | Forma | ation and Germination of Spores | 210 |
| | 12.1 | The spore coat has a complex architecture | 210 |
| | 12.2 | The proteins of the spore coat | 211 |
| | 12.3 | The synthesis of cellulose in spores | 215 |
| | 12.4 | The formation of the spore entails changes in the cytoplasm | 216 |
| | 12.5 | Sorocarps contain inhibitors of germination | 216 |
| | 12.6 | Amoebae emerge with caution | 218 |
| | 12.7 | The program of spore germination | 219 |
| 13 | Resou | urces | 223 |
| | 13.1 | Books | 223 |
| | 13.2 | Articles for the non-scientist | 224 |
| | 13.3 | Films and videos | 225 |
| | 13.4 | The Franke bibliographic database | 225 |
| | 13.5 | Websites | 225 |
| Rej | ^f erence. | S | 227 |
| Ind | lex | | 285 |