

## INDEX

*References to figures and major tabulations of data are in italic*

- Aavatsmarkbreen 85, 86, 86  
 ablation 6, 16, 22–4, 120, 144  
   rate 16, 24, 39, 107  
   zone 16, 41, 68, 86, 108, 108, 119, 120  
 accumulation 22, 24, 26,  
   48–9, 73, 105, 121,  
   126–9, 144, 176, 179,  
   183, 187, 190  
   rate of 8, 9, 11–13, 16,  
   23–4, 27, 31, 39, 48,  
   65–70, 72, 74–5, 75,  
   84, 96, 97, 96–8,  
   103–6, 112–13, 115,  
   122–5, 146, 147,  
   149–51, 154, 155,  
   157, 159, 161, 168,  
   170, 173, 177–9,  
   182, 185–8  
 accumulation–surface  
   warming rate domain  
   (A–S domain) 154–7,  
   155, 168, 169, 171,  
   175  
   zone of 108, 118, 120,  
   161, 168, 170, 173,  
   177–9, 182, 185–8  
 Adélie Land *see* Terre  
 Adélie  
 advection 10, 123–4, 148,  
   155, 155, 157, 169,  
   169, 173  
   rate 149, 154, 173, 179  
 age–depth relationships  
   70, 76, 144, 150,  
   152, 153, 156, 167,  
   168, 171, 173, 176  
 air flow in firn 65  
 albedo 39, 144  
 aliasing 105, 186  
 Allerød period 190, 192  
 Amery Ice Shelf 32, 97,  
   121–2  
 Amundsen Sea 36, 37  
 annual layers 5–8, 6, 7,  
   58–9, 65–70, 105,  
   106, 121, 124, 150,  
   155, 158, 177, 183,  
   186–7  
 Antarctic ice sheet 28–38,  
   50–1, 52–7, 96–7,  
   112–22, 167–79,  
   190–4  
   164, 166, 168, 170,  
   173, 178–9  
 basal temperature gradient  
   9, 10, 83, 124, 125–8,  
   134, 136, 138, 147,  
   153, 159–62, 164–5,  
   170, 173, 177–9  
 basal water 45, 84, 114, 127  
 bedrock clasts 89  
 bedrock contours 99, 170,  
   172  
 bedrock elevation 127, 151,  
   161, 166  
 bedrock profiles 31, 40, 75,  
   76, 90, 93, 100, 161,  
   167, 168, 171, 172,  
   173, 176  
 benthonic foraminifera 44–5,  
   45  
 'blue' noise 186  
 borehole inclination 150, 151  
 borehole fitting 71, 73, 74,  
   74, 77  
 boreholes 63–5  
 Byrd Glacier 29–30, 30, 34  
 Byrd Land 31, 32, 36, 74,  
   167  
 Byrd Station 1–3, 5, 8, 17,  
   17, 35–7, 54, 62, 67–8,  
   70–1, 73–9, 84, 86, 89,  
   93, 98, 111–14, 120,  
   125, 139–44, 158,  
   167–71, 173, 175,  
   179, 181–3, 190–5  
   flowline of 75, 168, 171  
   Strain Network (BSSN)  
   of 36–7, 71, 72, 74,  
   76, 77–8, 112, 167  
 calving of icebergs 23, 41  
 Camp Century 1, 5–8, 17,  
   17, 38–9, 41–2,  
   57–62, 66, 68–9,  
   71, 77–9, 85, 91, 95,  
   108–13, 125, 128–9,  
   132, 133–5, 137,  
   139–44, 150–2,  
   154–64, 166, 167,  
   167, 170, 171, 173,  
   175, 177–8, 181–3,  
   189–95  
 accumulation measure-  
   ments at 69, 98, 155  
 age–depth relations of  
   7, 153  
 annual layer thickness  
   of 6, 158  
 basal layer of 102–3  
 horizontal ice move-  
   ment velocity  
   profile of 100  
 ice thickness of 98  
 isotopic profile of 101,  
   101–2, 102, 153,  
   194  
 oxygen isotope ratio  
   of 38, 41, 102, 102,  
   103, 142, 157, 158,  
   191  
 surface contours around  
   98  
 temperature profile of  
   95, 100, 101, 123,  
   124, 134, 136, 154,  
   157  
 velocity of ice move-  
   ment of 98  
 Camp VI 95, 105, 105  
 Canadian Arctic 38, 56  
 carbon-14 (<sup>14</sup>C) dating 19,  
   21, 109, 110, 110, 191  
 Casey Station 181–3  
 Climate/Long-range Investi-  
   gation, Mapping and  
   Prediction (CLIMAP)  
   34, 47  
 climatic index 194, 194, 195  
 climatic temperature changes  
   33, 75, 161, 162, 178  
 climatic trends 190–5  
 cold anomaly 161–79  
 cold polar glaciers 8, 65–70,  
   78, 87  
 Cold Regions Research  
   Engineering Labora-  
   tories (CRREL) 1, 64,  
   65, 103, 105  
 cold 'spikes' 60, 62  
 cold-wave anomaly 157, 179  
 columnar motion of ice  
   5–17, 7, 125–30,  
   145–9  
 compaction 124, 128, 130,  
   131, 146, 147, 154  
 compression zones 88, 114  
 condensation 4, 47–8, 184,  
   185  
 condensation temperature  
   50–3  
 conductivity layering 91  
 continentality 8, 138  
 contours *see* surface con-  
   tours, bedrock  
   contours  
 convection in borehole 65  
 cooling rate 155, 156, 177  
 core recovery 78, 100  
 core temperature measure-  
   ments 64  
 cosmic radiation 67  
 Coulter counter measure-  
   ments 67  
 creep rate *see* flow law of ice  
 Crête 39, 58–9, 66, 69, 82,  
   89–91, 93, 95, 103–5,  
   107–8, 108, 137–8,  
   181, 186, 189, 192,  
   193, 193  
 critical porosity 81  
 CRREL *see* Cold Regions  
   Research Engineering  
   Laboratories  
 crystal anisotropy 145, 146,  
   170, 179  
 crystal fabric 87, 114, 147  
 crystal orientation 145, 146  
 dating glacial deposits 19–20  
 David Glacier 30, 30, 34  
 debris-rich basal ice 85–7,  
   89, 102, 114  
 decollement planes 87, 88, 89  
 deconvolution 7, 58–9, 59,  
   105, 187  
 'decoupled velocity' model 165  
 densification 57, 81  
 density 9, 68, 72, 83, 92,  
   124–6, 128–30, 129,  
   139, 145, 154, 174,  
   177  
 density contrasts 91, 92  
 deposition noise 182, 184–6,  
   186, 188, 189  
 depth hoar horizons 66  
 depth measurements 77–9  
 deuterium 47, 52, 66, 119,  
   183  
 Devon Island ice cap 39, 52,  
   57, 59–60, 62, 64–5,  
   71, 85, 102, 109–13,  
   117, 120, 181, 184–7,  
   189–93

## Index

- 'diamond dust' ice crystals 68  
 dielectric absorption 92  
 diffusion 48, 160, 179, 183, 187  
   across discontinuities 59–63  
   in firn 5, 57, 59, 67, 105, 178, 186  
   in solid ice 5, 57–8, 61, 67, 102, 160  
   of stable isotopes 57–63  
   in static ice 60, 62  
 diffusion equations 60  
 diffusion length 57–8, 58, 62–3, 186–7  
 diffusivity *see* thermal diffusivity  
 divergence of flowlines 14–16, 39, 127, 128, 146, 147  
 Dome C 1, 30, 56, 62, 91, 92, 93, 97, 113–15, 181, 182, 184–5, 188, 190–2  
 'Doppler' satellites 71, 98  
 drills 63–4  
 dry boreholes 64, 100, 114  
 dust particle content 58, 59, 69, 114  
 Dye 3 67, 69, 95, 103–5, 181, 187, 189, 192, 193  
 dynamics velocity 165–6  
   profile of 165  
 East Antarctic ice sheet 27–9, 31, 33–5, 38, 71, 81, 86, 93, 117, 170–7, 182, 195  
 EGIG *see* Expéditions Glaciologique Internationale au Groenland  
 EGIG profile 39, 40, 52, 107–9  
 elevation and climatic change 138–144  
 elevation of origin of ice 118–21, 124–5, 138, 156, 158, 161  
   (*see also* surface elevations)  
 elevation changes 72, 76, 127, 137, 138–44, 147, 155, 171, 178–9, 184, 192  
 elevation contours *see* surface contours  
 elevation profiles 34, 150  
 Ellesmere Island 38, 41, 42, 84  
 England 193, 193  
 entrapped air 86–7  
 equilibrium condensation process 49  
 equilibrium line 42, 107, 108, 120  
 Equip Sermia Glacier 39  
 erratics 19, 24, 38  
 Esperanza Station 181, 183, 189  
 evaporation 3, 4, 44, 48, 144, 185  
 Expéditions Glaciologique Internationale au Groenland (EGIG) 39, 40, 105, 107  
 fallout 65, 66, 68  
 faulting in ice 89  
 Filchner–Ronne Ice Shelf 27, 54, 56  
 firn–ice transition 80–2  
 firn layer 1, 57, 67, 107, 112, 146, 147, 178, 183  
 firnification 56–9  
 flotation line 41, 42, 121  
 flow law of ice 22, 23, 26, 27, 145–6, 166, 166, 170  
 flowline calculations  
   for Greenland 83–4, 150–67  
   for Byrd Station 75–7, 167–71  
   for Vostok 170–7  
 flowline calculations/models  
   general 7–17, 7, 14, 16, 83–4, 89  
   summary and conclusions 177–9  
   synopsis of 123–5  
   temperature–depth profiles 145–50  
 flowline profiles 36  
 flowline temperature 161–5, 169  
 flowlines of ice 12–14, 16, 16, 23, 29, 29, 30, 39, 71–2, 74, 78, 79, 90, 149–50, 150, 161, 167, 168, 172  
 fluid-filled boreholes 64, 65, 100, 112  
 fold structures 87–9  
 folding 88, 88, 89, 114, 119  
 foraminifera 45, 45  
 former ice sheets 19–21  
 fractionation factors 47, 48, 49  
 freezing-on 84, 102  
   zone of 85  
 frictional heating 10, 19, 125, 127, 128, 134, 137, 159, 160, 162, 164  
 gas extraction methods 79–80  
 gas profiles 82  
 gas volume 123–5, 149, 156, 157, 161, 162, 178, 179  
 geochemical studies 1–2, 115, 195  
 GEOS III satellite 39  
 geothermal gradient 9, 10, 147, 160, 164, 165, 178  
 geothermal heat 8–10  
   flux (flow) of 9, 9, 10, 12, 13, 17, 112, 127, 128, 134, 137, 145, 159, 160, 170, 178, 179  
 glacial deposits 19–20, 24, 38  
 glacial maximum 20, 40–2, 165, 195  
 glacier, sole of 83  
   thermal regime of 84  
 glaciers  
   polar 8, 65–70, 78, 80, 84–5, 85  
   temperate 8, 84, 85  
 global climatic models 190  
 global climatic trends 190–5  
 gravitational anomalies 21, 37, 41  
 gravity measurements of ice depth 78  
 Greenland 1, 4, 8, 10, 12, 13, 16–18, 22, 25, 25, 27, 31, 38–42, 51, 65–7, 69, 72, 79, 81, 82, 84, 85, 89–91, 93, 96, 98–112, 132, 137, 140, 141, 144, 150, 167, 167, 171, 181, 181, 183–6, 188–90, 192, 193  
 Greenland ice sheet 38–42, 50, 51, 64, 83, 84, 87, 98–112, 150, 167, 170, 180, 182, 187  
 ablation area of 107–12  
 accumulation rate of 96, 96  
 balance velocities of 151, 151  
 borehole temperature profiles of 95, 96  
 elevation contours of 95, 96, 96, 99, 150, 150  
 flowlines of 150, 150, 152  
 form and flow of 39–42  
 ice flow of 98, 99  
 isotherms of mean annual temperature of 95  
 profile data of 98–112  
 radio-echo profiles along NW 100  
 temperature–elevation gradients of 151, 151  
 Greenland Ice Sheet Programme (GISP) 103, 195  
 grounded ice 36, 37, 42  
 grounding line 35, 36, 41, 42, 122  
 heat conduction 9–14, 9, 123–38, 147, 161, 164, 165, 169, 178  
 equation of 11, 124–7, 129, 133, 134, 145, 159, 178  
 model of 124–8, 137, 138  
 Holocene 82, 193  
 Holocene warming 75–7  
 horizontal advection 124, 125, 149, 177, 179  
 horizontal ice movement velocity profile 100  
 horizontal temperature gradients 125, 147–9  
 horizontal velocity 7, 14, 74, 76, 125–8, 131, 137, 146, 147, 149, 155, 177  
 horizontal velocity–depth profile 128, 146  
 hydrostatic pressure 22, 146  
 ice, definition of 1  
 ice-age cold wave 159, 160, 178, 179  
 ice–bedrock interface 126–9, 158–60, 164, 178  
 ice core studies 22, 26, 35, 41, 47  
 ice crystal size 87, 145, 146  
 ice density 9, 72, 83, 92, 124–6, 128–30, 139, 145, 154  
 ice depths 77–9, 94  
 ice discharge 31, 31  
 ice divides 26, 27, 29, 29, 37–9, 66–8, 73, 76, 90, 98, 99, 104, 109, 114, 121  
 ice domes 26–8, 114  
 ice flow models of 7, 58, 75–7, 87, 89, 144, 145–50  
 ice lenses 112, 186  
 ice movement 15, 16, 26, 39, 41, 70–7, 98–9, 115, 120, 145, 170  
 ice piedmonts 36, 37  
 ice-rafted debris (IRD) 33  
 ice sheets, former extent and thickness of 19–21, 33–8, 36, 38–42, 41  
 ice-shelf–inland-ice boundaries 26–8  
 ice shelves 41, 42, 56, 74, 96, 120–2, 184  
 ice stream profiles 32  
 ice surface elevation *see* surface elevations  
 ice thickness 73, 73, 95–8, 106, 109, 120, 125–8, 137, 143, 145, 147, 149, 151, 162, 165, 166, 173, 178, 179  
 ice velocity 15, 16, 26, 39, 41, 72, 90, 98, 109, 120, 121, 179  
 icebergs 23, 41, 109  
 Iceland 39, 193, 193  
 impurities 1, 67, 91, 114, 145  
 Inglefield Bredning (Fjord) 38, 40, 98, 99  
 internal heating in ice 123, 125, 145–8, 165, 179  
 internal radio-reflecting layers 74, 89–93  
 internal shear 74, 85–9, 112  
 International Antarctic Glaciological Project 195  
 International Geophysical Year 78, 105, 195  
 inverse isotopic altitude effect 50  
 inversion of stratigraphy 89  
 inversion layer 5, 56, 139–41, 183, 187  
 inversion temperature 5, 185, 187–9  
 isobaric cooling 50, 50, 51, 54, 56  
 isochrones 12, 13, 74, 75, 75  
 isotherms of mean annual temperatures 95, 96, 97  
   of sea surface temperatures 50, 51, 52  
 isotopic annual layers 6, 7, 57–9, 66–9, 105, 106, 121, 150, 183, 186–7  
 isotopic composition (ratio) 2, 3, 3, 5, 5, 6, 17, 43, 44, 47–52, 124, 131–4, 132, 133, 184, 185  
   of Antarctic, surface snow 50–6, 51, 53, 54, 55  
   of basal ice 83, 86–8  
   of Byrd Station 35, 37  
   of calcium carbonate fossils 44  
   of Camp Century 38, 41  
   of coastal snowfall 52  
   of firn 55, 57  
   of Greenland, surface snow 51–2, 51

## Index

- of icebergs 109  
 of marine cores 34, 44–5  
 of ocean water 43–5, 44, 45  
 of Pleistocene ice sheets 44  
 of polar ice 2–6, 3, 82, 186  
 of rime 188  
 of snow (falling) 47–52  
 isotopic cycle of water vapour 3  
 isotopic deposition noise 115, 185–9  
 isotopic diffusion 57–63  
 isotopic–elevation relationships 4, 117, 119, 138–44, 179, 184  
 isotopic fractionation 43, 49, 87  
 factor 5, 44, 50  
 isotopic profiles  
 general 9, 13–18, 85, 123–5, 131–8, 150–77, 177–9, 184, 190, 195  
 of Adélie Land 35, 118–120, 119  
 of Amery Ice 121–2, 121  
 of basal ice 86, 88  
 of Byrd Station 2, 17, 114, 115, 141, 170, 179, 191, 194  
 of Camp Century 6, 17, 101, 102, 103, 123–5, 142, 153, 177, 191, 192, 194  
 of coastal regions 118  
 of Crête 59, 104, 138, 192, 193  
 of Devon Island ice cap 109–12, 110, 111, 191, 192  
 of Dome C 114–15, 116, 191  
 of Dye 3 104, 192  
 of Greenland ablation zone 107, 108  
 of Law Dome 117, 117, 183  
 of Little America 120–1, 120  
 of marine core 45  
 of Milcent 104–6, 104, 106, 192  
 of Site 2 105  
 of Terre Adélie 35, 119–20, 119  
 of Vostok Station 35, 115, 116, 176, 179  
 isotopic ratio *see* isotopic composition  
 isotopic sequences 83–9  
 isotopic ‘spikes’ 59–62, 60, 61, 62, 88, 89, 103  
 isotopic–temperature ( $\delta-\theta$ ) noise 180, 181, 184–90  
 isotopic–temperature relationships 4, 5, 17, 123, 131, 137, 144, 149, 153, 156, 164–5, 169, 173, 176–9, 180–4, 182, 191  
 Jacobshavn 181, 183, 188  
 James Ross Island 181, 182, 183, 185, 189  
 Jarl Joset Station 39, 95, 105, 105, 107  
 Kane Basin 38, 41  
 Lambert Glacier 29, 31, 32, 38, 121, 122  
 laminar ice flow 87, 89  
 lapse rate 44, 139, 184  
 last ice age 35, 98, 110, 113, 117  
 latent heat of ice 83, 84, 112, 127, 147  
 Laurentide ice sheet 20, 21, 24, 37  
 Law Dome 13, 14, 35, 56, 82, 117–18, 121, 182, 182, 183, 185, 190, 195  
 layer heating 159, 168, 169  
 model of 154, 170, 171  
 layer thickness 5–8, 7, 128  
 lead-210 ( $^{210}\text{Pb}$ ) 67–8, 69  
 lead content of snow 2  
 light scattering techniques 67  
 Little America 36, 54, 97, 120–1  
 long-lived isotopes 67  
 longitudinal strain rate 146  
 longitudinal stress 24, 145  
 magnetic reversal, Matuyama–Brunhes 33  
 Marie Byrd Land 36, 53, 54, 78, 112  
 marine cores 33, 33, 34, 191, 194  
 marine precipitation 44  
 mass balance 13, 15, 72, 77, 84, 94, 113, 120  
 mass budget, Lambert Glacier region 122  
 mass diffusion 57  
 mass flux 14, 16, 72–3  
 maximum ice thickness 119, 144, 163, 167  
 maximum marine productivity 33  
 McMurdo Dry Valley system 34, 35  
 McMurdo region 34, 37  
 McMurdo Sound 29, 36  
 mean annual isotopic ( $\delta$ ) values 180, 181, 181, 183  
 mean condensation temperature 5, 51, 185  
 mean latitude of the sea ice edge 50, 51  
 mean sea-level atmospheric pressure 81, 139  
 measurement of ice motion 70–1  
 Meighen Island ice cap 57, 112  
 melt, total 127  
 melting rate 83, 121, 147  
 meltwater noise 185–6, 188, 189  
 Melville Bugt 38, 98  
 meteorites, Alan Hills region 35  
 microparticle content of ice layers 7, 58–9, 67, 105–6  
 microparticle studies 67, 192  
 Milcent 67, 69, 82, 95, 103–8, 106, 181–3, 186–9, 192  
 Mirny 5, 49, 54, 97  
 Mizuho Plateau 50, 68, 71  
 models of ice flow 7, 58, 75–7, 87, 89, 144  
 moist adiabatic conditions 54, 104  
 Molodezhnaya 54, 56  
 moraines 19, 22, 24, 35, 37, 39, 107, 107, 108, 119  
 morainic debris 119  
 morainic deposits 34, 146  
 Mount Menzies 34, 38  
 non-columnar ice flow 130, 131, 177  
 non-laminar ice flow 87–9  
 non-reflecting zone 93  
 North America 40, 44  
 ocean salinity map 45  
 oceanographic features, 18 000 BP 46  
 orographic processes 56, 68, 184, 185  
 outlet glaciers 15, 16, 27, 31, 33, 38, 107, 167  
 oxygen isotope *see* isotopic–  
 particle paths 12–16, 13, 14, 16, 76, 149, 151–3, 152, 161, 163, 167, 168, 171, 173  
 past surface temperatures 11, 17, 112, 123, 137, 178, 179  
 percolation processes 112, 185  
 Philberth thermal probe 64, 105  
 planktonic foraminifera 45, 47  
 Plateau Station 52, 53, 54, 68  
 Pleistocene Antarctica 33–8  
 Pleistocene Greenland 38–42  
 Pleistocene oceans 43–7  
 polar glaciers 8, 65–70, 78, 80, 84, 85, 85  
 Pole of Relative Inaccessibility 53, 54, 69  
 pore volume at close-off 81–2, 81, 139  
 power reflection coefficient (PRC) 91, 92  
 precipitation 4, 5, 44, 47, 49, 50, 54, 67, 104, 112, 183, 185, 187  
 pressure melting 8, 10, 127, 145–7, 159, 168, 177, 179  
 Prince Charles Mountains 34, 35  
 profile data  
 of coastal Antarctica 118–22  
 of Greenland 98–112  
 of inland Antarctica 112–18  
 quartz thermometers 63, 65  
 Quaternary glaciations 19–21, 33–8, 38–42, 116  
 Queen Elizabeth Islands 52, 182  
 radial ice flow 15, 23, 30, 39, 118  
 radiative cooling 5, 50  
 radioactive fallout 65, 66, 68, 69  
 radioactivity measurements 65–6  
 radio-echo (radar) layering 66, 74, 75, 90, 91, 92, 93, 113, 194, 195  
 radio-echo sounding 66, 71, 72, 74, 78, 89–93, 90, 98, 100, 122  
 radio-echo strength 71, 91, 92, 122  
 radionuclides 65, 67–8  
 ‘rate of deposition’ noise 187–9  
 Rayleigh condensation process 49–52, 184  
 regelation ice 83, 84–6, 86, 87  
 regional climatic trends 190–5  
 Rennick Glaciation 35  
 repetition of stratigraphy 60, 89, 112, 119–20  
 rime 185, 188  
 Robeson Channel 38, 41  
 Roi Baudouin Station 4, 5, 5, 54, 54, 182  
 Ronne–Filchner Ice Shelf 28, 35, 54  
 Roosevelt Island 36, 54, 56  
 Ross Ice Shelf 24, 27–9, 31, 32, 35–7, 54–6, 74, 112, 122, 170, 182  
 Ross Ice Shelf Glaciological and Geophysical Survey 37  
 Ross Sea 28, 35–7  
 salinity of sea water 43, 44  
 sampling noise 186–9  
 sastrugi 69, 91, 183, 186  
 satellite-determined ice movement 71, 121  
 Scandinavia 40, 44  
 Scientific Committee on Antarctic Research (SCAR) 195  
 sea-floor sediments 33  
 sea-level changes 20, 20–1, 35, 38, 39, 75, 144, 194, 195  
 sea surface temperatures 46, 47, 50  
 seasonal fluctuations of sea surface isotherms 50, 51, 51  
 seismic depth measurements 78  
 seismic-gravity profiles 79  
 shear 23, 59, 60, 63, 88, 89, 102, 114, 146, 148  
 shear stress 22–4, 87, 145, 146, 166  
 $^{32}\text{Si}$  dating 109, 110  
 single column model 125, 147–8, 154, 154–61, 168–9, 178  
 single column temperature profiles 154–61  
 Site 2 95, 105, 105, 112, 171  
 sliding velocity 23  
 Snow, Ice and Permafrost Research Establishment 105  
 snow-pit studies 96, 115  
 South Orkneys 181, 183  
 South Pole 53–4, 54, 65, 68–9, 74, 93, 182, 182, 183, 185, 187–9  
 specific heat of ice 9, 125, 127–9, 130  
 Spitsbergen 84–5, 85, 86  
 stagnation of basal ice 87, 88  
 stake measurements 65, 68

## Index

Standard Mean Ocean Water (SMOW) 2, 3, 43, 47, 49  
 Station Centrale 95, 105, 105, 107, 107, 108, 108, 141  
 steady-state ice sheets 7, 8–10, 14, 15, 22, 28, 75, 123–5, 132–4, 145–7, 149  
 strain rates 15, 16, 23, 24, 39, 61, 62, 62, 63, 69, 71, 75, 76, 86, 122, 124, 128, 129, 129, 145, 146, 148, 150, 151, 153, 155, 157, 158, 164, 177  
 stratified debris 114  
 stratigraphy 7, 57, 66, 69, 78, 83  
 striations 20  
 strontium-90 66  
 sub-glacial water 31, 83, 86  
 sub-glacially derived debris 83, 84–5, 85, 88  
 sub-ice lakes 8, 30, 90, 177  
 sublimation 5, 49  
 sub-polar glaciers 57, 84, 85  
 surface–bedrock temperature difference 134, 137  
 surface contours  
 of the Antarctic ice sheet 29, 97  
 of Byrd Land 32, 71, 72, 167  
 around Camp Century 98, 99  
 of Devon Island 110  
 of Greenland 39, 95, 99, 150  
 of Law Dome 14  
 around Vostok 172  
 surface elevations 42, 79–82, 96, 127, 128, 138–43, 147, 149, 151, 161, 163, 169, 190, 195  
 surface profiles 22–5, 30–36, 40, 41  
 surface salinity variations 43, 44  
 surface slope 29, 71, 72, 145, 155  
 surface strain rate 17, 67, 75  
 surface temperature–depth gradients 135, 137, 173, 175, 179  
 surface temperature inversion 5, 48, 53, 183, 184  
 surface temperature time changes 132, 133, 153  
 surface temperatures 8, 9, 10, 11, 11, 17, 53, 75, 81, 95–6, 112, 124, 129, 130, 133, 135–7, 140, 147, 149, 151, 161, 162,

167, 173, 176, 187  
 surface velocity 16, 70, 73, 73–4, 74, 98, 108, 146, 147, 150, 165, 166  
 surface vertical velocity 128, 155  
 surface warming rate 124, 148, 154–7, 155, 156, 168, 169, 173, 175, 178, 179  
 surging 38, 122, 151, 167  
 survey techniques 70  
 symbols used 196–7  
 Syowa Station 50, 54, 182, 183  
 Taylor Glacier 30, 30  
 Taylor Valley 33, 34  
 temperate glaciers 8, 84, 85  
 temperature anomaly 160, 168, 173, 179  
 temperature annual mean 48, 180–4, 181, 183, 187–9  
 temperature–depth profiles (calculated)  
 general 9, 10, 11, 12, 16–18, 17  
 Byrd 169, 170, 171  
 Camp Century 130, 131, 134, 135, 136, 137, 152, 153, 154, 157, 159, 160, 163, 164, 165  
 Crête 138  
 Law Dome 14  
 Vostok 147, 176  
 Vostok–Wilkes 13  
 temperature–depth profiles (observed)  
 Antarctica (various) 97  
 Byrd Station 113, 169  
 Camp Century 100  
 Crête 138  
 Devon Island 111  
 Greenland (various) 95  
 Law Dome 14  
 Vostok 174  
 temperature–depth profiles, related parameters  
 Byrd Station 167, 168, 169, 170, 171  
 Camp Century 155, 156, 157, 159, 160, 161, 162, 166, 167  
 Vostok 172, 173, 175, 176  
 temperature distribution 8–14, 17, 94, 112, 126, 129, 145, 159, 160, 163, 164, 165  
 temperature distribution, discussion 8–14, 68, 83, 94, 96, 101, 112, 113, 114, 120, 122, 123–5, 125–35, 145–150, 150–77, 177–9

## 212

temperature–elevation gradients 151, 151  
 temperature gradients  
 in ice 9, 130, 138, 149, 154, 173  
 in rock 8, 178  
 in soft sediments 8  
 temperature–isotope conversion factor *see* isotopic–temperature relationships  
 temperature measurements 63–5  
 temperature noise 187–9  
 Terre Adélie 35, 50, 52–4, 117–22, 195  
 theory of condensation 49  
 thermal conductivity 8, 9, 83, 125, 128–30, 130  
 thermal coring 65, 100, 103, 112, 114, 116  
 thermal diffusivity 125–8, 130, 148, 154, 157  
 thermal drills 63, 64, 65, 100  
 thermal processes in sea water 120–2  
 thermistors 63–5, 112  
 thickness of ice 72, 73, 95, 96–8, 106, 109, 120, 125–8, 137, 143, 145, 147, 149, 151, 162, 165, 166, 173, 178, 179  
 thickness balance 70, 72–5, 77  
 thinning of ice 10, 57, 77, 121, 143, 144, 191  
 thinning factor 58  
 rate of 74–5  
 thrust plans 85, 87–8, 88  
 till 19, 20, 38, 102  
 tilt of boreholes 71, 73, 74, 74, 77, 114  
 total gas content 35, 79–82, 123–4, 138–44, 149, 191  
 at Byrd Station 37, 113, 141, 169  
 at Camp Century 39, 41, 142, 158  
 at close-off 139  
 at Law Dome 117, 195  
 of polar ice 79, 139  
 at Terre Adélie 35, 119, 119, 195  
 total gas content–elevation relationships 81, 119, 124, 138–44, 161–3  
 total gas extraction and measurement 79–80  
 Transantarctic Mountains 28–30, 34–7, 56  
 transient heat conduction model 137–8  
 transverse strain rate 146  
 tritium 57, 66, 67  
 trunk glaciers 35, 109

TWERLE (meteorological) balloons 72  
 two-layer velocity profile 124  
 uplift 20–1, 37, 40, 41  
 vapour diffusion 57, 58, 183  
 vapour pressure curve 48, 49  
 velocity  
 of ice columns 16, 98, 108, 148, 149  
 of ice motion 15, 16, 26, 39, 41, 90, 98  
 velocity–depth profiles 14, 146, 165, 166  
 velocity distribution 8, 71, 75, 149, 166  
 velocity profile 71, 74, 124–5, 165, 166, 166, 177  
 vertical ice velocity 11, 17, 71, 109–10, 125, 126, 128–9, 129, 131, 146–8, 155, 157, 158  
 vertical strain 10, 57, 66, 69, 105, 106, 145, 150  
 vertical strain rate 7, 8, 11, 60–3, 67, 68, 93, 125, 130, 146, 155  
 volcanic eruptions/layers 66, 91  
 volume diffusion coefficient 57, 57  
 Vostok flowline 173, 176, 179  
 Vostok Station 1, 5, 12, 13, 17, 49, 54, 62, 66, 68, 90, 93, 97, 114–16, 125, 158, 170, 170–7, 179, 181, 182, 187–8  
 warming rate *see* surface warming rate  
 water vapour pressure 48, 48  
 West Antarctic ice sheet 27, 28, 31, 33, 35, 37, 38, 91, 112, 121, 167, 167–70, 182  
 Western Equatorial Pacific core 45, 47  
 ‘white’ noise 186  
 Whitmore Mountains 34, 38  
 Wilkes Land 53, 56, 82  
 Wilkes Station 13, 181, 183  
 Wisconsin (ice age) 35, 36, 38, 41, 110, 116  
 Wisconsin ice 39, 60, 144  
 Wisconsinan 75, 77  
 world surface salinity variation 44  
 Z-scope profiles 90, 91, 92, 93