

## Index

- A-lines, 17, 193–194
- A (amplitude) mode scanning, 14
- abdominal aortic aneurysm (AAA)
  - anatomy, 116
  - diagnostic role of aortic ultrasound, 115
  - emergency bedside ultrasound
    - diagnosis, 115
  - images, 125–127
  - patient symptoms, 115
  - See also* aortic ultrasound.
- abscess drainage, 315–319
  - anatomy, 316
  - focused questions, 315
  - literature review, 319
  - peritonsillar abscess, 317–318
  - probe selection, 316
  - procedure, 317
  - setup, 317
  - special equipment, 317
  - technique, 316–318
- absorption
  - definition, 4
- acoustic power
  - ALARA (as low as reasonably acceptable) principle, 5
  - definition, 5
- acoustic shadowing artifacts, 16–17
- acute respiratory distress syndrome (ARDS), 262
- adjusting the image, 12–13
  - focal depth, 12
  - focal zone, 12
  - gain control, 13
  - imaging depth, 12
  - near and far field gain control, 13–14
  - time gain compensation (TGC), 13–14
- airway ultrasound
  - abnormal airway images, 198
  - anatomy, 192
  - focused questions, 191
  - literature review, 199–200
  - new directions, 200
  - normal airway images, 198
  - probe selection, 195
  - role in airway management, 191
  - scanning tips, 197
  - trouble with airway images, 197
  - views, 196
- ALARA (as low as reasonably acceptable) principle, 5
- Alliance for Radiation Safety in Pediatric Imaging, 241
- American College of Emergency Physicians, 27
- American College of Radiology, 241
- American College of Surgeons, 27
- American Institute of Ultrasound in Medicine, 241
- amplitude
  - definition, 1–2
- anechoic areas, 1–2
- anembryonic gestation, 92–93
- ankle effusions, 307
- aortic dissection. *See* aortic ultrasound
- aortic ultrasound, 115–130
  - AAA anatomy, 116
  - AAA images, 125–127
  - abnormal scans, 125–127
  - aortic anatomy, 116
  - aortic dissection images, 128
  - differentiating aorta and vena cava, 122–123
  - distal aorta transverse view, 121
  - evaluating aortic diameter, 124
  - evaluation of the iliac arteries, 124
  - focused questions, 115
  - hypotensive patient, 261
  - iliac arteries bifurcation view, 121
  - literature review, 129–130
  - longitudinal view, 120–122
  - mid aorta transverse view, 120
  - probe selection, 116
  - proximal aorta transverse view, 117–120
  - role in AAA diagnosis, 115
  - sagittal plane view, 120–122
  - sample clinical protocol, 128–129
  - scanning tips, 124
  - technique, 116–125
  - trouble with aorta scanning, 124
  - views, 116–124
- appendicitis, 227
  - pediatric patients, 241–242
- arthrocentesis. *See* joint effusions and arthrocentesis
- artifacts, 16–21
  - A-lines, 17, 193–194
  - acoustic shadowing, 16–17
  - B-lines, 194, 262
  - beam width artifact, 21
  - caused by metallic objects, 18
  - comet tail, 18, 51–52

Cambridge University Press

978-0-521-17091-8 - Manual of Emergency and Critical Care Ultrasound: Second Edition

Vicki E. Noble and Bret P. Nelson

Index

[More information](#)

- artifacts (cont.)
  - enhancement, 19
  - grating lobe artifact, 20
  - lung sliding artifact, 51–52
  - mirror image, 18–19
  - posterior acoustic enhancement, 19
  - refraction, 18
  - reverberation, 17–18
  - ring-down artifact, 18, 232
  - side lobe artifact, 20
- ascites and paracentesis, 301–304
  - anatomy, 301
  - focused questions, 301
  - literature review, 303–304
  - pitfalls, 303
  - probe selection, 301
  - procedure, 302
  - setup, 301–303
  - special equipment, 301
  - technique, 301–303
  - tips, 303
- asthma, 262
- attenuation
  - definition, 2–4
  - factors affecting, 2–4
- attenuation coefficients, 2–4
- axial resolution
  - definition, 4
- axial view, 10
- B-lines, 194
  - hypotensive patient, 262
- B (brightness) mode scanning, 14
- beam width artifact, 21
- bedside cardiac ultrasound
  - advantages and limitations, 61
- bedside ultrasound
  - benefits for pediatric patients, 241
- bladder aspiration, 323–327
  - anatomy, 325
  - focused questions, 323
  - literature review, 327
  - pitfalls, 326
  - probe selection, 325
  - procedure, 325
  - setup, 325
  - special equipment, 325
  - suprapubic bladder aspiration, 325
  - technique, 325–327
  - tips, 326
  - urethral bladder catheterization, 325–326
- bladder cancer, 145
- bladder ultrasound. *See* renal and bladder ultrasound
- blighted ovum, 92
- cardiac arrest
  - ultrasound, 83–85
- cardiac tamponade
  - cardiac ultrasound, 78–80
  - hypotensive patient, 256
- cardiac ultrasound, 61–88
  - abnormal images, 76–85
  - acute heart failure, 199
  - anatomy, 62–63
  - apical four-chamber view, 70–73
  - cardiac arrest, 83–85
  - cardiac tamponade, 78–80
  - detection of pacing capture, 323–324
  - FAST exam, 66
  - focused questions, 61
  - global cardiac function evaluation, 81–84
  - hemopericardium, 81
  - hypotensive patient, 255–258
  - left parasternal long axis view, 67–69
  - left parasternal short axis view, 70
  - literature review, 87–88
  - new directions, 88
  - normal images, 74–76
  - pericardial fluid, 76–78
  - pericardiocentesis, 323
  - probe selection, 64
  - pulmonary embolism, 84–85
  - role of bedside ultrasonography, 61
  - sample clinical protocols, 86
  - scanning tips, 73–74
  - subcostal/subxiphoid view, 64–67
  - technique, 63–74
  - trouble with the apical four-chamber view, 74
  - trouble with the parasternal long axis view, 73–74
  - trouble with the parasternal short axis view, 74
  - trouble with the subcostal four-chamber view, 73
  - views, 62–63, 64–73
- cardiac view
  - FAST exam, 37
- chest ultrasound
  - A-lines, 193–194
  - abnormal chest images, 198
  - acute heart failure, 199
  - anatomy, 193–195
  - B-lines, 194
  - focused questions, 192
  - high altitude pulmonary edema, 198
  - indications of pathology, 193–195
  - literature review, 199–200
  - new directions, 200
  - probe selection, 195

- pulmonary edema, 193–195, 198
- range of applications, 191
- scanning tips, 197–198
- trouble with chest images, 197–198
- views, 196–197
- cholecystitis, 162–166
- cholelithiasis, 16, 160–162
- color Doppler, 15–16
- comet tail artifact, 18, 51–52
- common bile duct. *See* gallbladder ultrasound
- complete abortion, 92
- computed tomography (CT), 27
- convex probe, 5
- COPD (chronic obstructive pulmonary disease), 262
- coronal view, 10
- costophrenic space, 33
- D (Doppler) mode scanning, 15–16
- deep vein thrombosis. *See* DVT definitions
  - absorption, 4
  - acoustic power, 5
  - amplitude, 1–2
  - anechoic areas, 1–2
  - attenuation, 2–4
  - axial resolution, 4
  - axial view, 11
  - coronal view, 10
  - frequency, 2–3
  - hyperechoic areas, 1–2
  - hypoechoic areas, 1–2
  - lateral resolution, 4
  - longitudinal view, 10
  - pitch movement of the transducer, 10
  - reflection, 4
  - refraction, 4
  - resolution, 4–5
  - roll movement of the transducer, 10
  - sagittal view, 10
  - scattering, 4
  - transverse view, 10
  - ultrasound, 2
  - velocity, 1–3
  - wavelength, 2
  - yaw movement of the transducer, 10
- diagnostic options for trauma, 27–28
- diagnostic peritoneal lavage (DPL), 27
- diagnostic ultrasound, 23–26
  - advantages of using ultrasound, 26
  - pace of technology development, 26
  - recognising the potential, 26
- diaphragmatic injury diagnosis
  - M-mode imaging, 56–57
- distal upper extremity nerve blocks, 330–331
- DVT (deep vein thrombosis)
  - incidence, 173
  - role of ultrasound in evaluation, 173
- DVT ultrasound, 173–189
  - abnormal images of venous anatomy, 182
  - advanced techniques, 186
  - anatomy, 173–178
  - augmentation assessment, 186–187
  - focused questions, 173
  - images with clot present, 182
  - incidence of DVT, 173
  - literature review, 187–188
  - new directions, 188–189
  - normal images of venous anatomy, 181
  - probe selection, 175
  - respiratory variation assessment, 187
  - role in DVT evaluation, 173
  - sample clinical protocol, 185
  - scanning tips, 180
  - technique, 175–181
  - views, 179–180
- ectopic pregnancy
  - prevalence, 91
- ectopic pregnancy evaluation, 91–112
  - abnormal pelvic scans, 107
  - anatomy, 93–94
  - focused questions, 92
  - human chorionic gonadotropin (hCG) levels, 93
  - literature review, 110–111
  - new directions, 111–112
  - normal images of early pregnancy, 101–105
  - role of ultrasound, 91–92
  - sample clinical protocol, 109
  - scanning tips, 101
  - terminology for first trimester events, 92–93
  - transabdominal scanning technique, 94–97
  - transvaginal scanning technique, 98–101
  - trouble with the transabdominal view, 101
  - trouble with the transvaginal view, 101
  - ultrasound detection of ectopic pregnancy, 106
  - ultrasound technique, 94–101
- eFAST exam, 33, 47–48
  - focused questions, 28
- effects and artifacts. *See* artifacts
- embryonic demise, 93
- embryonic resorption, 93
- emergency ultrasound

Cambridge University Press

978-0-521-17091-8 - Manual of Emergency and Critical Care Ultrasound: Second Edition

Vicki E. Noble and Bret P. Nelson

Index

[More information](#)

- emergency ultrasound (cont.)
  - development of, 27
  - training in, 27
- enhancement artifacts, 19
- extended FAST exam. *See* eFAST exam
- external jugular vein cannulation, 289
- extrauterine pregnancy. *See* first trimester ultrasound
- extravascular lung water (EVLW). *See* chest ultrasound
- extremity fractures in children, 244–245
- FAST exam, 19, 27–57, 255
  - abnormal images, 42
  - cardiac evaluation, 66
  - comparison with CT and DPL, 27–28
  - detecting free fluid in trauma, 27
  - detection of pneumothorax, 51–56
  - extended FAST exam. *See* eFAST exam
  - focused questions, 28
  - hypotension evaluation, 261
  - literature review, 50–51
  - movement of free intraperitoneal fluid, 32
  - new directions, 56–57
  - normal images, 39
  - objective, 27
  - potential cost savings, 38
  - role in trauma diagnosis, 27–28
  - sample clinical protocol, 49
  - training in emergency ultrasound, 27
  - use of ultrasound in trauma, 27
- FAST exam anatomy, 28–32
  - free intraperitoneal fluid movement patterns, 32
  - hepatorenal recess, 28–29
  - left upper quadrant (LUQ), 29–30
  - Morison's pouch, 28–29
  - pouch of Douglas, 30
  - rectovesical pouch, 30–31
  - right paracolic gutter, 28
  - right upper quadrant (RUQ), 28–29
  - splenorenal recess, 29–30
- FAST exam technique, 32–39
  - cardiac view, 37
  - hepatorenal recess view, 33–34
  - LUQ view, 34–35
  - Morison's pouch view, 33–35
  - pelvic view, 35–36
  - perisplenic view, 34–35
  - probe selection, 32
  - RUQ view, 33–35
  - scanning tips, 38–39
  - subxiphoid view, 37
  - trouble with the cardiac view, 39
  - trouble with the LUQ view, 39
  - trouble with the pelvic view, 39
  - trouble with the RUQ view, 38
  - views, 33–38
- femoral nerve block, 329
- first trimester terminology, 92–93
  - anembryonic gestation, 93
  - blighted ovum, 93
  - complete abortion, 92
  - embryonic demise, 93
  - embryonic resorption, 93
  - incomplete abortion, 92
  - inevitable abortion, 92
  - miscarriage, 92
  - missed abortion, 92
  - spontaneous abortion, 92
  - threatened abortion, 92
- first trimester ultrasound, 91–112
  - abnormal pelvic scans, 107
  - anatomy, 93–94
  - detection of ectopic pregnancy, 106
  - ectopic pregnancy evaluation, 91–92
  - extrauterine pregnancy evaluation, 91–92
  - focused questions, 92
  - heterotopic pregnancy evaluation, 91–92
  - human chorionic gonadotropin (hCG) levels, 93
  - literature review, 110–111
  - new directions, 111–112
  - normal images of early pregnancy, 101–105
  - patient presentation, 91–92
  - prevalence of ectopic pregnancy, 91
  - sample clinical protocol, 109
  - scanning tips, 101
  - technique, 94–101
  - terminology for first trimester events, 92–93
  - transabdominal scanning technique, 94–97
  - transvaginal scanning technique, 98–100
  - trouble with the transabdominal view, 101
  - trouble with the transvaginal view, 101
- focal depth, 12
- focal zone, 12
- focused assessment with sonography in trauma (FAST) exam. *See* FAST exam
- foreign body identification/localization, 308
  - anatomy, 309
  - focused questions, 309
  - literature review, 315
  - pitfalls, 315
  - probe selection, 309
  - procedure, 310–314

Cambridge University Press

978-0-521-17091-8 - Manual of Emergency and Critical Care Ultrasound: Second Edition

Vicki E. Noble and Bret P. Nelson

Index

[More information](#)

- setup, 310–311
  - special equipment, 310
  - technique, 309–315
  - tips, 315
- Fourniers gangrene, 213
- frequency
  - and penetration, 2–3
  - and resolution, 2–3
  - and wavelength, 2
  - definition, 2–3
- frequency range of probes, 6
- fundamentals, 1–21
  - absorption, 4
  - acoustic power, 5
  - adjusting the image, 12–13
  - amplitude, 1–2
  - attenuation, 2–4
  - axial resolution, 4
  - basic definitions, 1–5
  - basic instrumentation, 5–7
  - effects and artifacts, 16–21
  - frequency, 2–3
  - lateral resolution, 4
  - physics principles, 1–5
  - piezoelectric effect, 5
  - probe marker and screen marker, 8–9
  - reflection, 4
  - refraction, 4
  - resolution, 4–5
  - scanning modes, 14–16
  - scattering, 4
  - screen display conventions, 11–12
  - screen marker and probe marker, 8–9
  - transducer/probe types, 5–7
  - ultrasound wave generation, 5
  - understanding the formed image, 11–12
  - using the transducer/probe, 7–11
  - velocity, 1–3
  - wavelength, 2
- gain function, 13
- gallbladder ultrasound, 151–171
  - abnormal gallbladder images, 160–167
  - acute acalculous cholecystitis, 164–165
  - acute cholecystitis, 156
  - acute emphysematous cholecystitis, 165
  - anatomy of the gallbladder, 151–152
  - cholecystitis, 162–165
  - cholelithiasis, 16, 160–162
  - focused questions, 151
  - gallstones, 160–162
  - literature review, 169–170
  - measurements, 156–157
  - mimics, 167–168
  - normal gallbladder images, 159
  - probe selection, 152
  - role in diagnosis of disease, 151
  - sample clinical protocol, 168
  - scanning tips, 158–159
  - sonographic Murphy sign, 156
  - technique, 152–159
  - trouble with gallbladder scanning, 158–159
  - views, 153–156
- gastrointestinal ultrasound, 227–239
  - abnormal images, 236–238
  - anatomy, 232
  - appendicitis, 227
  - dirty shadowing, 231
  - focused questions, 232
  - hernia, 227–228
  - literature review, 238–239
  - new directions, 239
  - normal images, 236
  - perforated viscus/free air, 231
  - potential applications, 227
  - probe selection, 233
  - ring-down artifacts, 231
  - scanning tips, 235
  - small bowel obstruction, 229–230
  - technique, 233–235
  - views, 234–235
- global cardiac function
  - ultrasound evaluation, 81–84
- grating lobe artifact, 20
- gray scale of diagnostic ultrasonography, 1–2, 14
- head injury protocols
  - pediatric patients, 253
- hemopericardium
  - cardiac ultrasound, 81
- hemothorax, 19
- hepatorenal recess, 28–29
- hepatorenal recess view
  - FAST exam, 33–35
- hernia, 227–228
- heterotopic pregnancy. *See* first trimester ultrasound
- hip effusions, 305–306
  - pediatric patients, 244–245
- human chorionic gonadotropin (hCG)
  - levels, 93
- hydronephrosis, 141–143
- hyperechoic areas, 1–2
- hypoechoic areas, 1–2
- hypotension evaluation, 255–266
  - aortic ultrasound, 261
  - B-lines, 262
  - cardiac tamponade, 256
  - cardiac ultrasound, 255–258

Cambridge University Press

978-0-521-17091-8 - Manual of Emergency and Critical Care Ultrasound: Second Edition

Vicki E. Noble and Bret P. Nelson

Index

[More information](#)

- hypotension evaluation (cont.)
  - FAST exam, 261
  - fluid overload assessment, 262
  - general approach to the patient in shock, 255
  - hyperdynamic left ventricle, 258
  - hypodynamic left ventricle, 258
  - inferior vena cava assessment, 258–261
  - literature review, 265–266
  - pleura and lung conditions, 262
  - pneumothorax evaluation, 262
  - right ventricular dilatation, 256–257
  - sample clinical protocol, 263–264
- iliac arteries. *See* aortic ultrasound
- image
  - screen display conventions, 11–12
  - understanding the formed image, 11–12
- image adjustment, 12–14
  - focal depth, 12
  - focal zone, 12
  - gain function, 13
  - imaging depth, 12
  - near and far field gain control, 14
  - time gain compensation (TGC), 13–14
- image artifacts. *See* artifacts
- Image Gently Alliance, 241
- imaging depth, 12
- incomplete abortion, 92
- inevitable abortion, 92
- inferior vena cava (IVC)
  - assessment in hypotensive patient, 258–261
  - distinguishing from the aorta, 122–123
  - evaluation for dehydration in children, 245–246
  - ultrasound assessment, 258–261
- instrumentation basics, 5–7
- intercavitary probe, 6
- interscalene nerve block, 332
- intracranial pressure (ICP)
  - non-invasive measurement, 203
- intraoperative fluid
  - movement patterns of free fluid, 30
- intussusception, 243
- joint effusions and arthrocentesis, 304–308
  - anatomy, 304
  - ankle, 307
  - focused questions, 304
  - hip, 305–306
  - knee, 306
  - literature review, 308
  - pitfalls, 308
  - probe selection, 305
  - procedure, 305
  - seagull sign, 304, 305
  - setup, 305
  - shoulder, 307
  - special equipment, 305
  - technique, 305
  - tips, 307–308
- knee effusions, 306
- lateral resolution
  - definition, 4
- left upper quadrant (LUQ)
  - anatomy, 29–30
  - FAST exam, 34–35
- Lichtenstein, Daniel A., 191, 194, 196
- linear array probe, 5
- longitudinal view, 10
- lumbar puncture, 319–323
  - anatomy, 319
  - focused questions, 319
  - literature review, 322
  - pitfalls, 322
  - probe selection, 319
  - procedure, 321
  - setup, 320–322
  - special equipment, 320
  - technique, 319–322
  - tips, 322
- lung sliding artifact, 51–52
- M (motion) mode scanning, 15, 16
  - diaphragmatic injury diagnosis, 56–57
- metallic objects
  - artifacts caused by, 18
- mirror image artifacts, 18–19
- miscarriage, 92
- missed abortion, 92
- Morison's pouch, 27, 28–29
- Morison's pouch view
  - FAST exam, 33–35
- Murphy sign (sonographic), 156
- musculoskeletal ultrasound
  - abnormal images, 221–223
  - anatomy, 214–215
  - diagnostic applications, 213
  - evaluation of bones and tendons, 213–214
  - focused questions, 214
  - literature review, 224
  - new directions, 224
  - normal images, 219–220
  - pediatric applications, 244–245
  - probe selection, 215
  - scanning tips, 219

Cambridge University Press

978-0-521-17091-8 - Manual of Emergency and Critical Care Ultrasound: Second Edition

Vicki E. Noble and Bret P. Nelson

Index

[More information](#)

- technique, 215–219
- views, 215–218
- necrotizing fasciitis, 213
- nephrolithiasis, 133
- ocular ultrasound, 203–210
  - abnormal images, 207–209
  - anatomy, 204–205
  - emergency and critical care applications, 203
  - focused questions, 203
  - literature review, 209–210
  - measurement of optic nerve sheath diameter, 206
  - new directions, 210
  - non-invasive assessment of ICP, 203
  - normal images, 206
  - optic nerve anatomy, 205
  - optic nerve sheath measurement, 203
  - probe selection, 205–206
  - scanning tips, 206
  - technique, 205–206
  - views, 206
- pacing capture
  - detection of, 323–324
- paracentesis. *See* ascites and paracentesis
- pediatric ultrasound, 241–253
  - abdominal applications, 241–244
  - abnormal images, 251–252
  - anatomy of the pediatric patient, 247–248
  - appendicitis, 241–242
  - benefits of point of care ultrasound, 241
  - extremity fracture identification and reduction, 244
  - focused questions, 246–247
  - head injury protocols, 253
  - hip effusions, 244–245
  - intussusception, 243
  - IVC evaluation for dehydration, 245–246
  - literature review, 253
  - musculoskeletal applications, 244–245
  - new directions, 253
  - normal images, 249
  - probe selection, 248
  - pyloric stenosis, 243
  - range of applications, 241
  - reducing radiation exposure in children, 241
  - Salter-Harris I and II fractures, 253
  - scanning tips, 249
  - skull fractures, 244
  - technique, 248–249
  - views, 248–249
- pelvic view
  - FAST exam, 35–36
- penetration
  - and frequency, 2–3
  - and wavelength, 2
- perforated viscus/free air, 231
- pericardial fluid
  - cardiac ultrasound, 76–78
- pericardiocentesis, 323
- peripheral venous cannulation, 289–294
  - anatomy, 290
  - focused question, 290
  - pitfalls, 292
  - probe selection, 291
  - procedure, 292
  - setup, 291
  - special equipment, 291
  - technique, 291–294
  - tips, 292
- perisplenic space
  - FAST exam, 34–35
- peritonsillar abscess, 317–318
- phased array probe, 6
- physics principles, 1–5
  - absorption, 4
  - acoustic power, 5
  - amplitude, 1–2
  - attenuation, 2–4
  - axial resolution, 4
  - frequency, 2–3
  - lateral resolution, 4
  - reflection, 4
  - refraction, 4
  - resolution, 4–5
  - scattering, 4
  - velocity, 1–3
  - wavelength, 2
- piezoelectric effect, 5
- pleura and lung conditions
  - ultrasound evaluation, 262
- pleural effusion and thoracentesis, 297–301
  - anatomy, 298
  - focused questions, 297
  - literature review, 300–301
  - pitfalls, 300
  - probe selection, 298
  - procedure, 299–300
  - setup, 299
  - special equipment, 298
  - technique, 298–300
  - tips, 300
- pneumonia, 262
- pneumothorax detection
  - FAST exam, 51–56



- pneumothorax evaluation
  - hypotensive patient, 262
- posterior acoustic enhancement artifacts, 19
- pouch of Douglas, 30
- power Doppler, 16
- pregnancy. *See* first trimester ultrasound
- prehospital trauma evaluation
  - ultrasound applications, 56
- probe marker and screen marker, 8–9
- procedural ultrasound, 269–271
- propagation speed of soft tissue, 1–3
- pulmonary edema. *See* chest ultrasound
- pulmonary embolism
  - cardiac ultrasound, 84–85
- pulsed-wave Doppler, 186
- pyloric stenosis
  - pediatric patients, 243
- rectovesical pouch, 30, 31
- reflection
  - definition, 4
- refraction
  - definition, 4
- refraction artifacts, 18
- regional nerve blocks, 327–333
  - anatomy, 328
  - distal upper extremity nerve blocks, 330–331
  - femoral nerve block, 329
  - focused questions, 327
  - interscalene nerve block, 331–333
  - literature review, 333
  - pitfalls, 333
  - probe selection, 328
  - procedure, 329
  - setup, 328–329
  - special equipment, 329
  - technique, 327–333
  - tips, 333
- renal and bladder ultrasound, 133–149
  - abnormal images, 141–147
  - anatomy, 134–136
  - bladder volume estimation, 139
  - false negatives, 139
  - false positives, 138
  - focused questions, 134
  - hydronephrosis, 141–143
  - images of renal pathology, 141–147
  - literature review, 148
  - new directions, 148–149
  - normal renal scans, 135, 140–141
  - probe selection, 136
  - pyramids versus hydronephrosis, 138
  - renal cyst versus hydronephrosis, 138
  - role in the emergency setting, 133–134
  - sample clinical protocol, 147
  - scanning tips, 138–139
  - technique, 136–140
  - trouble with renal scanning, 138–139
  - views of the bladder, 137
  - views of the kidneys, 136–137
- renal cell carcinoma, 145
- resolution
  - and frequency, 2–3
  - definition, 4–5
- respiratory ultrasound
  - range of applications, 191
  - See also* airway ultrasound, chest ultrasound
- reverberation artifacts, 17–18
- right paracolic gutter, 28
- right upper quadrant (RUQ)
  - anatomy, 28–29
  - FAST exam, 33–35
- ring-down artifact, 18, 231
- sagittal view, 10
- Salter-Harris I and II fractures, 253
- scanning modes, 14–16
  - A (amplitude) mode, 14
  - B (brightness) mode, 14
  - color Doppler, 15–16
  - D (Doppler) mode, 15–16
  - M (motion) mode, 14–15, 16
  - power Doppler, 16
  - spectral Doppler, 15
- scattering
  - definition, 4
- screen display conventions, 11–12
- screen marker and probe marker, 8–9
- shock. *See* ultrasound in shock
- shoulder effusions, 307
- side lobe artifact, 20
- skull fractures in children, 244
- small bowel obstruction, 229–230
- Society for Academic Emergency Medicine, 27
- soft tissue ultrasound
  - abnormal images, 221–223
  - anatomy, 214–215
  - diagnostic applications, 213
  - focused questions, 214
  - literature review, 224
  - new directions, 224
  - normal images, 219–220
  - probe selection, 215
  - role in soft tissue evaluation, 213
  - scanning tips, 219
  - technique, 215–219
  - views, 215–218



Cambridge University Press

978-0-521-17091-8 - Manual of Emergency and Critical Care Ultrasound: Second Edition

Vicki E. Noble and Bret P. Nelson

Index

[More information](#)

- sonographic Murphy sign, 156
- spectral Doppler, 15
- splenorenal recess, 29–30
- spontaneous abortion, 92
- strong reflectors, 16–17
- subclavian vein cannulation, 289
- subxiphoid view
  - FAST exam, 37
- thoracentesis. *See* pleural effusion and thoracentesis
- thoracic ultrasound
  - range of applications, 191
  - See also* airway ultrasound, chest ultrasound
- threatened abortion, 92
- three-dimensional cardiac ultrasound, 88
- time gain compensation (TGC), 13–14
- training in emergency ultrasound, 27
- transducer/probe
  - coronal view, 10
  - how to use, 7–11
  - orientation in three dimensions, 9–10
  - pitch movement, 10
  - positioning for axial view, 10
  - positioning for longitudinal view, 10
  - positioning for sagittal view, 10
  - positioning for transverse view, 10
  - positioning when scanning, 10
  - probe marker and screen marker, 8–9
  - proprioception, 9–10
  - roll movements, 10
  - understanding the formed image, 11–12
  - yaw movement, 10
- transducer/probe arrangements, 5–7
  - convex probe, 5
  - frequency range of probes, 6
  - intercavitary probe, 6
  - linear-array probe, 5
  - phased-array probe, 6
- transesophageal cardiac ultrasound, 88
- transverse view, 11
- trauma
  - diagnostic options, 27–28
- trauma ultrasound
  - development of, 27
  - new directions, 56–57
  - training in, 27
- ultrasound
  - definition, 2
  - development of trauma ultrasound, 27
  - ultrasound guidance for procedures, 297–334
    - abscess drainage, 315–319
    - ascites and paracentesis, 301–304
    - bladder aspiration, 323–327
    - detection of pacing capture, 323–324
    - foreign body identification/localization, 308–315
    - joint effusions and arthrocentesis, 304–308
    - lumbar puncture, 319–323
    - pericardiocentesis, 323
    - pleural effusion and thoracentesis, 297–301
    - regional nerve blocks, 327–333
    - See also* vascular access
  - ultrasound in shock, 255–266
    - aorta assessment, 261
    - B-lines, 262
    - cardiac tamponade, 256
    - cardiac ultrasound, 255–258
    - FAST exam, 261
    - fluid overload assessment, 262
    - general approach to the patient in shock, 255
    - hyperdynamic left ventricle, 258
    - hypodynamic left ventricle, 258
    - inferior vena cava assessment, 258–261
    - literature review, 265–266
    - pleura and lung conditions, 262
    - pneumothorax evaluation, 262
    - right ventricular dilatation, 256–258
    - sample clinical protocol, 263–264
  - ultrasound wave generation, 5
  - understanding the formed image, 11–12
  - urethral bladder catheterization, 325–326
  - US Department of Health and Human Services recommendations, 294
- vascular access, 273–295
  - anatomy, 273–276
  - approaches, 277–278
  - benefits of ultrasound guidance, 273
  - cannulation of the external jugular vein, 289
  - cannulation of the subclavian vein, 289
  - complicating medical problems, 273
  - dynamic technique, 277–279
  - femoral triangle anatomy, 274–276
  - focused questions, 273
  - holding the probe, 281
  - internal jugular anatomy, 274
  - literature review, 294–295
  - long axis approach, 285–288
  - patient positioning, 279
  - peripheral venous cannulation, 289–294
  - pitfalls, 288, 292
  - probe orientation, 279–280

vascular access (cont.)	ultrasound guided technique, 277–289
probe selection, 277	vessel identification, 281
scanning tips, 288	velocity
setup, 279	definition, 1–3
short axis approach, 281–285	wavelength, 2
special equipment, 277	and frequency, 2
static technique, 277–279	WINFOCUS, 26, 264
transducer preparation, 280	