CAMBRIDGE

Cambridge University Press
978-0-521-17973-7 - Electron Optics, Third Edition
O. Klemperer
Index
More information

SUBJECT INDEX

Abbe's sine law, 13, 16
aberrations
  anisotropic, 212
  chromatic, 225
  classification of, 159, 161
  combination of, 264
  electronic, 225
  in emission systems, 325
  field, 196
  geometrical, 161
  relativistic, 253
  by space charge, 285
  spherical, *see* spherical aberration
  see also deflexion error; distortion
acceleration of emitted electrons, 320
action integral, 3
Airy disc, 258
alignment errors, 163
alternating gradient focusing, 106
alternating magnetic field, 306
analogue methods, 47, 52, 62
angular momentum, 110
anisotropic aberrations, 212 ff.
anisotropic coma, 214
annular beams, 385, 387
aperture, focal length of, 79
  potential distribution, 39
aperture aberration of line focus lenses, 215
aperture error, *see* spherical aberration
aperture lens, *see* diaphragm lens; single aperture
aperture, numerical, 256
astigmatism, anisotropic, 214
astigmatism
  axial, 162
  third order, 200
astigmatism, test of Fresnel fringes, 261

baffle coil, 195
beam spread
  in accelerating fields, 292
  in emission systems, 348
beam-spread coefficient, 279 ff., 356
beam-spread, curve, 274
beam-spread equation, 272
beam transmission through tunnel, 277, 281
beam transport, 157
bell-shaped magnetic field distribution, 118
bell-shaped potential distribution, 39, 59, 85, 126
betatron, 426, 429–30
black-out voltage, 340
Boersch effect, 250, 467
bolt cathode, 322, 377
bore-to-gap ratio of microscope lens, 129
brightness, 16, 17
Brillouin flow, 301, 318
Busch short lens formula, 115
Busch theorem, 110

cardinal points, 10, 20 ff., 26
  of line focus lenses, 30 ff.
cathode-ray oscillograph, 398, 400
cathode-ray tube, 136, 175, 344, 398, 408, 443; *see also* television
cathodes, 321 ff.
caustic, 266, 360
caustic baffle, 242
Child's equation, 312, 343
chromatic aberration, 225 ff.
  of emission systems, 352
classification of aberrations, 159, 161
coherence
  of electron beam, 258
  of illumination and resolving power, 259
coil form factor, 116
collecting efficiency, 234
collective of paths, 19
collinear projection, 9 ff., 14
colour television picture tube, 329
coma, 196
combination, of aberrations, 264
  of lenses, 26
combined electrostatic–magnetic lenses, 148 ff.
computation of trajectories, 473 ff.
computational ray tracing, 145
computer, *see* analogue; digital
concave cathodes, 361 ff.
condenser lens, 129
congradient, 12
contrast, 266

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-17973-7 - Electron Optics, Third Edition
O. Klemperer
Index
More information

crossed electrostatic and magnetic fields, 432
crossed field gun, 388
cross-over
  in electron gun, 326, 330 ff., 353
  in hairpin emission system, 370, 372
  of low intensity beams, 287
cross-over distance in microscope lens, 128
cross-over shift, 344, 356
cross-over size, 344, 354 ff.
current distribution, angular, of line focus systems, 383
current efficiency of line focus systems, 383
curvilinear coordinates for deflexion problems, 416–18, 421–4
cut-off voltage, 340; *see also* black-out voltage
cycloidal electron trajectories, 434
cyclotron frequency, 107

Davisson–Calbick formula, 79
Dawson function, 272
deflecting electron mirror, 397
deflecting power, 393
deflexion
  electrostatic, 389
  magnetic, 391
deflexion condenser, 452
  cylindrical, 409–12
  spherical, 413
deflexion errors, 441 ff.
deflexion field correction, 449
deflexion-focusing errors, 446 ff.
deflexion magnets, 402–4
deflexion plates, 392 ff.
deflexion sensitivity, 398
degaussing coils, 166
depth of focus, 28, 260
deviations from circular symmetry of lenses, 162
diffraction error, 255
digital computer, 45, 59, 61, 63, 149, 310
diode, 312
  equivalent, 342
  spherical, 363
dip-field spectrometer, 243
dip-field with no spherical aberration, 194
directional intensity, 15 ff., 355, 372, 381
disc of least confusion, 174, 201, 232
dispersion, 453
distortion, 206
  of line focus lenses, 216

Earth's magnetic field, compensation of, 166
einzel lens, 84 ff.
  chromatic aberration of, 228
  distortion error, 209
  filter, 246
  potential distribution, 39
  velocity analyser, 243
  with gauze screen, 99
  with space-charge, 294
electrolytic trough, 140
electron beam machining, 379
electron beam spectrometer, 409
electron charge, sign of, 4
electron gun, 326 ff.
  crossed field, 387
  current density focussed by, 231
  for floating zone melting, 386
  high velocity 379
  slow, 377
  with gas discharge, 380
electron microprobe, 374
electron microscope
  directional intensity of beam in, 368
  electrostatic objective of, 89
  emission system of, 368
  grid bias of, 369
electron mirror
  electrostatic, 88, 92 ff., 193, 246, 252
  magnetic, 154
electron mirror microscope, 96
electron momentum, 108
electron prism,
  electrostatic, 414
  magnetic 420, 425
electron probe, 374, 376
electron valves, 385
electronic aberrations, 225 ff.
electrostatic lenses, 20 ff., 50 ff., 65 ff.
electrostatic microscope objective, 89
emission current in triode gun, 340, 342
emission microscope, 325
emission systems, 320 ff.
  optical approach, 335
emittance, 18
energy band-width observed in beam, 466
equatorial plane, 109, 147
equipotentials, 38, 50, 77
excitation coefficient, 116, 129
excitation constant of magnetic quadrupole, 157

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-17973-7 - Electron Optics, Third Edition
O. Klemperer
Index
More information

fall-off index of magnetic field, 426, 455
Fermat's principle, 3
field aberrations, 196 ff.
field curvature, 199 ff.
  in emission systems, 351
field distribution in magnetic lenses, 121 ff.
field emission cathode, 373
field penetration through gauzes, 99
field plotting trough, 47, 308
figure of merit for spectrometer, 460
filter lens, 244 ff.
first-order theory, 15
fluorescent target, *see* sliding target
flying spot, 400
focal length
  of circular aperture, 33, 79
  of slit aperture, 33
focus shift, 282
focus spread, 282
focusing deflexion,
  in electrostatic fields, 407 ff.
  in magnetic fields, 419 ff.
focusing efficiency, 120
four-plate lens, 30, 32
Fresnel fringes, 260
fringing fields, 392, 431, 443, 450, 458; *see also* stray fields.

gap width of tube lens, 70
Gaussian optics, 15
gauze, *see* wire gauze; wire mesh
gauze filter, 251
gauze lenses, 98
geomagnetism, 154
geometry factor G in Child's equation, 343, 347, 382
grid drive, 340
grid electrode, 321, 324, 326
  positive, 329

hairpin cathodes, 367 ff.
half-width, 453
Hall magnetometer, 139
Hartmann test, 176
Helmholtz coils, 165
high-density beams, confinement of, 300
historical development, 1 ff.
hodoscope, 148

image converter, 232, 366–7
image rotation, 114, 119, 133
  with chromatic aberration, 227
immersed flow, 304, 318
immersion lenses, *see* two-electrode lenses
immersion system, 337
injection of beam into magnetic field, 304
intensity distribution
  angular, 347
  in focused spot, 354
ion trap, 327, 329
iris diaphragm, 347
iron-shielded coil, 121, 124, 140, 189

Klystron, 283
knife-edge test, 178

labelling equipotentials, 50
Lagrange's law, 23, 25, 28
Lambert's law, 15, 16
laminar space-charge theory, 273, 276 ff.
Langmuir limitation for focused spot, 231, 330, 339
lanthanum hexaboride, 322
Laplace's equation, 38, 43
Law's field form factor, 332, 354
lens chain, 26, 81
lens spectrometers, 233 ff., 245
lens strength parameter, 118
life of hairpin cathode, 369
line-focus emission systems, 381 ff.
line-focus lenses, 11 ff., 30 ff.
  aberrations of, 214 ff.
  stigmatic systems, 221
line width, in spectrometer, 447 ff.
linear accelerator, 106
Liouville's theorem, 14
lipped tube lenses, 104
  errors of, 220
luminance, 16, 18
luminosity, 241
  of the spectrometer, 460

magnetic bottle, 153
magnetic compensating screws, 167
magnetic dipole, 426
magnetic field distribution, determination of, 137 ff.
magnetic field, homogeneous, 107
magnetic lens
  distortion error in, 210
  field curvature of, 203
  strength parameter of, 118
magnetic materials, 163, 165
magnetic microscope objective, 127, 131, 157

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-17973-7 - Electron Optics, Third Edition
O. Klemperer
Index
More information

magnetic pole pieces, 141
magnetic potential difference, 114, 116, 141, 403
magnetic potentiometer, 141
magnetic reflector, 151
magnetic scalar potential, 141
magnetic vector potential, 7, 111, 140, 142, 145
magnetically confined flow, 305
magnetically contained beam, 317
magnetomotive force, 403; *see also* magnetic potential difference,
magnetron, 438
magnification
  angular, 24, 28
  lateral, 22, 27
Maupertuis's principle, 3, 7
Maxwellian distribution of emission energies, 230, 340, 343, 354, 359, 465
meridional plane, 48, 146
  rotating 109, 114
meridional potential, 9
meridional refractive index, 142
microscope condenser lens, 257
microscope depth of field, 260
microscope illumination of object, 257
microscope lens, 89, 127, 131, 226, 257
  relativistic aberration, 253
microscope objective
  electrostatic, 89
  magnetic, 127, 131, 257
  of quadrupoles, 222
  and space-charge, 295
microscope projector lens, 128, 130
  distortion error, 209, 211
microwave tube, 361, 387
mid-image distance, 67, 69
mid-plane of lens, 21, 22
mirror
  electrostatic, 92 ff.
  magnetic, 154
mirror energy analyser, 414, 447
modulation of beam intensity, 339 ff.
modulation transfer function, 266
modulator *see* grid electrode
Möllenstedt velocity analyser, 243
monochromator filter lens, 250
multi-electrode lenses, 81 ff.

network, graded, 53
  resistor, 52
Newton's lens equation, 11, 23
niobium alloys, 136
nodal points, 20, 21, 24
non-laminar flow, 285
numerical aperture, 256

oscilloscope, *see* scan magnification
oscilloscope tubes, 407
open-anode emission system, 324, 327, 346
oxide cathode, 230, 322

paraxial baffle coil, 195
paraxial ray equation
  electrostatic, 57
  magnetic, 114
peaking strips, 139
pencil tracing, 27, 28
penetration factor, 341, 346
  of strip cathode system, 382
penetration factor correcting term, 343, 382
pepperpot diaphragm, 27, 30, 176, 333
periodic focusing, 305, 306
permanent magnetic lenses, 131 ff.
permanent magnetic microscope, 134
perveance, 273, 343, 317, 360
  critical, 318
  of high velocity gun, 379
  of Pierce systems, 362–6
  of strip cathode systems, 383
Petzval theorem, 204
phase contrast, 261, 263
phase velocity, 4
photo cathode, 232, 367
Picht equation, 58
  relativistic, 70
Pierce system, 371 ff.
planar lens, 32
point cathode, 322, 373 ff.
Poisson's equation, 300, 302, 309, 312, 341, 360
pole pieces of microscope lenses, 127
positive ions, 350
post-deflexion acceleration, 397 ff.
potential distribution
  across the beam, 317
  along the beam, 311
potential minimum along the beam, 312
potential saddle, 77
potential step, 6, 55
power consumption in scanning fields, 406
power series for flux density, 112, 464
preference spacing in emission system, 350, 356, 383
principal planes, 24

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-17973-7 - Electron Optics, Third Edition
O. Klemperer
Index
More information

principal points, 20
principal sections, 13
prism, electrostatic, 414
  magnetic, 450
projector lens, 129, 135

quadrupole doublet, 36, 105
quadrupole effective length, 156
quadrupole lens, 12, 33
  electrostatic, 34 ff., 101
  errors of, 217
  magnetic, 155
  stigmatic systems, 221
quadrupole microscope objective, 106, 222
quadrupole systems, achromatic, 228
quadrupole tube lenses, 103

ray equation, reduced, 58
ray tracing, 20, 27
  automatic machines, 63
  circle method of, 63
  in combined fields, 149
  by digital computer, 61, 149, 473 ff.
  experimental, magnetic, 146
  by floating wire, 148
  numerical, 59
  in presence of space-charge, 309, 311
  through magnetic lenses, 142
reflecting equipotential, 94
refractive index, 4 ff.
  in magnetic fields, 8
  meridional, 9, 109
relativistic aberration, 252
relativistic variation of focal length, 71
relativistically corrected accelerating voltage, 4
relaxation methods, 41 ff.
resistor network, 52, 140
resolution, 236
  of electron microscope, 258
resolving power, 453 ff.
  of lens spectrometer, 235
  momentum to energy transition, 471
  relativistic, 472
retarding field analyser, 466, 471
ring collector in spectrometer, 239, 240
rotating meriodional plane, 109, 114, 132, 142

saddle coils, 404
saddle field, as spectrometer, 249
saddle-field lenses, 82
sagittal, 12
sagittal image surface, 201
saturation of pole pieces, 126
scan magnification, 105
scanning over aperture, 360
sector field
  electrostatic, 414
  magnetic, 420
scanning, in television tubes, 404 ff.
scanning microscope, 190, 374, 375
search coil, 137
Seidel coefficients, 161, 202, 206, 207, 210
semicircular focusing,
  electrostatic, 413
  magnetic, 419
  resolving power in, 454
semicircular focusing error, 447–9
semi-lenses, 67, 73
  and field curvature, 205
shadow method, 28, 360
shielding
  electrostatic of gaps, 164
  magnetic, 165
sine law, *see* Abbe
single aperture, 76 ff.
single wire loop, 117, 118
sliding target, 20, 27, 30
  from metal gauze, 94
slit, focal length of, 80
Snell's law, 7, 9, 54
solenoid
  and collecting efficiency, 240
  focal distance,108
solenoid aberration coefficient, 188
solid angle of acceptance, 235
space-charge
  in cross-over, 355 ff., 359
  in electron lenses, 293
  in emission system, 358
  in interaction with electrodes, 290
  in line-focus systems, 385
  and positive ions, 295
  in ribbon shaped beams, 279
  spreading of beam due to, 269
space-charge equivalent lens, 282
space-charge error, 254
space-charge factor, 273
space-charge limited cathode, 311, 323, 326
space-charge pressure, balancing of, 300
spatial frequency, 262, 266
spectral distribution curves, plotting of, 468 ff.

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-17973-7 - Electron Optics, Third Edition
O. Klemperer
Index
More information

spectrometers
  deflexion, 407 ff., 459
  lens, 234 ff.
spherical aberration, 169 ff.
  of combination of lenses, 175
  in deflexion focusing, 451
  diffraction method of, 177
  distortion by, 179, 211
  of einzel lenses, 185
  and electron probe, 374, 377
  of electrostatic lenses, 182–7, 192
  of emission systems, 352, 356, 357
  of the homogeneous magnetic field, 188
  halo test for, 180
  of lens spectrometer, 237
  longitudinal, 170
  of magnetic lenses, 187–191
  measuring methods of, 175
  of microscope objective, 190
  transverse, 172
spherical aberration coefficients, 171 ff.
spiral distortion, 213
stigmator, 168, 222, 261
Stokes's equation, 110, 142
stray fields, 442; *see also* fringing field
strip cathode, 381
strong focusing, 13, 26, 106, 158
superconducting lenses, 136
superimposed electrostatic and magnetic field, 452
superposition of electrostatic and magnetic deflexion fields, 431 ff.
surface of least confusion, 200
synchrotron, 158, 379

tangential image surface, 201
target
  post-accelerating, 378
  sliding fluorescent, 146, 176, 202, 207, 333
telefocus guns, 375 ff.
television display tube, 136, 287, 290, 327, 399, 404, 406, 441, 443, 446
television pick up tube, 205, 401, 437
temperature-limited cathode, 323, 326
thermal emission dominated flow, 290
thermal velocities
  and beam compression, 366
  and beam spread, 360
thermionic cathodes emission velocities, 230
thermo-nuclear research, 153
thick lens, 11, 25
thin equivalent lens, 24
third-order theory, 15
three-tube einzel lens, 90
toroidal coils, 405
transfer function, 263, 266
transgradient, 12
translaminar stream, 303
transmission curve of lens spectrometer, 236
travelling wave tubes, 106, 305
triode emission system, 324
tube-gauze lens, 100
tungsten cathode, 230, 321
two-cylinder lens, *see* two-tube lens
two-diaphragm emission system, 336, 338, 345 ff.
two-diaphragm lenses, 75
two-directional focusing, magnetic, 451, 455
two-directional focusing deflection
  electrostatic, 413
  magnetic, 428
two-tube lens, 21, 50, 66
  field curvature of, 202
  potential distribution in, 39

ultra-focal field, 17, 129
ultra-focal refraction, 91
univoltage lens, 83
  in relativistic region, 92

Van Allen belt, 154, 426
variation principles, 2
vector potential, *see* magnetic vector potential
velocity analyser, *see* spectrometer
velocity filter, 244, 434, 452
vidicon, 401
virtual cathode, 313, 318

wavelength of electron, 255
wedge trough, 49
Wehnelt electrode, *see* grid
Wien velocity filter, 434–7, 452
wire gauzes, finest, 99
wire gauze shields, 413
wire mesh, 27, 205, 371, 378, 398, 399, 402, *see also* gauze

X-ray micro-analysers, 190
X-ray tubes, 385

zero potential level, 56, 65
zero voltage level, 5
zone plate, 195, 263

© in this web service Cambridge University Press www.cambridge.org