

Cambridge University Press

978-0-521-18422-9 - Patterns of Growth and Development in the Genus *Homo*

Edited by J. L. Thompson, G. E. Krovitz and A. J. Nelson

Index

[More information](#)

Index

- Ache 37
- adolescence 17–18, 22–25, 37, 32–38, 39, 262
 boys 37–38, 39
 girls 35–37, 39
 as a life stage 174–175, 178, 439, 440
 sterility in 36–37
- adolescent growth spurt 17–18, 32–33, 35–36,
 39, 162, 175, 182, 222, 222–223, 225,
 241
 analysis 224–225, 227
 in apes 241
 in *Australopithecus afarensis* 278
 “extra time” hypothesis 32, 33
 in *Homo erectus* 219, 223, 241, 278–280,
 286, 440
 in *Homo sapiens* 231–238
- African Americans 119
 facial features 127–128
 facial shape changes 130
 facial shape comparisons 120–121,
 131–132
 sample population 121–122
- African origin model 320, 415–416, 427, 428,
 440, 441
- Africans
 and Australians, craniofacial
 similarity 115–116
 craniometric variation 115
 long bone growth 147
- age at death estimation 3–4, 25, 150–154, 173,
 195, 205, 196–205, 208
- agriculturalists 31
- Agta pygmies 31
- Aka pygmies 31
- AL 200 specimen 206–207
- Alaskans
 facial height 231–236
 growth spurt analysis 225
- allometry 176–177
- Alternating population sample 147, 150, 153,
 161, 164
- altriciality, secondary 174, 182, 286, 439
- anatomical variation
 between apes and humans 19, 171, 183
 between chimpanzees and bonobos 310–311
 between Neandertals and modern
 human 308, 310, 421–422, 423
- Ancient Slavic population sample 147,
 159–161
 growth faltering 163, 164
- anovulation 36
- anterior cranial fossa 49, 50, 51, 55
- apes 171
 crown formation times 264
 facial growth 238
 growth spurt 241
 life history 175–176
 life stages 173–175
 puberty 175
 weaning 174
- Arikara Plains Indians 119, 120–122, 130,
 131–132, 133, 135
- Asians, long bone growth 147
- Atapuerca site *see* Sierra de Atapuerca site
- Australians
 and Africans, craniofacial
 similarity 115–116
 facial height 231–236
 growth spurt 225
- australopithecines 193, 271–272, 437
 body size 209, 438
 brain size 209
 dental development 262, 295
 diet 210
 crown formation times 200
 growth pattern 5, 439
 human-like growth 191–192, 193–195
 life expectancy 175–176
 life history 192–193
 perikymata packing pattern 264
- Australopithecus* 193
 adolescent growth period 278
afarensis 25, 27, 202–203, 209, 278, 295
afrikanus 2, 24, 25, 27, 191, 202–203, 205,
 209
 age at death estimates 205
 AL 200 specimen 206–207
 body size 210
boisei 25
 crown formation times 195–200, 204, 210,
 264
 dental development 24–25, 193–194,
 202–204, 209, 210, 249, 256, 262,
 271–272, 295

- dental maturity 196
 diet 210
 facial bone remodelling 205–206, 208, 209, 274
 growth comparisons (with apes and humans) 208, 211
 incisive suture fusion 207, 207, 208
 LH3 specimen 254, 255
 LH6 specimen 255
 maxillary sinus 206–207, 209
robustus 24, 25, 191, 203–204
 Sts5 specimen 206–207, 208
 Sts24 specimen 254
 Stw 73 specimen 206–207
 Stw151 specimen 255, 257–258
 tooth formation times 263
see also Taung child
- auxological paleontology 15, 18–25, 39, 171, 178
- baboon 23
 reproductive success 35
 yellow 35
- Bahrain population sample 147, 150, 156
 growth faltering 163–164
- behavior, and trait shaping 424–426
- Beli Lena (Sri Lanka) No. 2 specimen 430
- Belleville (Ontario) population sample 147–150, 161, 164–165
- bipedalism 171, 278, 439
- birth interval 29–30
- birth, rotational 285, 286
- birth weight, and weaning weight 173–174
- body size 438–439
- bone deposition 118
- bone modeling 118, 134
- bone remodeling 117, 118
 in *Australopithecus* 205–206, 208, 209, 274
 in chimpanzees 206
 cranial 134–135, 205
 facial 134, 206, 274
 in *Homo habilis* 286
 in *Homo erectus* 274
 in macaques 206
 in modern humans 206
 in *Paranthropus* 205–206, 209
 periosteal 118
- bonobo (*Pan paniscus*)
 age estimates 300
 and chimpanzees, comparisons 297, 307–308, 310–312, 313, 314, 315, 321, 414
 growth model 300–302
 neoteny in 295–296
- Border Cave site (South Africa) 430
- brain function 239
- brain growth 239, 240–241, 242, 438–439
 in childhood 174, 439
 in infancy 174, 335
 in juveniles 174
 and M1 eruption 29
 Neandertal 405
 periods 222
- brain shape 45, 68, 179, 240
- brain size 26–28, 239, 240–241, 242, 438–439
Homo erectus 28, 281, 438
Homo habilis 28, 275, 440
 modern humans 439
 Neandertal 405, 438
- brain weight
 and dental eruption 263–264
Homo habilis 273
- breast-feeding 163
- Broca's Area 240
- Brody, Samuel 22–24, 39
- canine teeth, human/chimpanzee comparisons 201, 202–205
- Cartesian transformation grids 124, 127–128
- castrati* 32–33
- Caucasian (French/British) population sample 119, 122
 facial features 128
 facial shape changes 128–130, 136
 facial shape differences 120–121, 131–132
- Caucasus, Northern 362
- Cebus apella* 119
- central nervous system 33
- Cercocebus torquatus* 134
- childcare 30–31
 juvenile girls and 35
- childhood
 bone modeling in 118
 as a developmental stage 15–17, 23, 26, 28, 174, 178, 182, 275, 286, 439–440
 emergence of 263, 437
 evolution of 29–32
 survival of 32
- chimpanzee (*Pan troglodytes*)
 age estimates 300
 anovulation 36
 bone remodeling 206
 and bonobo, comparisons 297, 307–308, 310–312, 313, 314, 315, 321, 414
 cranial ontology 52
 dental development 24–25, 27, 201–203, 254, 255, 256
 facial position 46, 46–48, 51–68, 179
 facial retraction 183
 growth 19, 20–22, 27, 28, 211, 300–302
 late incisive suture fusion 207
 reproductive success 35, 36
 sinuses 206

448 *Index*

- chin 343–344, 356, 420
 Christ Church (Spitalfields) 147
 Coimbra University fossil collection 367
 hipbone analysis 368
 cranial base 46–48, 65, 67, 68
 anterior 48, 51, 55–56, 57, 61–63, 65–66
 growth 179
 midline angle 50–51, 66
 posterior 51, 56, 61, 64
 cranial capacity 194, 278, 285
 and M1 eruption 276
 craniofacial complex, Neandertal 421–422
 craniofacial form 7
 comparisons (Neandertal/modern humans)
 326–327, 328–331, 334–335, 441
 differences 115–116, 120–121
 genetic/phenotypic variation 116
 geographical distribution 115–116
 and remodeling 134–135
 similarities 115–116
 craniofacial growth 6, 46, 117–118
 functional matrices theory 117–118
 genetic influences 117–118
 Neandertal/modern humans
 comparisons 327, 331–334
 periosteal remodeling 118
 craniofacial landmarks 323–325
 craniofacial shape differences
 Neandertal/modern human 308, 310,
 421–422, 423
 chimpanzee/bonobo 310–311
 craniofacial shape measurement 414–415
 Neandertal/modern human 322, 325–335
 craniometric variation 115
 cranium
 frontal chord 229
 of human foetus 412
 Neandertal 387
 occipital chord 231
 parietal chord 229–231
 shape change 229, 239
 shape differences (modern/archaic
 humans) 45
 thickness 241
 see also cranial capacity; cranial base
 crown formation
 apes 264
 Australopithecus 195–200, 204, 264
 chimpanzee/human 201–202
 Homo erectus 265, 272
 Homo ergaster 265
 Homo heidelbergensis 253–254, 262, 264,
 265
 Neandertals 386–387
 Olduvai Hominid 7 273
 Paranthropus 200, 264
 population variability 73, 75, 84, 102, 104,
 442
 species variability 264–265, 283
 times 248, 265–266
 crown surface mineralization 202, 204
 death, age estimation of 25, 150–154, 173,
 195, 196–205, 208
 Dederiyeh Cave site 336, 343
 Dederiyeh children 1 and 2 6, 369, 416, 417
 age estimation 390–391, 398–401
 lower limb bone differences 377–378, 388,
 396–398, 401–402, 407, 418, 425, 428
 lower limb bone measurement and
 analysis 391–392
 femur 392–394, 396
 fibula 394
 pubis 377–378
 robusticity 398, 403, 405
 tibia 394, 396–398
 dental age stages 151
 dental development 2–3, 7, 15–17, 29
 and age at death estimation 3, 25
 anterior teeth 201
 Australopithecus 24–25, 193–194, 202–204,
 209, 210, 249, 256, 262, 271–272, 295
 chimpanzee 24–25, 27, 201–203, 254, 255,
 256
 and facial growth 205
 Gorilla 255, 256
 Hominid 18 (Middle Pleistocene) 283
 Homo antecessor 262, 263, 265, 266, 283,
 287, 437
 Homo erectus 222, 255, 276, 286
 Homo ergaster 255, 256, 262, 275
 Homo habilis 262, 273, 286
 Homo heidelbergensis 253–254, 265, 287,
 437
 Homo sapiens 222, 248–249, 255, 256
 KNM-WT 15000 255, 257, 276
 Libben population 152
 and life history theory 247–251
 modern humans 6, 73–104, 179–180,
 262–266
 Neandertal 3, 255, 283, 386–387
 Neandertal/modern human comparison 406
 Paranthropus 203–204, 210, 248–249
 see also crown formation; root formation;
 tooth eruption; tooth formation
 dental variation 183
 Denver population sample 145, 146–147, 150,
 154–162, 164, 166
 Devil's Tower (Gibraltar) 2
 diet 210
 Homo erectus 280–281
 discriminant function analysis 124, 126

Cambridge University Press

978-0-521-18422-9 - Patterns of Growth and Development in the Genus Homo

Edited by J. L. Thompson, G. E. Krovitz and A. J. Nelson

Index

[More information](#)

Index

449

- disease 166
dwarfism, proportioned 307, 308
- enamel 2–3, 193, 196, 250, 283
 extension rate 200, 250–251, 253–254, 264
 formation 262–263, 273, 275, 276, 386–387
 growth markings 194
 secretion 195
enamel–dentine junction 300
Engis 2 specimen 2
environment, and trait shaping 424–426
Eskimos
 Copper 37
 and Tierra del Fuegians, craniofacial similarity 116
ethmoidal sinus 206–207
ethmomaxillary complex 48
Euclidean distance matrix analysis (EDMA)
 54, 173, 179, 322, 323–324, 325–334, 421
 growth difference matrix analysis 327
 shape difference matrix analysis 326–327
Europe, craniometric variation 115
- facial breadth, increase in 116
facial growth
 apes 238
 and dental development 205
 growth difference matrix analysis 55, 61
 Homo erectus 276–277, 286
 interpopulation variability 442
facial landmarks 122–124
facial length
 lower 57, 61, 65
 middle 51, 56, 61, 64, 65–66, 67
 upper 56, 61, 64, 66
facial modeling/remodeling 134, 206, 274
 Homo habilis 286
facial position 46–48, 51, 65
facial projection 51–52, 54, 67, 179, 183
facial retraction 45–46, 48, 51–52, 55, 65–68, 69, 178–179, 183, 441
facial shape
 adult/subadult distinctions 126, 131–132, 137
 changes 116, 133
 differences 120–121, 125–126
 ontogenetic scaling 119–120, 121, 125, 133
 ontogenetic shape trajectory 119–120, 124–125, 127–130, 135–136, 137
 population differences 180–181
 sexual dimorphism 119
 shape difference matrix analysis 54–55, 57–61
facial size 133–134
facial variation 183–184
- fast–slow life history continuum 194
femoral diaphysis 145, 147
 length 369–376
 growth of 442
 population differences 181–182, 184
femur 146–147, 166
 Belleville sample, growth of 164–165
 Homo habilis 28
 Native American sample, growth of 162
 Neandertal/*Homo sapiens*
 comparison 391–392, 407, 417
 size 150, 151, 391–394, 405
 Wadi Halfa 155
fertility 30
 boys 37
fibula, Neandertal/*Homo sapiens* 394, 407
food allocation, culturally determined 165
food contamination 165
foraging 37
fossils
 juvenile 2–4, 6, 192
 Plio-Pleistocene 2, 250, 297
 Upper Pleistocene 297, 343, 412–430
 see also Lower Pleistocene fossils; Middle Pleistocene fossils
- generalized Procrustes analysis
 (GPA) 122–125, 126, 127
genetic distinction (modern human/Neandertal) 335
genetic traits 424–426
giantism, proportioned 307
Gorilla
 dental development 255, 256
 incisive suture fusion 207
Gran Dolina site *see* Sierra de Atapuerca site
growth
 allometric 176–177
 faltering 145, 158, 161–162, 163–164, 165
 juvenile phase 22–24
 mathematical treatment of 19–22
 methodological factors 423–424
 modern human 170–184
 tempo 145, 154–155, 165, 166
 see also adolescent growth spurt; brain growth; craniofacial growth; facial growth; growth variation; skeletal growth
 growth spurt *see* adolescent growth spurt
 growth variation
 within vs. between population 170, 171
 within-species 172, 176–177
- Hardy–Weinberg equilibrium model 414
Hazda society 31, 32
 reproductive success 35

Cambridge University Press

978-0-521-18422-9 - Patterns of Growth and Development in the Genus Homo

Edited by J. L. Thompson, G. E. Krovitz and A. J. Nelson

Index

[More information](#)450 *Index*

- heterochronic analysis 221, 223–224, 225–227
HETPAD 297, 302–312, 313, 414
- heterochronic transformations 219, 221, 225, 238, 297, 303–306, 313
- heterochrony 5, 220–221, 228–229, 303, 313–315, 414–415
global 277
time-based theory 222
see also neoteny
- heterotopy 313
- HETPAD (Heterochronic Prediction and Diagnosis) analysis 297, 302–312, 313, 414
- hipbone 361–382
growth analysis 368–369
linear dimensions 369–376
measurement variables 367–368
- Hoedjiespunt site (South Africa) 430
- Homo* spp., archaic 45
cranial base 46, 49, 51, 66, 67
facial projection 52, 179
- Homo antecessor* 2, 7, 251, 271, 282, 336, 337
adolescent stage 440
cranial remains 25, 283–284
dental development 262, 263, 265, 266, 283, 287, 437
life-history issues 285–286, 287
- Homo erectus* 3, 25, 178, 219–242, 256, 271, 273, 286–287
adolescent growth spurt 219, 223, 241, 278–280, 286, 440
adult size 219
allometric heterochronic analyses 223
Asian 222
bone remodeling 274
brain size 28, 281, 438
childhood stage 286
cranial remains 276–277
craniofacial form 295
cranial shape 228–229, 238
crown formation 265, 272
dental development 222, 255, 276, 286
dental remains 275–276
diet 280–281
enamel growth 262–263, 275
facial growth 276–277, 286
facial height 231, 236–238
heterochronic analysis 225–227
infancy stage 281
life expectancy 281
life history 194–205, 286, 287
neural plasticity 240
neurocranial growth 7, 286
paedomorphosis 277
parietal chord 229–231
pelvis 278, 284–285
postreproductive stage (female) 277–278, 281
postcranial remains 277–278
root formation 275–276
tooth formation 263
see also KNM-ER 820; KNM-ER 1507; KNM-WT 15000; Mojokerto child; Ngandong specimens; Sangiran specimen
- Homo ergaster*
crown formation 265
dental development 255, 256, 262, 275
enamel growth 262–263
tooth formation 263
- Homo habilis* 2, 25, 27–28, 271, 272–275, 416
brain size 28, 275, 440
brain weight 273
childhood stage 26, 28, 178, 440
cranial remains 274
dental development 262, 273, 286
enamel growth 262–263, 273, 276
femur 28
mandible 274
Olduvai Hominid 7 272
postcranial remains 274–275
weaning 178
see also KNM-ER 1590
- Homo heidelbergensis* 7, 251, 271, 282
adolescent stage 440
cranial remains 284
crown formation 253–254, 262, 264, 265
dental development 253–254, 265, 287, 437
endocranial volume 266
hip and birth canal morphology 284–285
life expectancy 281
life-history issues 285–286, 287
perikymata packing pattern 264
- Homo neanderthalensis* 28, 250, 320, 412
dental development 263, 265
see also Neandertals
- Homo rudolfensis* 272, 286
- Homo sapiens* 26, 28, 265, 320
adolescence 26
adult size 219
allometric heterochronic analysis 223
cranial ontogeny 52
cranial shape 228–229, 238
craniofacial form 295
dental development 222, 248–249, 255, 256
enamel growth 263
facial position 45–46, 49, 51–69
facial retraction 45–46, 48, 51–52, 55, 65–68, 69, 178–179, 183, 441
facial skeleton 114–138
growth spurt 231–238
heterochronic analysis 225–227

Cambridge University Press

978-0-521-18422-9 - Patterns of Growth and Development in the Genus Homo

Edited by J. L. Thompson, G. E. Krovitz and A. J. Nelson

Index

[More information](#)

Index

451

- mental foramen 355
- origins 5, 413, 414–416, 426–430
- parietal chord 229–231
- subspecies 177
- Homo sapiens neanderthalensis* 320
- Homo sapiens sapiens* 320, 346
- horticulturalists 31
- human, modern
 - age curves 22–23
 - age estimates 298–300
 - arm length 171
 - brain size 439
 - bone remodeling 206
 - chin 343–344, 356
 - culture 29
 - craniofacial comparisons with
 - Neandertals 326–327, 328–331, 334–335, 441
 - dental development 6, 73–104, 179–180, 262–266
 - dentition 171, 172–173
 - development 172–173
 - early incise suture fusion 207
 - genetic distinction 335
 - growth 20–22, 170–184
 - growth model 300–302
 - infancy 173–174, 182, 439
 - life history 26–28
 - life stages 22, 173–175
 - mental foramen 344, 345, 350–351, 352, 355–356
 - neoteny 296
 - origins 320, 440–441
 - physiology 171
 - relationship to Neandertals 298–300, 307, 308–310, 313–314, 315, 320–337, 413–415
 - skull 171
 - weaning 173–174
- hunter-gatherers 31, 32, 150, 178
- hypomorphosis 221, 239
- incise suture fusion 207
- incisors 204
 - eruption of 84
 - human/chimpanzee comparison 201, 202–205
- Paranthropus* 203–204
- Indian Knoll population sample 150, 153, 161, 164
 - growth faltering 164
 - femur length 150
- infancy 173–174, 182, 281, 439
- infection 163
- Inuit 37
- Irhoud 3 subadult 355
- isomorphosis 303
- Japanese
 - population sample 389
 - pubic length 377
- juvenile fossils 2–4, 6, 192
- juvenile stage 31–32, 174
- Kebara 2 361
- Kendall's shape spaces 122, 123–124
- Khok Phanom Di site 147
- Khok Phanom Di population sample 157–158
 - age at death 150–151
- Kiik-Koba infant 416, 418, 425
- King, William 412–413
- KNM-ER 730 225
- KNM-ER 820 225, 255–256, 273, 276
 - bone remodeling 274
 - dental development 255, 257, 276
- KNM-ER 992 225
- KNM-ER 1472 274, 278
- KNM-ER 1473 274
- KNM-ER 1481A 274, 278
- KNM-ER 1481B 274
- KNM-ER 1507 225, 273
 - dental development 257–258, 273, 276
- KNM-ER 1590
 - crown formation time 273
 - dental development 257–258, 273
- KNM-ER 3733 225, 276
 - facial height 236
- KNM-ER 3951 274, 278
- KNM-WT 15000 (Nariokotome Boy) 3, 224, 225, 256, 297
 - cranial remains 276
 - crown/root formation 275
 - dental development 255, 257, 276
 - facial height 236–238
 - growth spurt 223, 279–280, 440
 - pelvis 439
 - postcranial remains 277–278
 - tooth formation 263
- Kow Swamp 430
- Krapina 1 428
- La Ferrassie 6 specimen 389
 - age estimation 3, 363–364, 369, 377
 - femur 398, 426
 - hipbone remains 363–364, 368
 - ilium size 371
 - pubis 372–376, 378, 418–419
- La Ferrassie site 362–364
- La Ferrassie specimens 369, 416
 - gripping capability 425
 - ilium 363–364, 371, 376–377
 - ischium 363–364, 375
 - pubis 363–364, 372–375, 378, 377–378, 381, 418–419
 - specimen 1 363, 378

Cambridge University Press

978-0-521-18422-9 - Patterns of Growth and Development in the Genus Homo

Edited by J. L. Thompson, G. E. Krovitz and A. J. Nelson

Index

[More information](#)452 *Index*

- La Ferrassie specimens (*cont.*)
specimen 3 425
specimen 4b 363, 371, 372, 376
specimen 8 363, 371, 372, 373, 375,
376–377, 418–419
see also La Ferrassie 6 specimen
- Lagar Velho
site 337, 343
specimen 416, 418
- Laird, Ana K. 20–22, 24, 39
- Late Pleistocene hominins, life history 247
- Le Moustier 1 adolescent 336, 381, 426,
429
- Le Moustier 2 infant 429
- Levant 361, 362
- LH3 specimen 254, 255
- LH6 specimen 255
- Libben population sample 150, 161
dental development 152
growth faltering 162, 164
life cycle, human 18
life expectancy 1, 175–176, 281
life-history theory 15, 175–176, 194–195,
204
and dental development 247–251
early hominins 246–247
human 15–18, 26–28, 178, 246, 429,
439–440
Late Pleistocene 247
life stages 15–18, 26–28, 173–175, 178, 246,
429, 439–440
see also adolescence; childhood
- limb robusticity 418
- London population sample 147–150, 159–161
age at death 150
growth faltering 164
longevity 1, 175–176, 281
- Lower Pleistocene fossils 251, 252, 257, 263,
282, 297
dental development 282–283
dental remains 264
Hominid 1 252, 254, 255, 263
Hominid 2 252
Hominid 3 (ATD6–69) 252, 263, 284
postcranial remains 284
tooth mineralization 254
see also *Homo antecessor*
- Macaca mulatta* 20
- macaques 321
bone remodeling 206
toque 35
- Mahalanobis' distances 124, 125, 126, 137
- malnutrition 163–164
- mammals
altricial 173–175
growth phases 22
precocial 174
- mandible
anterior alveolar arch 348–349, 353,
354–356
Neandertal vs. human 419–421, 423
Homo habilis 274
- mastication 136
- Maya 31, 37
- menarche 35, 36, 175
- mental foramen 7, 344–356, 420–421, 423
- Merian 32
- Mezmaiskaya cave
site 343, 429
specimen 369
- middle cranial fossa 48–50, 51, 55, 56, 61,
63–64, 65, 66, 68
- Middle Paleolithic period 362–382
- Middle Pleistocene fossils 251–252, 282, 297,
347
dental development 252, 283
Hominid 18 252, 253, 254, 255, 265, 283
perikymata 258–262, 264
postcranial remains 284–285
tooth mineralization 254
see also *Homo heidelbergensis*; *Homo neanderthalensis*
- Mikulcice site 147
- Mojokerto child (Perning I) 223–224, 227,
297
age estimation 3, 276
cranial remains 276
cranial shape 226, 228, 231
- molars 96, 201–205, 209, 210
eruption of 15–16, 22–25, 26, 27, 29,
77–84, 87, 93–94, 175
- monkey
life stages 173–175
rhesus 20
- mortality bias 165
- Moula-Guercy site 343
- Multiregional Evolution (Regional Continuity)
model 320, 415–416, 421, 426, 427, 428
- Munich 147
- name choice, importance of 427
- Nariokotome Boy *see* KNM-WT 15000
- nasal breadth 116
- Native Americans 119, 150
crania 228
facial shape comparisons 120–121,
131–132, 135
facial shape changes 130, 133
growth trajectories 162
sample population 121–122
tooth eruption 152, 162

- natural selection 1–2, 176, 209–210
and facial position 68
- Neandertals 3, 7, 412
adolescent stage 26, 440
age estimates 298–300
ancestors 282
body size 413–415, 438
brain growth 405
brain size 405, 438
crania 67, 387
craniofacial comparisons with modern humans 326–327, 328–331, 334–335, 441
craniofacial complex 421–422
dental development 3, 255, 283, 386–387
enamel formation 262–263, 386–387
Engis 2 specimen 2
facial projection 179
femur 405
genetic distinction (from modern humans) 335
Gibraltar 2 254, 257
growth and development comparisons with modern humans 5–6, 297–298, 307, 308–310, 313, 320–337, 413–415
growth model 300–302
growth rate, measurement of 145
hip bone 361–382
Le Moustier 1 adolescent 336, 381, 426, 429
Le Moustier 2 infant 429
life expectancy 281
mandibles 343–344
mental foramen 344–345, 351, 352–353, 355–356
opponens pollicis muscle 425
postcranial remains 386–408
pubis 418–419, 429
traits, neoteny and 295, 296
see also Dederiyeh children
- neomorphosis 304–306, 414
neoteny 221, 229, 238–241, 242, 295–296, 306–307, 313, 414–415
diagnosis of 226–227
global craniofacial 298, 307–312, 315, 414–415, 422
see also paedomorphosis
- neural plasticity 239–241, 242
neurocranial growth 7, 335
Ngandong specimens 224, 226
specimen 2 276, 297
specimen 8 297
- Oldowan tools 27
Olduvai
Hominid 6 273
- Hominid 7 272, 273, 274
Hominid 13 274
Hominid 16 274
Hominid 62 274
Oreopithecus 295
Out of Africa (Replacement) model 320, 415–416, 427, 428, 440, 441
- paedomorphosis 221, 226, 227, 229, 296, 303, 306, 315
and brain changes 222, 239–240, 242
degree of 306
in *Homo erectus* 277
in *Homo sapiens* 238, 242, 310
in *Pan* spp. 295–296, 312, 315
- Pan paniscus* *see* bonobo
Pan troglodytes *see* chimpanzee
Paranthropus 193
aethiopicus 200
body size 210
boisei 200
bone remodeling 205–206, 209
crown formation 200, 264
dental development 203–204, 210, 248–249
dental maturity 196, 209
diet 210
early incisive suture fusion 207, 209
East and South African, differences 209
habitat 210
and *Homo*, growth similarities 196–208, 211
incisors 203–204
maturity 208
maxillary sinus 206–207
robustus 200
SK12 specimen 206–207
- Pech de l’Aze 1 specimen 335
pelvis 7, 171, 278, 284–285, 418–419, 423, 439
female 36–37
peramorphosis 296, 303, 308–313, 315
perikymata 195, 196, 200, 253–254, 258–262, 264, 265
- Perning I *see* Mojokerto child
phenotype, fitness of 31
Plio-Pleistocene fossils 2, 250, 297
see also Lower Pleistocene fossils; Middle Pleistocene fossils; Upper Pleistocene fossils
- Pliocene epoch 262, 297
see also Lower Pleistocene fossils; Middle Pleistocene fossils
- Portuguese skeletal collection 367, 368
post-reproductive stage (female) 277–278, 281

Cambridge University Press

978-0-521-18422-9 - Patterns of Growth and Development in the Genus Homo

Edited by J. L. Thompson, G. E. Krovitz and A. J. Nelson

Index

[More information](#)454 *Index*

- postcranial remains 6
Homo erectus 277–278
Homo habilis 274–275
- postcranial remains (*cont.*)
 Neandertal/modern human
 comparisons 387–408, 416–419, 422, 423
- posterior maxillary (PM) plane 48, 49–50, 64
- posterior maxillary (PM) points 48
- Poundbury sample 389
- pregnancy, teenage 36
- primates
 brain development 247–248
 dental development 210
 growth 20–22
 juvenile periods 31–32
 life history 247–248
 life periods 20
 weaning 174
- principle components analysis 124–130
- Procrustes analysis 173
- puberty 33–35, 174–175
- pubis 418–419, 429
- Pueblo Indians 150
- Qafzeh site 362–363, 364
- Qafzeh specimens 362, 369, 419, 422–423, 428, 429, 437
 alveolar arch length 353
 hominid 9 363, 378
 hominid 10 364, 368, 372–376
 hominid 13 364, 371, 372, 376
 hominid 21 364, 371, 372–376
 ilium size 371–376
 ischium length 376
 mental foramen 350, 352, 356
 pubic ramus length 372–375, 378, 381
- rate hypermorphosis 296, 307, 310, 313–314
- recapitulation 303
- Regional Continuity (Multiregional Evolution)
 model 320, 415–416, 421, 426, 427, 428
- remodeling *see* bone remodeling
- Rene Simard specimens 369
- Replacement (Out of Africa) model 320, 415–416, 426, 427, 428, 440, 441
- reproduction
 age at first 175
 human 18
- reproductive success 35, 37
- Roc de Marsal 1 specimen 336, 369, 389, 416
- root formation 73, 75, 84, 94–104, 204, 442
 in chimpanzees/humans 201
 in *Homo erectus* 275–276
 in Middle Pleistocene Hominid 18 253
- rotational birth 285, 286
- St Barnabas' Church (London) 147
- St Bride's Church (London) 147
- St Thomas's Church (Belleville) 150, 164–165
- San Cristóbal sample 150, 161–162, 164
 growth faltering 163
- Sangiran
 specimen 2 226, 227, 228
 specimen S7–37 263, 275
- Schultz, Adolph 20, 24, 39
- sequential hypermorphosis 222
- sexual maturation 35, 36
- Sierra de Atapuerca site 6, 251–259, 281, 282–286, 287, 343
- Sima de Los Huesos site *see* Sierra de Atapuerca site
- sinuses 206–207
- SK12 specimen 206–207
- skeletal growth 6
 and age estimation 151
 catch-up 145, 154, 162, 165
 environmental influences on 407
 faltering 145, 158, 161–162, 163, 165
 final adult size 144–145, 150, 162
 long bones 7, 145–146, 147, 416–418, 422
 spurts 18
 tempo 145, 154–155, 165, 166
 see also adolescent growth spurt
- Skhul hominids 362, 419, 422–423, 428, 429, 437
 alveolar arch length 353
 Hominid 1 369, 394
 Hominid 9 362
 mental foramen 350, 352, 356
 tibia 394
- socioeconomic change 164–165
- South African (black) population sample 389
- speciation 176
- Spitalfields skeletal collection 147–150, 159–161, 367, 389
 age at death 150
 growth faltering 164
 hipbone analysis 368
- Starosele child 429–430
- sterility, adolescent 36–37
- Striae of Retzius 194, 195, 196, 200, 250, 264
- Sts 5 specimen 206–207, 208
- Sts 24 specimen 254
- Sts 52 specimen 206, 209
- Stw 73 specimen 206–207
- Stw 151 specimen 255, 257–258

Cambridge University Press

978-0-521-18422-9 - Patterns of Growth and Development in the Genus Homo

Edited by J. L. Thompson, G. E. Krovitz and A. J. Nelson

Index

[More information](#)

Index

455

- Stw 183 specimen 209
 Subalyuk 2 specimen 335
 supplementary feeding 165
 supraorbital morphology 136
- Tabun C1 specimen 263
 Talgai 1 specimen 430
 Taung child 191, 297
 dental development 254, 255, 257–258
 facial growth 206
 growth simulation 208
 incisive suture fusion 207
 teenage fathers 37
 teeth
 primates 20
 as tools 116, 425
 see also tooth eruption, tooth formation
 Tierra del Fuegians, and North American Eskimo, facial similarities 116
 Teshik Tash specimen 257, 389, 398, 426
 thin plate splines 173
 Thompson, D'Arcy Wentworth 18–20, 39, 173
 tibia, Neandertal/*Homo sapiens*
 comparisons 394, 396, 407, 417
 tool use 425
 tooth enamel *see* enamel
 tooth eruption 73, 76–86, 102, 104, 134
 and adolescence 175
 in Africans 77, 87, 92
 alveolar 93–94
 in Asians 84, 87
 in childhood 174
 in Croatians 84, 87
 in Europeans 84
 group differences 87–92
 in *Homo habilis* 273–274
 in Indians 84, 92
 in Israelis 92
 juvenile stage 174
 molars 15–16, 22–25, 26, 27, 29, 77–84, 87, 93–94, 175
 in Native Americans 152
 in Nigerians 96, 77–96, 104
 in *Pan* 26, 300
 population differences 84–87, 92, 180, 442
 root stage development during 94
 sex differences 84
 in Siberians 77
 in South Africans 92
 stages 75, 77–96
 timing 77
 Tunisians 84
 and weaning 174
 tooth formation 73, 96–104, 442
 and age estimation 151
 in Africans 99, 104
 in American Indians 99
 in Australian Aborigines 99
 in Bangladeshi 99, 100
 in British 97, 99, 100
 in Canadians 97, 99
 in Chinese 97
 in Croatians 102
 in French 100
 in Koreans 100
 mandibular 96
 maturity scale 99–101
 maxillary 96
 in North Americans 99
 in Plio-Pleistocene hominins 250
 population comparisons 99–101, 102, 104
 population differences 180
 recording of 73, 74–75
 in Sardinians 96–97
 in Scots (medieval) 99
 in Somalis 100
 stages 75–76, 102
 in Swedes 100
 in Syrians 102
 see also crown formation; root formation
 tooth mineralization 208, 250, 252–253, 254
 transformational grids 18–19
 Cartesian 124, 127–128
 Turkana Boy 255
- Upper Paleolithic specimens 347, 351–352, 353–354, 356
 Upper Pleistocene
 epoch 412–430
 fossil remains 297, 343, 347
- Wadi Halfa population sample 147, 155–156
 growth faltering 164
 Wharram Percy population sample 147, 150, 161, 164
 weaning 15–17
 and growth faltering 163–164, 181–182
 in *Homo habilis* 178
 in modern humans 173–174
 in primates 174
 and tooth eruption 174
 weight and birth weight 173–174
- Yamashita-cho1 430
 Zaskalnaya VI 425
 Zhoukoudian specimens 276
 B-I 254, 276
 skull V III 276