

Index

- Angular momentum
 - conservation, 25, 29
 - density, 8
 - orbital, 25, 26
 - spin, 25, 26, 29, 242, 250, 297, 298
 - streaming, 29, 294
- Angular velocity, 249, 250, 295–297
 - spin, 296–298
 - streaming, 296–298, 301
- Balance equations
 - angular momentum, 25, 26
 - energy, 11, 14, 19, 20, 64, 204, 269, 270, 272, 282, 284
 - Eulerian form, 14
 - Lagrangian form, 14
 - mass, 9, 14, 19, 20, 64
 - momentum, 10, 14, 19, 25, 64, 268, 277, 278
- Barostat, 154, 156, 158–160
- Biaxial flow, 113, 164, 168–170
- Binary mixture, 219, 303–305
- Bond constraints, 224, 228, 232–238, 247, 250, 251, 254, 257, 264
 - forces, 224, 232–234, 236, 238, 245, 251
 - Gaussian, 233–235, 257, 295
 - numerical error, 233, 236
 - proportional feedback, 236
 - RATTLE, 233, 237
 - SHAKE, 232, 233, 237
- Butane, 226, 228, 237
- Carbon disulphide, 252, 254–256
- Chemical potential, 22
- Classical mechanics, 31
- Colloidal suspension, 221, 222
- Constitutive equations, 9, 17, 18, 21, 22, 25, 28, 271
 - nonlocal, 319, 323
- Constraint matrix, 235, 236, 239, 251
- Couple tensor, 26, 28
- Coupled transport, 19, 23, 271, 272, 274, 275, 284–286
- Crooks equality, 57, 58
- Curie's principle, 17
- Deborah number, 261, 263
- Deformation, 8, 14
- Diffusion, 203, 204, 210–214
 - “colour”, 211–214, 216, 219
 - Fick's law, 17
 - mass, 19
 - mutual, 210–214
 - coefficient, 23, 220, 222
 - self, 54
 - thermal
 - coefficient, 23, 24
- Diffusive flux, 15, 20–23, 210, 212, 213, 217–219
 - angular momentum, 25, 26
- Dissipation theorem, 56
- DOLLS equations of motion, 106
- DOLLS Hamiltonian, 105, 106, 114
- Dufour coefficient, 23, 24, 203
- Dynamical maps
 - relationship to periodic boundary conditions, 129–131
- Electrokinetic flow, 303
- Electrostatic forces
 - Ewald method, 92–96
 - Wolf (shifted force) method, 92, 102, 103
- Energy
 - conservation, 13, 19, 24, 26, 27
 - density
 - internal, 7, 204, 223, 224
 - method of planes formulation, 84
 - total, 63
 - dissipation, 150, 151, 191, 196
 - exponents, 182
 - internal, 5–7, 9, 11–14, 16, 18–20, 24, 26–28, 39, 41, 42, 151, 152, 170, 178, 179, 204–206, 210–212, 215, 216
 - kinetic, 138
 - peculiar, 137, 138
- Ensemble, 33, 34, 44, 49, 54, 150
 - (NpT), 154–163, 252–254
 - (NVT), 152, 153, 155–158, 161, 166, 177, 251–253
 - (NVU), 150–154, 246

- Ensemble (*cont.*)
 average, 33, 34, 36, 37, 44, 45, 49, 51, 58, 192
 Heisenberg representation, 36, 37
 Schrödinger representation, 36, 37
 canonical, 146
 Gaussian isokinetic/isothermal, 44, 139
 nonequilibrium, 57, 191
- Enthalpy, 18, 24, 25, 223
 partial, 223
- Entropy, 5–7, 15, 16, 20, 60
 Entropy production, 15–18, 20–23, 28, 63
 Ergostat, 150, 152–154
- Fluctuation theorem, 54–58
 Friction coefficient (kernel), 326–330
- Gauss's Principle of Least Constraint, 137, 233, 235, 253
- Generalised hydrodynamics, 266, 306–308, 310–325
- Gibbs equation, 7, 16, 20, 28
 Gibbs free energy, 20
 Gibbs-Duhem equation, 22
 Green–Kubo relations, 24, 51, 52, 54, 56, 203, 207, 209, 213, 214, 219
- Hamiltonian, 33, 35
 Hamiltonian equations of motion, 33, 35
 Heat field, 203–209, 216, 218, 219
 Heat flow, 204
 molecular fluids, 223–228
 Heat flow algorithms
 Evans, 206–210, 284
 Evans-Cummings, 214–219
 MacGowan-Evans, 214
 Heat flux, 16, 17, 20–23, 25, 28, 204, 207, 213–215, 219
 measurable, 21, 23, 24, 220–223
 primed, 21, 23, 24, 220–223
 Heat flux vector, 13, 18, 21, 22, 24, 205, 207, 210, 213, 214, 219
 cross-coupling coefficient, 271, 272, 274, 275, 284–287
 IEC method, 270, 272–275, 282–284
 IK1 approximation, 268, 271, 274, 275, 282, 284
 inclusion of electrostatic forces, 92, 98–101
 Irving-Kirkwood, 72, 91
 method of planes formulation, 72, 76, 80–83, 271, 274, 275, 282–284
 n-body interactions, 91
 3-body interactions, 89–91
 microscopic derivation, 69–72
 nonzero wavevector, 72
 zero wavevector, 72
 Helmholtz free energy, 57
 Hencky strain, 122, 124, 125, 133, 135
- Jarzynski equality, 57
- Kirkwood-Buff theory, 220, 222
 Kraynik-Reinelt boundary conditions, 107, 112, 115, 116, 121–127, 163, 174, 175, 253
 relationship to Arnold cat map, 131–136
 Kuhn length, 257
- Laboratory momentum, 144
 Laboratory position, 106, 107, 109–111, 142
 Laboratory velocity, 108, 110, 118, 137, 141, 143, 147
- Lagrangian equations of motion, 32, 33
 Lees-Edwards boundary conditions, 104–106, 112, 120, 121, 128, 130, 136, 168
 Lennard-Jones fluid, 181–183
 Liouville equation, 34, 35, 40, 41, 43
 Liouvillean, 36
 f-, 35, 36, 39
 p-, 36, 39
- Local average density model (LADM), 276, 318
 Local equilibrium, 6, 15, 16, 20, 28, 59
- Mass
 centre of, 234, 236, 239–242, 245, 247, 248, 252
 conservation, 9, 16, 19, 28
 density, 6, 7, 14, 63
 atomic representation, 239, 240
 method of planes formulation, 84
 molecular representation, 240
 Mass dispersion tensor, 240–242
 Mode coupling theory, 177, 178, 183
 Modulus
 elastic (storage), 167
 viscous (loss), 167
 Molecular models, 228–230, 256, 258
 all atom, 229–231
 carbon disulphide, 230, 252, 254–256
 FENE chain, 230–232, 262, 298
 freely jointed chain (FJC), 230–232, 257, 262
 rigid body, 223, 228, 230, 232, 236, 237, 252, 254
 united atom, 226, 228, 229, 237, 252
 water, 228, 230, 233, 235, 303
 Moment of inertia tensor, 26, 236, 240, 250, 294
 Momentum, 8, 12, 19
 conservation, 10, 14, 18, 19, 25, 29
 density, 25, 63
 atomic representation, 239, 244
 flux, 311–313
 method of planes formulation, 84
 molecular representation, 240, 242, 244
 peculiar, 39, 286
 Multicomponent fluids, 19–25
- Navier-Stokes equations, 18, 24, 266, 267, 275, 279–281, 284–286, 290
 extended, 29, 30, 286, 294–297, 302, 303

- Navier-Stokes hydrodynamics, 306–309, 319, 321, 323, 325
breakdown, 306–309, 317
- Onsager reciprocal relation, 23, 28, 214
- Oscillatory elongational flow, 168–172, 198–202
- Oscillatory shear flow, 166–168
- Pair distribution function, 171, 186, 188, 189, 220, 221
nonequilibrium, 186–189
- Partial dynamic structure factors, 220–222
- Partial intermediate scattering functions, 220, 221
- Peculiar momentum, 106, 109, 110, 115, 116, 137, 142–144, 244, 246–248, 252
- Peculiar velocity, 66, 108–110, 118, 119, 143, 244, 246, 248
- Phase space, 33–36, 40, 43, 46
adiabatic incompressibility (AIF), 43, 204, 206, 215
compression factor, 34, 36, 39–43, 56, 203, 204, 206, 215, 216
extended, 46, 47–49
mapping, 192–194, 199, 200
probability density, 34, 35, 40, 41, 43
trajectory, 35, 46, 46–49, 191–195, 199–202
- Phenomenological coefficients, 18, 23, 24, 207, 213, 214, 219, 220, 222
- Phenomenological equations, 17, 23
- Planar elongational flow, 111–113, 115, 116, 122, 123, 131, 132, 136, 138, 143, 146, 148, 163, 164, 168, 172, 187, 189, 197, 253, 254, 256–261, 265
- Planar mixed flow, 174–177
- Planar shear (Couette) flow, 106, 107, 110, 112, 113, 116, 118, 129, 136, 138, 140, 142–146, 151, 157, 162, 163, 191, 192, 194, 195, 251–253, 256–258, 260, 261, 265
confined, 289–293
density profile, 292, 293
heat flux, 291
microscopic equations of motion, 289
pressure profile, 292, 293
shear stress profile, 290, 292, 293
shear viscosity, 291
temperature profile, 291–293
velocity profile, 291
shear stress, 290
- Poiseuille flow, 277–282, 284–289
density profile, 279, 307
heat flux, 282–287
microscopic equations of motion, 287, 288
polymer melts, 298–302
polymer solutions, 303–305
pressure profile, 279
rigid diatomic molecules, 295–298
shear stress profile, 279, 281, 309
shear viscosity, 280
strain rate profile, 308
temperature profile, 285–287
thermostatting, 288, 289
velocity profile, 279–281, 308
viscosity profile, 309
wall constraints, 288, 289
- Polymer entanglement, 256, 257, 261, 262
- Polymeric liquids, 231, 256–265, 298–302
atomic density, 298, 299
end-to-end distance, 300
molecular density, 298, 299
radius of gyration, 299, 300
solutions, 303–305
- Pressure, 188, 190
exponents, 182
isotropic, 253, 254, 263
normal, 187
difference, 260
virial, 187
- Pressure tensor, 7, 8, 10, 11, 16–18, 20, 25, 26, 28, 62, 150, 151, 153, 167, 170, 172, 174, 180, 183, 187, 190, 197, 199, 253
atomic, 243, 245, 252
effect of periodic boundary conditions, 73–76
IK1 approximation, 68, 268, 272, 273, 279
IMC method, 269, 272, 273, 278, 281
inclusion of electrostatic forces, 92, 96–98
Irving-Kirkwood, 68, 69, 72, 79
method of planes formulation, 68, 72, 76–80, 271–273, 279, 281
 n -body interactions, 88
3-body interactions, 85–88
microscopic derivation, 64, 66, 67
molecular, 239, 242–244, 249, 250, 252
nonzero wavevector, 68
volume averaged, 91, 92
zero wavevector, 68
- Probability distribution function, 34, 36, 37, 40, 43–45, 47, 51, 56
- Response theory, 38, 105, 107, 112, 147
Kawasaki form, 43, 46, 56
linear, 38, 50, 51, 53, 54, 117, 118, 149, 204, 206, 207, 213, 219
nonlinear, 31, 38, 40, 41, 43–46, 50, 56, 57, 107, 118
- Retarded Motion Expansion, 258, 259, 261–265
- Reynolds number, 267, 294
- Rivlin-Eriksen tensors, 8, 9
- Rouse model, 231, 261–263
- Shear thickening, 158
- Shock waves, 207, 209
- Sinusoidal longitudinal force method (SLF), 276, 277, 318

- Sinusoidal transverse field method (STF), 267–277
 nonlocal viscosity calculation, 310, 314, 315
 thermostat, 269–272, 275
- SLLOD equations of motion, 38, 39, 43, 50,
 104–107, 136–150, 152–155, 157–160,
 162–166, 168, 173, 177, 195, 196, 198
 compatible periodic boundary conditions,
 117–129
 derivation
 time-dependent, 164–166
 time-independent, 107–112
 energy dissipation, 117, 149
 Hamiltonian mechanics, 113, 114
 molecular version, 243, 244, 248, 251, 253, 255,
 257
 momentum conservation, 114–117
- Soret coefficient, 203
- Spin-coupling, 302, 303
- Statistical mechanics, 31, 33, 35, 56
 nonequilibrium, 33, 35, 38, 43
- Strain hardening (thickening), 171
- Strain rate tensor, 168, 173, 191, 198
 second scalar invariant, 258, 259, 265
- Strain tensor, 8
- Streaming velocity, 137, 140–145, 147, 148, 250,
 295
 angular, 295, 301, 302
 atomic, 300
 diatomic fluid, 295, 296
 molecular, 300, 301
 rotational, 295
- Stress
 difference, normal, 183–186, 256
 normal, 170, 171, 183, 190
 coefficient, 184–186, 251, 258, 261–263,
 265
 relaxation modulus, 261
 shear, 167, 181, 186–188, 190, 191, 194, 195, 195
- Stress tensor, 248, 258
- Temperature
 atomic, 248, 249
 configurational, 62, 162, 184, 185, 251
 directional, 61, 62
 kinetic, 38, 40, 42, 61, 62, 247–249
 centre of mass, 247, 248, 251, 253
 molecular, 248
 nonequilibrium, 276
 normal, 61
 thermodynamic, 59, 61
- Thermal conductivity, 23, 24, 54, 203, 206, 207,
 214, 275
 Fourier's law, 17, 18, 271
 extended, 272, 275, 285
 liquid argon, 209
 tensor, 54
 WCA fluid, 209
- Thermodynamic factor, 220–222
- Thermodynamic flux, 16, 17, 21, 22
- Thermodynamic force, 16, 17, 21–23, 28
- Thermodynamic work, 5, 13, 19, 27
- Thermodynamics
 first law, 5, 6
 nonequilibrium, 6, 7, 9, 15, 17–19
 second law, 5, 6, 15, 54, 55
- Thermostats, 38, 39, 41–43, 117, 136, 137, 140,
 147
 atomic SLLOD, atomic thermostat (ASAT), 248
 atomic SLLOD, molecular thermostat (ASMT),
 248
 configurational, 145, 146, 153, 156, 158, 162,
 163, 185, 245, 250, 251
 directional, 185, 186
 energy and momentum balance, 245, 246
 Gaussian, 38, 42, 45, 137–139, 152, 155, 158,
 185, 206, 213, 218, 253
 molecular, 245, 247, 248, 251, 252
 molecular SLLOD, molecular thermostat
 (MSMT), 248
 Nosé-Hoover, 139, 140, 152, 153, 155, 158
 profile biased (PBT), 141
 profile unbiased (PUT), 141, 142, 144, 145, 158,
 249
 rotationally unbiased atomic thermostat (RUAT),
 250
- Transient-time correlation function (TTCF), 43,
 178, 190, 191, 197, 202
 time dependent, 45, 47–49, 198–202
 time-independent, 44, 45, 50, 191–198
- Transport coefficients, 18, 23, 24, 321, 322
 nonlocal, 306, 310, 318, 319, 321–323
- Uniaxial flow, 113, 164, 168–170
- Velocity gradient tensor, 8, 9, 16, 17, 110, 111, 113,
 114, 138, 166, 167, 175, 176, 177, 251, 253
- Velocity slip, 293, 295, 297, 300
 calculation of slip length, 327–332, 334
 in graphene nanochannels, 331–334
 Navier, 325, 329, 330
 water in carbon nanotubes, 333
- Viscometric functions, 243, 258, 265
- Viscosity
 biaxial, 170
 bulk, 18, 54, 173, 174
 complex, 167, 171, 172
 elongational, 50, 161, 170–172, 188–190, 199,
 258–261, 265
 exponents, 182, 183
 frequency dependent, 171, 172, 310, 312, 313,
 315
 Green-Kubo, 171, 172, 178, 255, 313
 Newton's law, 17, 18, 309, 319, 323, 327
 nonlocal, 310, 312, 313, 315–325

- shear, 50–53, 157, 158, 171, 172, 178, 181–183,
185–188, 194–196, 255, 258, 259, 261, 262
spin, 294, 303
tensor, 52, 53
uniaxial, 170
vortex, 294
wavevector dependent, 276, 310–317, 319–321
- Viscous relaxation time, 261
Vorticity, 295–298, 302
- Weeks-Chandler-Andersen (WCA) fluid, 161,
170, 171, 178, 184, 188–190, 194–197,
199–202
potential, 231