



INDEX

- Acanthamoeba*, 59
 acanthella, 191
 Acanthocephala
 alteration of behavior, 180–181
 body wall, 183–185
 classification, 194
 evolution of parasitism, 195–196
 heavy metal accumulation, 471, 472–473
 lacunar system, 184–185
 life cycle, 188–191
 metabolism, 186–188
 nervous system, 186
 phylogenetic relationships, 192–197
 proboscis, 179–183
 reproduction, 185
 sexual selection, 188–189
 transmission by paratenic hosts, 191–192
 acanthocephalan peritonitis, 196
Acanthocephalus anguillae, 179
 acanthor, 190
Acarapis woodi, 305
 Acari, 289–308
 acetabulum, 117
 acid rain, effects on parasite communities, 373, 464–469
 acquired immunity, 17, 213
 actinospores, 96, 97, 99
Actornithophilus patellatus, 313
 African trypanosomes, 30, 45, 46, 52
 African trypanosomiasis, 5, 27, 28, 52
 aggregation, parasite populations, 338, 339–346, 353, 436
Alaria americanae, 141
Alaria marciana, 141
 Allocreadidae, 143
Allocreadium neotenicum, 143
 Alveolata, 45, 81
 alveoli, 81
 amastigotes, 48, 55
Amblyomma americanum, 295, 446
Amblyomma darwini, 296
Amblyomma nitidum, 296
Amblyomma rotundatum, 296
 American trypanosomiasis. *See* Chagas' disease
 amoebic dysentery, 59
 amoeboid protozoans, 56–59
 amphibian malformations (deformities), 132, 400, 466–468
 Amphilinidea, 153
 Amphipoda, 286–287
Ancylostoma braziliense, 224
Ancylostoma caninum, 224
Ancylostoma duodenale, 4, 223, 343, 388
Anguillicoloides crassus, 232
 anisakiasis, 231
Anisakis simplex, 230
 annelids, hosts for myxozoans, 97, 105, 469
Anoplocephala perfoliata, 168
 antibodies, 24–25
 antibody formation, 24
 antigenic variation, 30–31, 52, 77
 apical complex, 60, 61
 Apicomplexa, 60–78
 apicoplast, 43
 apparent competition. *See* parasite-mediated competition
Aranimermis giganteus, 217
 Archiacanthocephala, 192, 194
Archigetes sieboldi, 160
 areoles, 245
Argas cucumerinus, 300
Argas persicus, 300
Argulus, 282
 Arthropoda
 Chelicerata, 289–308
 classification, 329–330
 Crustacea, 264–289
 Insecta, 327
 phylogenetic relationships, 328
 ascariasis, 229
 Ascarida, 228–232
Ascaris lumbricoides, 4, 228, 343, 344, 346, 387, 440
Ascaris suum, 445
Aspersentis megarhynchus, 471
 Aspidobothrea, 115–116
Aspidogaster conchicola, 116
Austramphilina elongata, 153
 B lymphocytes (B cells), 17
Babesia bigemina, 67, 295
 balanced polymorphism, 434
Balantidium coli, 79–80
 bat flies, 317
 beaver fever. *See* giardiasis
 bedbugs, 315
 behavior modification
 Acanthocephala, 180–181
Dicrocoelium dendriticum, 144–145
Leucochloridium, 142
 mechanisms of behavioral alteration, 410–411
Myrmeconema neotropicum, 406–408
 Nematomorpha, 249
 parasitoids, 326–327
 Rhizocephala, 284–286
 bilharziasis. *See* schistosomiasis
 binary fission, 42, 45, 58
 biogeography. *See* ecological biogeography, historical biogeography
 biological tags, 96, 389–391, 463
Biomphalaria glabrata, 33, 404
Bolbosoma, 191
Boophilus annulatus, 295
 Bopyridae, 288
 bot flies, 310, 320, 323
 Bothriocephalidea, 162
Bothriocephalus acheilognathi, 162
Bovicola tibialis, 314
 Brachylaemidae, 141–142
Brachylecithum mosquensis, 145
 bradyzoites, 66
 Branchiura, 282
Branchotenthes robinoverstreeti, 150
Briarosaccus callosus, 283, 289
 bronchial escalator, 222, 223
 brood parasitism, 323
Brugia malayi, 235, 236
 bryozoans, hosts for myxozoans, 96, 105, 107

- Buddenbrockia plumatellae*, 96, 97, 108
- Bufolucilia*, 322
- bullae, 276
- Caligus*, 272
- Capillaria americana*, 363
- Capillaria caudinflata*, 218
- Capillaria hepatica*, 218
- Cardicola davisi*, 133
- Cardiodectes medusaeus*, 268, 276
- Caryophyllaeus laticeps*, 160, 346–347, 352
- Caryophyllidea, 160
- Cecrops latreilli*, 272
- cement glands, 185
- Centrorhynchus*, 192
- Ceratomyxa shasta*, 105
- cercariae
- behavioral adaptations, 122–127
 - effects of heavy metals, 460–462
 - host avoidance, 437
 - Ribeiroia ondatrae*, 400, 466
- cerebral malaria, 75
- cestodes. *See* Eucestoda
- Chagas' disease, 5, 27, 48, 53–54
- chiclero's ulcer, 55
- chiggers, 302
- chloroquine, 78
- Chondracanthus zeii*, 277
- Cichlidogyrus sclerosus*, 463
- Ciliophora, 78–80
- Cimex lectularis*, 315
- Citellinema bifurcatum*, 363
- cladistics. *See* phylogenetic systematics
- cladogram, 12
- classification
- Acanthocephala, 194
 - Arthropoda, 329–330
 - Microsporida, 94
 - Myxozoa, 108–110
 - Nematoda, 240
 - Nematomorpha, 250
 - Pentastomida, 258–261
 - Platyhelminthes, 172–174
 - Protozoa, 81–82
- Clonorchis sinensis*, 142
- Cnidaria, 97, 108
- coccidia, 63
- coccidiosis, 64
- Cochliomyia hominivorax*, 319
- coevolution, 381, 382, 432, 446–452
- coevolutionary arms race, 447, 449, 452
- Collyriclum faba*, 144
- Colobomatus*, 278
- colony collapse disorder, 90
- Combes' supply-filter concept, 368–370
- commensalism, 7, 447
- competition, 361, 362, 363
- competitive exclusion, 362
- complement, 21
- component community
- defined, 358
 - ecological determinants of species richness, 371–374
 - supply-filter concept, 370
 - variation in parasite species richness, 370–371
- component population, 336
- concomitant immunity, 28
- conjugation, 43, 78
- conoid, 62, 63
- Contraecacum*, 445
- Copepoda
- attachment structures, 271, 273, 276, 278
 - effects on hosts, 276
 - life cycle, 279–280
 - metamorphosis, 273, 280, 282
 - sexual dimorphism, 272, 278
- copulatory bursa, 185, 222
- coracidia, 159, 162
- core-satellite species hypothesis, 360
- Corynosoma*, 191
- Corynosoma magdaleni*, 189
- cospeciation, 381, 452–455
- Cotesia congregata*, 32
- Cotylurus flabelliformis*, 141
- Crepidostomum cooperi*, 143, 463–464
- Cretachordodes burmitis*, 249
- crowding effect, 353
- Crustacea
- Amphipoda, 286–287
 - Branchiura, 282
 - Copepoda, 270–280
 - cuticle, 265–266
 - Isopoda, 287–289
 - life cycle, 269–270
 - nervous system, 268
 - reproduction, 267
 - Rhizocephala, 282–286
- Cryptobia salmositica*, 56
- Cryptocotyle lingua*, 461
- Cryptolepas rachianecta*, 282
- cryptosporidiosis, 63, 64
- Cryptosporidium parvum*, 60, 63–64
- Ctenocephalides canis*, 316
- cutaneous larval migrans, 224
- Cuterebra*, 319
- cuticle
- Arthropoda, 264, 309
 - Nematoda, 199–205
 - Nematomorpha, 246
 - Pentastomida, 252
- cyamid amphipods, 286
- Cyamis*, 286
- Cyclophyllidea, 165–169
- Cymothoa exigia*, 287
- cyprid, 282
- cystacanth, 191
- cysticeroid, 159
- cysticerus, 159
- cysts, 41, 49, 57, 58, 79, 247
- cytokines, 21, 23, 25
- cytostome, 42
- Dacnitis truttae*, 389
- Dactylogyrus*, 150
- Dactylogyrus vastator*, 367
- dauer juvenile, 214
- Demodex canis*, 304
- Demodex folliculorum*, 305
- density-dependence, 348, 418
- density-dependent effects, 352–354
- density-dependent parasite mortality, 338, 352
- Dermacentor albipictus*, 296, 415
- Dermacentor andersoni*, 295
- Dermacentor variabilis*, 295
- Dermanyssus gallinae*, 301
- Dermatobia hominis*, 310, 321
- Derogenes varicus*, 386
- Desmozoön leopephtherii*, 9
- Dichidophora merlangi*, 148
- Dicrocoelidae, 144–145
- Dicrocoelium dendriticum*, 121, 144
- Digenea
- castration in snails, 449
 - development in snails, 121–125
 - effects of heavy metals, 460–463
 - life cycle, 121–127
 - metabolism, 120–121

- nervous system, 120
reproduction, 119–120
- Diactophymatida, 221–222
- Diactophyme renale*, 221
- diphyllobothriasis, 161
- Diphyllobothrium latum*, 160–161
- Diphyllobothriidea, 160–162
- Diplostomidae, 140–141
- Diplostomum*, 410
- Diplostomum spathaceum*, 141
- Dipylidium caninum*, 169, 317
- Dirofilaria immitis*, 234–235
- dracunculiasis, 232
- Dracunculus medinensis*, 4, 232–233
- Ecdysozoa, 237, 264
- Echeneibothrium maculatum*, 164
- Echinococcus granulosus*, 4, 165–167, 417, 444
- Echinococcus multilocularis*, 167
- Echinolaelaps muris*, 301
- Echinoparyphium megacirrus*, 115
- Echinostoma caproni*, 132
- ecological biogeography, 386–389
- ecological epidemiology, 339, 340
- ecological immunology, 10, 16, 34–37
- effective population size (N_e), 444
- Eimeria bareillyi*, 64
- Eimeria maxima*, 436
- Eimeria tenella*, 64
- Elaphostrongylus rangiferi*, 354
- elephantiasis, 5, 235
- Encephalitozoon cuniculi*, 93
- endosome, 58
- Entamoeba histolytica*, 41, 57, 59
- Enterobius vermicularis*, 4, 228
- Enterocytozoon*, 92
- Entobdella soleae*, 148
- Entoniscidae, 289
- Eoacanthocephala, 192, 194
- epidemiology
- African trypanosomiasis, 52
 - Chagas' disease, 54
 - defined, 10, 335
 - giardiasis, 49
 - hookworm disease, 223
 - hydatid disease, 167
 - Lyme disease, 299
 - microsporidiosis, 91
 - models, 339
 - schistosomiasis, 136
 - trichinosis, 220
- epimastigotes, 50, 52
- epitopes, 18, 24
- epizootiology, 10, 101–102
- Ergasilus*, 271
- Eucestoda
- holdfasts, 153–154
 - life cycle, 158–160
 - metabolism, 157–158
 - nervous system, 156
 - reproduction, 155–156
 - tegument, 154–155
- Eustrongylides ignotus*, 464
- Eustrongylides tubifex*, 221
- eutely, 199
- eutrophication, effects on parasites, 463–468
- exflagellation, 69
- extended phenotype, 406
- Fahrenheit's rule, 452
- falciparum* malaria. *See Plasmodium falciparum*
- Fasciola gigantica*, 124, 132
- Fasciola hepatica*, 5, 120, 124, 131, 386, 388
- fascioliasis, 386
- Fasciolidae, 131–132
- Fascioloides magna*, 131, 415, 444
- Fasciolopsis buski*, 132
- fecundity compensation, 404
- feminization, 91
- filariasis, 235
- flagellated protozoa, 45–56
- fleas, 315–317
- flukes. *See* Digenea
- fossils, 217, 288, 380, 391
- founder effect, 445
- frontal filament, 271
- fundamental niche, 361, 364
- Fungi, 86, 93
- gametocytes, 62, 69
- gametogony, 42, 62, 67, 99
- Gasterophilis intestinalis*, 320
- Geckobia bataviensis*, 304
- gene flow, 432, 442, 445, 446
- genetic drift, 432, 442
- genetic structure. *See* population genetic structure
- geographical information systems (GIS), 387–388
- geographical mosaic of coevolution hypothesis, 451
- geohelminths, 223
- Geomydoecus actuosus*, 445
- Giardia duodenalis*, 48–50
- Giardia lamblia*, 5, 48
- giardiasis, 48–50
- gigantism, 404
- Gigantobilharzia*, 140
- Gigantobilharzia acotyles*, 135
- Glugea*, 91, 94
- glycocalyx, 57, 118, 183
- glycosome, 46
- Gordian knot, 244, 247
- Gordius aquaticus*, 244
- Gordius robustus*, 247
- Gordonius chinensis*, 249, 426
- Gorgoderina attenuata*, 470
- granuloma, *Schistosoma mansoni*, 28, 139
- Gregarina*, 62–63
- Grillotia*, 163
- Gryocotylidea, 152–153
- guild, 360
- Guinea worm. *See Dracunculus medinensis*
- gynecophoric canal, 135
- Gyrinicola batrachiensis*, 228
- Gyrocotyle, 152
- Gyrodactylus salaris*, 149
- Haematoloechus*, 145, 470
- Haemobaphes diceraus*, 273, 282
- Haemogregarina*, 63
- Haemonchus contortus*, 224–226, 437, 446
- Haemonchus placei*, 446
- hairworms. *See* Nematomorpha
- Halipegus eccentricus*, 134
- Halipegus eschi*, 134
- Halipegus occidialis* 10, 134, 350, 416
- Haplobothriidea, 162
- Haplobothrium globuliformae*, 162
- Haplometra cylindracea*, 120
- haptor (opisthaptor), 145
- heartworm. *See* *Dirofilaria immitis*
- Heligmosomoides polygyrus*, 8, 26, 226, 349, 367, 374, 420, 438
- Heligmosomum mixtum*, 342
- Hemiuridae, 135
- hemocytes, 32, 33
- Henneguya*, 104, 108

- Hepatoxilon*, 163
Hepatozoon, 63
 heritability, 438–439, 441
Heterakis gallinarum, 228, 425
Heterodoxus octoseriatus, 445
Heterophyes heterophyes, 142
 Heterophyidae, 142–143
Heterorhabditis, 215
 heterozygosity, 442, 444
 heterozygote advantage, 434, 439
Hexaglandula, 191
Hexagonoporus, 160
Histomonas meleagridis, 228
 historical biogeography, 380–386
 honey bees as hosts, 89–90, 303–304, 305
 hookworms, 223–225
 horizontal transmission, 90, 91
 host specificity, 381
 host switching, 381, 382, 383, 454, 455
Hyalomma, 296
 hydatid cysts, 166, 167
 hydatid disease, 167
Hydrachna, 306
 hydrogenosome, 46
Hymenopimécis argyraphaga, 326–327
Hymenolepis abortiva, 363
Hymenolepis citelli, 348–349
Hymenolepis diminuta, 155, 157, 169, 367, 403, 419, 472
Hymenolepis nana, 354
 hyperparasites, 9, 115, 289
- Ichthyophthirius multifiliis*, 80
 immune response of vertebrates, overview, 16–20
 immunity
 acquired response in vertebrates, 21–26
 innate response of vertebrates, 21
 insects, 32–33
 parasite community structure, 368
 parasite-mediated natural selection, 436–437
 regulation of host, 26
 snails, 33–34, 403
 immunity, context-dependent, 36
 immunity, costs, 35
 immunity, evasion by parasites
 African trypanosomes, 30–31
 larval trematodes of snails, 33–34
- Leishmania*, 31, 55
 Pentastomida, 254
Schistosoma mansoni, 30
 immunity, optimal, 36–37
 immunological memory, 17, 32
 immunology terminology, 18–19
 immunoparasitology, 10
 immunopathology, 35, 37
 African trypanosomes, 28
 cerebral malaria, 75
 Chagas' disease, 27, 53
Lacistorhynchus dollfusi, 438
Schistosoma mansoni, 28, 136–138
 immunosuppression, 27, 33, 77, 326
 infracommunity
 biological tags, 391
 defined, 357
 isolationist–interactive continuum, 364
 role of competition, 362–364
 role of host immunity, 366–368, 374
 infrapopulation, 336, 353, 354
 Insecta
 development, 312
 immune response to parasites, 32–33
 nervous system, 310–311
 nutrient uptake, 311–312
 reproduction, 310
 intermediate hosts, 9, 179, 282, 363, 374
Ismaila, 279
 Isopoda, 287–289
Isospora, 64
Ixodes pacificus, 295
Ixodes scapularis, 295, 298
Ixodes uriae, 446
- k* (negative binomial distribution), 341, 345, 418
Kabatana, 91, 94
 kentrogon, 280, 284
 kinetoplast, 46
 Kinetoplastida, 46
 kinetosome, 46
Koalachirus perkinsi, 307
Kudoa thyrsites, 96, 104
- Lacistorhynchus dollfusi*, 438
 lacunar system, 184
Lankesteria culicis, 63
 leeches, 56
- Leishmania tropica*, 55
Leishmania braziliensis, 54, 55
Leishmania donovani, 54, 55
Leishmania mexicana, 54, 55
Leishmania tropica, 54
 leishmaniasis, 55
Leococytozoon simondi, 69
Lepeophtheirus salmonis, 9, 272, 413–414
Lernaecocera branchialis, 273, 282
 Lernaepodidae, 276
Leucochloridium, 127, 141–142
Leucocytozoon, 437
 lice
 chewing, 313–314
 cospeciation with hosts, 453–454
 effects on metabolism, 399
 population genetic structure, 445
 sucking, 314–315
 vectors, 315
 life cycles
 Acanthocephala, 188–191
 Apicomplexa, general, 62
 Ascaris lumbricoides, 229
 Cryptosporidium parvum, 63
 Digenea, 121–127
 Dirofilaria immitis, 234–235
 Echinococcus granulosus, 166
 Entamoeba histolytica, 58–59
 Giardia duodenalis, 49
 hookworm, 223
 Ichthyophthirius multifiliis, 80
 Microsporida, 88–89
 Myxobolus cerebralis, 97–100
 Nematoda, 210–211
 Opalina ranarum, 60
 Orthione griffenis, 288
 Paragordius varius, 246–247
 Pentastomida, 256–258
 Phrioxcephalus cincinnatus, 280
 Plasmodium spp., 69
 Pseudodiplorchis americanus, 347–348
 Pseudoterranova decipiens, 230
 Rhabdias spp., 222
 Rhizocephala, 284
 Schistosoma, 136
 Toxoplasma gondii, 64–66
 Trypanosoma brucei, 52
 Trypanosoma cruzi, 48–52, 53
 Varroa destructor, 303
Ligula intestinalis, 161, 415, 440

- Linguatula serrata*, 256, 258
Liponyssus sanguineus, 301
Lipoptena cervi, 317
Lipoptena depressa, 317
Liriopsis pygmaeae, 289
Lironeca amurensis, 287
Lobatostoma manteri, 116
Loma morhua, 92
Loma salmonae, 92
 louse flies, 317
 lycophore, 153
 Lyme disease, 299
- Macracanthorhynchus hirudinaceus*, 187
 macrophages, 18, 21, 22, 55, 138, 439
 major histocompatibility complex (MHC), 16, 23, 349, 436, 439–440
 Malacosporea, 97, 107, 110
 malacospores, 97
 malaria
 avian, in Hawaii, 424, 438, 440
 cerebral, 75
 diagnosis, 74–75
 drug resistance, 78
 drug therapy, 43
 history, 4, 5, 67–69
 life cycle, 69
 pathogenesis, 75–77
 recrudescence, 68–69
 relapse, 68
 mange, 306
Mazamastrongylus odocoilei, 446
Megalodiscus temperatus, 129
Megapriapus ungriai, 192
Melanophagus ovinus, 317
 Mermithidae, 215–217
 merogony. *See* schizogony
 merozoites, 62, 69
 mesocercariae, 141
 metacercariae
 cyst adaptations, 127
 Dicrocoelium dendriticum, 408
 Ribeiroia ondatrae, 400, 466
 Uvulifer ambloplitis, 401
Metagonimus yokawagai, 143
Metastrongylus apri, 226
 microfilariae, 235
Microphallus, 449
 micropredator, 7
Microsomacanthus, 372
- Microsporida
 classification, 94
 effects on hosts, 89, 91, 92, 400
 life cycle, 88–89
 phylogenetic relationships, 94
 reproduction, 88
 sex ratio distortion, 91
 spore morphology, 86–88
 xenoma formation, 91
 microsporidial gill disease, 92
 microsporidiosis, 93
Microsporidium, 91, 92
 microtriches, 155, 157
 miracidia
 effects of heavy metals, 462–463
 transmission behaviors, 121–125
 mites
 effects on hosts, 301, 302, 303, 305, 306
 vectors, 303
 mitosome, 93
Mixotricha paradoxa, 44
 molecular mimicry, 30
Moniezia expansa, 155, 168
Moniliformis dubius, 191
Moniliformis moniliformis, 187, 471
 Monogenea
 holdfasts, 146–147
 life cycle, 148
 reproduction, 147–148
 mosquitoes
 bot fly transmission, 321
 filarid nematode transmission, 235
 malaria transmission, 10, 388, 389, 423, 437
 multiple fission, 42
 mutualism, 7
 myiasis, 322, 323
Myrmeconema neotropicum, 217, 406–408
Myxidium, 102, 103
Myxobolus arcticus, 390
Myxobolus cerebralis, 96, 97, 101–102, 411
 Myxosporea, 108, 110
 myxospores, 96, 97, 99
 Myxozoa
 biological tags, 96
 classification, 108–110
 environmental indicators, 469
 life cycle, 97–100, 246–247
 phylogenetic relationships, 106–110
 reproduction, 99
 spore morphology, 97
- Naegleria fowleri*, 57, 59
Nanophyetus salmincola, 144
 natural selection, 29, 77, 123, 140, 366, 432–437, 439, 449
 nauplius, 269
Necator americanus, 223, 343, 388, 440
Nectonema, 248
 negative binomial distribution (*k*), 341, 342, 345, 418
 nematocysts, 106
 Nematoda
 Ascarida, 228–232
 classification, 240
 cuticle, 199–205
 developmental biology, 209–210, 213–214, 222
 digestive system, 206–207
 Dioctophymatida, 221–222
 life cycle, 210–211
 Mermithidae, 215–217
 metabolism, 208–209
 nervous system, 208
 Oxyurida, 227–228
 phylogenetic relationships, 237–238
 population genetic structure, 444, 445, 446
 pseudocoelom, 205
 reproduction, 207–208
 Rhabditida, 222
 Spirurida, 232–237
 Strongylida, 222–227
 Trichocephalida, 218–221
 Nematomorpha
 alteration of behavior, 249
 body wall, 244–245
 effects on ecosystems, 249, 426
 effects on hosts, 249
 fossils, 249
 life cycle, 246–247
 metabolism, 246
 nervous system, 246
 phylogenetic relationships, 249–250
 reproduction, 246
Nematospiroides dubius, 367
Neobellieria citellivora, 322
Neobenedenia, 150
 Neodermata, 119, 171
 neodermis, 117, 171

- Neoechinorhynchus*, 197
Neorickettsia helminthoeca, 144
Neospora caninum, 66
neurocysticercosis, 165
niche restriction, 360
 defined, 362
 parasite infracommunities, 361–362
 reproductive assurance, 365
 role of host immunity, 366–368
 role of interspecific competition, 362–364
Nosema algerae, 89
Nosema apis, 89
Nosema bombi, 89
Nosema bombycis, 86, 89
Nosema ceranae, 89–90, 411, 422
Nosema disease, 89
Nosema granulosis, 91
Notochaeta bufonivora, 322
nurse cell, 219–220, 406
Nybelinia surmenicola, 163
Nyctotherus cordiformis, 80
- Obeliscoides cuniculi*, 417
Oculotrema hippopotami, 145
Oligacanthorhynchus, 192
Ommatokoita elongata, 265, 276
Onchocerca volvulus, 235, 237
onchocerciasis, 235, 237
onchocercoma, 236
Oncicola pomastomi, 192
oncomiracidia, 113, 145, 148, 348
oncospheres, 159, 347
oocysts, 60, 61, 63, 64, 66, 69
ookinete, 69
Opalina ranarum, 59–60
Opalinida, 59–60
Opisthorchiidae, 142
Ornithodiplostomum ptychocheilus, 127, 460
Ornithodoros erraticus, 446
Ornithodoros savignyi, 300
Ornithodoros spheniscus, 300
Ornithodoros transversus, 300
Ornithonyssus bacoti, 301
Ornithonyssus bursa, 301
Ornithonyssus sylviarum, 301
Orthione griffenis, 288, 422
Ostertagia circumcincta, 417
Ostertagia ostertagi, 226, 444, 446
Otobius megnini, 300
Oxyurida, 227–228
- Palaeacanthocephala, 192, 194
panmixia, 442, 445, 446
pansporoblast, 97
paragonimiasis, 143
Paragonimus westermani, 143
Paragordius obamai, 246
Paragordius tricuspidatus, 249
Paragordius varius, 244, 246, 247
paramphistomiasis, 131
Paramphistomidae, 129–131
Paramphistomum cervi, 131
parasite community structure, 360
parasite fauna, 358, 368
parasite-induced effects on host
 populations, 412–417
parasite-induced fruit mimicry, 217, 407–408
parasite-induced host life-history
 variation, 405
parasite-induced host mortality, 338, 348, 401, 418, 439, 466
parasite-mediated competition, 228, 423–425
parasite-mediated evolution, 437–440
parasite-mediated natural selection, 3, 24, 77, 162, 432–437, 439, 440
parasites, 389–391
 biological tags, 96
 defined, 5–6
 ecosystem engineers, 423, 425–426
 effects on host fitness, 400–403
 effects on host metabolism, 399–400
 effects on host phenotypes, 405–411
 effects on host populations, 412–417
 environmental sentinels, 470–473
 evolution of host sexual
 reproduction, 448–450
 food web roles, 426–427
 fossils, 217, 249, 288, 380
 host life-history variation, 403–405
 host population regulation, 417–422
 indicators of host evolutionary
 history, 380–381, 391–392
 keystone, 289, 423, 459
 pollution effect indicators, 460–463
 population genetic structure, 441–446
parasitoids
 defined, 7, 313
- Diptera, 323
 evasion of insect immunity, 32–33
 Hymenoptera, 325–328
 manipulation of behavior, 326–327
parasitology
 environmental, 459
 forensic, 390
 historical perspective, 4–5
 multidisciplinary scope, 2–3, 464
parasitophorous vacuole, 55
paratenic hosts
 Acanthocephala, 191
 defined, 10
 Digenea, 141
 Eucestoda, 159
 Nematoda, 228, 230
 Nematomorpha, 247
parelaphostrongylosis, 425
Parelaphostrongylus tenuis, 227, 412, 425
parenchyma, 119
Parvicapsula minibicornis, 105
pathogenesis
 African trypanosomiasis, 27–28, 53
 anisakiasis, 231
 ascariasis, 229
 Chagas' disease, 27, 53
 cryptosporidiosis, 64
 Entamoeba histolytica, 59
 giardiasis, 50
 Gyrodactylus, 150
 hookworm disease, 223
 hydatid disease, 167
 leishmaniasis, 55
 Loma salmonae, 92
 Lyme disease, 297
 malaria, 75–77
 microsporidiosis, 93
 Myxobolus cerebralis, 101
 Nosema disease, 89
 pentastomiasis, 260
 proliferative kidney disease, 107
 schistosomiasis, 28–29
 toxoplasmosis, 65
 trichinosis, 220
 Varroa destructor, 303
Pediculus humanus, 314, 380
pellicle, 41
Peltogaster paguri, 283
Peltogasterella, 283
Pennella balaenopterae, 273
Pennella elegans, 266

- Pennellidae, 272
- pentastomiasis, 260
- Pentastomida
- body wall, 252–253
 - classification, 258–261
 - evasion of immunity, 252, 254
 - fossils, 259
 - life cycle, 256–258
 - metabolism, 256
 - nervous system, 256
 - phylogenetic relationships, 260–261
 - reproduction, 255–256
- periodicity, 234
- phenotypic manipulation
- Acanthocephala, 180–181
 - Dicrocoelium dendriticum*, 144–145
 - Leucochloridium*, 127, 141–142
 - mechanisms of behavioral alteration, 410–411
 - Myrmeconema neotropicum*, 407–408
 - Nematomorpha, 249
 - Rhizocephala, 284–286
 - Ribeiroia ondatrae*, 133
- Philornis*, 323
- Philornis downsi*, 322
- phoresy, 7
- Phrixocephalus cincinnatus*, 269, 280
- Phthirus pubis*, 315
- phylogenetic relationships
- Acanthocephala, 192–197
 - Arthropoda, 328
 - Microsporida, 93–94
 - Myxozoa, 106–110
 - Nematoda, 237–238
 - Nematomorpha, 249–250
 - Pentastomida, 260–261
 - Platyhelminthes, 113–114, 169–171
 - Protozoa, 41, 81
- phylogenetic systematics (cladistics)
- historical biogeography, 381
 - overview, 11–13
- phylogeography, 379, 385, *See* historical biogeography
- Piagetiella*, 313
- piroplasm, 67
- Placentonema gigantissima*, 199
- Plagioporus shawi*, 391, 445
- Plagioporus sinitsini*, 145
- Plagiorchis noblei*, 145
- Plagiorchioridae*, 145
- Plagiorhynchus cylindraceus*, 145, 191
- Plasmodium vivax*, 75
- Plasmodium azurophilum*, 425
- Plasmodium chabaudi*, 367
- Plasmodium falciparum*
- drug resistance, 78
 - life cycle, 69
 - pathogenesis, 76
 - recrudescence, 68
 - sickle-cell anemia, 77, 432–434
- Plasmodium malariae*, 68, 75
- Plasmodium ovale*, 68, 75
- Plasmodium reichenowi*, 433
- Plasmodium relictum*, 397, 424, 438
- Plasmodium vivax*, 67
- plasmolemma, 40
- Platyhelminthes
- Aspidobothrea, 115–116
 - classification, 172–174
 - Digenea, 116–145
 - Eucestoda, 153–169
 - Monogenea, 145–152
 - phylogenetic relationships, 113–114, 169–171
 - tegument, 117–119
 - Temnocephalida, 115
 - Udonellida, 115
- Platypsyllus castoris*, 324
- Pleistophora*, 86, 91, 94
- plerocercoids, 159, 160, 162, 415
- Poecilancistrum caryophyllum*, 163
- polar capsules, 97, 106
- pollution
- effects on parasite communities, 360, 373, 464–470
 - effects on parasite populations, 463–464
 - effects on trematode larvae, 460–463
- Polyacanthocephala, 194
- polydnaviruses (PDVs), 33, 326
- polyembryony, 121
- polymorphism, genetic, 442, 447
- Polymorphus minutus*, 187
- Polymorphus paradoxus*, 180
- Polyplax serrata*, 367
- Polypodium hydriforme*, 108
- Polystoma integerrimum*, 151
- Pomphorhynchus*, 192
- Pomphorhynchus laevis*, 471, 472
- population dynamics
- density-dependent effects, 353–354
 - regulation of parasite populations, 353–354
 - role of host genetics, 349
 - role of host immunity, 348, 354
 - seasonal effects, 347, 350
- population ecology case studies
- Caryophyllaeus laticeps*, 346–347
 - Halipegus occidualis*, 349–350
 - Hymenolepis citelli*, 348–349
 - Pseudodiplorchis americanus*, 347–348
- population ecology, terminology, 336–337
- population genetic structure, parasites, 441–446
- Porocephalus crotali*, 258
- Posthodiplostomum minimum*, 460
- Potamopyrgus antipodarum*, 449
- primary amoebic meningoencephalitis (PAM), 57
- proboscis, 196
- procercoids, 159, 160, 162, 347
- Profilicollis altmani*, 194
- proglottids, 113, 154
- proliferative kidney disease, 96, 106–107
- promastigotes, 50
- Proteocephalidea, 162
- Proteocephalus ambloplitis*, 162
- proteomics, 410
- protonephridia, 113, 119
- Protopolystoma*, 362
- Protostrongylus*, 417
- Protostrongylus stilesi*, 226
- Protozoa
- amoeba, 56–59
 - Apicomplexa, 60–78
 - Ciliophora, 78–80
 - classification, 81–82
 - flagellates, 45–56
 - metabolism, 42
 - Opalinida, 59–60
 - phylogenetic relationships, 41, 80–81
- pseudocoelom, 179, 205
- pseudocysts, 48
- Pseudodiplorchis americanus*, 151, 347–348
- Pseudoterranova decipiens*, 230, 445
- Psilostomidae, 132
- Pulex irritans*, 316
- Pyemotes tritici*, 305

- questing behavior, 224
- realized niche, 361, 364
- recrudescence, malaria, 68
- Red Queen hypothesis, 447–451
- rediae, 121
- reduviid bugs, 50, 54, 315
- regulation of host–parasite populations, 417–422
- Reighardia sterna*, 256, 259
- relapse, malaria, 68
- reproduction
- Acanthocephala, 185
 - Acari, 319–293
 - Apicomplexa, 62
 - Crustacea, 267
 - Eucestoda, 155–156
 - gyrodactylid monogeneans, 148
 - Microsporida, 88
 - Myxozoa, 97–100
 - Nematoda, 207–208
 - Nematomorpha, 246
 - Pentastomida, 255–256
 - Protozoa, 42–43
- reproductive rate, 338
- reservoir hosts, 10, 50, 54
- rete system, 185, 220
- Rhabdias*, 222
- Rhabdias bufonis*, 353, 402
- Rhabditida, 222
- Rhinebothriidea, 164
- Rhinebothrium*, 164
- Rhizocephala, 282–286, 425
- Ribeiroia ondatrae*, 132, 344, 400, 464–468
- risk maps, predicting parasite distributions, 388
- Ro.* See reproductive rate
- Romanomermis culicivora*x, 215
- rostrum, 196
- Rotifera, 179, 195, 197
- Sacculina carcini*, 283, 425
- Saeftigen's pouch, 185
- Salmincola*, 276
- salmon-poisoning disease, 144
- Sanguinicolidae, 133
- Sarcocystis*, 64, 66
- Sarcoptes scabiei*, 306
- scabies, 307
- Schistocephalus solidus*, 162, 344, 389, 401, 402, 415, 440
- Schistosoma japonicum*, 136
- Schistosoma bovis*, 139
- Schistosoma haematobium*, 4, 136, 139
- Schistosoma japonicum*, 10, 386
- Schistosoma mansoni*
- concomitant immunity, 28
 - effects of heavy metals on miracidia, 462
 - fecundity compensation in snails, 404
 - granula formation, 139–140
 - immunopathology, 28–28, 136–138
 - mechanism of egg release, 138–140
 - miracidia behavior, 125
 - population genetic structure, 445
 - snail immunity evasion, 33–34, 439
- Schistosomatidae, 135–140
- schistosomiasis, 136, 388
- schistosomule, 136
- schizogony, 42, 69, 88, 99
- scolex, 153
- sea lice. See *Lepeophtheirus salmonis*
- Selfia*, 258
- serotonin, 20, 148, 410, 411
- sex ratio distortion (SRD), 91
- sexual selection, Acanthocephala, 188–189
- sickle-cell anemia, 77, 434
- siphonostome, 271
- slime balls, 125, 144
- snails
- castration by larval trematodes, 449
 - development of Digenea, 121–125
 - eutrophication and *Ribeiroia* transmission, 467
 - immune response to trematodes, 33–34
 - intermediate hosts to nematodes, 226
 - trematodes and evolution of host sexual reproduction, 448–450
- Soboliphyme baturini*, 221
- speciation, 382, 432, 452
- species richness
- defined, 357
 - ecological determinants of, 371–374
 - effects of pollution, 373, 464–470
 - supply-filter concept, 368–370
- Sphaerospora testicularis*, 104
- Sphyranura*, 150
- Spilopsyllus cuniculi*, 316
- Spirurida, 232–237
- Splanchnotrophus*, 279
- sporocysts, 121
- sporogony, 42, 62, 69, 89, 99
- sporophorous vesicle, 88
- sporoplasm, 88, 91, 97
- sporozoites, 62, 69
- Steinernema*, 214, 216
- stichosome, 218
- Strepsiptera, 323–324
- Strongylida, 227
- Strongyloides papillosus*, 214
- Strongyloides ratti*, 213, 222, 354
- Strongyloides robustus*, 363
- Strongyloides stercoralis*, 214, 380
- Subtriquetra subtriquetra*, 259
- suprapopulation, 336
- swimmer's itch, 140
- symbiosis, 6–7
- synapomorphies, 11
- syncytium, 119, 155, 183
- Syndermata, 195
- T lymphocytes (T cells), 17
- tachyzoites, 66
- Taenia crassiceps*, 165
- Taenia pisiformis*, 165
- Taenia saginata*, 4, 165
- Taenia solium*, 4, 30, 165
- Taenia taeniaeformis*, 165
- taxon pulse model, parasite biogeography, 383–385
- tegument, 179, 183, 348
- Temnocephala chilensis*, 115
- Temnocephalida, 114–115
- Tetracapsuloides bryosalmonae*, 96, 97, 105, 107
- tetracotyle, 141
- Tetraphyllidea, 163–164
- Thaumamermis zealandica*, 217
- Theileria parva*, 67
- Thelohania contegeani*, 91
- Thompsonia*, 283
- thorny-headed worms. See Acanthocephala
- ticks
- effects on hosts, 296
 - life cycle, 295, 299
 - population genetic structure, 446
 - saliva, 293
 - vectors, 298

- tomites, 80
Toxocara canis, 229
Toxocara cati, 229
Toxoplasma gondii, 60, 64–66
toxoplasmosis, 65
transmammary transmission, 141, 225, 229
transmission
 Acanthocephala, 191
 avian malaria in Hawaii, 438
 Dermatobia hominis, 321
 Dracunculus medinensis, 233
 filariid nematodes, 233
 hookworms, 223
 horizontal, 89, 90
 localized nature of, 451
 Lyme disease, 299
 malaria, 388, 423
 Microsporida, 88, 89
 miracidia behaviors, 123–125
 Myxozoa, 99
 Nematomorpha, 249
 parasite-mediated natural selection, 440
 Pentastomida, 257
 population genetic structure, 445
 predicting risk of parasitic disease, 387–388
 Pseudodiplorchis americanus, 347–348
 ticks, 264–289
 transmammary, 141, 225, 229
 transplacental, 226, 229
 trophic, 113, 116, 127, 153, 179, 230, 460
 trypanosomes, 52
 vertical, 89, 91, 295
transmission threshold, 339
transovarial transmission, 89, 91, *See* vertical transmission
transplacental transmission, 226, 229
trematodes. *See* Digenea
triactinomyxons, 97, 99, 469
Triaenophorus crassus, 389
tribocytic organ, 140
Trichinella murrelli, 220
Trichinella nativa, 220
Trichinella phylogeography, 383
Trichinella pseudospiralis, 220
Trichinella spiralis, 4, 10, 219–221, 367, 397, 406
trichinosis, 220
Trichobilharzia, 140
Trichobilharzia ocellata, 403
Trichocephalida, 221
Trichodina, 79
Trichomonas vaginalis, 46
Trichonympha campanula, 7
Trichostrongylus tenuis, 226, 398, 402, 420–422, 437, 440
Trichuris trichiura, 218, 343, 388, 440
triungulins, 323
Troglotrematidae, 143–144
trophic transmission, 113, 116, 127, 153, 179, 230, 460
trophonts, 80
trophozoites, 48, 58
Trypanorhyncha, 163
Trypanosoma brucei, 52–53
Trypanosoma cruzi, 31, 48, 53–54
Trypanosoma diemyctyli, 56
Trypanosoma equiperdum, 46
Trypanosoma otospermophili, 398
Trypanosoma rotatorium, 56
trypomastigotes, 50, 52
tsetse flies, 46, 52

Udonella caligorum, 9, 115
Udonellida, 115
Uncinaria lucasi, 225
uterine bell, 185
Uvulifer ambloplitis, 141, 401
vaccine, 77, 78
Vampirelepis nana, 169
variance-to-mean ratio, 341, 436
variant surface glycoproteins (VSGs), 30, 52
Varroa destructor, 8, 302–304, 411, 422
varroatosis, 303
vectors
 black flies, 237
 Branchiura, 282
 defined, 10
 fleas, 317
 leeches, 56
 lice, 315
 mites, 301, 303
 mosquitoes, 10, 67, 235, 423, 437
 reduviid bugs, 50, 53
 sand flies, 54
 ticks, 67, 290, 295
 tsetse flies, 46, 52
vermigon, 281
vertical transmission, 89, 91, 295
vicariance biogeography, 381–383
virulence, 338, 397, 437, 447, 448
visceral larval migrans, 229

Waddycephalus punctatus, 258
whale lice. *See* *Cyamis*
whirling disease, 96, 97–100
winter ticks. *See* *Dermacentor albipictus*
Wolbachia, 234–235
Wuchereria bancrofti, 5, 235, 406

xenodiagnosis, 54
xenoma, 91

zoitocysts, 66
zoonoses, 10
Zschokkella mugilus, 105
zygocysts, 59