CAMBRIDGE

Cambridge University Press
978-0-521-19264-4 - Complex-Valued Matrix Derivatives: With Applications in Signal Processing and Communications
Are Hjorungnes
Index
More information

Index

Note: The letter *n* after a page number indicates a footnote.

$(\cdot)^+$, 12, 91
$(\cdot)^{-1}$, 12, 87
$(\cdot)^H$, 12
$(\cdot)^T$, 12
$(\cdot)^{\#}$, 12, 51, 90
$(\cdot)^*$, 12
$(\cdot)^{\odot k}$, 193
(k,l)-th component, 112
$H(\cdot)$, 177
$I(\cdot;\cdot)$, 177
M-PAM, 211, 214
M-PSK, 211, 214
M-QAM, 211, 214
$[\boldsymbol{z}]_{\{\boldsymbol{E}_{i,i}\}}$, 164
$\mathbb{C}$, 146
$\mathbb{CR}$-calculus, 11
$\mathbb{E}[\cdot]$, 66
$\mathrm{Im}\{\cdot\}$, 7, 45, 160
$\mathbb{K}$, 146
$\mathbb{N}$, 65, 78, 80, 87
$\mathbb{R}$, 146
$\mathbb{R}^+$, 187
$\mathrm{Re}\{\cdot\}$, 7, 45, 159
$\mathrm{Tr}\{\cdot\}$, 12, 22, 40, 51, 78, 129, 228
  properties, 24–28
$\mathbb{Z}$, 220
$\mathbb{Z}_N$, 6
$\angle(\cdot)$, 203
arctan(·), 73
argmin, 192
$\boldsymbol{0}_{N\times Q}$, 6, 97
$\boldsymbol{1}_{N\times Q}$, 6, 37
$\boldsymbol{C}(\cdot)$, 50, 189
$\boldsymbol{D}_N$, 19, 33, 168
$\boldsymbol{E}_{i,j}$, 19, 40, 154, 164, 167, 182
  generalization, 58, 117
$\boldsymbol{F}$, 7, 112
$\boldsymbol{F}^{-1}$, 148
$\boldsymbol{F}_N$, 203, 208
$\boldsymbol{F}_{\boldsymbol{X}}^{-1}$, 148
$\boldsymbol{F}_{\boldsymbol{Z}^*}^{-1}$, 148
$\boldsymbol{F}_{\boldsymbol{Z}}^{-1}$, 148
$\boldsymbol{I}_N$, 12
$\boldsymbol{I}_N^{(k)}$, 190
$\boldsymbol{J}$, 223
$\boldsymbol{J}_N$, 162
$\boldsymbol{J}_N^{(k)}$, 193
$\boldsymbol{K}_{N,Q}$, 13, 27, 32, 40, 129
$\boldsymbol{L}_d$, 17, 146, 155, 163, 164, 166, 171
$\boldsymbol{L}_l$, 17, 146, 155, 166, 171
$\boldsymbol{L}_u$, 17, 146, 155, 166, 171
$\boldsymbol{M}(\boldsymbol{Z})$, 65
$\boldsymbol{P}_N$, 191
$\boldsymbol{V}$, 19, 42, 170
$\boldsymbol{V}_d$, 19, 37, 42, 170
$\boldsymbol{V}_l$, 19, 37, 42, 170
$\boldsymbol{W}$, 148
$\boldsymbol{Z}$, 7, 45, 96
$\boldsymbol{Z}^*$, 45, 96
$\mathcal{Z}$, 96–98, 112
$\boldsymbol{e}_i$, 19, 27
$\boldsymbol{f}$, 7
$\boldsymbol{z}$, 7
$(\cdot)_{\sqcup}^{(q)}$, 221
$\delta_{i,j,k}$, 33, 35
$\delta_{k,l}$, 34, 35
$\mathcal{D}_{\boldsymbol{Z}}(\mathcal{D}_{\boldsymbol{Z}}\boldsymbol{f})^T$, 110
$\mathcal{D}_{\boldsymbol{W}^*}\boldsymbol{F}^{-1}$, 147, 153
$\mathcal{D}_{\boldsymbol{W}^*}\boldsymbol{G}$, 153
$\mathcal{D}_{\boldsymbol{W}}\boldsymbol{F}^{-1}$, 147, 149, 153
$\mathcal{D}_{\boldsymbol{W}}g$, 164
$\mathcal{D}_{\boldsymbol{X}}\boldsymbol{F}$, 138, 149
$\mathcal{D}_{\boldsymbol{X}}\boldsymbol{H}$, 153
$\mathcal{D}_{\boldsymbol{Z}^*}\boldsymbol{F}^*$, 58
$\mathcal{D}_{\boldsymbol{Z}^*}\boldsymbol{F}$, 55, 138, 149
  alternative expression, 57, 58
  complex conjugate, 58
$\mathcal{D}_{\boldsymbol{Z}^*}\boldsymbol{H}$, 153
$\mathcal{D}_{\boldsymbol{Z}^*}f$, 62, 101, 122
$\mathcal{D}_{\boldsymbol{Z}_0}\left(\mathcal{D}_{\boldsymbol{Z}_1}f\right)^T$, 100
$\mathcal{D}_{\boldsymbol{Z}}\boldsymbol{F}^*$, 58

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-19264-4 - Complex-Valued Matrix Derivatives: With Applications in Signal Processing and Communications
Are Hjorungnes
Index
More information

$\mathcal{D}_{\boldsymbol{Z}}\boldsymbol{F}$, 55, 138, 149
  alternative expression, 57, 58
  complex conjugate, 58
$\mathcal{D}_{\boldsymbol{Z}}\boldsymbol{H}$, 153
$\mathcal{D}_{\boldsymbol{Z}}f$, 101, 122
  complex conjugate, 62
$\mathcal{D}_{\boldsymbol{Z}}(\mathcal{D}_{\boldsymbol{Z}}\boldsymbol{F})^T$, 113
$\mathcal{D}_{\boldsymbol{Z}}(\mathcal{D}_{\boldsymbol{Z}}f)^T$, 106
$\mathcal{D}_{\boldsymbol{Z}}\boldsymbol{F}$, 105, 117
$\mathcal{D}_{\boldsymbol{Z}}f$, 105
$\mathcal{D}_{z^*}\boldsymbol{f}$, 57
$\mathcal{D}_{z}\boldsymbol{F}$
  circulant, 192
  Hankel, 193
  Toeplitz, 190
  Vandermonde, 193
$\mathcal{D}_{z}\boldsymbol{f}$, 57
det(·), 12, 22, 65, 79, 129, 175,194, 195, 196
diag(·), 14, 40, 194, 228
d, 44
$d\boldsymbol{Z}$, 115
$d\boldsymbol{f}$, 123
$d^2\boldsymbol{Z}$, 97
$d^2\boldsymbol{f}$, 109, 110, 123, 128
$d^2\lambda$, 120
$d^2\,\mathrm{vec}\,(\boldsymbol{F})$, 112, 127
d^2f, 99, 106, 108, 119, 121, 122
df, 46, 101, 119, 122
$\dim_{\mathbb{C}}\{\cdot\}$, 12, 20, 83, 136
$\dim_{\mathbb{R}}\{\cdot\}$, 12, 136, 146, 148
exp(·), 12, 39, 66, 89, 184
$\frac{\partial \boldsymbol{F}}{\partial z}$, 57
$\frac{\partial f}{\partial x_{k,l}}$, 46
$\frac{\partial f}{\partial y_{k,l}}$, 46
$\frac{\partial f}{\partial z^*}$, 45
$\frac{\partial f}{\partial z^*_{k,l}}$, 46
$\frac{\partial f}{\partial z_{k,l}}$, 46
$\frac{\partial f}{\partial z}$, 45
$\frac{\partial g}{\partial \boldsymbol{S}}$ skew-symmetric, 180
$\frac{\partial g}{\partial \boldsymbol{W}^*}$, 154
  Hermitian, 174
$\frac{\partial g}{\partial \boldsymbol{W}}$, 154, 155
  diagonal, 165
  Hermitian, 174
  skew-Hermitian, 183
  symmetric, 168, 170, 189
$\frac{\partial}{\partial \boldsymbol{Z}^*}f$, 76
$\frac{\partial}{\partial \boldsymbol{Z}}f$, 76
$\frac{\partial}{\partial \boldsymbol{z}^H}\boldsymbol{f}(\boldsymbol{z},\boldsymbol{z}^*)$, 57
$\frac{\partial}{\partial \boldsymbol{z}^T}\boldsymbol{f}(\boldsymbol{z},\boldsymbol{z}^*)$, 57
$\frac{\partial}{\partial z^*}$, 71
$\frac{\partial}{\partial z}$, 71
$\mathcal{H}_{\boldsymbol{Z}^*,\boldsymbol{Z}^*}f$, 103, 107, 122
$\mathcal{H}_{\boldsymbol{Z}^*,\boldsymbol{Z}}f$, 103, 107, 122
$\mathcal{H}_{\boldsymbol{Z}_0,\boldsymbol{Z}_1}f$, 99, 100
$\mathcal{H}_{\boldsymbol{Z},\boldsymbol{Z}^*}f$, 103, 107, 122
$\mathcal{H}_{\boldsymbol{Z},\boldsymbol{Z}}f$, 102, 107, 122
$\mathcal{H}_{\boldsymbol{Z},\boldsymbol{Z}}\boldsymbol{F}$, 115, 117, 129, 131
$\mathcal{H}_{\boldsymbol{Z},\boldsymbol{Z}}\boldsymbol{f}$, 111, 128
$\mathcal{H}_{\boldsymbol{Z},\boldsymbol{Z}}f_{i,j}$, 113
$\mathcal{H}_{\boldsymbol{Z},\boldsymbol{Z}}f_i$, 111
$\mathcal{H}_{\boldsymbol{Z},\boldsymbol{Z}}f$, 106, 107, 120
J, 7
$\left[[\boldsymbol{x}]_{\{\boldsymbol{E}_{i,i}\}},[\boldsymbol{y}]_{\{\boldsymbol{G}_i\}}\right]$, 167
$[\boldsymbol{z}]_{\{\boldsymbol{H}_i\}}$, 169
$[\cdot]_{[\boldsymbol{E}_{i,j}]}$, 173
$[\cdot]_{[\boldsymbol{L}_d,\boldsymbol{L}_l,\boldsymbol{L}_u]}$, 173
ln(·), 52, 129, 175, 194, 195, 196
  square matrix, 93
$\mathcal{CN}(\cdot,\cdot)$, 213
$\mathcal{C}(\cdot)$, 12
$\mathcal{N}(\cdot)$, 12, 83
$\mathcal{W}$, 148, 153
$\nabla_{\boldsymbol{Z}^*}f$, 77
$\nabla_{\boldsymbol{Z}}f$, 77
$\odot$, 13, 22, 40, 90, 163, 165, 189, 198, 207, 228
$\otimes$, 13, 22, 89, 228
perm(·), 65
rank(·), 12, 20, 24, 83, 160, 189, 198
reshape(·), 49n
$\mathcal{T}^{(k)}\{\cdot\}$, 226, 227
$(\cdot)_{\lrcorner}$, 221
$(\cdot)^{(q)}_{\urcorner}$, 221
σ_i, 194
$\sim$, 213
$\subset$, 8
$\subseteq$, 163
$\succeq$, 187
First-order(·, ·), 46
Higher-order(·, ·), 46
$\tilde{\boldsymbol{W}}$, 147
vecb(·), 18, 30, 42, 111, 115, 124, 125, 131, 222
$(\cdot)^{(v)}_{\shortmid}$, 222
vec(·), 13, 40, 97, 155, 226, 228
$\mathrm{vec}^T(\cdot)$, 25
$\mathrm{vec}_d(\cdot)$, 15, 166, 198
$\mathrm{vec}_l(\cdot)$, 15, 166
$\mathrm{vec}_u(\cdot)$, 15, 166
$\wedge$, 61
$c_{k,l}(\cdot)$, 50
$e^{J\angle(\cdot)}$, 203
f, 7
$f_{i,j}$, 126
f_i, 109, 124
$f_{k,l}$, 112
i-th vector component, 109
$m_{k,l}(\cdot)$, 50n, 65

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-19264-4 - Complex-Valued Matrix Derivatives: With Applications in Signal Processing and Communications
Are Hjorungnes
Index
More information

$v(\cdot)$, 19
z, 7
z-transform, 220
$\mathcal{D}_{\boldsymbol{W}}\boldsymbol{G}$, 153
$\mathcal{H}_{\boldsymbol{Z},\boldsymbol{Z}}f$, 131

absolute value, 7, 72, 91, 93, 201
  derivative, 72
accelerate algorithm, 95
adaptive
  filter, 1, 2, 119, 163
    constrained, 163
  multichannel identification, 76
  optimization algorithm, 95
addend, 48
additive noise, 66, 213
adjoint matrix $(\cdot)^{\#}$, 12, 51, 90
algebraic multiplicity, 84
algorithm, 219
ambient space, 144n, 145
analytic function, 5, 8, 39
application, 219
  communications, 2, 5
  signal processing, 2, 5
argument $\angle(\cdot)$, 72, 73, 91
  derivative, 73
  principal value, 72
array signal processing, 75, 119
augmented matrix variable $\underline{\boldsymbol{Z}}$, 96–98, 109, 129
autocorrelation matrix, 68, 177, 178, 194, 195, 197, 209, 211, 213, 224
autocovariance matrix, 213

basis, 148, 167, 199, 200
  Hermitian, 171
  skew-Hermitian, 181
  vectors, 147, 149, 155, 164, 171
bijection, 148, 150
bits, 212
block
  matrix, 26, 38
  MIMO system, 212
  MSE, 224, 226, 229
  Toeplitz matrix, 226
  transmitted, 216
  vectorization vecb$(\cdot)$, 18, 30, 42, 111, 115, 124, 125, 131, 222
bounds
  generalized Rayleigh quotient, 92
  Rayleigh quotient, 68

capacity
  MIMO, 175, 194
    channel, 20, 52
cardinality, 212
Cauchy-Riemann equations, 8, 38, 39
Cauchy-Schwartz inequality, 63, 143
causal FIR filter, 163
CDMA, 220
CFO estimation, 209
chain rule, 5, 44, 60, 66, 74, 134, 135, 139–142, 152, 154, 162, 164, 165, 167, 181, 205, 206, 210
  Hessian, 117
channel, 220
  matrix, 194, 213
  noise, 176
  statistics, 211, 216
characteristic equation, 81n
Cholesky decomposition, 187
circuit, 2
circulant matrix, 191
circularly symmetric
  distributed, 213
  Gaussian distribution, 66
classification, 5
  functions, 10, 98
coefficient, 220
cofactor $c_{k,l}(\cdot)$, 50n, 189
column
  space $\mathcal{C}(\cdot)$, 12
  symmetric, 18, 42, 111, 113, 124
  vector, 26n, 203
column-diagonal-expanded, 221
column-expanded, 221
  vector, 223, 228
column-expansion, 221–223, 228
communications, 1–3, 5, 21, 44, 84, 95, 133, 135, 137, 157, 189, 201, 211
  problem, 154
  system, 1, 224
commutation matrix $\boldsymbol{K}_{N,Q}$, 13, 27, 32, 40, 129
  name, 27
commutative diagram, 135, 148
complex
  conjugate $(\cdot)^*$, 1, 7, 12, 43, 44, 96, 98, 145, 171, 181, 201
  conjugate matrix variable $\boldsymbol{Z}^*$, 45
  derivative, 55, 138
    eigenvector, 84
  differentiable function, 8
  differential, 2, 5, 22, 43, 44–45, 75, 137
    $(\cdot)^+$, 90
    $(\cdot)^{\#}$, 90
    $\boldsymbol{Z}$, 45
    exp$(\cdot)$, 66, 89
    ln$(\cdot)$ square matrix, 93
    $\odot$, 89
    $\otimes$, 88
    reshape$(\cdot)$, 49
    adjoint $(\cdot)^{\#}$, 51, 90
    complex conjugate, 44, 45, 50
    constant matrix, 46

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-19264-4 - Complex-Valued Matrix Derivatives: With Applications in Signal Processing and Communications
Are Hjorungnes
Index
More information

determinant det(·), 50, 79, 80
eigenvector, 84, 93
exponential matrix function exp(·), 66, 89
generalized Rayleigh quotient, 92
Hadamard product $\odot$, 49, 89
Hermitian $\boldsymbol{Z}^H$, 50
imaginary part Im {·}, 44, 45
inverse matrix $\boldsymbol{Z}^{-1}$, 49, 87
Kronecker product $\otimes$, 48, 88
left eigenvector, 84
linear reshaping operator reshape(·), 49
matrix power, 88
matrix product, 47
Moore-Penrose inverse $(\cdot)^+$, 52, 66, 90
mutual information, 67
natural logarithm determinant, 52
natural logarithm ln(·), 93
product, 48, 87
Rayleigh quotient, 67
real part Re {·}, 44, 45
simple eigenvalue, 81, 93
simple eigenvalue complex conjugate, 81
sum of matrices, 47
trace Tr{·}, 48
trace Tr{·} exponential exp(·), 66
dimension $\dim_{\mathbb{C}}(\cdot)$, 12, 83, 136
Gaussian, 213
Hessian, 2
manifold, 145
numbers $\mathbb{C}$, 6
quadratic form, 22, 29–31
scalar variable, 44
signal, 2
variable, 5
complex-valued
derivative
matrix function, 84–91
matrix function matrix variable, 86–91
matrix function scalar variable, 84–85
matrix function vector variable, 85
scalar function, 70–81
scalar function matrix variable, 76–81
scalar function scalar variable, 70–74
scalar function vector variable, 74–76
vector function, 82–84
vector function matrix variable, 82–84
vector function scalar variable, 82
vector function vector variable, 82
functions, 7
manifold, 135
matrix, 1, 43
calculus, 1
derivative, 1, 3, 4, 55, 225
variable $\boldsymbol{Z}$, 45
matrix derivative, 138
chain rule, 60
fundamental results, 60–65
product, 59
trace Tr{·} exponential exp(·), 66
scalar, 3
signal processing, 2
variables, 7
vector, 3
function, 112
component-wise, 2, 4, 5, 85
absolute value, 202
derivation, 210
inverse
absolute value, 202, 203
principal argument, 202
composed function, 152, 155, 164, 167, 169
concave, 5, 95, 99, 103
connection
Tr{·} and vec(·), 25, 28
$\text{vec}_l(\cdot)$ and $\text{vec}_u(\cdot)$, 31
constant, 146
matrix, 46
constellation, 215
constrained, 5
adaptive filter, 163
minimization, 217
optimization, 189, 225
problem, 161
set, 3
constraint, 133, 198
continuous, 158n, 201
contour plot, 63
control theory, 2
convergence, 2, 5, 219
convex, 5, 95, 99, 103
optimization, 3
convolution, 223, 228
sum, 224
coordinates, 200
correlated
channel, 213
MIMO channel, 213
Ricean channel, 211
correlation, 216
covariance, 177
matrix, 66, 177
criterion, 76
cross-correlation vector, 68
cross-covariance matrix, 224
cyclic
error codes, 191
prefix, 209n

decomposition, 188
Cholesky, 187
eigenvalue, 213
singular value, 194

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-19264-4 - Complex-Valued Matrix Derivatives: With Applications in Signal Processing and Communications
Are Hjorungnes
Index
More information

definite
  negative, 103
  positive, 103
definition
  $(\cdot)^+$, 12
  $\boldsymbol{D}_N$, 19
  $\boldsymbol{E}_{i,j}$, 19
  $\boldsymbol{F}_N$, 203
  $\boldsymbol{K}_{N,Q}$, 13
  $\boldsymbol{L}_d$, 17
  $\boldsymbol{L}_l$, 17
  $\boldsymbol{L}_u$, 17
  $\boldsymbol{V}$, 19
  $\boldsymbol{V}_d$, 19
  $\boldsymbol{V}_l$, 19
  $\boldsymbol{e}_i$, 19
  $\mathcal{D}_{\boldsymbol{X}}\boldsymbol{F}$, 138
  $\mathcal{D}_{\boldsymbol{Z}^*}\boldsymbol{F}$, 55, 138
  $\mathcal{D}_{\boldsymbol{Z}}\boldsymbol{F}$, 55, 138
  diag(·), 14
  $\frac{\partial g}{\partial \boldsymbol{W}^*}$, 154
  $\frac{\partial g}{\partial \boldsymbol{W}}$, 154
  $\frac{\partial}{\partial \boldsymbol{z}^H}\boldsymbol{f}(\boldsymbol{z},\boldsymbol{z}^*)$, 57
  $\frac{\partial}{\partial \boldsymbol{z}^T}\boldsymbol{f}(\boldsymbol{z},\boldsymbol{z}^*)$, 57
  $\mathcal{H}_{\boldsymbol{Z}_0,\boldsymbol{Z}_1}f$, 100
  $\mathcal{H}_{\boldsymbol{Z},\boldsymbol{Z}}\boldsymbol{F}$, 115
  $\mathcal{H}_{\boldsymbol{Z},\boldsymbol{Z}}\boldsymbol{f}$, 111
  $\odot$, 13
  $\otimes$, 13
  vecb(·), 18
  vec(·), 13
  exp(·), 12
  analytic function, 8
  block vectorization operator vecb(·), 18
  column-diagonal-expanded, 221
  column-expanded, 221
  column-expansion, 221
  commutation matrix $\boldsymbol{K}_{N,Q}$, 13
  complex manifold, 145
  complex-valued matrix derivative, 55, 138
  component-wise
    absolute value, 202
    principal argument, 202
  derivative, 5, 55, 138
  diagonalization operator diag(·), 14
  duplication matrix $\boldsymbol{D}_N$, 19
  exponential matrix function exp(·), 12
  formal derivative, 10
    matrix function, 57
  Hadamard product $\odot$, 13
  Hessian
    matrix function, 113
    scalar function, 100
    vector function, 109
  idempotent, 12
  inverse
    DFT, 203
  Kronecker product $\otimes$, 13
  manifold, 145
  matrix
    $\boldsymbol{L}_d$, 17
    $\boldsymbol{L}_l$, 17
    $\boldsymbol{L}_u$, 17
    $\boldsymbol{V}$, 19
    $\boldsymbol{V}_d$, 19
    $\boldsymbol{V}_l$, 19
  Moore-Penrose inverse $(\cdot)^+$, 12, 23, 24
  row-diagonal-expanded, 221
  row-expanded, 221
  special vectorization operators, 15
  standard basis
    $\boldsymbol{E}_{i,j}$, 19
    $\boldsymbol{e}_i$, 19
  tangent space, 145
  vectorization operator vec(·), 13
delay, 223
dependent differentials, 155
derivative, 55, 138, 227
  $(\cdot)^+$, 90
  $(\cdot)^{\#}$, 90
  ln(·) square matrix, 93
  $\odot$, 89
  absolute value, 72, 91
    argument, 74
  adjoint matrix $(\cdot)^{\#}$, 90
  argument $\angle\cdot$, 73, 91
  definition, 55, 138
  determinant det(·), 79, 80
  eigenvector, 84
  generalized Rayleigh quotient, 92
  Hadamard product $\odot$, 89
  imaginary part scalar, 71
  inverse, 87
  Kronecker product $\otimes$, 89
  Moore-Penrose inverse $(\cdot)^+$, 90
  natural logarithm ln(·)
    determinant, 92
    square matrix, 93
  objective function, 204
  product, 59
  Rayleigh quotient, 68
  real part scalar, 71
  second-order, 95
  trace Tr{·}, 78
design
  criterion, 76
  parameters, 1
  problem, 224
    transmitter, 225
desired output signal, 68, 224

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-19264-4 - Complex-Valued Matrix Derivatives: With Applications in Signal Processing and Communications
Are Hjorungnes
Index
More information

determinant det(·), 12, 22, 65, 79, 129, 175, 194, 195, 196
DFT matrix, 204
diagonal, 20
  elements, 163, 164, 167, 210
  matrix, 3, 16, 165, 198
diagonalization operator diag(·), 14, 40, 228
diffeomorphic function, 2, 3, 148
diffeomorphism, 134, 135, 144, 146, 147, 153, 154, 163
differentiable, 148, 152
differential, 4, 10, 43, 97, 218
  entropy, 177
  function, 5
  inverse matrix, 218
  operator d, 49, 106, 111, 114, 120, 137
  second-order, 101
differentiate, 217
digital filter, 2
dimension tangent space, 164, 167
  Hermitian, 171
  skew-Hermitian, 181
discrete Fourier transform, 191
disjoint, 134
distance, 204
distributive law, 48n
domain, 8n, 59, 135, 144, 148, 150
duplication matrix $\boldsymbol{D}_N$, 19, 33, 37, 41, 168

eigenvalue, 68, 81, 83, 214
  decomposition, 213
  function, 120
  generalized, 92
  maximum, 68
  minimum, 68
  real, 92
  simple, 81n, 83n, 92
eigenvector, 81, 83, 120
  function, 130
  left, 81
  normalized, 81
engineering, 5, 62, 64
  problem, 1
equalizer, 224
equations
  Cauchy-Riemann, 8, 38, 39
  Wiener-Hopf, 68
estimation theory, 95, 134
Euclidean
  inner product, 63, 142
  norm, 204
  space, 144
exact SER, 213, 216
expected value $\mathbb{E}[\cdot]$, 66, 212
explicit Hessian formula, 117
exponential
  function vector, 202, 203
  matrix function exp(·), 12, 39, 66, 89, 184

fading, 211
  channel, 216
filter
  banks, 201
  coefficient, 223, 228
  order, 222
finite impulse response, 68
FIR, 68
  filter, 68, 76
    linear phase, 163
  MIMO
    coefficient, 220
    filter, 219, 220, 221, 222, 223, 228
    receive filter, 227
    receiver, 225
    system, 219, 220
    transmit filter, 227
fixed point
  equation, 219
  iteration, 216, 219
  method, 211
formal derivative, 4, 10, 64, 135, 150
  $\frac{\partial f}{\partial z_{k,l}^*}$, 46, 76
  $\frac{\partial f}{\partial z_{k,l}}$, 46, 76
  $\frac{\partial f}{\partial z}$, 45
  $\frac{\partial f}{\partial z}^*$, 45
  generalization, 55
  matrix function, 57
  vector functions, 57
Fourier transform, 201
frequency domain, 76
Frobenius norm, 121, 192, 209
full
  column rank, 23
  row rank, 23

Gaussian, 177
generalized
  complex-valued matrix derivative, 2, 3, 5, 23, 133–200
  derivative
    diagonal matrix, 163–166
    Hermitian matrix, 171–178
    scalar, 157–160
    skew-Hermitian matrix, 180–184
    skew-symmetric matrix, 179–180
    symmetric matrix, 166–171
    vector, 160–163
  eigenvalue, 92
  matrix derivative, 3
  Rayleigh quotient, 92

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-19264-4 - Complex-Valued Matrix Derivatives: With Applications in Signal Processing and Communications
Are Hjorungnes
Index
More information

gradient, 76, 95
  $\frac{\partial}{\partial \boldsymbol{Z}^*} f$, 76
  $\frac{\partial}{\partial \boldsymbol{Z}} f$, 76

Hadamard product $\odot$, 13, 22, 31, 32, 37, 40, 89, 163, 165, 189, 198, 207, 228
Hadamard's inequality, 20, 194
Hankel matrix, 192
Hermitian, 103, 177, 210, 213, 216, 218
  matrix, 2, 3, 5, 92, 130, 145, 155, 171, 173, 195, 196, 199
  operator $(\cdot)^H$, 12
  Toeplitz, 190
Hessian, 4, 18, 54, 95–133, 202
  chain rule, 117
  explicit formula, 117
  matrix, 5
  matrix function, 112–118
  objective function, 206
  scalar function, 99–109
  symmetry conditions, 99
  vector function, 109–112
holomorphic function, 8
homeomorphism, 158n
homogeneous solution, 163

idempotent, 12, 25, 83
identification, 54
  adaptive multichannel, 76
  equation, 100, 108
  $\mathcal{H}_{\boldsymbol{Z},\boldsymbol{Z}} \boldsymbol{F}$, 115
  $\mathcal{H}_{\boldsymbol{Z},\boldsymbol{Z}} \boldsymbol{f}$, 111
  table
    derivative, 56
    Hessian, 116
identity
  $\mathrm{Tr}\left\{\boldsymbol{A}^T \boldsymbol{B}\right\} = \mathrm{vec}^T(\boldsymbol{A})\,\mathrm{vec}(\boldsymbol{B})$, 25
  $\frac{\partial z^*}{\partial z} = 0$, 71
  $\frac{\partial z}{\partial z^*} = 0$, 71
  $\mathrm{vec}(\boldsymbol{ABC}) = \left(\boldsymbol{C}^T \otimes \boldsymbol{A}\right)\mathrm{vec}(\boldsymbol{B})$, 26
  function, 150, 169, 171
  map, 164, 168
  matrix $\boldsymbol{I}_N$, 12
image set, 8n, 144, 147, 148
imaginary
  operator Im{·}, 7, 137
  part, 4, 7, 44, 71
  unit $\jmath$, 7
implication, 24
independent, 2, 4, 137, 140, 225
  components, 1, 3, 4, 213
  differentials, 10, 96, 135, 145, 148, 155, 156
  elements, 5, 133
  matrix components, 140
  matrix variables, 138
  variables, 3, 43
  vector components, 43
inequality
  Cauchy-Schwartz, 63
  Hadamard, 20, 194
information theory, 95, 134
initial precoder, 219
injective, 144n
inner product, 63
  Euclidean, 63, 142
integral, 215, 219
Internet, 4
inverse
  $(\cdot)^{-1}$, 12, 87
  $\boldsymbol{K}_{N,Q}$, 27
  commutation matrix $\boldsymbol{K}_{N,Q}$, 27
  DFT, 203
    symmetric, 204
  function, 144, 148, 150
  matrix $(\cdot)^{-1}$, 12, 87
  Moore-Penrose $(\cdot)^+$, 22
  permutation matrix, 31
  tangent arctan(·), 73
invertible, 213
iteration, 63, 68, 77, 143
iterative
  algorithm, 2, 5, 95
  method, 211

Jacobian matrix, 55, 138

Kronecker
  delta function
    three arguments $\delta_{i,j,k}$, 33, 35
    two $\delta_{k,l}$, 34, 35
  product $\otimes$, 4, 13, 22, 88, 228
    properties, 25–28

Lagrange multiplier, 194, 217, 225
Lagrangian function, 217, 225, 227
left eigenvector, 81, 84
  normalized, 81
limit, 9
linear
  dependencies, 136
  equations, 163
  function, 135
  manifold, 146, 149
  model, 68
  phase, 163
  reshaping operator, 49n
  structure, 146
  time-invariant, 223
linearly independent, 96, 199
  differentials, 54, 96, 137

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-19264-4 - Complex-Valued Matrix Derivatives: With Applications in Signal Processing and Communications
Are Hjorungnes
Index
More information

local
  maximum point, 2, 99, 123
  minimum point, 2, 99, 123
locally diffeomorphic, 144, 145, 146
LOS component, 213, 216
lower triangular, 187
LTI, 223, 228

magnitude, 202
  DFT, 204
main diagonal, 15, 19, 33, 37, 167, 194, 214
  zero, 179
manifold, 2, 3, 4, 134, 144–147, 164, 167
  diagonal, 163, 198
  Hermitian, 171, 195, 197, 199
  skew-Hermitian, 180, 199
  skew-symmetric, 199
  symmetric, 169, 198
MATLAB, 14, 40, 42, 131
matrix
  $\mathbf{0}_{N\times Q}$, 6, 97
  $\mathbf{1}_{N\times Q}$, 6
  $\boldsymbol{D}_N$, 19
  $\boldsymbol{F}_N$, 204
  $\boldsymbol{K}_{N,Q}$, 13
  $\boldsymbol{L}_d$, 17, 146, 155, 163, 164, 166, 171
  $\boldsymbol{L}_l$, 17, 146, 155, 166, 171
  $\boldsymbol{L}_u$, 17, 146, 155, 166, 171
  $\boldsymbol{V}$, 19, 42, 170
  $\boldsymbol{V}_d$, 19, 37, 42, 170
  $\boldsymbol{V}_l$, 19, 37, 42, 170
  autocorrelation, 194
  calculus, 4
  circulant, 191
  coefficient, 228
  cofactor, 189
  commutation matrix $\boldsymbol{K}_{N,Q}$, 13
  constant, 46
  derivative, 3, 55, 138
  DFT, 204
  duplication matrix $\boldsymbol{D}_N$, 19
  function $\boldsymbol{F}$, 5, 7, 95, 112
  Hankel, 192
  Hermitian, 92, 145
  inversion lemma, 21, 41, 69
  minors $\boldsymbol{M}(\boldsymbol{Z})$, 65
  ones $\mathbf{1}_{N\times Q}$, 6, 37
  power, 87
  skew-symmetric, 184
  square root, 213
  symmetric, 146
  Toeplitz, 190
  Vandermonde, 193
  zeros $\mathbf{0}_{N\times Q}$, 6, 97
maximization problem, 63, 143
maximum, 109, 133
  generalized eigenvalue, 92
  likelihood
    decoder, 211
  point, 95
  rate of change, 60, 61, 62, 142
mean square error, 68
memoryless, 66
  MIMO system, 12
  MLD, 214
  precoder, 212
MIMO
  channel, 66, 68, 211, 212, 213
  communication, 194
  matrix, 213
  system, 66, 157, 176, 196, 197, 214
minimization problem, 63, 143
minimum, 109, 133
  generalized eigenvalue, 92
  MSE receiver, 226
    filter, 69
  point, 95
  rate of change, 60, 61, 62, 142
minor $m_{k,l}(\cdot)$, 50n, 65
MLD, 211, 213
moment generating function, 215
Moore-Penrose inverse $(\cdot)^+$, 12, 22, 83, 90
  $\boldsymbol{L}_d$, 33
  $\boldsymbol{L}_l$, 34
  $\boldsymbol{L}_u$, 36
  duplication matrix $\boldsymbol{D}_N$, 38
  vector, 39, 83
MSE, 68, 69, 219, 223
multiple antennas, 66
multivariate analysis, 3
mutual information, 52, 66, 177, 178, 195, 196

nano-structures, 202
natural
  logarithm $\ln(\cdot)$, 93, 129, 175, 194, 195, 196
    determinant, 92
    principal value, 52
    square matrix, 93
  number $\mathbb{N}$, 65, 78, 80, 87
necessary conditions, 1, 3, 5, 61, 122, 160, 217, 225, 227
  precoder matrix, 217
negative definite, 103, 109
Newton's recursion, 95
noise amplification, 12
non-analytic function, 5, 8, 39
non-diagonal matrix, 16
nonlinear
  function, 135, 158
  manifold, 146
non-negative scalar, 217

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-19264-4 - Complex-Valued Matrix Derivatives: With Applications in Signal Processing and Communications
Are Hjorungnes
Index
More information

nonsingular, 23, 216
  matrix, 12n
norm
  Euclidean, 204
  Frobenius, 209
notation, 5
null space $\mathcal{N}(\cdot)$, 12, 83

objective function, 95, 133, 202, 204, 226
OFDM, 209, 220
off-diagonal elements, 166, 209
one independent matrix variable, 65
one-to-one, 146, 148, 158n
  function, 144n
  mapping, 135
onto, 146, 148, 158n
open interval, 158
optimal transmitter, 227
optimization, 1, 3, 60, 95, 225
  algorithm, 135
  constrained, 189
  orthogonal, 184
  problem, 3
    SER, 216
  theory, 61
  unconstrained, 189
  unitary, 185
    matrix, 187
order, 228
  channel, 220
  receive filter, 224
  receiver, 220
  transmit filter, 224
  transmitter, 220
origin, 122
orthogonal, 212
  matrix, 3, 22, 184–185
OSTBC, 211, 216
  matrix, 212

parameterization function, 2, 134, 135, 147–152, 189
  circulant, 192
  diagonal, 165
  linear, 146
  Hankel, 193
  Hermitian, 171
    Toeplitz, 191
  skew-Hermitian, 181
  skew-symmetric, 179, 184
  symmetric, 166, 168
  Toeplitz, 190
  Vandermonde, 193
parameterize, 22
  unitary matrix, 186
partial derivative
  $\frac{\partial f}{\partial x_{k,l}}$, 46
  $\frac{\partial f}{\partial x}$, 45
  $\frac{\partial f}{\partial y_{k,l}}$, 46
  $\frac{\partial f}{\partial y}$, 45
  generalization, 62
particular solution, 163
pattern, 133, 152
  producing function, 134
patterned
  matrix, 4, 133, 134, 147
  vector, 133
permanent perm$(\cdot)$, 65
permutation matrix, 13, 31
  $\boldsymbol{V}$, 19
  commutation matrix $\boldsymbol{K}_{N,Q}$, 13, 27, 129
phase shift keying symbols, 74
polar coordinates, 73
positive
  definite, 92, 103, 109, 213
    matrix, 20, 177, 209, 213, 215
    square root, 92
  integer, 87, 220
  semidefinite, 194, 195, 196, 213
    matrix, 3, 93, 187–188, 213
power, 194, 216
  constraint, 216, 219, 225, 227
  series, 8n
precoded MIMO, 211
precoder, 194, 212, 214, 219
  matrix, 213, 216
  optimization, 211
    algorithm, 217
    problem, 216
primary circulant matrix, 191
probability density function, 215
problem, 5
  formulation, 223
    receiver, 224
procedure, 5
  complex differential d, 46
  complex-valued matrix derivative, 59, 138
  Hessian
    matrix function, 115
    scalar function, 103, 107
    vector function, 112
product
  Hadamard $\odot$, 13, 22, 89, 165
  Kronecker $\otimes$, 13, 22, 25, 88
  matrix, 87
proper subset $\subset$, 8, 134, 155
properties
  $\boldsymbol{L}_d$, 31–38
  $\boldsymbol{L}_l$, 31–38

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-19264-4 - Complex-Valued Matrix Derivatives: With Applications in Signal Processing and Communications
Are Hjorungnes
Index
More information

$\boldsymbol{L}_u$, 31–38
Moore-Penrose inverse $(\cdot)^+$, 23
PSK, 228
symbols, 74
pure imaginary, 180

quadratic form, 109
quasi-static, 213

range, 8n, 147, 148
rank rank(·), 12, 24, 25, 83, 160, 189, 198
$\boldsymbol{L}_d$, 33
$\boldsymbol{L}_l$, 34
$\boldsymbol{L}_u$, 36
rate of change
maximum, 44
minimum, 44
Rayleigh quotient, 67
generalized, 92
real
dimension $\dim_{\mathbb{R}}(\cdot)$, 12, 136, 146, 148
domain, 159
numbers $\mathbb{R}$, 6
operator Re{·}, 7, 137
part, 4, 7, 44, 71
real-valued
derivative, 154
function, 1, 8, 9, 104, 108, 109, 133, 156, 201, 204
manifold, 154
matrix, 4, 43
derivative, 1, 4, 43, 64
variable, 95
scalar function, 5
receive
antennas, 212
filter, 219, 223
receiver, 12, 66, 211, 220, 224
linear, 69
reconstruction, 202
reduction matrix, 18
redundant variables, 150
regular function, 8
research problem, 1, 5, 201
reshape operator, 226
resource management, 2
reverse diagonal, 162, 193
Ricean
factor, 211, 213, 216
fading, 213
model, 213
row
space $\mathcal{R}(\cdot)$, 12
vector, 203
row-diagonal-expanded, 221
row-expanded, 221
row-expansion, 223, 228

saddle point, 2, 95, 99, 122, 123
scalar
expression, 25
function f, 4, 5, 7, 95, 96
real-valued function, 60, 61
Schur product $\odot$, 13n
second-order
derivative, 22, 95
differential, 2, 54, 96, 101, 105, 108, 110, 119, 120, 123
statistics, 224
sensitivity analysis, 2
SER, 211, 213, 215, 216
set
matrices, 1, 133
orthogonal matrices, 22
signal
alphabet, 74
constellation, 212, 214
error, 12
processing, 1–3, 5, 21, 44, 75, 95, 133, 135, 137, 157, 189, 190, 201
problem, 154
system, 1
reconstruction, 202
signaling, 215
simple eigenvalue, 81n, 83n, 92
singular value, 194
decomposition, 194
SISO
model, 214
system, 212, 215
skew-diagonal, 192
skew-Hermitian matrix, 3, 180, 199
skew-symmetric, 29, 30, 54
matrix, 3, 179, 199
smooth, 150
curve, 145
function, 3, 144
inverse, 3
SNR, 214, 216
source
coding, 201
symbol, 214
spatial rate, 212
special vectorization operators, 15
square, 222
matrix, 12, 111, 115, 149
root positive definite, 92
squared Euclidean distance, 9, 63, 72, 141, 158
stability, 5
stable algorithm, 95

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-19264-4 - Complex-Valued Matrix Derivatives: With Applications in Signal Processing and Communications
Are Hjorungnes
Index
More information

standard basis
  $\boldsymbol{E}_{i,j}$, 19, 40, 154, 164, 167, 182
    generalization, 58, 117
  $\boldsymbol{e}_i$, 19, 27
  vector, 35
stationary points, 2, 44, 60, 61n, 95n, 99, 104, 109, 120, 122
  equivalent conditions, 61
statistical applications, 3
steepest
  ascent method, 60, 62, 142–144
    equation, 63, 143
  descent method, 60, 62, 68, 142–144
    equation, 63, 68, 77, 143
    unitary, 187
structure, 1, 3, 4, 133, 134, 136, 145, 155
  matrix, 133
submatrix, 50n, 222
subset $\subseteq$, 8
surjective, 144n
SVD, 194
symbolic matrix calculus, 3
symmetric, 19, 38, 106, 111, 113, 125, 130, 136, 204
  matrix, 3, 5, 106, 146, 155, 166, 198
symmetry, 99
  properties Hessian, 102
system, 1
  output, 220

tangent, 145
  space, 135, 145, 148, 153, 155, 164
    symmetric, 168
  vector, 145
Taylor series, 8, 104
TDMA, 220
time reverse complex conjugate, 163
time-series, 220
Toeplitz, 190
trace Tr{·}, 12, 22, 24–28, 40, 51, 78, 129, 228
  of matrix product, 25
  of transpose, 24
transmit
  antennas, 212
  filter, 219, 223, 226
  power, 194, 224
transmitted block, 216
transmitter, 66, 211, 220
transpose, 12, 111, 115
  $\boldsymbol{K}_{N,Q}$, 27
  commutation matrix $\boldsymbol{K}_{N,Q}$, 27
  Kronecker product $\otimes$, 25, 41
treated as independent, 145, 148, 152
twice differentiable, 96, 99, 106, 124, 109

unconstrained optimization, 189
  problem, 160, 225
uncorrelated, 224
union, 134
unitary, 214
  matrix, 3, 185–187, 194, 204
unknown parameters, 1
unpatterned, 133, 152, 153, 156, 173, 179, 196, 210
  matrix, 2, 4, 5, 134, 148

Vandermonde matrix, 193
variance, 213
vector
  column, 203
  component, 109
  delay, 224
  function $\boldsymbol{f}$, 5, 7, 95, 109, 112
  row, 203
  space, 12
  time-series, 220, 221, 223, 224, 228
  variable, 95
vectorization operator vec(·), 13, 40, 97, 155, 226, 228
  column vector, 26
  Hadamard product $\odot$, 28
  Kronecker product $\otimes$, 27
  matrix product, 26
  row vector, 26
Venn diagram, 134, 135
visualization, 202

water-filling, 20, 194
weighted least-squares, 76
wide sense stationary, 220
Wiener filter, 69
Wiener-Hopf equations, 68
Wirtinger
  calculus, 3
  derivative, 10, 150
    generalization, 62

zero matrix $\boldsymbol{0}_{N\times Q}$, 6, 97
zero-forcing equalizer, 12

© in this web service Cambridge University Press www.cambridge.org