

Author Index

- Aardal, K., 97, 331
 Ageev, A. A., 97, 136
 Agrawal, A., 191, 456
 Alizadeh, F., 155
 Alon, N., 72, 228
 Andersen, R., 408
 Applegate, D. L., 55
 Arnborg, S., 277
 Arnold, W. C., 25
 Arora, S., 25, 136, 277, 332, 354, 408,
 450, 451
 Arya, V., 254
 Asadpour, A., 332, 454
 Aumann, Y., 408
 Ausiello, G., 25, 450
 Awerbuch, B., 228
 Azar, Y., 72, 228

 Babai, L., 451
 Bafna, V., 368
 Baker, B. S., 277
 Balas, E., 96
 Bansal, N., 307
 Bar-Yehuda, R., 25, 191, 192
 Barak, B., 450
 Bartal, Y., 228
 Becker, A., 368
 Bellare, M., 26, 451
 Bendel, K., 192
 Bender, M., 457
 Berman, P., 368
 Bern, M., 450
 Bertsekas, D. P., 25

 Bertsimas, D., 25, 191
 Bienstock, D., 96
 Birkhoff, G., 97
 Bixby, R. E., 55
 Bland, R. G., 96
 Blum, A., 368
 Bodlaender, H. L., 277
 Borchers, A., 332
 Borell, C., 408
 Bourgain, J., 408
 Boyd, S. C., 307
 Boykov, Y., 254
 Byrka, J., 331, 332

 Călinescu, G., 228
 Carnes, T., 191
 Carr, R. D., 191
 Chakrabarty, D., 332
 Charikar, M., 228, 253, 354, 450,
 451
 Chawla, S., 408, 451
 Chekuri, C., 227, 457
 Chernoff, H., 136
 Chess, D. M., 25
 Chlamtac, E., 354
 Christofides, N., 55, 453
 Chudak, F. A., 97, 136, 331, 368,
 457
 Chvátal, V., 55
 Cook, W. J., 25, 55, 277
 Cormen, T. H., 25
 Cornuéjols, G., 55, 277
 Crescenzi, P., 25, 450

- Cunningham, W. H., 25, 307
- Dahlhaus, E., 227
- Deza, M. M., 408
- Dijkstra, E. W., 191
- Dinur, I., 26, 136, 451
- Dodis, Y., 451
- Du, D.-Z., 332
- Durrett, R., 25
- Edmonds, J., 55, 191
- Edwards, K., 136
- Eisenbrand, F., 332
- Erdős, P., 24, 135, 136, 191
- Even, G., 228
- Even, S., 25, 156, 191
- Fakcharoenphol, J., 228
- Feige, U., 25, 26, 56, 155, 408, 451
- Fernandez de la Vega, W., 72, 332
- Ferris, M. C., 25
- Finn, G., 55
- Fisher, M. L., 55, 56
- Fleischer, L. K., 191, 332
- Fonlupt, J., 277
- Fotakis, D., 254
- Freund, A., 192
- Fujito, T., 368
- Fürer, M., 55, 56, 254
- Gabow, H. N., 307
- Gail, A. B., 486
- Gale, D., 55
- Gambosi, G., 25, 450
- Garey, M. R., 72, 450
- Garg, N., 192, 228, 254, 368
- Geiger, D., 191, 368
- Gens, G. V., 71, 72
- Gilbert, E. N., 332
- Goemans, M. X., 96, 135, 136, 155, 156, 191, 192, 307, 332, 368, 454, 455
- Goldberg, A. V., 455
- Goldfarb, D., 96
- Goldreich, O., 451
- Goldwasser, S., 25, 26, 451
- Gonzalez, T. F., 55, 135
- Graham, R. L., 24, 55, 72, 456
- Grandoni, F., 332
- Grötschel, M., 96, 155
- Guha, S., 97, 192, 227, 253, 450
- Gupta, A., 228, 254, 331, 332, 354
- Guruswami, V., 136, 450
- Hajiaghayi, M., 368
- Hakimi, S. L., 228
- Hall, L. A., 97
- Hamburger, M. J., 253
- Harsha, P., 450, 451
- Harvey, N. J. A., 332
- Hassin, R., 72
- Håstad, J., 25, 156, 451
- Hochbaum, D. S., 25, 26, 55, 56, 72, 96, 368
- Hoeffding, W., 332
- Hoffman, A. J., 191, 332
- Hogstedt, K., 227
- Holyer, I., 55
- Horn, R. A., 156
- Horowitz, E., 55
- Hsu, W.-L., 55
- Ibaraki, T., 55, 227
- Ibarra, O. H., 71
- Itai, A., 156
- Jackson, J. R., 55
- Jain, K., 191, 192, 254, 307, 332, 368, 450, 455
- Johnson, C. R., 156
- Johnson, D. S., 24, 25, 72, 135, 227, 450
- Jünger, M., 191
- Kahale, N., 228
- Kann, V., 25, 450
- Karger, D. R., 136, 156, 228, 332, 354
- Kariv, O., 228
- Karloff, H., 228
- Karmarkar, N., 96, 97, 408, 455
- Karp, R. M., 96, 97, 228, 408, 455
- Karpinski, M., 136, 332
- Kephart, J. O., 25
- Khachiyan, L. G., 96
- Khandekar, R., 254, 307
- Khanna, S., 136, 450, 451
- Khot, S., 26, 156, 354, 450, 451, 453
- Khuller, S., 97, 192, 450
- Kim, C. E., 71
- Kimelman, D., 227
- Kindler, G., 156, 354, 451

AUTHOR INDEX

487

- Kise, H., 55
 Klein, P., 26, 191, 228, 456
 Kleinberg, J. M., 25, 26, 56, 136, 368
 Knuth, D. E., 155
 Könemann, J., 332
 König, D., 56
 Konjevod, G., 228
 Korte, B., 25
 Kortsarz, G., 451
 Korupolu, M. R., 253, 456
 Krauthgamer, R., 408, 451
 Kuehn, A. A., 253
 Kumar, A., 331, 332
 Kumar, R., 408, 451

 Lando, Y., 451
 Lau, L. C., 307
 Laurent, M., 408
 Lawler, E. L., 55, 71
 Lee, J. R., 408, 451
 Leighton, T., 228, 408
 Leiserson, C. E., 25
 Lenstra, J. K., 55, 307, 450, 456
 Leonardi, S., 332
 Leung, V. J., 191
 Levner, E. V., 71, 72
 Lewis II, P. M., 55
 Lieberherr, K. J., 135
 Linial, N., 136, 408
 London, E., 408
 Lovász, L., 25, 155
 Lueker, G. L., 72
 Lund, C., 25, 26, 450, 451

 Mądry, A., 332, 454
 Maeda, N., 227
 Mahajan, S., 156
 Mahdian, M., 192, 254, 450
 Makarychev, K., 354
 Makarychev, Y., 354
 Mangasarian, O. L., 25
 Marchetti-Spaccamela, A., 25, 450
 Markakis, E., 192, 254, 450
 Mathieu, C., 332
 Megretski, A., 354
 Meyerson, A., 254
 Mine, H., 55
 Mitchell, J. S. B., 277
 Mitzenmacher, M., 25, 135, 136
 Mossel, E., 136, 156, 354, 451

 Motwani, R., 25, 135, 136, 156, 354, 451
 Munagala, K., 254

 Naddef, D., 277
 Nagamochi, H., 227
 Nagarajan, C., 254
 Nagarajan, V., 307
 Naor, A., 408
 Naor, J., 191, 227, 228
 Nemhauser, G. L., 26, 55, 56
 Nemirovskii, A., 155, 354
 Nesterov, Y., 155, 156
 Niel, D. A., 487
 Norton, C. H., 136
 Nutov, Z., 451

 O'Donnell, R., 156, 354, 451
 Oleszkiewicz, K., 156, 354, 451
 Oveis Gharan, S., 332, 454

 Pál, M., 331, 332
 Pandit, V., 254
 Papadimitriou, C. H., 55, 191, 227, 450
 Peleg, D., 228
 Phillips, C. A., 96, 191
 Plassmann, P., 450
 Plaxton, C. G., 253, 456
 Plotkin, S., 455
 Pollak, H. O., 332
 Pósa, L., 191
 Pritchard, D., 332
 Prömel, H. J., 332
 Proskurowski, A., 277
 Protasi, M., 25, 450
 Pulleyblank, W. R., 25, 191, 307

 Queyranne, M., 97

 Rabani, Y., 228, 408, 451
 Rabinovich, Y., 408
 Räcke, H., 408
 Radhakrishnan, J., 451
 Rado, R., 55
 Raghavachari, B., 55, 56, 228, 254
 Raghavan, P., 135, 136, 277
 Raghavendra, P., 451, 452, 455
 Rajan, V. T., 227
 Rajaraman, R., 253, 450, 456

- Ramesh, H., 156
 Rao, S., 228, 277, 408
 Ravi, R., 26, 191, 228, 307, 368, 456
 Rawitz, D., 191, 192
 Raz, R., 451
 Regev, O., 26, 136
 Rényi, A., 155
 Rinnooy Kan, A. H. G., 55
 Rivest, R. L., 25
 Robertson, N., 277
 Robins, G., 332
 Roos, C., 354
 Rosenkrantz, D. J., 55
 Ross, S., 25
 Roth, R. M., 191
 Roth, T., 227
 Rothvoß, T., 332
 Roughgarden, T., 331, 332, 368
 Russell, A., 26

 Saberi, A., 192, 254, 332, 450, 454
 Safra, S., 25, 26, 136, 451
 Sahni, S. K., 71, 135
 Sanità, L., 332
 Saran, H., 227
 Schäfer, G., 332
 Schalekamp, F., 228
 Schechtman, G., 155
 Schieber, B., 228
 Schrijver, A., 25, 96, 155
 Schudy, W., 332
 Schulz, A. S., 97, 136
 Selfridge, J. L., 136
 Seymour, P. D., 227, 277
 Shamir, A., 156
 Shepherd, B., 450
 Shmoys, D. B., 55, 56, 72, 97, 136, 191, 228, 307, 331, 408, 450, 454, 455, 456, 457
 Shor, N. Z., 96
 Sibel Salman, F., 228
 Simchi-Levi, D., 96
 Singh, M., 307, 332
 Sivakumar, D., 408, 451
 Skutella, M., 136
 Smith, W. E., 97
 Sorkin, G. B., 25
 Specker, E., 135
 Spencer, J., 136
 Stearns, R. E., 55

 Steger, A., 332
 Steiglitz, K., 191
 Stein, C., 25, 96, 228
 Stern, J., 451
 Steurer, D., 354, 451
 Stockmeyer, L., 450
 Strang, G., 155
 Sudakov, V. N., 408
 Sudan, M., 25, 156, 354, 451
 Sviridenko, M. I., 97, 136
 Swamy, C., 156
 Sweedyk, Z., 451
 Szegedy, M., 25, 451

 Talwar, K., 228, 354
 Tamir, A., 228
 Tangwongsan, K., 254
 Tardos, É., 25, 97, 136, 156, 307, 450, 455, 456
 Teo, C.-P., 191
 Terlaky, T., 354
 Tesauro, G. J., 25
 Thorup, M., 228
 Todd, M. J., 96
 Trevisan, L., 136, 354, 450
 Trotter, Jr., L. E., 26
 Tsirel'son, B. S., 408
 Tsitsiklis, J. N., 25

 Upfal, E., 25, 135, 136
 Uth, R., 488

 Vazirani, U., 408
 Vazirani, V. V., 25, 191, 192, 227, 228, 254, 450
 Veksler, O., 254
 Vempala, S., 55, 368
 Vishnoi, N. K., 354, 451
 Vizing, V. G., 24, 54
 Vygen, J., 25

 Wegman, M., 227
 Wein, J., 56, 96, 97
 West, D., 228
 White, S. R., 25
 Whitney, H., 55
 Wigderson, A., 156, 457
 Williamson, D. P., 26, 56, 96, 135, 136, 155, 156, 191, 192, 254, 307, 331, 368, 454, 455
 Wirth, A., 354

AUTHOR INDEX

489

- | | |
|---|------------------------|
| Woeginger, G. J., 72 | Young, N. E., 228 |
| Wolsey, L. A., 55, 56, 97, 454 | |
| Wright, S. J., 25 | Zabih, R., 254 |
| | Zelikovsky, A. Z., 332 |
| Yadid, T., 72 | Zhao, L., 227 |
| Yannakakis, M., 25, 135, 192, 227, 228, 450,
451 | Zuckerman, D., 25 |
| | van Zuylen, A., 331 |

Subject Index

- \succeq , *see* positive semidefinite matrix
- α -point, 124
- δ -dense graph, 130
- Φ (cumulative distribution function of normal distribution), 339, 394
- $\bar{\Phi}$ (tail of normal distribution), 339, 394

- a fortiori* guarantee, 5, 10, 15
- approximate complementary slackness conditions, 160
- approximation algorithm
 - definition, 4
- approximation factor, 4
- approximation ratio, 4
- APTAS, *see* asymptotic polynomial-time approximation scheme
- arithmetic-geometric mean inequality, 107
- asymptotic polynomial-time approximation scheme, 67
 - definition, 67
 - for bin-packing problem, 67–70

- balanced cut, 206–210
 - definition, 206
 - deterministic rounding algorithm, 208–210
 - linear programming relaxation, 207–208
- basic feasible solution, 279
- basic optimal solution, 279
- bidirected cut formulation, 317–318
- bin-packing problem, 66–70, 88–94, 135, 407, 454–455
 - asymptotic polynomial-time approximation scheme, 67–70
 - configuration, 89
 - configuration IP, 89
 - definition, 66
 - dual of LP relaxation, 89
 - First-Fit algorithm, 67, 91, 135
 - First-Fit-Decreasing algorithm, 66
 - hardness, 66
 - harmonic grouping, 90–94
 - linear grouping, 68–70
 - linear programming relaxation, 89, 94
 - randomized rounding algorithm, 135
 - solving LP relaxation, 407
- bipartite graph
 - definition, 54
- bipartite unique games conjecture, 446
- bisection, 206
- bounded-degree branching problem, 304–305
- branch decomposition, 276
- branching, 190, 304
 - bounded degree, 304–305
 - minimum-cost, 190
- branchwidth, 276–277
- buy-at-bulk network design problem, 215–218, 226
 - algorithm on trees, 215
 - definition, 215
 - reduction to tree metric, 216–218

- capacitated dial-a-ride problem, 227
- capacitated facility location problem, 455–456
- characteristic vector, 289
- check kiting, 40
- Chernoff bounds, 124–128

- Christofides' algorithm, 39, 453
- clause, 100
 length, 100
 satisfied, 100
 size, 100
 unit, 100
- clique, 6
- cluster centers, 30
- clustering, 30
 correlation, 146
 k -center, 30
 k -median, 182
- coloring, 149–152, 341–345, 352, 457
 Δ -degree graph, 149, 153
 δ -dense graph
 random sampling algorithm, 130–132
- edge, 47
- greedy algorithm, 153
- hardness, 130
- in low-treewidth graphs, 276
- randomized rounding via SDP, 149–152,
 341–345
- 2-colorable graph, 149, 153
- vector programming relaxation, 150, 153
- vertex, 47
- via finding maximum independent sets,
 341–345
- complementary slackness conditions, 13–14,
 86, 160
 approximate, 160
- complete matching, *see* matching, complete
- completeness, 425
- configuration IP, 89
- congestion, 377
- constraint
 spreading, 220
 tight, 158
 violated, 166
- constraint satisfaction problem, 345, 345
- constraints, 7
- correlation clustering problem, 146–149
 definition, 146
 randomized rounding via SDP, 146–149
- cut semimetric, 193
- cut-tree, 380
- cut-tree packing, 379–380
 and tree metrics, 407
- cut-tree packing algorithm
 for minimum bisection problem, 383–385
 for multicut problem, 407
 for sparsest cut problem, 407
- data rounding, 59
- decision problem, 465
- decision variables, 7
- demand graph, 352
- dense graph, 130, 324
- derandomization, 22, 99, 103–104
 maximum cut problem, 132, 143
 prize-collecting Steiner tree problem, 115
 set cover problem, 133
- deterministic rounding, 73–93, 280–306
 for balanced cut, 208–210
 for complete matching, 94–95
 for generalized assignment problem,
 282–284, 306
 for minimum spanning tree problem,
 285–287
 for minimum-cost bounded-degree spanning
 tree problem, 287–295
 for multicut problem, 202–206
 for prize-collecting Steiner tree, 80–83
 for scheduling single machine, 74–78
 for scheduling unrelated parallel machines,
 303–304
 for set cover problem, 9–10
 for sparsest cut problem, 226
 for survivable network design problem,
 297–303
 for uncapacitated facility location problem,
 86–88
 pipage rounding, 95
- dictator, 447
- Dijkstra's algorithm, 164, 167, 188
- directed generalized Steiner tree problem,
 438–439
 hardness, 438–439
- directed Steiner tree problem, 23
- distortion, 210, 371, 407
- dominating set problem, 31
- double-tree algorithm, 38–39
- dual fitting, 17
 for set cover problem, 17–18
 for uncapacitated facility location problem,
 246–251
- dual linear program, *see* linear programming,
 duality
- dual of LP relaxation
 for bin-packing problem, 89
 for feedback vertex set problem, 161
 for generalized Steiner tree problem, 168
 for k -median problem, 184
 for minimum knapsack problem, 176

- for prize-collecting Steiner tree problem, 356
- for set cover problem, 11, 158
- for shortest s - t path problem, 165
- for uncapacitated facility location problem, 85–86, 116, 178, 247, 310
- dual of SDP relaxation
 - for maximum cut problem, 152
- dual rounding
 - for set cover problem, 10–14
- dynamic programming, 57
 - for coloring in low-treewidth graphs, 276
 - for Euclidean traveling salesman problem, 256–267
 - for graphical traveling salesman problem, 276–277
 - for knapsack problem, 58–59
 - for maximum independent set in low-treewidth graphs, 271–273
 - for maximum independent set problem in trees, 268
 - for minimum bisection in trees, 385–387
 - for scheduling identical machines, 63–64, 67
- earliest due date rule, 29, 55
- EDD, *see* earliest due date rule
- edge coloring, 47
- edge coloring problem, 47–51
 - definition, 47
 - fan sequence, 48
 - greedy algorithm, 48–51
 - hardness, 47–48, 54
 - in bipartite graphs, 54
 - path recoloring, 51
 - shifting recoloring, 48
- edge expansion, 388
- edge-disjoint paths problem, 54, 413–414
 - definition, 54
 - greedy algorithm, 54
 - hardness, 413–414
- eigenvalue, 138
- ellipsoid method, 79–80, 96, 381–383
 - objective function cut, 96, 382
 - separation oracle, 79
- embedding
 - distortion, 210, 371, 407
 - Fréchet, 373
 - into ℓ_1 , 371, 373–376, 407
 - into ℓ_2 , 407
 - into ℓ_p , 407
 - into tree metric, 210–215
- Eulerian graph
 - definition, 38
 - directed, 23
 - traversal, 38
- expander graph, 407
- exterior face, 268
- extreme point, 24, 95, 279
- facility location problem, *see* uncapacitated facility location problem
- factor-revealing LP, 254
- fan sequence, 48
- feasible solution, 7
- feedback vertex set problem, 160–164, 360–367
 - definition, 160–161
 - dual of LP relaxation, 161, 362–363
 - integer programming formulation, 161, 360–362
 - integrality gap, 164
 - linear programming relaxation, 161
 - primal-dual algorithm, 161–164, 363–367
- First-Fit algorithm, 67, 91, 135
- First-Fit-Decreasing algorithm, 66
- float, 40
- float maximization problem, 40–43
 - definition, 40
 - greedy algorithm, 40–43
- FPAS, *see* fully polynomial-time approximation scheme
- FPTAS, *see* fully polynomial-time approximation scheme
- Fréchet embedding, 373
- full components, 317
- fully polynomial-time approximation scheme, 71
 - definition, 60
 - for knapsack problem, 60–61
 - hardness, 71
- fundamental cycle, 273
- gap-preserving reduction, 428
- generalized assignment problem, 280–284, 306
 - definition, 280
 - deterministic rounding algorithm, 282–284, 306
 - integer programming formulation, 280
 - linear programming relaxation, 280–281, 306
- generalized Steiner tree problem, 167–174, 189–190, 456
 - definition, 167

- generalized Steiner tree problem (*cont.*)
 directed
 hardness, 438–439
 dual of LP relaxation, 168
 integer programming formulation, 167–168
 integrality gap, 174
 linear programming relaxation, 168
 primal-dual algorithm, 168–174
graph
 δ -dense, 130
 bipartite, 54
 bisection, 206
 complement, 267
 dense, 130, 324
 induced, 160
 k -colorable, 130
 k -edge-colorable, 47
 k -outerplanar, 268–269
 outerplanar, 268
 planar, 268
 tree decomposition, 270–271
graphical traveling salesman problem, *see*
 traveling salesman problem, graphical
greedy algorithm, 15, 27–28
 for coloring, 153
 for edge coloring problem, 48–51
 for edge-disjoint paths problem, 54
 for float maximization problem, 40–43
 for k -center problem, 30–32
 for k -median problem, 249
 for knapsack problem, 70
 for maximum-weight matroid base, 54
 for multiway cut problem, 194–195
 for scheduling identical machines, 34–35
 for scheduling single machine, 28–30
 for set cover problem, 15–18
 for traveling salesman problem, 36–38
 for uncapacitated facility location problem,
 246–251
Hamiltonian cycle, 36
Hamiltonian path, 43, 53
hardness, 19
 of bin-packing problem, 66
 of directed generalized Steiner tree problem,
 438–439
 of directed Steiner tree problem, 23
 of edge coloring problem, 47–48, 54
 of edge-disjoint paths problem, 413–414
 of k -center problem, 31–32
 of k -median problem, 188, 424
 of k -suppliers problem, 51
 of label cover problem
 (d_1, d_2)-regular maximization version,
 431
 d -regular maximization version, 431–433
 d -regular minimization version, 436–438
 maximization version, 429–431
 of MAX E3SAT, 427–428
 of MAX 2SAT, 416, 429
 of maximum clique problem, 267–268
 of maximum coverage problem, 53
 of maximum cut problem, 143, 446–450
 of maximum independent set problem,
 267–268, 418, 420–421
 of maximum satisfiability problem, 101
 of minimum-degree spanning tree problem,
 43, 52
 of multicut problem, 206, 443–446
 of node-weighted Steiner tree, 24
 of scheduling identical machines, 65–66
 of scheduling unrelated parallel machines,
 410–413
 of set cover problem, 18–19, 433–436
 of sparsest cut problem, 376
 of Steiner tree problem, 420
 of survivable network design problem,
 439–442
 of traveling salesman problem, 36, 40
 of uncapacitated facility location problem,
 23, 88, 421–424
 of unique games problem, 352
 of vertex coloring problem, 130
 of vertex cover problem, 19
harmonic grouping, 90–94
harmonic number, 16, 91
hierarchical cut decomposition, 210–211,
220
high probability, 20, 129
Hoeffding's inequality, 325
Hoffman's circulation theorem, 332
independent set
 in graphs, 267
 in matroids, 53
induced graph, 160
inequality
 arithmetic-geometric mean, 107
 Hoeffding's, 325
 Jensen's, 353
 Markov's, 125
instance, 465

- integer programming, 7–9, 460
 definition, 7–8
 relaxation, 119
- integer programming formulation
 for bin-packing problem, 89
 for feedback vertex set problem, 161
 for generalized assignment problem, 280
 for generalized Steiner tree problem, 167–168
 for k -median problem, 182–183
 for maximum directed cut problem, 133
 for maximum satisfiability problem, 106–107
 for minimum knapsack problem, 175
 for minimum-capacity multicommodity flow problem, 128
 for minimum-cost bounded-degree spanning tree problem, 284–285
 for multicut problem, 201
 for multiway cut problem, 195–196
 for prize-collecting generalized Steiner tree problem, 367–368
 for prize-collecting Steiner tree problem, 81, 355–356
 for set cover problem, 8, 158
 for shortest s - t path problem, 164–165
 for Steiner tree problem, 318
 for survivable network design problem, 296
 for uncapacitated facility location problem, 84–85
 for uniform labeling problem, 134
 for uniform sparsest cut problem, 388
 for unique games problem, 347
 for minimum knapsack problem, 175
- integrality gap, 112–113, 115, 160
 definition, 112
 for feedback vertex set problem, 164
 for generalized Steiner tree problem, 174
 for maximum satisfiability problem, 112–113
 for minimum knapsack problem, 175
 for prize-collecting Steiner tree problem, 115
- interior-point methods, 79
- intersecting sets, 289
- IP, *see* integer programming
- isolating cut, 194
- iterated rounding, 298
- Jackson's rule, *see* earliest due date rule
- Jensen's inequality, 353
- k -center problem, 30–32
 definition, 30
 hardness, 31–32
- k -colorable, 130
- k -cut problem, 227
- k -cycle partition problem, 190
- k -edge-colorable, 47
- k -edge-connected subgraph, 305
- k -median problem, 30, 182–188, 191, 226, 238–242, 249, 276, 424
 and uncapacitated facility location problem, 183–184
 definition, 182
 dual of LP relaxation, 184
 greedy algorithm, 249
 hardness, 188, 424
 in trees, 226
 integer programming formulation, 182–183
 Lagrangean relaxation, 183–184
 linear programming relaxation, 183–184
 local search algorithm, 238–242
 primal-dual algorithm, 184–188
- k -minimum spanning tree problem, 366–367
 and prize-collecting Steiner tree problem, 366
 Lagrangean relaxation, 366
- k -MST, *see* k -minimum spanning tree problem
- knapsack problem, 57–61, 70, *see also*
 minimum knapsack problem, 465–466
 connection to bin-packing problem, 90
 definition, 57–58
 dynamic programming algorithm, 58–59
 fully polynomial-time approximation scheme, 60–61
 greedy algorithm, 70
- k -outerplanar graph, 268–269
 maximum independent set problem, 275
 treewidth, 273–275
- k -path partition problem
 primal-dual algorithm, 190
- k -restricted Steiner tree problem, 319
- k -suppliers problem, 51
 hardness, 51
- ℓ_1 metric, 196
- ℓ_1 -embeddable metric, 370–371, 406
 and tree metrics, 406
- label cover problem, 429–442, 451
 and unique games problem, 429
 (d_1, d_2) -regular, 429
 d -regular, 429
 definition, 429
 gap-preserving reduction from MAX E3SAT, 429–431

- label cover problem (*cont.*)
 hardness
 of (d_1, d_2) -regular maximization version, 431
 of d -regular maximization version, 431–433
 of d -regular minimization version, 436–438
 of maximization version, 429–431
 reduction to directed generalized Steiner tree problem, 438–439
 reduction to set cover problem, 433–436
 reduction to survivable network design problem, 439–442
- Lagrangean multiplier preserving algorithms, 188, 249, 366
- Lagrangean relaxation, 183–184
 for k -median problem, 183–184
- laminar collection of sets, 289
- lateness, 28
- linear arrangement problem, 218–221
 definition, 218–219
 linear programming relaxation, 219–220
 reduction to tree metric, 220–221
- linear grouping, 68–70
- linear programming, 7–9, 459–463
 basic feasible solution, 279, 462
 basic optimal solution, 279, 462
 bounded, 462
 canonical form, 459
 complementary slackness conditions, 13–14, 86, 462
 constraints, 7, 459
 decision variables, 7
 definition, 7–8
 dual, 11
 duality, 10–12, 460–461
 ellipsoid method, 79–80, 96
 extreme point, 24
 feasibility, 459
 feasible solution, 7, 459
 fractional solution, 7
 infeasibility, 459
 interior-point methods, 79
 objective function, 8, 459
 optimal solution, 8, 459
 primal, 11
 relaxation, 8–9
 simplex method, 79, 80, 463
 strong duality, 12, 461–462
 unbounded, 462
- value, 8
 variable, 459
 weak duality, 12, 461
- linear programming relaxation
 for balanced cut, 207–208
 for bin-packing problem, 89
 for complete matching, 94–95
 for feedback vertex set problem, 161
 for generalized assignment problem, 280–281, 306
 for generalized Steiner tree problem, 168
 for k -median problem, 183–184
 for linear arrangement problem, 219–220
 for maximum coverage problem, 134
 for maximum cut problem, 95
 for maximum satisfiability problem, 107
 for minimum knapsack problem, 175
 for minimum-capacity multicommodity flow problem, 128, 135
 for minimum-cost bounded-degree spanning tree problem, 285
 for multicut problem, 201–202
 for multiway cut problem, 196–197
 for prize-collecting Steiner tree problem, 81–82, 113, 356, 367
 for scheduling single machine, 77–78, 119–121
 for set cover problem, 8, 158
 for shortest s - t path problem, 165
 for sparsest cut problem, 225, 371
 for Steiner tree problem, 317–320, 331
 for survivable network design problem, 296–297
 for traveling salesman problem, 304
 for uncapacitated facility location problem, 85, 116, 178, 310
 for vertex cover problem, 24
- linear unique games conjecture, 442
- list scheduling algorithm
 for identical machines, 34–35, 52
 for related machines, 52
- literal, 100
 negative, 100
 positive, 100
- local change, 32
- local move, 32
- local ratio algorithm
 for set cover problem, 189
- local ratio technique, 189, 368
- local ratio theorem, 189

SUBJECT INDEX

497

- local search algorithm, 27–28
 for k -median problem, 238–242
 for maximum-weight matroid base, 54
 for minimum-degree spanning tree problem, 43–47, 242–245
 for scheduling identical machines, 32–34
 for uncapacitated facility location problem, 232–238
 for uniform labeling problem, 252
 polynomial time, 237–238
- locality gap, 251–252
 definition, 251–252
 for uncapacitated facility location problem, 251–252
- locally optimal solution, 27, 232
- long code, 447
- longest path problem, 53
- longest processing time rule, 35, 51
- Lovász theta function, 153
 semidefinite program, 153
- LP, *see* linear programming
- LPT, *see* longest processing time rule
- L-reduction, 416–417
 definition, 416
 hardness theorems, 416–417
- machine configuration, 64
- makespan, 32
- Markov's inequality, 125
- matching
 complete, 94–95, 281
 deterministic rounding algorithm, 94–95
 integer programming formulation, 94–95, 281
 linear programming formulation, 281
 linear programming relaxation, 94–95
 perfect, 39
- matroid, 53–54
 base, 53
 definition, 53
 greedy algorithm, 54
 independent set, 53
 local search algorithm, 54
 uniform, 54
- MAX CUT, *see* maximum cut problem
- MAX DICUT, *see* maximum directed cut problem
- MAX E3SAT, 101, 414–417
 gap-preserving reduction from odd/even constraint satisfaction problem, 427–428
- gap-preserving reduction to label cover problem, 429–431
 hardness, 427–428
- L-reduction from odd/even constraint satisfaction problem, 426–427
- L-reduction to MAX 2SAT, 414–417
- L-reduction to maximum independent set problem, 417–418
- MAX SAT, *see* maximum satisfiability problem
- MAX SNP, 5, 450
- MAX 2LIN(k), 442–446
 definition, 442
 reduction to multicut problem, 443–446
- MAX 2SAT, 153, 154, 414–417
 balanced, 154
 gap-preserving reduction from odd/even constraint satisfaction problem, 428–429
 hardness, 416–417, 429
 L-reduction from MAX E3SAT, 414–417
 randomized rounding via SDP, 153, 154
- maximum clique problem, 6, 267–268
 and maximum independent set problem, 267
 hardness, 267–268
 unweighted, 267
- maximum coverage problem, 53, 133–134
 hardness, 53
 linear programming relaxation, 134
 nonlinear integer programming formulation, 133
 pipage rounding algorithm, 133–134
- maximum cut problem, 102, 132, 139–143, 152, 324–329, 457
 definition, 102
 derandomization, 132, 143
 dual of SDP relaxation, 152
 greedy algorithm, 132
 hardness, 143, 446–450
 in unweighted dense graphs
 polynomial-time approximation scheme, 324–329
 linear programming relaxation, 95
 nonlinear integer programming formulation, 95, 139
 random sampling algorithm, 102
 randomized rounding via SDP, 139–143
 semidefinite programming relaxation, 139–140
 unweighted, 102
 vector programming relaxation, 139–140
 with constraint on size of parts, 95

- maximum directed cut problem, 132–133, 154
 balanced, 154
 definition, 132
 integer programming formulation, 133
 polynomial-time approximation scheme
 in unweighted dense graphs, 330
 randomized algorithm, 132
 randomized rounding algorithm, 133
 randomized rounding via SDP, 154
- maximum independent set problem, 267–273,
 417–418, 420–421
 and coloring, 341–345
 and maximum clique problem, 267
 definition, 267
 hardness, 267–268, 418, 420–421
 in k -outerplanar graphs, 275
 in low treewidth graphs
 dynamic programming algorithm, 271–273
 in planar graphs, 268–270
 polynomial-time approximation scheme,
 269–270
 in trees
 dynamic programming algorithm, 268
 L-reduction from MAX E3SAT, 417–418
 unweighted, 267
- maximum k -cut problem, 132
 randomized algorithm, 132
- maximum satisfiability problem, 100–102,
 104–113, 132–133, 153
 definition, 100
 hardness, 101
 integer programming formulation, 106–107
 integrality gap, 112–113
 linear programming relaxation, 107
 MAX E3SAT, *see* MAX E3SAT
 MAX 2SAT, *see* MAX 2SAT
 method of conditional expectations, 103–104
 random sampling algorithm, 101, 104–106
 randomized rounding algorithm, 106–109,
 111–112, 132
- mean value theorem, 204–205
- measurable set, 404
- method of conditional expectations, 99,
 103–104, 132, 191
 for maximum satisfiability problem, 103–104
 for set cover problem, 133
- metric, 193–194
 embedding, 370
 distortion, 210, 371, 407
 Fréchet, 373
 into ℓ_1 , 371, 373–376, 407
 into ℓ_2 , 407
 into ℓ_p , 407
 into tree metric, 210–215
- ℓ_1 , 196
 ℓ_1 -embeddable, 370–371, 406
 probabilistic approximation by tree metric,
 210–215
 spreading, 219
 tree, 193–194, 210, 220–221, 226, 406, 407
- metric completion, 52
- minimum bisection problem, 206, 383–387
 cut-tree packing algorithm, 383–385
 in trees, 385–387
- minimum cut linear arrangement problem, 225
- minimum k -edge-connected subgraph problem,
 305–306
- minimum knapsack problem, 174–177
 dual of LP relaxation, 176
 integer programming formulation, 175
 integrality gap, 175
 linear programming relaxation, 175
 primal-dual algorithm, 176–177
- minimum mean-cost cycle problem, 23
- minimum spanning tree problem, 37
 definition, 37
 deterministic rounding algorithm, 285–287
 Prim's algorithm, 37
- minimum-capacity multicommodity flow
 problem, 128–130, 135
 application to chip design, 128
 definition, 128
 integer programming formulation, 128
 linear programming relaxation, 128, 135
 randomized rounding algorithm, 129–130
- minimum-cost bounded-degree spanning tree
 problem, 284–296
 definition, 284
 deterministic rounding algorithm, 287–295
 integer programming formulation, 284–285
 linear programming relaxation, 285
- minimum-cost branching problem, 190
 primal-dual algorithm, 190
- minimum-degree spanning tree problem, 43–47,
 53, 242–245
 definition, 43
 hardness, 43, 52
 local search algorithm, 43–47, 242–245
- moats, 165, 170
- monotone function, 53
- multicommodity flow, *see* minimum-capacity
 multicommodity flow problem

SUBJECT INDEX

499

- multicommodity rent-or-buy problem, 329–330
 multicut problem, 201–206, 225, 352–353, 407
 cut-tree packing algorithm, 407
 definition, 201
 deterministic rounding algorithm, 202–206
 hardness, 206, 443–446
 in trees
 primal-dual algorithm, 188–189
 integer programming formulation, 201
 linear programming relaxation, 201–202
 randomized rounding via SDP, 352–353
 vector programming relaxation, 352–353
 multiway cut problem, 194–201, 224
 application to distributed computing, 194
 definition, 194
 greedy algorithm, 194–195
 integer programming formulation, 195–196
 linear programming relaxation, 196–197
 randomized rounding algorithm, 197–201

 nearest addition algorithm, 36–38
 no-wait flowshop scheduling problem, 454
 nonlinear integer programming formulation
 for maximum coverage problem, 133
 maximum cut problem, 95, 139
 nonpreemptive scheduling, 74
 normal distribution
 bounds on tail, 340, 343–344, 394
 cumulative distribution function, 339, 394
 density function, 339, 394
 multivariate
 properties of, 140
 NP, 465–468
 binary NP-complete, 467
 definition, 466
 NP-completeness, 466–468
 definition, 466
 NP-hard, 468
 strongly NP-complete, 467
 unary NP-complete, 467
 weakly NP-complete, 467

 \tilde{O} , 149
 objective function, 4, 8
 objective function cut, 96, 382
 oblivious routing problem, 377–383
 definition, 377
 odd/even constraint satisfaction problem,
 426–428
 gap-preserving reduction to MAX E3SAT,
 427–428

 gap-preserving reduction to MAX 2SAT,
 428–429
 hardness, 426
 L-reduction to MAX E3SAT, 426–427
 online facility location problem, 252–253
 optimal solution, 4, 8
 outerplanar graph, 268

 P, 465
 partial cover problem, 23
 partition problem, 66, 467
 partition system, 434, 436
 path recoloring, 51
 PCP, *see* probabilistically checkable proof
 PCP theorem, 425, 450–451
 perfect matching, *see* matching, perfect
 performance guarantee, 4
 Petersen graph, 47
 pipage rounding, 95
 for maximum coverage problem, 133–134
 for maximum cut problem, 95
 pipe system, 202
 planar embedding, 268
 planar graph, 268
 exterior face, 268
 polynomial time
 definition, 465
 polynomial-time approximation scheme, 5–6,
 59
 definition, 5
 for Euclidean k -median problem, 276
 for Euclidean Steiner tree problem, 275–276
 for Euclidean traveling salesman problem,
 256–267
 for maximum cut problem in unweighted
 dense graphs, 324–329
 for maximum directed cut problem in
 unweighted dense graphs, 330
 for maximum independent set problem in
 planar graphs, 269–270
 for scheduling identical machines, 61–66
 for vertex cover in planar graphs, 276
 hardness of MAX SNP, 6
 polynomial-time reduction, 466
 positive semidefinite matrix, 137–138
 potential function, 46
 precedence constraints, 52, 94
 preemptive scheduling, 74
 Prim's algorithm, 37, 315
 primal feasible algorithm, 27
 primal infeasible algorithm, 27

- primal linear program, *see* linear programming, primal
- primal-dual algorithm
 for feedback vertex set problem, 161–164, 363–367
 for generalized Steiner tree problem, 168–174
 for k -median problem, 184–188
 for k -path partition problem, 190
 for minimum knapsack problem, 176–177
 for minimum-cost branching problem, 190
 for multicut problem in trees, 188–189
 for prize-collecting generalized Steiner tree problem, 368
 for prize-collecting Steiner tree problem, 356–360
 for set cover problem, 14–15, 157–160
 for shortest s - t path problem, 165–167
 for uncapacitated facility location problem, 178–181
- primal-dual method, 15, 157–181
 dual fitting, 17
 standard analysis, 160
- prize-collecting generalized Steiner tree problem, 367–368
- prize-collecting Steiner tree problem, 80–83, 113–115, 190, 355–360
 and k -minimum spanning tree problem, 366
 application to cable access, 81
 definition, 80–81
 derandomization, 115
 deterministic rounding algorithm, 80–83
 dual of LP relaxation, 356
 integer programming formulation, 81, 355–356
 integrality gap, 115
 Lagrangean multiplier preserving, 366
 linear programming relaxation, 81–82, 113, 356, 367
 primal-dual algorithm, 356–360
 randomized rounding algorithm, 113–115
- probabilistic approximation of a metric, 210–215
- probabilistically checkable proof, 424–429
 and hardness, 425–426
 completeness, 425
 long code, 447
 PCP theorem, 425
 soundness, 425
 verifier, 424–425
- psd, *see* positive semidefinite matrix
- pseudo-approximation algorithm, 206–207
- pseudopolynomial algorithm, 57, 71
 definition, 59
- PTAS, *see* polynomial-time approximation scheme
- quadratic programming problem, 143–146, 334–341
 equivalence of linear and integer, 335–336
 randomized rounding via SDP, 143–146, 336–341
 vector programming relaxation, 144, 336
- random hyperplane, 140
- random hyperplane algorithm
 for coloring, 149–152
 for correlation clustering problem, 146–149
 for MAX 2SAT, 153
 for maximum cut problem, 139–143
 for maximum directed cut problem, 154
 for quadratic programming problem, 143–146
 for uniform sparsest cut problem, 389–406
- random sampling algorithm
 for coloring δ -dense graph, 130–132
 for maximum cut problem, 102
 for maximum satisfiability problem, 101, 104–106
 for multicommodity rent-or-buy problem, 329–330
 for single-source rent-or-buy problem, 314–316
- random vector, 140
- randomized rounding, 19, 106–130
 definition, 19–20
 for coloring, 149–152, 341–345
 for correlation clustering problem, 146–149
 for MAX 2SAT, 153, 154
 for maximum cut problem, 139–143
 for maximum directed cut problem, 133, 154
 for maximum satisfiability problem, 106–109, 111–112, 132
 for minimum-capacity multicommodity flow problem, 129–130
 for multiway cut problem, 197–201
 for prize-collecting generalized Steiner tree problem, 367
 for prize-collecting Steiner tree problem, 113–115
 for quadratic programming problem, 143–146, 336–341

- for scheduling single machine, 121–124
- for set cover problem, 19–22
- for Steiner tree problem, 320–324
- for uncapacitated facility location problem, 116–119, 310–314
- for uniform labeling problem, 134–135
- for uniform sparsest cut problem, 389–406
- for unique games problem, 348–352
- nonlinear, 111–112
- region growing, 194, 202–203, 222
- related machines, 52
- relaxation, 8–9
 - integer programming, 119
 - Lagrangian, 183–184
 - linear programming, 8–9
- relaxed decision procedure, 52
- release date, 28
- rent-or-buy problem
 - multicommodity, 329–330
 - single-source, 314–316
- rescaling, 237
- rescaling property, 66–67
- reverse deletion, 170
- routing problems, 377

- sample-and-augment algorithm, 314
 - for multicommodity rent-or-buy problem, 329–330
 - for single-source rent-or-buy problem, 314–316
- satisfied clause, *see* clause, satisfied
- scheduling
 - α -point, 124
 - earliest due date rule, 29
 - identical machines, 32–35, 51, 52, 61–66, 71
 - dynamic programming algorithm, 63–64
 - greedy algorithm, 34–35
 - hardness, 65–66
 - list scheduling algorithm, 34–35
 - local search algorithm, 32–34
 - polynomial-time approximation scheme, 61–66
 - to minimize L_2 norm, 71
 - to minimize weighted completion time, 71
 - lateness, 28
 - length, 32
 - list scheduling algorithm, 52
 - longest processing time rule, 35, 51
 - machine configuration, 64
 - makespan, 32
 - nonpreemptive, 74
 - precedence constraints, 52, 94
 - preemptive, 74
 - related parallel machines, 52, 456–457
 - release date, 28
 - shortest remaining processing time rule, 75
 - single machine
 - linear programming relaxation, 77–78, 119–121
 - randomized rounding algorithm, 121–124
 - to maximize weighted on-time jobs, 70
 - to minimize average completion time, 74–76
 - to minimize lateness, 28–30
 - to minimize weighted completion time, 76–78, 93–94, 119–124
 - to minimize weighted late jobs, 70–71
 - unrelated parallel machines, 456
 - deterministic rounding algorithm, 303–304
 - hardness, 410–413
- Schur product theorem, 145
- SDP, *see* semidefinite programming
- SDP-based algorithm
 - for coloring, 149–152, 341–345
 - for correlation clustering problem, 146–149
 - for MAX 2SAT, 153, 154
 - for maximum cut problem, 139–143
 - for maximum directed cut problem, 154
 - for multicut problem, 352–353
 - for quadratic programming problem, 143–146, 336–341
 - for uniform sparsest cut problem, 389–406
 - for unique games problem, 348–352
- semicoloring, 151–152
 - definition, 151
- semidefinite matrix, *see* positive semidefinite matrix
- semidefinite programming, 137–139, 155
 - duality, 152
 - strong duality, 155
 - weak duality, 155
- semidefinite programming relaxation, *see also* vector programming relaxation
 - for maximum cut problem, 139–140
- semimetric, 193–194
 - cut, 193
- separation oracle, 79
 - definition, 79
- set cover problem, 6–22, 133, 157–159, 189
 - and vertex cover, 7, 10
 - application to antivirus product, 6

- set cover problem (*cont.*)
 definition, 6
 derandomization, 133
 deterministic rounding algorithm, 9–10
 dual fitting algorithm, 17–18
 dual of LP relaxation, 11, 158
 dual rounding algorithm, 10–14
 greedy algorithm, 15–18
 hardness, 18–19, 433–436
 integer programming formulation, 8, 158
 linear programming relaxation, 8, 158
 local ratio algorithm, 189
 partial cover problem, 23
 primal-dual algorithm, 14–15, 157–160
 randomized rounding algorithm, 19–22
 unweighted, 6
- shifting recoloring, 48
- shortcutting, 23, 39
- shortest remaining processing time rule, 75
- shortest s - t path problem, 71, 164–167, 188
 definition, 164
 Dijkstra's algorithm, 164, 167, 188
 dual of LP relaxation, 165
 integer programming formulation, 164–165
 linear programming relaxation, 165
 primal-dual algorithm, 165–167
- simplex method, 79, 80
- single-source rent-or-buy problem, 314–316
 sample-and-augment algorithm, 314–316
- Slater conditions, 155
- Smith's rule, 93
- SONET ring loading problem, 93
- soundness, 425
- spanning tree, 37
- sparsest cut problem, 225–226, 371–373, 387–407
 cut-tree packing algorithm, 407
 deterministic rounding algorithm, 226
 hardness, 376
 LP relaxation, 225, 371
 metric embedding algorithm, 372–373
 uniform, 387–406
 integer programming formulation, 388
 randomized rounding via SDP, 389–406
 vector programming relaxation, 389
- spreading constraint, 220
- spreading metric, 219
- SRPT, *see* shortest remaining processing time
- standard primal-dual analysis, 160
- Steiner forest problem, *see* generalized Steiner tree problem
- Steiner k -cut problem, 224–225
- Steiner tree problem, 52, 53, 81, 82, 190, 252, 275–276, 314, 316–324, 418–420
 bidirected cut formulation, 317–318
 definition, 52
 directed, 23
 Euclidean
 polynomial-time approximation scheme, 275–276
 full components, 317, 331
 hardness, 24, 420
 integer programming formulation, 318
 k -restricted, 319
 L-reduction from vertex cover problem, 418–419
 linear programming relaxation, 317–320, 331
 minimum degree, 53, 252
 node-weighted, 24
 prize-collecting, *see* prize-collecting Steiner tree problem
 randomized rounding algorithm, 320–324
 Steiner vertices, 52
- Steiner vertices, 52
- strict vector chromatic number, 154
- strong duality
 linear programming, 12
 semidefinite programming, 155
- strongly NP-complete, 467
- subadditive function, 215
- submodular function, 42, 43, 53
- survivable network design problem, 296–303, 455–456
 application to telecommunications, 296
 definition, 296
 deterministic rounding algorithm, 297–303
 integer programming formulation, 296
 linear programming relaxation, 296–297
 vertex-connectivity version, 439–442
 hardness, 439–442
- 3-dimensional matching problem, 410–411
- 3-partition problem, 467
- tight
 constraint, 158, 289
 set, 289
- tour, 23, 36
- traveling salesman problem, 35–40, 304, 453–454
 asymmetric, 23, 36, 330–331, 454
 Christofides' algorithm, 39

- definition, 35
- double-tree algorithm, 38–39
- Euclidean, 256–267
 - definition, 256
 - dynamic programming algorithm, 256–267
 - polynomial-time approximation scheme, 256–267
- graphical, 276–277
 - in low branchwidth graphs, 276–277
- greedy algorithm, 36–38
- hardness, 36, 40
- linear programming relaxation, 304, 454
- metric, 36–40, 453–454
- nearest addition algorithm, 36–38
- universal, 226
- traversal
 - of Eulerian graph, 38
- tree decomposition, 270–271
- tree metric, 193–194, 210, 220–221, 226, 406
 - and buy-at-bulk network design problem, 215–218
 - and cut-tree packing, 407
 - and ℓ_1 -embeddable metrics, 406
 - and linear arrangement problem, 220–221
 - definition, 210
 - lower bound on distortion, 226
- treewidth, 270–271
 - of k -outerplanar graphs, 273–275
- triangle inequality, 23, 30, 193
- TSP, *see* traveling salesman problem

- UGC, *see* unique games conjecture
- uncapacitated facility location problem, 23, 83–88, 116–119, 177–181, 190, 232–238, 246–251, 310–314, 329, 421–424
 - and k -median problem, 183–184
 - and set cover problem, 23
 - capacitated version, 455–456
 - definition, 83
 - deterministic rounding algorithm, 86–88
 - dual fitting algorithm, 246–251
 - dual of LP relaxation, 85–86, 116, 178, 247, 310
 - greedy algorithm, 246–251
 - hardness, 23, 88, 421–424
 - integer programming formulation, 84–85
 - linear programming relaxation, 85, 116, 178, 310
 - local search algorithm, 232–238
 - locality gap, 251–252
 - maximal dual solution, 178
 - metric, 84
 - nonmetric, 23
 - online variant, 252–253
 - primal-dual algorithm, 178–181
 - randomized rounding algorithm, 116–119, 310–314
- uniform labeling problem, 134–135, 252
 - integer programming formulation, 134
 - local search algorithm, 252
 - randomized rounding algorithm, 134–135
- unique games conjecture, 19, 345–346, 442–453
 - bipartite, 446
 - definition, 345–346
 - hardness of maximum cut problem, 143, 446–450
 - hardness of multicut problem, 206, 443–446
 - hardness of sparsest cut problem, 376
 - hardness of vertex coloring problem, 130
 - hardness of vertex cover problem, 19
 - linear, 442
- unique games problem, 345, 345–352, 442, 442–452
 - as graph problem, 346
 - definition, 345
 - hardness, 352
 - integer programming formulation, 347
 - randomized rounding via SDP, 348–352
 - reduction to multicut problem, 443–446
 - vector programming relaxation, 347–348
- unit clause, *see* clause, unit
- universal traveling salesman problem, 226

- vector chromatic number, 154
 - strict, 154
- vector programming, 138–139
- vector programming relaxation
 - for coloring, 150, 153
 - for maximum cut problem, 139–140
 - for quadratic programming, 144
 - for quadratic programming problem, 336
 - for uniform sparsest cut problem, 389
 - for unique games problem, 347–348
- verifier, 424–425
- vertex coloring, 47
- vertex cover problem, 7, 24
 - and set cover, 7, 10
 - definition, 7
 - deterministic rounding algorithm, 10

- vertex cover problem (*cont.*)
 - hardness, 19
 - in planar graphs, 24, 276
 - polynomial-time approximation scheme, 276
 - L-reduction to Steiner tree problem, 418–419
 - linear programming relaxation, 24
 - unweighted, 7
- violated constraints, 166
- weak duality
 - linear programming, 12
 - semidefinite programming, 155
- weakly NP-complete, 467
- weakly supermodular functions, 297
- with high probability, *see* high probability