

Index

abdominal adiposity, 113–114
acquired immunodeficiency syndrome, of apes, 376
activity budget, 299, 301, 302, 303
adaptive evolution, 89–91, 280–415
adaptive mechanism, in stress, 127–130
adaptive neutrality, 34–35
adaptive traits, 402–403
adoption, birth order and, 116–117
adrenal glands, 128
adrenal hyperplasia, congenital, 116, 164, 165, 166
adrenal steroids
 sexual attraction, 130
 stress and, 119
adrenarche, 128
adrenocorticotrophic hormone (ACTH), 120, 121, 122
adult brain, sexual dimorphisms, 206–207
adult intervention
 juvenile sexual segregation, 313, 315
 negativity in gender non-conformity, 144
 permissiveness in sex play, 140
adult sex ratio, 358–359, 369–371
adulthood, immunity and homosexuality, 274
age
 age-stratified homosexuality, 8, 129
 and bisexuality, 6, 8
 changes in sexual orientation, 8, 418
 development of sexuality, 129, 397
 in dominance hierarchies, 330
 of chosen partner, 258
 relationship stability, 6
aggregation signal, 89–90
aggressiveness
 empathy and, 249
 female twins, 118
hyenas
 female, 185–191

- new-born, inter-sibling, 186, 187
 - masculinity, 240
- albatrosses, 311, 347, 347–348
- Alces alces gigas* (Alaskan moose), 306–307
- alcohol, prenatal stress, 120
- Alle alle* (dovekie), 232
- alleles
 - feminising, 61–62
 - heterozygote advantage hypothesis, 61
 - influencing homosexuality, 60, 62
 - interdemic selection, 59–60
 - mating success and parental care, 59
 - phenotypic variation, 60
- altered testosterone biosynthesis (ATB), 160–162
- altriciality, 415
- altruism, 300, 419
- amygdala
 - medial, 70, 200
 - primate, 137
 - roles of, 221, 222
- anabolic androgenic steroids (AAS), 191–193
- anal trauma, 376
- anal warts, 378
- ancient Greece, homo-erotic interactions, 396–397, 400
- androgen deprivation therapy (ADT), 196–197
- androgen insensitivity syndrome (AIS), 68–69, 163–164
- androgen receptor gene, 69
- androgen receptor locus, 79–80
- androgen receptors (AR), 104, 123
- androgens
 - evolution of homosexuality, 406
 - postnatal, 119
 - prenatal, 119
 - intersibling aggression, 187
 - masculinised female offspring, 389
 - masculinised genitalia, 191
 - sexual behaviour differentiation, 106
 - sexual play behaviour in lambs, 151
- androgyny, 249–250
- androstenedione
 - pregnant hyenas, 187
 - sexual orientation and, 193
 - stress and, 119
- aneuploidies, 81–82, 420
- animal homosexual behaviour, overview, 32
- animal same-sex sexual behaviour, early reviews, 11–26
- Anseriformes, phylogeny, 42
- antecedent brother effect* 266, 270
- anterior commissure (AC), 209, 213–214
- anterior hypothalamus (AH), 208–210
- anterior pituitary, 131
- anteroventral periventricular nucleus (AVPV), 198
- Anthropoidea (anthropoids), 384–385
 - classification, 381, 384, 388
 - same-sex mounting, 387, 401
 - self-medication, 376
- antiandrogenic effects, of EDCs, 131–132
- antibody production, maternal, 267
- antioestrogen, maternal reactivity, 272
- antiparasitic hypothesis, 80
- antiprogesterone, 267, 272
- antitestosterone, 267, 272
- Apis mellifera* (honeybee), 409–410
- apoptosis
 - and *Bax* gene, 70
 - neuronal loss, 155, 205
- Arapesh people, Papua New Guinea, 313
- arginine vasopressin, 172
- armpit odours, 217–218
- aromatase activity
 - and brain development, 104
 - prenatal, and digit length, 107
 - prenatal stress and, 122
- aromatase deficiency, congenital, 162–163
- Aromatisation Hypothesis* 104
- Artiodactyla (even-toed ungulates), 43, 301
- asexual heterosexuals, 162–163
- asexual homosexuals, 37
- assertiveness, 240
- ATB (altered testosterone biosynthesis), 162
- attachment
 - mother–infant, 248
 - relationship stability, 248
- auditory evoked potentials (AEPs), 113
- auditory response, 219
- autoantibodies, age and, 274–275
- autoimmune disorders, handedness and sexuality, 76
- autoimmunity, 159–160, 266
- autosomal inheritance, 61–62
- autosomal locus, reproductive success, 58–59
- AVPV (anteroventral periventricular nucleus), 198
- avuncular tendencies, *fa'afafine* 94
- Bagemihl, Bruce, 11–26
- Balaena mysticetus* (bowhead whale), 357
- Bandura, Albert, 26
- bats, 309
- Bax* gene, 69–70

- Bax* knock-out mice, 69–70
- Bcl-2 protein family, 69
- bed nucleus of the stria terminalis (BNST)
 - Bax* knockout mice, 69
 - c-fos* proto-oncogene expression, 70
 - in sexual behaviour, 200
 - principal nucleus, 69–70
 - sexual dimorphism, 213, 209
- Bedborough, George, 9
- behaviour patterns, learning, 134
- behaviour, gender non-conforming, 140–145
- behavioural development, delayed, 128
- behavioural incompatibility, 299
- behavioural influences, siblings, 72, 74
- behavioural learning, 275–276
- behavioural masculinisation, in females, 123
- behavioural plasticity, 243–246, 408
- behavioural variables, 337
 - avian data, 346, 368–369
 - mammalian data, 349–356, 359, 370–371
- Behavioural Contagion* hypothesis, 276
- Benkert, Karl-Maria (Kertbény), 4
- bias potential, 83–84, 85
 - datasets used, 38–39
 - in twin studies, 86
- bidirectional plasticity, 99
- bimodal distribution of sexuality, 5, 6
- biological essentialism, 26
- Biology vs. Culture* dichotomy, 48–52
- biosocial effects
 - family dynamics, 276–281, 280–281
 - in sex-type toy preference, 115
 - on sexual orientation, 89
 - parental age, 271–272
- biosocial integration, 26–28
- Biosocial Model of Homosexuality* 401–403, 413–419
 - alternative hypotheses, 419–420
 - bisexuality *vs.* exclusive homosexuality, 416–417
 - development, 403–413
 - diagrammatic summary, 414
 - future research, 420–421
 - hypotheses, 402–403
 - novel evolutionary synthesis, 55–56
- birds
 - behavioural variables, 368–369
 - Biosocial Model of Homosexuality* 401–403
- brain centres, 211
- brain evolution, 261
- brain nuclei, 71
- brain steroid receptors, 201–202
- candidate genes, 71
- digit measurements, 109
- Fos protein in sexual behavior, 71
- independent contrasts, 439–440
- learning during early ontogeny, 135
- mammals compared, 367–372, 401–403
- masturbation, 232
- mating systems, 319–320
- migratory, 311, 312
- other-sex mimicry, 150–152
- phylogenetic-based studies, 41–43, 317–318
- polygyny in, 317
- prenatal hormones, 103
- redirected mounting, 232
- same-sex mounting
 - body mass in, 319–320
 - female–female
 - evolution of, 109
 - hormones and, 171
 - in captivity
 - sampling issues, 46–54
 - table of species, 47–49
- sexual dimorphism, 211
- sexual segregation, 311–312, 319–320, 321
 - same-sex mounting, 285–289, 321
- social complexity, 261
- social play, 134–135
- sociality hypothesis, 317–318
- Synthetic Reproductive Skew Model of Homosexuality*
 - 336–348, 367–372
 - behavioural variables, 369
 - evolution of female same-sex mounting, 109
 - life histories and behaviourable variables, 346
 - mammals compared, 372
 - path analysis, 362–363
 - predictions and results, 434–435
 - simplified, 364
 - core and sexual variables, 364
 - core and socio-sexual variables, 365
 - social bonding, 357
 - Z chromosome, genetic mutations, 78
- birth order
 - changes, sibling mortality, 279–280
 - immunological mechanisms, 274
 - IQ score, 303
 - parental age effects, 275–281
 - personality dimensions, 277
- Birth Order Effect* 116–117

- bisexuality
 - age for, 129
 - attraction and arousal, 7–8
 - changes over time, 8
 - defined, 2, 36
 - distribution, 6
 - evolution of homosexuality, 408, 415
 - fru* (*Drosophila*) mutants, 66
 - heterozygote advantage, 60–61
 - human potential for, 397–398
 - otoacoustic emissions, 113
 - parental care, 59
 - political lesbians, 409
 - postnatal stress and, 281
 - reproductive success, 323–324
 - SDN-POA volume, 210
 - sexually antagonistic selection, 91
 - sibling birth order, 271
 - stability of, 6–7
 - STD transmission, 378–379, 421
 - vs. exclusive homosexuality, 416–417
- blood types, homosexuality and, 79
- body mass
 - birds, 319–320, 357, 368–369
 - mammals, 319–320, 358, 359, 370–371
- body mass sexual dimorphism (BMSD), dataset in
 - mammals, 348–357
- body size dimorphism, 301
 - Bovidae, 304
 - Caprinae, 304
 - foraging hypothesis, 299
- bonding
 - mother–infant, 248
 - positive affective bonds, 247
- Bos bison* (wild bison), 304
- Bos taurus* (domestic cattle),
 - buller steer syndrome, 178–179
 - hormones and mounting behaviour, 170–171
 - sexual segregation, 304
- Bovidae, 302–305
- boy-inseminating rites, 9
- boys *see also* Fraternal Birth Order (FBO)
 - gender non-conformity, 140–145
 - sexual identity and, 143
- brain
 - size (encephalisation), 415
 - structural complexity, 259–262
- brain centres *see also* individual areas
 - activation
 - cognitive tests, 253
 - orgasm, 230
 - alterations in *tfm* rats, 69
 - emotions and, 246–248
 - in sexual arousal, 227–228
 - in sexual behaviour, 199–201
 - olfactory receptors and sexuality, 184
 - reshaping, isoflavones and, 198
 - sexual dimorphism, 206–207
 - stress effects, 129
- brain development *see also* brain plasticity
 - and androgen insensitivity, 69
 - embryonic steroid hormones, 101
 - genetic influences, 69–70
 - Bax* gene in, 70
 - Sry* gene, 75–76
 - in sex-type toy preference, 115
 - lateralisation, 111
 - maternal stress hormones, 125
 - neoteny in evolution, 154–155
 - prenatal steroid hormones, 58
- brain nuclei
 - Fos protein, 71
 - sexual dimorphism, 207
- brain plasticity
 - biosocial integration, 26
 - evolution of homosexuality, 409, 415, 417
 - predictions in, 416
 - gender role ontogeny, 404, 405
 - in learning, 237
 - personality traits, 280
 - sexual behaviour and, 206
 - synaptogenesis, 204
- brain steroid receptors, 202
- brain tissue, gene expression, 64
- brain-derived neurotrophic factor (BDNF) gene, 259
- branch lengths, calculation, 41
- Brazil, Santa Catarina, 7
- breeding success, 255, 328–330
- Bubalornis niger* (red-billed buffalo weaver), 226–227
- buller steer syndrome, 178–179
- bullying, sissy boys, 146–147
- butch lesbians, 242–243
- CAH (congenital adrenal hyperplasia), 116, 166
- CAIS (complete androgen insensitivity syndrome), 164
- canalisation, 98–100
- Candida albicans* infection, 376
- candidate genes, 66, 72

- in birds, 71
- in *Drosophila*, 68
- in humans, 72, 74, 76
- in rodents, 71
- novel possibilities, 77
- testable hypotheses, 58
- Capra hircus* (goat), 302
- Capra ibex* (Alpine ibex), 302
- Caprinae, 302–303
- captivity *see also* prison inmates
 - all-male environment, 397
 - lock-in model, 173–174
 - masturbation, 232–233
 - same-sex mounting in, 54
 - social partnerships, 367
- Carnivora, 43
- castration, 196–197
- catecholamines, 121–122
- catechol-o-methyltransferase (COMT) gene, 259
- cation channel, trp, 2, 71
- cats, 210, 221
- causal relationships
 - Biosocial Model of Homosexuality*, 413–415
 - natural phenomena, 34
 - path analysis, 44–45
- Cavia aperea* (guinea pig), 122–123
- CD8 immune response, 274
- Cebus capucinus* (white-faced capuchin), 221
- Cebus* spp. (capuchins), 385
- central nervous system (CNS), 32, 203, 208
 - foetal, 265–266
 - fru* gene expression, 66
 - functional and morphological studies, 220
 - hypersexuality and homosexuality, 222
- central tegmental field (CTF), 70
- Cercopithecus aethiops sabacus* (vervet monkey), 115
- cerebellum, size heritability, 259
- cerebral asymmetry, 219
- cerebral cortex, 231, 279
- Cervidae, 307
- Cervus elaphus* (European red deer), 306
- Cervus elaphus roosevelti* (Roosevelt elk), 306
- Cervus eldi thamin* (thamin), 306
- Cetaceae, 42–43
- c-fos* proto-oncogene, 70
- Charadriiformes, 42
- CHD1* gene, 78
- chemical castration, 197
- childhood stress effects, 127
- children
 - gender identity disorder, 142–143
 - gender non-conforming, 145
 - interest in having, *Synthetic Reproductive Skew Model of Homosexuality*, 195–199
 - numbers of, homo-/heterosexual partnerships, 374–381
 - same-sex peer preference, 314
 - sexual segregation, 313, 314
- Chiroptera, 43, 309
- Chlamydia* infection, 376
- cholesterol levels, birds, 347
- chromosomal, men, genital anomalies, 163–164
- chromosomal, women, genital anomalies, 163
- chromosome 7, q36 region, 78–79
- click-evoked OAEs (COAEs), 113
- clitoris, masculinised, 185–191
- Clostridium perfringens* infection, 376
- coalition formation, 335
- coefficient of regression, 44–45
- coercion, sexual segregation and, 299, 315–316
- cognitive abilities, 265
- cognitive processes, 250–255
- Cognitive-Developmental Theory*, 148–149
- collaboration, and subordinate role, 331
- collaborative discourse games, 312
- community mores, and learning, 250
- comparative analyses
 - datasets used in, 39
 - of independent contrasts
 - birds, 439–440
 - mammalian sample, 440
 - schematic diagram, 40
- competition avoidance, 300
- competitive games, 312
- complete androgen insensitivity syndrome (CAIS), 160–164
- Compromise Model*, 327–328
- Concession Model*, 325–326
- Confluence Model*, 406–407
- congenital adrenal hyperplasia (CAH), 116
- congenital aromatase deficiency (CAD), 162–163
- constructionist paradigm, 10
- contagious behaviour* theory, 276
- continuous distribution of sexuality, 5
- continuum theory, of bisexuality, 8
- cooperation/competition, family dynamics, 280
- cooperative behaviors *see also* kin selection, selection for, 94–95

- cooperative breeding, 336–346, 348, 360
 copulation rate, 70–71, 166–167
Corcorax melanoramphos (white-winged chough), 331
 corpus callosum (CC), 214–215
 cortical regions, 231
 grey matter quantity, 260
 corticosteroids, 116–119
 corticosterone, 121–122
 cortisol, 193
Coturnix japonica (Japanese quail)
 learning in sexual orientation, 135
 prenatal hormones, 102–103
 coumestrol, 198
 courtship ritual
 in birds, 388, 390
 in insects, 66
Crocuta crocuta (spotted hyena)
 group genetic relatedness, 331
 masculinised females, 191
 mate choice by females, 185–191, 331
 mounting behaviour, 189
 MPOA/AH and sexual dimorphism, 207
 pseudopenis, 186
 cross-cultural studies, 239–243, 8–9
 crowding stress, prenatal, 119
Cryptoprocta ferox (fossa), 190
 culture
 gender roles, 243
 homosexual behavior, 238
 juvenile sex play, 138–140
 physical contact, 239
 views on homosexuality, 235–273
Cyanocorax morio (brown jay), 331
CYP17 gene 76–77, 163

 Dagg, Anne Innis, 11
Dama dama (fallow deer), 266–306, 43, 360
Danaus plexippus (monarch butterfly), 376
 Darwin, Charles, sterile castes paradox, 1
 datasets, in comparative analyses, 38–39
 defeminised females, mice *Bax* mutations, 70
 definitions, in studies of homosexual behavior, 35–38
 de-identification, sibling interactions, 277, 406–407
 delayed plumage maturation
 neoteny, 152
 other-sex mimicry, 152
 same-sex mounting, 152
Delphinapterus leucas (beluga whale), 283
 de-masculinised males, 119–120

 dental crown size, 113
 derivation, homosexual behaviour in primates, 388–392
 dermatoglyphics, 112–113
 development
 canalisation in, 98
 environmental EDCs, 131–132
 instability, 98–99
 juvenile sex play, 134–138
 ontogenetic patterns, 32
 plasticity, 98–99
 stability in, 98
Developmental Constraints theory, 259–260
 developmental disorders, 266
 developmental syndromes, 132–134
 dexametasone (DEX), 121–122
 diethylstilboestrol (DES), 132–134
 digoxin levels, 222
 dihydrotestosterone (DHT), deficiency, 162
 directional selection, 62–64
 dispersal constraints, 331
 distribution of homosexuality, family effects, 64
 diversity, and evolution, 381–384
 dizygotic (DZ) twins, 85–89
 DNA-methylation
 antiparasitic hypothesis, 80
 future research, 421
 genomic imprinting, 80–81
 X-chromosome inactivation, 79–80
Dnmt3L gene, 79
 dominance
 female sexual behavior, 168
 homosexual mounting in birds, 336
 in masculinity, 239–240
 in prison, 316
 lock-in model, 172, 175, 178, 190
 queuing to breed, 330
 ram homosexuality, 181
 social, 189–191, 299
 dominance hierarchies
 age in, 330
 establishment
 in Bovidae, 305
 in Cervidae, 306
 Old World monkeys, 385–386
 Pinnipedia, 310
 reproductive skew theory, 323
 synthetic, 335–336
 reproductive success, 331
 same-sex mounting in birds, 346

- dopamine, 223, 224
 metabolism, 259
 prenatal stress and, 122
 reward system, 172
 social stress and, 407
- dormancy, evolution of, 39–40
- dorso-ventral mounting, female–female, 173
- Dörner's model, 206–207, 254
- Drosophila melanogaster* (fruit fly) *see also fru* gene
 candidate genes, 57
 courtship, 173
genderblind (*gb*) gene, 68
 pheromones and, 67
- ear breadth, fluctuating asymmetry, 131
- early-development effects
 hormonal effects, 103–106
 reproductive skew theory, 330
 same-sex mounting, 402
- ecological constraints
 and philopatry, 333
 birds, same-sex mounting in, 345
 cooperative breeding, 360
 evolution of homosexuality, 415
 family groups, 325
 inbreeding avoidance, 334–335
- Ecological Theory* 10
- Ecologically-driven Model* 318
- EDCs (endocrine-disrupting chemicals), 198–199, 132–141
- effeminate men, 141–142
- egalitarian homosexuality, 9
- ejaculation, brain centres in, 201, 230–231
- elephants, 309
- Ellis, Henry Havelock, 9–10
- embracing behaviour, 388
- emotional attachment, 247–248
- emotional coping, 249–250
- emotions, brain centres, 246–248
- empathy, and aggressiveness, 249
- endocrine disorders, 159–166
- endocrine syndromes, human, 165
- endocrine system, 32, 100
- endocrine-disrupting chemicals (EDCs), 198–199, 132, 141
- Entomophthora muscae* (fungus), 375–376
- Environment of Evolutionary Adaptedness* (EAA), 91–93
- environmental aridity, 40, 155
- environmental chemicals *see also* endocrine-disrupting chemicals (EDCs),
- insect communication, 67
- environmental conditions
 brain plasticity and, 205
 endocrine system and, 100
 evolution of homosexuality, 409, 417
 genetic make-up and, 65
 in family studies, 82
 in sexual selection, 259
 pre- and postnatal, 89, 417
- epistemological caveats, 33–35
- Equidae
 hormones, 170
 masturbation, 232
 sexual segregation, 307
- Equus asinus* (donkey), 170
- Equus caballus* (horse), 170
- Equus quagga* (plains zebra), 307
- Erotic Orientation Model* 145
- erotic stimuli, brain centres in, 200–201
- Erotic Target Location Error* (ETLE), 148
- estra-1,3,5(10),16-tetraen-3-ol (EST), 216–217
- estradiol benzoate (EB), 134
- estradiol levels
 female sexual behaviour and, 167
 in CAH, 164
 oophorectomy and, 197
 pregnant hyenas, 187
 sexual orientation and, 193
- ethical issues
 human genetics and sexuality, 72
 studies in homosexuality, 424–425
- ethnicity
 hand digit measurements, 106–111, 108–122
 sociocultural variables, 84–85
- ethology, aims of, 34
- eunuchs, in history, 196
- European countries, juvenile sex play, 138–139, 140
- eusociality, 409–410
- evolution
 biosocial integration, 28
 brain development, 259–263
 diversity in primates, 381–384
 diversity of mechanisms, 35
 ontogeny and, 152–157
 purpose of orgasm, 225–227
 theories, 10
- evolution of homosexuality
 and maintenance, 326–327, 402–403
Biosocial Model of Homosexuality, 401–403

- genetic models, 62, 64, 97, 406
- theories, 62–64, 402–403
- evolutionary hypotheses
 - same-sex mounting, 40–41
 - sociality hypothesis, 318, 321
- Synthetic Reproductive Skew Model of Homosexuality*, 361–367
- evolutionary mechanisms, integration, 64–65
- evolutionary paradox of homosexuality, 1–3
 - evolution, 413–415
 - exclusive, 398
 - formulated, 3
- evolutionary psychology, 27
- exaptations, 35
- exaptive hypotheses, 23
- exaptive traits, 403
- exclusive homosexuality
 - at young age in men, 418–419
 - evolution of homosexuality
 - brain plasticity, 409
 - predictions in, 416
 - vs. bisexuality, 416–417
 - phenotypic trait, 422
 - uniqueness, 402
- Exotic Becomes Erotic* (EBE) model, 145–146
- extended family (human), 268
- extra-pair copulations (EPC), in birds, 345, 357
- extra-pair paternity (EPP), in birds, 336, 357
- fa'afafine* (feminine homosexual men), 423
- facial features, sexual selection, 256
- Falco sparverius* (American kestrel), 311
- Falconiformes, 41
- familial effects, 64, 82–85, 83–84
- Family Dynamics Model*, 325–326, 406–407, 279
- family multipoint linkage analysis, 78–79
- family relationships
 - dominance in, 330
 - dynamics, 116, 277–281, 280–281
 - stress in, 127, 140, 406–407
- family size, 92–93, 116–117, 268
- fatherhood
 - at older age, 272
 - wish for, 373–375
- fecundity *see also* maternal fecundity
 - and digit measurements, 109–110
- feeding precedence, 185
- female gender rearing, ATB boys, 160–162
- female genitalia in CAIS, 163–164
- Female Mimicry* hypothesis, 150–152
- female partnerships, in birds, 171, 347–348
- female sexual aggregation, 315
- female sexual orientation
 - elevated steroids, 77
 - neurophysiological plasticity, 27
- female twins
 - concordance for sexual orientation, 88–89
 - different-sex pairs
 - left hand 2D: 4D ratio, 109
 - masculinisation, 117–118
 - tooth crown measurement, 113
- female-associated aneuploidies, 81
- female–female embracing, 388
- female–female mounting *see also* genito-genital rubbing (GG-rubbing); ventro-ventral mounting
 - Crocota crocuta* (spotted hyena), 186
 - hormone levels, 166–170
 - in birds, evolution of, 109
 - in primates, 156–157
 - socio-sexual functions, 174–177
- females
 - homosociality, 312–316
 - masculinised, 123, 190
 - masturbation, 232
 - prenatal stress and, 123
 - sexual identity in CAH, 164–165
 - sexual orientation changes, 417–418
 - subordinate, 123
- feminine homosexual men
 - cultural perspective, 242–243
 - fa'afafine*, 423
- femininity, and homosexuality, 239–243
- feminisation
 - in mammals, 103–106
 - pheromones and, 67
 - prenatal androgens, 111
- feminised males (rats), 119–120
- feminised men, cultural practices, 6–7
- feminising alleles, 61–62
- ferrets, 103
- fetishism, 147–148
- finger prints, dermatoglyphics, 112–113
- Finland, 8
- fitness consequences of homosexuality, 91
- fitness decreasing trait, 89–91
- fitness of homosexuality, 91
- five factor model, 277
- fluctuating asymmetry (FA), 130–131

- fluoxetine (FLX), 223–224, 225, 230
- foetal antigens, 265–266
- foetal CNS. *immune privilege of*, 265
- foetal testosterone, 111–112
- follicle stimulating hormone (FSH), 193
- foodstuffs, EDCs in, 198–199
- foraging hypothesis, 299–300
 - albatrosses, 311
 - Bovidae, 305
 - Delphinapteros leucas*, 310–311
 - in mammals, 319
 - Pinnipedia, 43
- foraging strategy, 301, 306
- forebrain activation, 230
- Fos protein, 71
- Foucault, Michel, 10
- Fragile X mental retardation (*FMRI*) locus, 79–80
- Fraternal Birth Order* (FBO), 116–117
 - and immunity, 266, 270
 - effect on sisters, 270–271
 - evolution of homosexuality, 327
 - gender-typed toy preference, 115
- Freemartin Effect*, 117–118
- Freud, Sigmund, 10–11
- friendship networks, same-sex, 314–315
- frontal cortex, 260
- fru* (*Drosophila*) mutants
 - bisexual behaviour, 66
 - courtship behaviour, 67
- fru* gene, 66–67
 - expression, 66
 - transcript, 66
- fru*-mAI neurons, 66
- functional connectivity, cerebral, 219–220
- functions, homosexual behaviour, 388–392
- gastrocentric hypothesis, 300, 305
- gay fathers
 - desire for fatherhood, 374–375
 - orientation of children, 149
- gaydar concept, 256–258
- Gebusi people, 9
- gender dysphoria
 - in childhood, 142–143
 - Klinefelter’s syndrome (KS), 273
 - prenatal DES exposure, 133
- gender identity
 - and behaviour, 2
 - in CAIS, 163–164
- Gender Identity Disorder (GID)
 - psychoanalytical theories, 10–11, 422, 423, 424
 - tomboy girls, 142–143
- Gender inversion* model, 143–254
- gender inversion, age of partner, 257–258
- gender non-conforming children, 140–144
- gender prevalence, in human homosexuality, 56–57
- gender roles
 - cross-cultural studies, 239–243
 - development
 - 5 α -reductase deficiency, 162
 - ATB boys, 160–162
 - plasticity in, 407–408
 - human endocrine syndromes, 165
 - one locus two allele model, 61–62
- gender transitions, plasticity in, 245–246
- gender, hand digit measurements, 107
- genderblind* (*gb*) gene, 67–68
- gene expression
 - brain steroid receptors, 202
 - brain tissue, 64, 259
 - DNA-methylation, 80
- gene transmission, 323–324
- gene–culture evolution, 27–28, 99–100
- genetic accommodation, 99–100
- genetic assimilation, 99
- genetic disorders, 77
- genetic distance, *Synthetic Reproductive Skew Model of Homosexuality*, 358
- genetic hypotheses
 - study difficulties, 57–58
- genetic mechanisms 97
 - exclusive homosexuality, 418
 - heritability and, 82
 - questions or unknowns, 56
 - support from twin studies, 86–89
 - theoretical work, 62–64
- genetic models, 63
- genetic mutations
 - accumulation, 75
 - evolution of homosexuality, 417
 - rate variability, 55–56
 - recurrent, 56, 64–65
 - sex-biased rates, 78
- genetic relatedness
 - heterosexual groups, 331
 - mammals and birds compared, 371
 - same-sex groups, 331
 - socio-sexual behaviour, 335

- genetic traits
 - and environmental conditions, 65
 - Biosocial Model of Homosexuality*, 403
- genital contact/investigation, primates, 387, 388
- genital displays, primates, 387, 388
- genital stimulation, 394
- genitalia
 - feminised, 163–164
 - masculinised, 185–191
- genito-genital rubbing (GG-rubbing), 38, 168, 391, 394
- Geschwind–Galaburda* model, 111
- gestation, immune mechanisms during, 76
- Gestational Neurohormonal Theory*, 58
- gibbons, 233, 384
- Giraffa camelopardalis* (giraffe), 357
- Giraffa camelopardalis peralta* (Niger giraffe), 307
- Giraffa camelopardalis tippelskirchi* (Masai giraffe), 307
- Giraffidae, 307
- girls
 - gender identity disorder, 142–143
 - gender non-conformity, 140–144
 - sexual identity, 143
 - sororal birth order, 270–271
- glial amino acid transporter, 68
- glial factors, in synaptogenesis, 204
- glossary, 426–436
- glucocorticoids, 122
- gonad removal, 195–196
- gonadal anlage, brain development and, 101–102
- gonadal steroids, brain centre activation, 201–202
- gonorrhoea infection, 378
- Gorilla gorilla* (gorilla), 383–384
- gregariousness, 240
- grey matter
 - distribution, 220, 259
 - quantity, 279
- group size, reproductive skew theory, 331
- guinea pigs, 123
- Guira guira* (Guira cuckoo), 331
- habitat segregation, 311, 317
- Habitat Social Segregation*, 284
- hair-whorl direction, 77
- Hamilton, William D, 324
- Hamilton's Rule*, 324, 326–327
- hand digit measurements, 107, 111, 122, 131
- handedness, 112, 268–269
 - left, 76, 112, 133
- Hardy–Weinberg equilibrium, 58
- hedonic feedback, 392–394, 399
- hepatitis B virus (HBV) infection, 378
- hepatitis C virus (HVC) infection, 378
- heritability
 - estimates, 58
 - realised (h^2) 82
- heterochrony, 152–153
- heterosexuality, Kinsey Scale, 395–396
- heterosexuals
 - age for sexual activity, 129, 396
 - asexual, 162–163
 - desire for parenthood, 373–375
 - fecundity, 374
 - sexual plasticity, 243–246
 - STD transmission, 375–377
- heterozygote advantage, 62–64
 - bisexuality and, 60–61
 - genetic inheritance, 55, 61–62
- Hippocamelus bisulcus* (huemul), 306
- Hirschfeld, Magnus, 5, 9–10
- historical overview, 3–6
 - early researchers, 29–31
- HIV-AIDS infection
 - INAH 1 size, 211
 - STD transmission, 377, 378, 379
 - susceptibility to, 274
- Hominoidea, classification, 381, 383–384
- homosexual behavior, 395–399
 - defined, 1–2, 35–37
 - mounting in birds, 336
 - non-human, 11–26
 - phylogenetic patterns, 384–388
 - potential influences, 323
 - predicted influences, 333–336
 - with or without attraction, 1–2
- homosexual men
 - abdominal adiposity, 113–114
 - hand digit measurements, 107–108
 - orientation among male relatives, 73
- homosexual partnerships
 - children, numbers of, 374
 - wish for fatherhood, 373–375
- homosexual rams, 179–185, 211, 402
- homosexuality
 - defined, 1–2, 35–36
 - maintenance of, 62–64, 401–403
 - pathology hypothesis, 9–10, 11, 421–424
- homosexuals, asexual, 37
- homosocial groups, *Capra ibex* 303

- homosociality, 37, 312–316
 - and homosexuality, 315–316, 408–409, 410
 - in child-rearing, 348
- hormone levels, 166
 - elevated, 76–77
 - in primates, 166–170
 - orgasm and, 229–230
 - same-sex nesting, 347
 - sexual orientation and, 191, 193–195
- hormones
 - activational effects, 100–106, 201–202
 - and 2D : 4D digit ratio, 106–111
 - antibodies against, 267, 272
 - biosynthesis, 160, 161
 - brain development and, 57, 58
 - buller steer syndrome, 178–179
 - EDCs, impact of, 131–132
 - effects in mammals, 170–171
 - evolution of homosexuality, 406
 - exposure to, 103–106, 114–440, 406, 416
 - intracellular mechanisms, 203
 - non-steroid, 171–191
 - organisational effects, 106, 408
 - stress and, 119
 - tooth crown size, 113
- Hox* gene, 106
- human genetics, and sexuality, 72, 77–78
- human genome, study across, 78–79
- human homosexuality
 - comparative study, 3
 - genetic modelling studies, 62
 - stress effects, 128
 - study sampling difficulties, 58, 57–58
 - theoretical mechanisms, 62–64
 - uniqueness, 402
- human leukocyte antigen (HLA), 76, 265
- human populations, fitness studies, 91
- human sex chromosome aneuploidies, 81–82, 420
- humans
 - intrauterine positioning effect, 117–118
 - juvenile sex play, 138–140
 - male-biased adult sex ratio, 359–360
 - prenatal hormones, 103, 104
 - sexual pheromones, 215–218
 - sexual segregation, 315, 316
 - sociality, 298
- humoral immunity, 274–275
- H-Y antigen
 - Klinefelter’s syndrome (KS), 273
 - maternal reactivity, 272–273
 - parity effects, 266, 274
- Hyaena hyaena*, (striped hyena) 190
- Hyaenidae, phylogeny, 189–200
- Hylobates* spp. (gibbons), 384
- hypercarnivory, 189–191
- hypersexuality, 221–222
- hypothalamic preoptic area (POA), 101, 102, 122, 137
- hypothalamic suprachiasmatic nucleus (SCN), 212
- hypothalamus *see also* interstitial nuclei of the anterior
 - hypothalamus (INAH3); medial preoptic area (MPOA);
 - activation by pheromones, 217
 - anterior (AH), 208
 - in sexual behaviour, 200
 - mediobasal region, 122
 - primate juvenile play, 137
 - sexual dimorphism, 208–210
- hypothalamus–pituitary axis (HPA), 125–126
- hypotheses
 - organisation of, 28
 - table of, 26
- immune dysregulation, 275
- immune mechanisms
 - during gestation, 76
 - evolution of homosexuality, 327
 - FBO effect, 270
 - parental age effect, 271
- immune privilege* of fetal CNS, 265
- immunology, and homosexuality, 266, 274
- Immunoreactive* theory, 266
- impotence, after orchiectomy, 195
- inbreeding avoidance
 - ecological constraints, 334–335
 - in reduced natal dispersal, 334
 - juvenile sex play, 138
- incentive, in learning, 236–237
- inbreeding avoidance, 147
- incest avoidance, 331
- inclusive fitness, 127, 323–324, 323–324
- Incomplete Control* model, 328
- independent contrasts
 - avian taxa phylogeny, 43
 - comparative analyses, 440
 - mammalian taxa phylogeny, 44
- indigenous cultures, 94
- indirect fitness, 93
- indirect parental care, 300

- individual disadvantage, genetic mutation, 56
- industrialised societies, 93
- infanticide prevention, 308
- infants (human), sexual segregation, 312
- infection, susceptibility to, 274
- inheritance, of homosexual behaviour, 60
- Inia geoffrensis* (river dolphins, boto), 310
- insect communities, sterile castes paradox, 1
- insects *see also Drosophila melanogaster* (fruit fly); *Musca domestica* (domestic fly)
 - candidate genes, 68
 - communication, 67
- integrationist biosocial approach*, 237
- integrationist theories, 28
- integrative pluralism, 34
- intellectual development, intersibling learning, 280
- interdemic selection, 55, 60, 327–328, 411
- interhemispheric connectivity, 219–220
- intersexuality, 37
- interstitial nuclei of the anterior hypothalamus (INAH3)
 - castration and, 196
 - sexual dimorphism, 208, 211, 212, 217
- Intrauterine Positioning Effect*, 118
- inversion model of homosexuality, 4
- invertebrates, 65–66
- IQ scores, and birth order, 279, 280
- isocortical regions
 - evolution of, 260–261
 - grey matter distribution, 220, 259
 - in ejaculation/orgasm, 231
- isoflavones, 198
- Israeli kibbutzniks, juvenile sex play, 138
- jealousy, 248
- Jewish physicians, early sex research, 4
- juvenile development (human)
 - same-sex mounting, 37
 - sexual segregation
 - adult intervention, 283–298
- juvenile development (primate)
 - same-sex mounting, 399
 - social development, 389
- juvenile sex play, 134–138, 138–140
- juvenile traits, in sensory mechanisms, 405–406
- kin selection, 95
 - Biosocial Model of Homosexuality*, 411
 - fraternal birth order, 116
 - genes controlling homosexuality, 55
 - reproduction hypothesis, 300
 - reproductive skew theory, 323
 - selection for parental care, 59
- Kinsey, Alfred Charles, 5–11
- Kinsey Institute for Research in Sex, Gender and Reproduction*, 5
- Kinsey Reports*, 5
- Kinsey Scale*, 5
- Klinefelter's syndrome (KS), 81
- Krafft-Ebing, Richard von, 5, 9–10
- labour-intensive societies, 240–241
- Lagopus lagopus alexandrae* (willow ptarmigans), 311
- Larus argentatus* (Herring gull), 152
- Larus californicus* (California gull), 347
- Larus delawarensis* (Ring-billed gull), 347
- Larus occidentalis* (Western gull), 347
- Larus spp.*, joint nesting behaviour, 348
- learning
 - early, 134
 - early hormonal exposure, 103
 - evolution of homosexuality, 415
 - ontogeny of homosexuality, 145–147
 - plasticity, 28
 - processes, 236–239
 - sex-typed toy preference, 114, 126
 - social context, 134, 148–149
- left-handedness, 76, 112, 133
- Legitimation League*, 9
- Lemuroidea (Madagascar lemurs), 385
- lesbian mothers
 - desire for motherhood, 373–374
 - orientation of children, 149
- lesbians
 - childhood gender atypical behaviour, 142
 - evolution of homosexuality, 417–419
 - family dynamics, 281
 - hand digit measurements, 107–108
 - left handedness, 112
 - masculine (butch), 242–243
 - older fathers, 272, 275
 - otoacoustic emissions, 113
 - political bisexuals, 409
 - political homosexuals, 149
 - sibling birth order, 270–271
 - sibling homosexuals, 83
 - STD transmission, 377–378, 379
 - testosterone levels, 194

libido	<i>Macaca</i> spp., lock-in model, 178
loss of after oophorectomy, 197	<i>Macronectes halli</i> (northern giant petrel), 311
loss of after orchiectomy, 195	<i>Macropus fuliginosus</i> (western grey kangaroo), 308
life histories hypotheses, 22	<i>Macropus rufus</i> (red kangaroo), 308
life-history traits, mammals and birds compared, 369	male birds, same-sex nesting, 347
life-history variables	male foetuses, maternal immune reaction, 266
avian data, 345, 369	male gender prevalence
mammalian data, 349, 358, 370	in human homosexuality, 56–57
lignans, 198	sex-biased mutation rates, 77–78
limbic-hypothalamic regions, 70	male homosexuality
linkage disequilibrium, 55	evolution of, 417–419
<i>Lipotes vexillifer</i> (baiji, Chinese river dolphin), 232	interdemic selection, 59–60
lock-in model, 168, 173–178, 190	rates in USA, 82–83
log-body mass contrasts, in birds, 357	male intervention hypotheses, 300, 312
log-body mass standardised	<i>Male Mutation Bias</i> , 77–78
avian data, 368	male relatives of homosexuals, sexual orientation of, 73
mammalian data, 358	male twins, concordance for sexual orientation, 88–89
longevity, 92–93	male-associated aneuploidies, 81
<i>Loxodonta africana</i> (African elephant), 309	male–male bonding, in indigenous societies, 237–239
luteinising hormone (LH), 182, 193	male–male mounting
	<i>Dama dama</i> (fallow deer), 54, 360
<i>Macaca arctoides</i> (stump-tail macaques), 221	<i>Porphyrion porphyrio</i> , 38
amygdala lesions, 221	primates, 386, 385
dominance hierarchies, 328	mammalian taxa, phylogenetic tree, 43
female–female mounting style, 395	mammals
lock-in model, 178	Biosocial Model of Homosexuality, 401–403
masturbation, 233	digit measurements, 108
<i>Macaca cyclopis</i> (Formosan rock macaque), 376	EDCs and sexual behaviour, 198–199
<i>Macaca fuscata</i> (Japanese macaque)	female sexual aggregation, 315
lock-in model, 173–177	hormones and mounting behaviour, 166–171
masturbation, 234	independent contrasts, study, 440
MPOA/AH and sexual dimorphism, 211	juvenile sexual play, 135–138
same-sex mounting, 167–168	life-history and behavioural variables, 359, 370–371
adult sex ratio, 358–359, 361	life-history variables, 358
female–female style, 157	masturbation, 232–235
<i>Macaca mulatta</i> (rhesus monkey)	neoteny in evolution, 153–154
amygdala lesions, 221	phylogenies in comparative analyses, 41–43
dataset, 348	polygyny, 301, 307–308
dominance hierarchies, 331	prenatal hormones, 103
hormonal levels, 110	same-sex mounting in captivity, 46–54 349–386
and mating activity, 166	sexual segregation, 302–311
and mounting activity, 167	social play, 134–135
learning mounting technique, 137	sociality hypothesis, 319–321, 349–356
lock-in model, 177–178	<i>Synthetic Reproductive Skew Model of Homosexuality</i> ,
mate choice by females, 331	367–372, 348–373, 372
MPOA/AH and sexual dimorphism, 211	path analysis, 362–363
organisational role of steroids, 105	predictions and results, 434–435, 437–438
<i>Macaca nigra</i> (Celebes Sulawesi macaques), 388	Marsupialia, 43, 308
<i>Macaca radiata</i> (bonnet macaques), 312, 385	masculinity, and homosexuality, 239–243

- masculinisation
 - androgenic steroid use, 192
 - behavioural, 123
 - Crocota crocuta* (spotted hyena), 185–191
 - cultural perspective, 7, 242–243
 - female twins, 117–118
 - pheromones and, 67
 - prenatal androgens, 103–106, 111, 389
 - testosterone levels, 194
- masturbation
 - causal link theory, 5
 - homosexuality and, 235–236
 - in birds, 232
 - in primates, 393–394, 395, 399
 - orgasm and forebrain activation, 230
 - same-sex sexual behaviour, 419
 - segregated living, 284
- mate choice
 - by females, 331
 - incest avoidance, 330–331
- maternal effects, 62–64
 - learning mounting technique, 137
 - mother–infant bonding, 248
 - of education level, 126
- maternal fecundity
 - homosexual offspring, 62, 91, 398
 - relatives of homosexuals, 62, 74
 - sexually antagonistic genes, 55
- Maternal Immune Hypothesis* (MIH)
 - contradictions, 273–274
 - FBO effect and, 266–270
 - foetal antigens, 265–266
 - mental disorders in offspring, 275
- maternal mortality, 185–186, 190–191
- maternal stress, 118–124
- Maternal Stress Hypothesis*, 125
- mating success, 58–59, 255–259
- mating systems
 - as qualitative trait, 41
 - mammals and birds compared, 367–369
 - phylogenetic-based studies, 317
 - polygynandrous or promiscuous, 185
 - reproduction hypothesis, 300
 - reproductive biology, 335
 - sociality hypothesis, 317–318, 319–321
 - Synthetic Reproductive Skew Model of Homosexuality*
358
- Mayer–Rokitansky–Küster–Hauser syndrome, 163
- medial amygdala (MeA), 200
- medial preoptic area (MPOA)
 - c-fos* proto-oncogene expression, 70
 - hormone receptors, 123
 - in sexual behaviour, 196–198, 200
 - oxytocin and, 172
 - sexual dimorphism, 210, 208–211
- medial preoptic nucleus (MPN), 71
- mediobasal region, hypothalamus, 122
- Megaptera novaeangliae* (North Atlantic whale), 310
- Megaderma lyra* (Indian false vampires), 309
- Melanerpes formicivorus* (acorn woodpecker), 331
- Melanesia, 313–315
- men
 - brain centres, 231
 - distribution of sexuality over time, 6–7
 - effeminate, 141–143, 242–243
 - oestrogen feedback response, 211
- menstrual cycle, 383
 - synchronisation, 218
- mental state (human), 402
- Meriones unguiculatus* (Mongolian gerbil), 118
- mesodiencephalic transition zone, 231
- meta-analytical methods, 45–46
- methodology, comparative studies, 28–32
- metrosexuals, 424
- Mexico, 7
- Microtus agrestis* (field vole), 199
- Microtus oeconomus* (tundra vole), 199
- migratory birds, 311–312
- mimicry, other-sex, 149–152
- Miopithecus talapoin* (tolapoin monkeys), 312
- Mirounga argustirostris* (northern elephant seals), 309
- modernist fallacy, 240
- Modified Socially Driven Model*, 318
- monkeys *see also* New World monkeys; Old World monkeys
 - sexual segregation, 312
 - social strees, 315
- monosexual groups, *Capra ibex* 302
- monosocial groups, *Social Sexual Segregation* 283–284
- monozygotic (MZ) twins, 85–89
- Mosaic* theory brain evolution, 259–260
- mother–infant bonding, 248
- moult migration, 300
- mounting behaviour
 - c-fos* proto-oncogene in, 71
 - reason for focus on, 37
 - same-sex, 37
 - social development, 389

- Sry gene deletion studies, 76
- style in primates, 385, 386
- Muller's ratchet* 74–75
- multicausality principle, 33–34
- Mus musculus* (mouse)
 - Bax knock-out, 69–70
 - brain plasticity, 204
 - candidate genes, 57, 71
 - females
 - intrauterine positioning, 118
 - lacking androgen receptors, 69
 - male
 - c-fos proto-oncogene, 71
 - lacking androgen receptors, 69
 - sexual segregation studies, 308
 - Sry gene deletions, 75–76
 - testicular feminisation mutation (*tfm*), 68–69
 - trp 2, olfactory receptors, 71
 - vomerolnasal organ, 215
 - Y¹²⁹ chromosome, 75–76
- Mus musculus* (Swiss Webster mouse), 123
- Musca domestica* (domestic fly), 376
- Mustela putorius* (European polecat), 308
- mutations, genetic variability, 56, 404–406
- mutation-selection equilibrium 56, 64
- mutualism, 55, 411
- Myotis daubentonii* (vespertilionid bat), 309
- Myotis lucifugus* (little brown bat), 309
- Myotis septentrionalis* (northern long eared bat), 309
- Mysticetae, 310
- natal dispersal, inbreeding avoidance, 334
- natural phenomena, causal complexity, 33–34
- natural selection
 - brain evolution, 261
 - evolution of homosexuality, 410
 - genetic mutations, 56
- Naturalistic Fallacy*, 424–425
- navigation, and gender, 253–254
- neotenic species, 416
- neotenic trait, 152–157
- neoteny hypothesis, 9
 - childhood stress effects, 128
 - delayed plumage maturation, 152
 - evolution of homosexuality, 45
 - future research, 421
 - olfactory sensory mechanisms, 406
 - evolutionary process, 100
 - homosexuality as a trait, 152–157
 - nerve cell activation, 202
 - nesting behaviour, joint, 346–348
 - nesting success, plumage colour, 151–154
 - neurobiological hypotheses, 36
 - neurochemistry, in sexual orientation, 222
 - neuroendocrine system, 199–201
 - evolution of homosexuality, 415
 - stress effects, 121–123, 130
 - neurogenesis, 205
 - neuronal development
 - alcohol and prenatal stress, 120
 - Bax knock-out mice, 69–70
 - oestrogen and, 104
 - neuronal mechanisms, evolution of homosexuality, 408
 - neuronal pathways, plasticity, 202–203
 - neurons
 - apoptosis, 205, 154–155
 - INAH3 region of the hypothalamus, 196
 - neurophysiological plasticity, 26, 27
 - neurotransmitters, 78–79, 202, 222–224
 - New Guinea, 359–360
 - New World monkeys, 382–383, 385
 - New Zealand, 139
 - nitric oxide (NO) levels, 222
 - nocturnal prosimians, 381–382
 - nomadism, 39–40
 - non-steroid hormones, 171–191
 - noradrenaline, 122
 - Notiomystis cincta* (stitchbird), 232
 - nuclear transcription factor, 70–71
 - nutritional requirements, Caprinae, 304
 - nutritional stress, prenatal, 119–120
 - OAEs (otoacoustic emissions), 113
 - Ockham's Razor*, on causal complexity, 33–34
 - Odocoileus hemionus columbianus* (black-tailed deer), 305
 - Odocoileus hemionus hemionus* (Rocky mountain mule deer), 305
 - Odocoileus virginianus* (white-tailed deer), 305
 - Odontoceti, 310
 - oestrogen
 - embryonic production, 101–102
 - feedback response, 195
 - non-steroidal, DES, 132–134
 - prenatal, 103–106
 - sexual skin swellings, 383
 - sexuality in rams, 182–183
 - oestrogen receptors (ER), 163, 104, 123

- oestrogenic effects
 - buller steer syndrome, 179
 - of EDCs, 132
- offspring dispersal, 325
- Old World monkeys, 382–383, 385–386
- older fathers, 272, 274–275
- olfactory bulb, 184
- olfactory epithelium, 215–218
- olfactory neurocentres, 261
- olfactory receptors
 - evolution of homosexuality, 404
 - sexuality in rams, 181–184
 - trp 2* and, 71
- one locus two allele model of homosexuality, 61–62
- ontogeny of homosexuality
 - developmental processes, 32
 - early learning, 145–147
 - in evolution, 152–157, 414, 416–417
- Onuf's nucleus, 218
- oophorectomy, 195–198
- Ophryocystis elektroscirrha* (protozoan), 376
- Opponent Process* theory 146
- orang-utan, 384
- orchiectomy, 195–198
- organisational sex hormones, 103–106, 408, 420
- orgasm
 - brain centres in, 231
 - forebrain activation, 230
 - in primates, 393
 - same-sex sexual behaviour, 224–232, 419
- other-sex mimicry, 149–152
- otoacoustic emissions (OAEs), 113
- Ovibos moschatus* (muskox) 136
- ovine sexually dimorphic nucleus (oSDN), 183–184
- Ovis aries* (domestic sheep),
 - homosexual, exclusive, 402
 - juvenile sexual play, 135–136
 - olfactory sensory mechanisms, 183–184
 - prenatal androgens, 113, 137
- rams
 - bisexual, 179–180
 - homosexual, 179–185, 211
 - dominance in, 181
 - same-sex sexual behaviour, 179–185
 - sexual preference phenotypes, 180
 - Ovis aries* (Soay sheep), 302
 - Ovis canadensis* (bighorn sheep), 303, 328–330, 179
 - Ovis canadensis mexicana* (desert bighorn sheep), 303–304
 - Ovis dalli dalli* (Dall's sheep), 302–303
 - Ovis gmelini* (mouflon), 304
 - oxytocin (OT), 171–172
- paedomorphosis, 153–154, 156
- Pan paniscus* (bonobo) *see also* genito-genital rubbing (GG-rubbing)
 - play-mounting behaviour, 137–138
 - sexual behaviour, 156–157, 168–170
 - STD transmission, 376
- Pan* spp. 376
- Pan troglodytes* (chimpanzee)
 - play-mounting behaviour, 137–138
 - sexual behaviour, 156
 - sociality, 383–384
 - STD transmission, 376
- Pan troglodytes verus* (chimpanzee) 376
- Papio cynocephalus* (yellow baboon)
 - dominance hierarchies, 331
 - mate choice by females, 331
 - presentation postures, 393
- Papio hamadryas* (hamadryas baboons), 388
- Papio papio* (guinea baboons), 384
- Papio* spp. (baboons), 384
- Papio ursinus* (Chamba baboon), 233
- Papua New Guinea
 - Arapesh people, 313
 - Gebusi people, 9
 - Sambia people, 397
- paradox of altruism, 419
- parasite transmission, 375–379
- paraventricular nucleus (PVN), 70, 209
- parental age effects, 271–272, 274–275, 275–281
- parental care, 59, 255–256
- parental educational level, 115, 126
- parental investment, in offspring, 277, 278–279
- parental manipulation, 55, 64, 335
- Parental Manipulation* theory, 330
- parental-specific DNA methylation, 80
- parent–offspring interaction, 406
- parity effect*
 - maternal immunity, 266
 - parental age and, 271–272
 - sibling birth order, 270–271
- partner choice, same-sex, 256–258
- Passeriformes, 311
- Passerina amoena* (Lazuli buntings), 151–152
- paternal antigens, maternal immune reaction, 265
- paternal major histocompatibility (MHC) genes, 265

- paternity, extra-pair (EPP), in birds, 336–345
- path analyses, 44, 45, 54, 361–367
- path coefficient, in path analysis, 44–45
- pathogen transmission, 375–379
- pathology hypothesis, 9–10, 11, 421–424
- p-chlorophenylalanine (PCPA), 199
- Pearson’s product-moment correlations, 84, 317, 318
 - avian data, 346, 368–369
 - mammalian data, 358, 359, 370–371
- peer pressure, 314, 315
- peer rejection
 - gender non-conformity, 143–144
 - sissy boys, 146, 147
- peramorphosis, 153
- perception, in sex-typed toy preference, 115–116
- Perissodactyla, 43, 307
- personal wellbeing, 92–93
- personality dimensions, birth order, 277
- personality structure, 277
- personality traits, brain plasticity, 279–280
- phalloid organ, in birds, 226–227
- phenotypic differentiation, of siblings, 277, 278
- phenotypic distribution, inheritance of homosexual
 - behaviour, 60
- phenotypic plasticity, 99
- phenotypic variability, brain plasticity in, 203–204
- pheromones, 216–217
 - buller steer syndrome, 179
 - genderblind* gene, 67–68
 - hypothalamic areas and, 217
- insects
 - aggregation signal, 89–90
 - sexual behaviour, 67
- olfactory reception, 215–218
- philopatry
 - evolution of homosexuality, 411, 419
 - exclusive homosexuality and, 416
 - reproductive skew theory, 331
 - synthetic reproductive skew theory, 333, 334
 - Phoca vitulina concolor* (harbor seals), 309
 - Phoebastria ostralegus* (Laysan albatross), 347, 348
- phonetics of language, 254
- phylogenetic relationships, primates, 384–388
- phylogenetic trait conservatism, 40
- phylogenetic tree
 - avian taxa, 42
 - mammalian taxa, 43
- phylogenetic-based studies
 - comparative analyses, 41–43
 - independent contrasts calculation, 41
 - mating system, 317, 317–318
 - Synthetic Reproductive Skew Model of Homosexuality*, 345, 367–369
- phylogenetic-based studies, 26
- phylogeny, Hyaenidae, 189
- physical traits, sexual selection, 256
- phytoestrogens, 198
- phytosterols, 198–199
- pied flycatcher, 150–151
- ‘piggy-back’ style mounting, 395
- Pinnipedia, 43
- pituitary gland, anterior, 131
- plasticity
 - behavioural, 243–246
 - bidirectional, 99
 - development processes, 98–99
 - gene–culture evolution, 27–28, 99–100
 - in gender role ontogeny, 148–149, 404, 405, 407
 - in learning, 236–237
 - in women, 9
 - neuronal pathways, 202–203
 - Onuf’s nucleus, 218
 - phenotypic, 99
- play, in same-sex groups, 315
- pleasure
 - primate sexual behaviour, 392–395
 - same-sex mounting, 175–176
 - social constructionism, 10
 - Plecotus auritus* (brown long-eared bat), 309
- pleiotropic effects, 55
- plumage
 - colour and nesting success, 151
 - maturation delayed, 152
 - sexual dichromatism, 336, 345
 - sexual dimorphism, 109
- Podiceps cristatus* (great crested grebe), 388, 391
- Poephila guttata* (zebra finch), 101–103
- political homosexuals, studies in homosexuality, 149, 409
- polygamy
 - dominance mounting, 358
 - evolution of, 317
 - harems in mammals, 284
 - reproduction hypotheses, 300
 - Synthetic Reproductive Skew Model of Homosexuality*, 358
- polygyny
 - female homosociality, 410

- in mammals, 301, 308
- sexual segregation, 300, 317
- population dynamics, interdemc selection, 60
- Porphyrio porphyrio* (pukeko, purple swamphen)
 - dispersal constraints, 331
 - dominance hierarchies, 331, 367
 - genetic relatedness in same-sex groups, 331
- positive affective bonds, 247
- post-conception mating, 166–167
- posterodorsal preoptic nucleus (PDPN), 70
- postnatal development, 117, 134, 147
- postnatal environment, 89, 407, 416, 417
- postnatal stress, 126, 140, 280–281
- power, in social constructionism, 10
- predation hypothesis
 - Bovidae, 304
 - Caprinae, 302, 304
 - Cervidae, 306, 307
 - Delphinapterus leucas*, 310–311
 - Giraffidae, 307
- predations, Biosocial Model of Homosexuality, 415–416
- prednisone, prenatal exposure, 133
- preference, in same-sex mounting, 176–177
- prejudice, against bisexuals, 6
- prenatal environment
 - evolution of homosexuality, 406, 417
 - exclusive homosexuality, 418
 - in twin studies, 89
 - stress, 416
- prenatal steroid hormones, 116, 132–134
- prenatal stress
 - fluctuating asymmetry (FA), 131
 - future research, 421
- Prenatal Stress Syndrome*
 - feminised males, 120
 - neuroendocrine effects, 123
- preoptic area (POA), 122
- prepulse inhibition (PPI), 220
- Pre-school Activities Inventory (PSAI), 126
- presentation postures, 392, 393
- primates 385
 - brain evolution, 262
 - brain organisation, 104–105
 - brain tissue, gene expression, 64
 - digit measurements, 108–109
 - diversity, 381–384
 - female–female mounting, 156, 157, 180, 393, 401
 - homosexual behaviour, 32, 381, 388–392, 402
 - hormone levels, 166
 - juvenile sex play, 137–138
 - male–male mounting, 386
 - masturbation, 233–234
 - MPOA/AH and sexual dimorphism, 211
 - neoteny in evolution, 156–157
 - phylogenetic relationships, 43, 383, 388
 - prosimian, 383
 - sexual segregation, 312–316
 - sociality, 298
 - STD transmission, 376
- prison inmates
 - dominance 316
- Procolobus badius temminckii* (Temminck's red colobus), 234
- product-moment correlations
 - avian data, 346, 369
 - mammalian data 359, 371
- progesterone 134, 164, 347
- prolactin (PRL)
 - hand digits, 106
 - orgasm and, 229, 230
 - sexual orientation and, 193
 - stress response, 131
- promiscuity, STDs and, 375–379
- Propithecus verreauxi* (sifaka), 385
- Prosimii (prosimians), 384–388
- proximate causation, 413–414
- proximate mechanistic hypotheses, 16
- pseudohermaphrodites, 162
- pseudopenis, 185–191
- pseudopregnancy, 171
- psychoanalytical theories, 11, 422
- psychological androgeny, 249–250
- psychosocial effects, DES in, 132–134
- psychosocial neutrality-at-birth (PNAB)
 - theory, 97
- psychosocial sexuality-at-birth (PSAB) theory, 97
- puberty, ages at, 128–130
- q28 region, X-chromosome, 72–76
- Qualified Investment Model, 255–256
- qualitative traits, calculation, 41
- queuing to breed, 328–330
- rabbits, 199
- Rangifer tarandus* (reindeer), 306, 328–330
- rank, and socio-sexual mounting, 391
- Rattus norvegicus* (rat)
 - 6-MBOA effects, 199

- AVPV size, 198
- brain centres in sexual activity, 200
- candidate genes, 68–71
- fluoxetine, 225, 226
- industrial pollutants, 198
- juvenile sex play, 137
- MPOA and sexual dimorphism, 208–210
- prenatal hormones, 103
- phytoestrogens, 198
- preoptic area, 122
- social stress, 315
- spinal nucleus of bulbocavernosus, 219
- synaptogenesis, brain plasticity, 203
- testicular feminisation mutation (*tfm*), 68–69
- tryptophane deficiency, 199
- Rattus* spp., masturbation, 232
- realized heritability (h^2) 82
- receptors, steroid hormones, 203
- reciprocal altruism, 55
- recurrent mutation, genetic mechanism, 64–65
- redirected mounting, 232
- reinforcement, in learning, 236–237
- rejection, of foetus, 265
- relationship stability, 6, 248
- reproduction
 - paradox of sex, 1
 - withdrawal from, 410
- reproduction hypotheses, 300, 307, 319
- reproductive biology, in synthetic reproductive skew theory, 335
- reproductive costs, 186, 191
- reproductive rates, exclusive homosexuality and, 416
- Reproductive Skew Model of Homosexuality*,
 - core variables, 332, 333, 334, 360
 - exclusive homosexuality, 418
 - historical overview, 325–330
 - tests of, 331
- reproductive strategy
 - Cervidae, 305, 306
 - Elephantidae, 309
 - Lagopus lagopus alexandrae*, 311
- reproductive success, dominance hierarchies, 331
- research studies, ethical and political implications, 424–425
- researchers
 - past and current list, 29
 - potential bias, 39, 83
- resilience, childhood stress effects, 127
- response to selection (R), 82
- Restraint model, 326
- restraint stress, 119, 122
- Rhesus factor, blood types, 79
- Rissa tridactyla* (black-legged kittiwake), 337
- ritualised behaviour, 388
- ritualised homosexuality, 9, 238, 239, 360
- Rodentia, 43
- rodents *see also* *Mus musculus* (mouse); *Rattus norvegicus* (rat)
 - hormones and mounting behaviour, 170, 171
 - juvenile sex play, 136–137
 - prenatal stress effects, 124
 - VMN and sexual dimorphism, 212
- Saimiri boliviensis boliviensis* (Bolivian squirrel monkey), 312, 388
- Saimiri sciureus* (squirrel monkey), 312
- Sambia people of Papua New Guinea, 237–239, 397
- same-sex embracing, New World monkeys, 388
- same-sex female mounting, by hyenas, 189, 190
- same-sex female partnerships, birds, 171
- same-sex groups, genetic relatedness in, 331
- same-sex guardianship, in child-rearing, 348
- same-sex mounting
 - birds, 153, 319
 - Caprinae, 302
 - evolutionary models, 40
 - full correlation matrix, 363–367
 - in captivity, 46
 - invertebrate, 89–91
 - lock-in model, 178
 - mammals, 298, 321, 348
 - phylogenetic-based studies, 312, 320
 - potential influences, 323
 - potential observer bias, 39
 - primates, 385, 386, 389, 392
 - sociality, 321, 318
 - Synthetic Reproductive Skew Model of Homosexuality*, 336, 367
- same-sex nesting behaviour, 345
- same-sex partner choice, 256
- same-sex sexual behaviour, segregated living, 284, 316
- same-sex sexual behaviour 3, 26
- same-sex sexual experience, 226
- same-sex sexual play, in normal development, 144–145
- Samoa, 423
- sample bias, in twin studies, 86
- sample size, potential bias, 84
- SBO (sororal birth order), 271

- scent marking behaviour, 383, 387, 388
 schools, sexual segregation in, 313–314, 315
 SDN-POA (sexually dimorphic nucleus of the preoptic area of the hypothalamus), 120
 selection differential (S), realised heritability (h^2) 82
 selection studies, 91
 Selective mechanisms, *Biosocial Model of Homosexuality*, 410–411
 self-identification, cultural practices, 7
 selfish herd effect, 307
 self-medication, by apes, 376
Semnopithecus entellus (Hanuman langurs), 390
 sensorimotor cortex, 260
 sensory mechanisms *see also* olfactory receptors; visual mechanisms,
 evolution of homosexuality, 404, 405
 in sexual selection, 107, 259
 sequential bisexuality, 2
 Sericornis frontalis (white-browed scrubwren), 331
 serotonin levels, 131, 222, 223–224
 serotonin reuptake inhibitor, 224, 225, 226, 230
 sex chromosome aneuploides, 81–82
 sex hormone inhibition, 198–199
 lock-in model, 172–178
 organisational roles, 421
 POM volume, 137
 sex offenders, chemical castration, 197
 sex play, juvenile, 134–138
 sex ratio (M/F), same-sex mounting, 359, 363
 sex, paradox in, 1
 sex-biased mutation rates, 77–78
 sex-chromosomal involvement, 56–57
 sex-hormone binding globulin (SHBG), 104
 sex-specific androgen production, 68–69
 sex-specific familial effects, 83–84
 sex-specific splicing, of *fru*, 66
 sex-typed toy preference, 114–116, 126
 sex-typing, in infant play, 312
 sexual abuse, 127
 sexual activity
 age and sexuality, 129, 130
 anabolic androgenic steroid use, 192
 hormone levels and orientation, 194
 sexual aggregation, 283, 315
 sexual arousal *see also*, orgasm brain centres in 7–8, 200–201
 sexual attachment, 247
 sexual attraction
 adrenal steroids, 130
 adrenarche and, 128
 between twins, 88
 hand digit measurements, 111
 to youthful-looking individuals, 250
 sexual behaviours
 and androgen production, 68–69
 and CNS centres, 203
 Bax mutations, 70
 differentiation, 101–103
 effects of EDCs, 198–199, 132
 hedonic aspects of, 393–395
 MPOA in, 209
 observations of, 39
 path analysis, 361–363
 prenatal stress effects, 118–124
 SDN-POA in, 210
 social bonding and oxytocin, 171–172
 with or without attraction, 2
 sexual development, hormonal effects, 106–111
 sexual deviance, FBO and, 268
 sexual dimorphism
 body size, 299
 brain and spinal cord nuclei, 207
 brain centres, 206, 211–212
 Delphinapterus leucas, 310–311
 hypothalamus, structures, 217
 Loxodonta africana, 309
 mammals and birds compared, 369
 Mirounga angustirostris, 309
 ventromedial nucleus, 211–212
 sexual fantasy scores, 125
 sexual identity, 143, 153, 164–165
 sexual imprinting, 147
 sexual maturation, 128–130
 sexual orientation
 and cognitive abilities, 261–265
 Bax mutations, 70
 changes over time, 417–418
 distribution patterns, 5
 gender non-conforming children, 143
 Human Rights and, 425
 juvenile sex play, 134–138
 Kinsey Scale, 395–396
 mental state in, 35, 36
 neurophysiological plasticity, 27
 of researchers, 39
 one locus two allele model, 61–62
 population distribution, 5–6
 sexual identity and, 153

twin studies data, 85–89	family dynamics, 276–281
sexual patterns, ritualised behaviour, 389–391	gender non-conformity in childhood, 143–144
sexual plasticity, 228–246	homosexual
sexual play behaviour, prenatal androgens, 151	family multipoint linkage analysis, 78–79
sexual preference phenotypes, 180	Xq28 region genetic markers, 72–75
sexual segregation	interactions, intersibling aggression, 186, 187
birds, 285, 311–319, 323	interactions, 406–407
evolution of homosexuality, 408–409, 419–420	mortality, birth order changes, 279–280
humans, 146, 316, 367, 397	play and learning in sexuality, 275–276
hypotheses, 298–301	sexually antagonistic selection, 62
mammals, 180–181, 298, 302–311	simultaneous bisexuality, 2
primates, 312–316	single nucleotide polymorphisms (SNP), 76–77
same-sex mounting, 316–317	sissy boys, 140–145
sexual behavioural pattern, 32	sisters
sociality, 285–285, 289–298	birth order, 270–271
spatio-temporal distribution, 298	concordance for sexuality, 83–84
studies, 301–316	<i>Slater's Index</i> , 266–267
sexual selection	social behaviours, 36–37
evolution of homosexuality, 411	and reproductive skew theory, 325–326
in fetishism, 147–148	bonding, 171–172, 357, 371–372
influences, 255–259	complex, 259–263
sexual skin swellings, 383	cooperation, 59–60
sexual variables	neoteny in evolution, 155–156
bird data, 365	<i>Social Cognitive Theory</i> , 148–149
mammal data, 366	social competition, 123
sexuality	social conditions
bimodal distribution, 5, 6	constraints, 408–409
brain development and Sry gene, 75–76	hormone levels and, 166
steroid hormones and, 57	primate same-sex mounting, 389–392, 398
sexually antagonistic selection, 62–64	ritualised behaviour, 381–391
autosomal inheritance, 61–62	social constructionist theories, 10–11, 26
bisexuality, 91	social groups
evolution of homosexuality, 411	adult sex ratio, 358–359
in insects, 90	attachment in, 246–247
in sheep, 184–185	birds, 336–345, 346
maternal line fecundity, 62	Hominoidea, 383–384
parental care and mating success, 58–59	in philopatry, 333–334
parental care by females, 59	size of, 358, 371
sibling gender, 62	social influences
sexually dimorphic nucleus (SDN), 211, 217, 208–211	birth order and, 116–117
sexually dimorphic nucleus of the hyena (hSDN), 188	complex brain evolution, 262–263
sexually dimorphic nucleus of the preoptic area of the hypothalamus (SDN-POA), 120	distribution of sexuality data, 6–7
sexually mutualistic selection, 58–59	family studies, 82
sexually transmitted diseases (STDs), 375–379	homosexual siblings, 74
siblings	<i>Social Intelligence</i> hypothesis, 261
concordance for sexuality, 83–84	social isolation
rates of, 82–85	fetishism, 148
twin studies, 87–89	masturbation, 232–233

- social learning, 148–149
 - and sexual orientation, 275–276
 - community mores, 250
 - early, 134, 389
 - sibling interactions, 406–407
- social network, maternal, 126
- social play, 134–135, 156–157
- social rearing conditions, 120–121
- Social Sexual Segregation*, 283–284
- social species, 416
- social stress
 - adaptive mechanisms, 130
 - adrenarche and, 128–129
 - childhood gender non-conformity, 143–144
 - GG-rubbing and, 169
 - laboratory animals, 315
 - prenatal, 122–123
 - sibling interactions, 406–407
- social traits, 372
- social views, on homosexuality, 235–236
- sociality
 - birds, 285–289, 319
 - evolution of homosexuality, 415
 - mammals, 289–298
- sociality hypothesis
 - phylogenetic-based studies, 317, 318, 319–320
 - sexual segregation hypothesis, 299
- Socially Driven Model*, 316–318, 319–320
- sociobiology theories, 10
- sociocultural variables, 84–85
- socio-sexual behaviour, 335, 401–402
- adaptation, 415
- dominance hierarchies, 389–391
- plasticity in, 407–408
- ritualised, 388
- socio-sexual communication, 392
- socio-sexual functions
 - behaviour in prison, 315–316
 - changes over time, 417–418
 - lock-in model, 173–177
 - socio-sexual mimicry, 389
 - socio-sexual variables, 361–363, 365, 366
- somatostatin expressing neurons, 213
- sororal birth order (SBO), 270–271
- spatial abilities, and gender, 252–254
- spatial sexual segregation
 - bat roosting behaviour, 309
 - confinement, 46–54
 - ecologically driven model, 317
 - spatial social segregation*, 283
- spatio-temporal distribution, 298
- Sperm Age* hypothesis, 90, 234–235
- sphinx* gene, 68
- spinal cord nuclei, 207, 218
- spinal nucleus of bulbocavernosus (SNB), 218–219
- splenium, of the CC, 214
- spontaneous OAEs (SOAEs), 113
- Sry* gene, 75–76
- stability of attachment, 248
- stabilising selection, 98
- startle response, 220
- sterile castes paradox, 1
- stochasticity hypothesis, 298–299
- Streptococcus dysgalactiae* infection, 376
- stress
 - attachment and, 247
 - family dynamics, 280–281, 406
 - future research, 421
 - intersibling, 278
 - laboratory animals, 315
 - pre-/postnatal environment, 406, 416
 - stress effects, 118–124, 124–128
 - adrenarche and, 128–129
 - bullying of sissy boys, 146, 146–147
 - exclusive homosexuality, 418–419
 - neuroendocrine events, 130
 - stress-mediated mechanisms, 420
 - Struthioniformes*, 42
 - studies of homosexual behaviour
 - definitions in, 35–37
 - ethical and political implications, 424–425
 - methodology, 28–32
 - study sampling, difficulties, 57–58
 - Sturnus vulgaris* (European starling), 71
 - submissiveness, 239–240, 293, 395
 - subordinate role, 327, 328–330, 331
 - suprachiasmatic nucleus (SCN), 78–79, 212, 209
 - Suricata suricatta* (meerkat), 331
 - Sus scrofa* (pig), 136, 376
 - Symons Model*, 256–258
 - synaptic plasticity, 67–68
 - synaptogenesis, 203–204
 - Syncerus caffer* (African buffalo) 304–305
 - Synthetic Reproductive Skew Model of Homosexuality*, 44, 332–336, 411–413
 - children, numbers of, 374
 - comparative tests, 336–375, 412

- life-history data, 337–344, 346, 349–356, 358, 370–371
- parent–offspring interaction, 406
- path analysis of core variables, 45
- predications and results, 435–436
- social and life-history traits, 372
- variables, 334
- Synthetic Reproductive Skew Model of Homosexuality* (simplified), 362–362, 363, 364
- bird data, 364
- mammal data 365, 366
- syphilis infection, 378
- Taeniopygia guttata* (zebra finch), 109
- Taeniopygia guttata castanotis* (zebra finch), 109
- Tamiasciurus douglasii* (Douglas’s squirrel), 283
- temporal lobe, 220, 221, 222
- temporal sexual segregation, 308
- terminology, 3
- territorial issues, plumage maturation, 152
- testable hypotheses, candidate genes, 57–58
- testicular feminisation mutation (*tfm*), 68–69
- testosterone
 - female to male transsexuality, 194
 - fetal, 112, 113
 - functional metabolism, 122
 - high levels of in CAH, 164
 - oophorectomy and, 197
 - pregnant hyenas, 187
 - prenatal, 106, 106–107
 - sexual arousal, 201
 - sexual orientation, 193, 194
 - stress and, 119
 - testosterone biosynthesis
 - altered (ATB), 160–162
 - embryonic, 101
 - evolution of homosexuality, 406
 - prenatal environment, 406
 - testosterone levels
 - buller steer syndrome, 178
 - in bonobos, 169
 - sexuality in rams, 182
 - testosterone propionate (TP), 210
 - Thalassarche melanophrys* (black-browed albatross),
 - thyroid medication, prenatal exposure, 133
 - tomboy girls, 145
 - tooth crown size, 113
 - touching, sexual or social behaviour, 37
 - Tourette syndrome (TS), 77
 - toy preference, sex-type, 116
 - Tragelaphus strepsiceros* (kudu), 304
 - trait
 - persistence, 65
 - selection studies, 91
 - Transactional* model, 326, 328
 - transsexuals
 - age for sexual activity, 129
 - aromatase deficiency, 163
 - BNST volume, 213
 - CYP17* SNP allele, 76
 - INAH 3 volume, 211
 - orchiectomy, 196
 - prenatal DES exposure, 133
 - response to pheromones, 216
 - sibling birth order, 270
 - testosterone levels, 194
 - Tribolium castaneum* (red flour beetle), 89–91
 - trisomy X, 81
 - Trobriander people, 313
 - trp* 2, 71
 - tryptophan deficiency, 199
 - Turdoides squamiceps* (Arabian babbler), 331
 - Turner syndrome, 420
 - Tursiops* spp. (bottle nose dolphin), 135
 - twin studies, 85–89
 - and non-twin siblings, 87
 - digit measurements, 109
 - female masculinisation, 118
 - gender atypical behaviour, 141
 - grey matter quantity, 279
 - tooth crown size, 113
 - tyrosine hydroxylase (TH) activity, 123
 - Ulrichs, Karl Heinrich, 4
 - ungulates *see also* individual species
 - body size dimorphism, 301
 - juvenile sexual play, 136
 - phylogeny, 43
 - sexual segregation, 307
 - unidirectional plasticity, 99
 - United States of America (USA), juvenile sex play, 139, 140
 - Ursus americanus* (American black bear), 135
 - Ursus arctos* (grizzly bear), 308
 - Ursus arctos yezoensis* (Hokkaido brown bear), 232
 - vasoactive intestinal peptide receptor type 2 (*VIPR2*) 79
 - vasopressin immunoreactive fibres, 75–76

ventromedial nucleus (VMN), 212	hormone levels and sexual orientation, 194
ventro-ventral mounting, 157, 393	masculinised, 194
verbal abilities, and gender, 255	plasticity in sexual orientation, 9
verbal aggression, 249	unavailability of, 7
<i>VIPR2</i> (vasoactive intestinal peptide receptor type 2) 79	workplace networks, 314–315
visual cortex, 115	
visual mechanisms, 259	X chromosome
VMN (ventromedial nucleus), 212	homosexuality locus, 59–60
voice pitch and formant, 254	homosexuality trait involvement, 56–57
vomeronasal organ	inactivation, DNA methylation, 79–80
sexual dimorphism, 218	q28 region, 73, 72–74, 76
sexuality in rams, 182, 184	xenobiotics, environmental, 131–132
trp 2 cation channel, 71	X-linked allele, maternal fecundity, 91
	X-linked genes, 61–62, 72–74
W chromosome, 78	XYY trisomy, 81, 273, 420
waist-to-hip ratio, 114	
wartime, prenatal stress and, 124–125	Y chromosome, 56–57, 74–76
Wernicke’s cortex, 279	Y ¹²⁹ chromosome, 75–76
white matter distribution, 220	younger parents, 271–272
<i>Wilsonia citrina</i> (hooded warbler), 347	youthful-looking individuals, 250
women	
brain activation during orgasm, 230, 231	Z chromosome, 78
distribution of sexuality over time, 6	<i>Zalophus californianus wollebaeki</i> (Galápagos sea lion)
homosexuality rates in USA, 82–83	309–310