

Index

Figures and tables are indicated in bold typeface.

- absorption, 203, **203**, 204–6, **210**
- adaptive power control, 68–69. *see also* optical orthogonal codes
- albedo, **222**, 226–28, **226**, **227**
- AMC. *see* hybrid RF/FSO wireless networks
- amplifier
 - double heterodyne photoparametric, 259–60, **260**
 - photoparametric, 258–59, **258**
 - trans-impedance, 19, 255–57, **256**, **257**, **258**, **262**
- angle diversity receiver, 118
- AOP. *see* apparent optical properties
- APC. *see* adaptive power control
- applications
 - optical code-division multiple-access wireless network, 81–83, **82**, **83**
 - optical modulating retro-reflectors, 341–47, **344**, **345**, **346**, 353, 361–67, **362**, **363**, **364**, **365**, **366**
- automobile driving application, 365–66, **366**

- barcodes, 129, **130**
- BB84 protocol, 308–10, **309**
- Beer's Law, 203–4, **203**, 212, 214. *see also* channel loss
- BER analysis
 - channel shortening equalizer, **111**, **112**
 - free-space optical wireless networks, 70–71
 - free-space orthogonal frequency division multiplexing wireless networks, **43**
 - in FSO links, **74**
 - generalized hybrid
 - subcarrier/amplitude/phase/polarization modulation, 37–38, **38**
 - heterogeneous optical networks, **47**, **48**
 - infrared optical wireless networks, 251–53, **256**
 - multiple-input multiple-output, 23–25, **24**, **25**, **26**
 - optical code-division multiple-access wireless network, 62–64, **67**, 70–71
 - pulse amplitude modulation, 22–23
 - time equalizer, **109**
- biased-OFDM scheme, 40
- B-OFDM. *see* biased-OFDM scheme

- cat's eye retro-reflector, 333–34, **333**, **334**
- channel inversion, 30–31, **30**
- channel loss, **212**. *see also* Beer's Law
- channel modeling, 12–13
- channel shortening equalizer, 90, 106–12, **111**, **112**
- channel state information, 278–79. *see also* transmitter
- CIDS. *see* cyclic-invariant difference set
- clipped OFDM scheme, 41
- clouds
 - and free-space optical wireless networks, 90–113, **93**, **95**, **97**, **98**
 - RF frequency in, 273
- codes on graphs, 13–19. *see also* modulation
- C-OFDM. *see* clipped OFDM scheme
- communication
 - line-of-sight, 11, 231–32
 - non-line-of-sight, 177–99, **232**, 233, 241–42
- conventional cryptography, 306–8
- corner cube retro-reflectors, 332, **337**, **341**
- cryptography
 - conventional, 306–8
 - modern quantum, 305–6, 312–25
- CSE. *see* channel shortening equalizer
- CSI. *see* channel state information
- cyclic-invariant difference set, 16

- decision-feedback equalization, 103
- decoy-state BB84 protocol, 310
- deep fades, 38–43
- DFE. *see* decision-feedback equalization
- diffuse link, 241–42
- diffuse system design, 119–23, **121**
- discrete-time wireless networks
 - free-space optical intensity, 148, 156–61, **159**, **160**, **161**
 - optical intensity with Gaussian noise, 149, 161–63
 - performance, 149–63, 163–72
 - Poisson, 146–48, 151–55, **155**

- double heterodyne photoparametric amplifier, 259–60, **260**
- eigen analysis, 102–3
- encryption. *see* cryptography
- entanglement-based BB84 protocol, 310–11, **311**
- entanglement-based QKD links, 320–21
- error, pointing, 87–88
- eye safety, 178, 243, **243**
- fountain code, 26
- free-space optical wireless networks
 - atmospheric effects in, 273
 - cryptography, 305–25
 - modulation, 11–49, **39**
 - OCDMA system, 68–75, **69**
 - and optical modulating retro-reflectors, 342
 - system design, **104, 354**
 - turbulence, 11–49, 90–113
- free-space orthogonal frequency division
 - multiplexing wireless networks, 38–43, **39, 43**
- FSO. *see* free-space optical wireless networks
- Gaussian noise, 149, 161–63, 279–80, **282**. *see also* interference
- generalized hybrid
 - subcarrier/amplitude/phase/polarization modulation, 35–38, **36, 37, 38**
- GH-SAPP. *see* generalized hybrid
 - subcarrier/amplitude/phase/polarization modulation
- Gray mapping rule, 21, 24, 25
- HAPP. *see* generalized hybrid
 - subcarrier/amplitude/phase/polarization modulation
- heterogeneous optical networks, 12, 43–48, **44, 45, 47, 48**
- high altitude platforms, 322–25, **324**
- HONs. *see* heterogeneous optical networks
- hybrid RF/FSO sensor network, 378–83, **379, 380, 381, 382, 383**
- hybrid RF/FSO wireless networks
 - modulation, 12, 29–34, **30**
 - performance, 290–95, **291**
 - system design, 275–80, **275, 277**
 - theory of, 281–90, **282, 283, 287, 290**
- imaging receiver, 118–19
- IM/DD. *see* intensity modulation with direct detection
- indoor optical wireless networks
 - fundamentals, 117
 - modulation, 123, 138
 - receiver, 118–19
 - system design, 119–38, **135, 136**
 - transmitter, 117–18, 132–38, 146–48
- infrared optical wireless networks
 - eye safety, 243, **243**
 - interference, 248–51, **249**
 - modulation, 263–66, **264, 265**
 - optical sources in, 242, **242, 267–68, 267**
 - performance, 251–53, **252, 253**
 - receiver, 255–63, **256, 257, 258, 260, 261, 262**
 - system design, 241–42, 244–47
- intensity modulation with direct detection, 11, 91, 247
- interference. *see also* Gaussian noise; scattering; turbulence
 - and free-space optical wireless networks, 11–49
 - infrared optical wireless networks, 248–51, **249**
 - optical code-division multiple-access wireless network, 73–75, **74**
 - underwater free-space optical wireless networks, 202–3, **203, 205, 207, 209, 210, 212**
- laser diode, 242, **242, 243**
- LD. *see* laser diode
- LDPC codes, 14–19, **14, 24, 25, 26, 35**
- LED. *see* light emitting diode
- light emitting diode, 242, **242, 243, 352–58, 354**
- linear minimum mean-squared error equalization, 103
- line-of-sight communication, 11, 231–32
- LOS. *see* line-of-sight communication
- LT code. *see* Luby-transform code
- Luby-transform code, 26–29
- Markov chain model, 90–91, 95–103
- Maximum-likelihood sequential detection equalization, 103
- MCRT. *see* Monte Carlo ray tracing model
- MEMS. *see* micro-electrical mechanical modulator
- micro-electrical mechanical modulator, 336, **337**
- Mie theory, 92–103, **93**
- MIMO. *see* multiple-input multiple-output
- minimum-mean-squared error, **106**
- min-sum-with-correction-term algorithm, 17–19, **17**
- MLMD. *see* multiple lasers - multiple detectors
- MLSD. *see* Maximum-likelihood sequential detection equalization
- modern quantum cryptography
 - and conventional cryptography, 306–8
 - limits, 305–6
 - networking, 319–25
 - system design, 312–19, **314, 317, 318**
- modulation. *see also* codes on graphs; multiple-input multiple-output
 - hybrid RF/FSO wireless networks, 12, 29–34, **30**
 - indoor optical wireless networks, 123, 138
 - infrared optical wireless networks, 263–66
 - intensity, 11, 91, 247

- multidimensional coded, 12, 35–38
 on-off keying, 75, 77
 optical modulating retro-reflectors, 334–41, **338**, **339**, 359–61, **360**
 optical orthogonal codes, 75–82
 pulse amplitude, 21–25, **21**, **24**, **25**, **76**, 265–66, **266**
 pulse position, 25–26, 75–78, 230–31, 263–65, **264**
 underwater free-space optical wireless networks, 230–31
 moment technique model, 99–103, **100**
 Monte Carlo ray tracing model
 integration, **29**
 and Markov chain, 90–91, 95–103, **95**
 performance, 99–103, **100**
 ultraviolet optical wireless networks, 183–87, **184**, 192–94, **194**
 underwater, 214–16, **215**
 MQW. *see* surface normal multiple quantum well electroabsorption modulators
 MRR. *see* optical modulating retro-reflectors; retro-reflector communication
 multidimensional coded modulation, 12, 35–38
 multiple lasers - multiple detectors, 19, **26**
 multiple-input multiple-output, 11, 19–26, **20**, 116–38, **128**. *see also* modulation
 multi-scatterings, **97**, **98**

 networking
 modern quantum cryptography, 319–25
 underwater free-space optical wireless networks, 234–36
 NLOS. *see* non-line-of-sight communication
 non-line-of-sight communication, 177–99, **232**, **233**, 241–42. *see also* optical modulating retro-reflectors

 OCDMA. *see* optical code-division multiple-access wireless network
 OFDM. *see* free-space orthogonal frequency division multiplexing wireless networks
 on-off keying modulation, 75, 77, **264**, **266**, **282**, **283**
 OOC. *see* optical orthogonal codes
 OOK. *see* on-off keying modulation
 OPPM. *see* overlapping pulse position modulation
 optical code-division multiple-access wireless network
 applications, 81–83, **82**, **83**
 BER analysis, 62–64, 70–71, **78**
 interference, 73–75, **74**
 modulation, 75–77, **76**
 performance, 77–81
 receiver, 57–59, 60–62, **61**, 64–66, **64**, **66**, **67**, 71–73
 system design, 55–57, **56**, **58**, 59–60, **59**, 68–70, **69**
 transmitter, 60, 66–68
 optical modulating retro-reflectors. *see also* non-line-of-sight communication
 applications, 341–47, **344**, **345**, **346**, 353, 361–67, **362**, **363**, **364**, **365**, **366**
 modulation, 334–41, **338**, **339**, 359–61, **360**
 system design, **232**, 233–34, 329–34, **329**, **333**, **334**, 370
 optical orthogonal codes, 56–57, **66**, 75–82, 79–81, **81**. *see also* adaptive power control
 optical wireless networks
 optical sources in, 242, **242**
 optics in, 267–68
 optical wireless sensor networks
 modulation, 374
 performance, 380–83, **381**, **382**, **383**
 receiver, 374–75
 system design, 371–74, **371**, **372**, **373**, **374**, 375–78, **376**, **377**, **379**, **380**
 transmitter, 375
 orthogonal frequency division multiplexing, 12
 outage exponent, 285–87, **287**, **290**, **296**
 outage probability, 285
 overlapping pulse position modulation, 76–77, **76**

 PAM. *see* pulse amplitude modulation
 passive optical networks, 43
 performance
 discrete-time wireless networks, 149–63, 163–72
 hybrid RF/FSO wireless networks, 290–95, **291**
 infrared optical wireless networks, 251–53, **252**, **253**
 Monte Carlo ray tracing model, 99–103, **100**
 optical code-division multiple-access wireless network, 77–81
 optical wireless sensor networks, 380–83, **381**, **382**, **383**
 ultraviolet optical wireless networks, 192–99, **192**
 Phase Function. *see* Mie theory
 photodetection model, 279–80
 photoparametric amplifier, 258–59, **258**
 phytoplankton, 206
 point-to-point system design, 131–36, **135**, **136**, 370
 Poisson channel, 146–48, 151–55, **155**, 279–80, **282**, **283**
 PONS. *see* passive optical networks
 PPM. *see* pulse position modulation
 protocol
 modern quantum cryptography, 308–11
 QKD transport, 321–22
 prototypes. *see* applications
 public-key cryptography. *see* conventional cryptography

- pulse amplitude modulation, 21–25, **21**, **24**, **25**, **76**, 265–66, **266**. *see also* pulse intensity modulation
- pulse intensity modulation, 146–71. *see also* pulse amplitude modulation
- pulse position modulation, 25–26, 75–78, 230–31, 263–65, **264**
- punctured code, 26
- QAM. *see* Quadrature Amplitude-Modulation
- QC LCPC. *see* quasi-cyclic binary LDPC codes
- QKD. *see* quantum key distribution
- Quadrature Amplitude-Modulation, 22
- quantum key distribution, 305–25
- Radiative Transfer Equation, 214
- radio frequency technology
- bandwidth, 103
 - and fiber-optics, 43
 - incompatibilities, 11
 - and infrared optical wireless networks, 240
 - and optical modulating retro-reflectors, 341–42
 - sensors in, 369
 - underwater, 201
- Raptor code, 12, 26–29, **27**, **29**
- rate-less code, 26
- receiver
- indoor optical wireless networks, 118–19
 - infrared optical wireless networks, 255–63, **256**, **257**, **258**, 260–63, **260**, **261**, **262**
 - optical code-division multiple-access wireless network, 57–59, 60–62, **61**, 64–66, **64**, **66**, **67**, 71–73
 - with polarization analyzer module for cryptography, 316–17, **317**
 - and Viterbi equalizer, 107–12, **108**
- repeaters, 319–20
- retro-reflectors. *see* optical modulating retro-reflectors
- RF. *see* radio frequency technology
- RoF. *see* radio frequency technology
- RTE. *see* Radiative Transfer Equation
- SAA. *see* small-angle approximation
- satellites, 322–25
- scattering. *see also* interference
- albedo, **210**
 - atmospheric, 179
 - in cloud channel, 90–113
- ULTRAVIOLET OPTICAL WIRELESS NETWORKS, 179–89, **180**, **181**, **184**, **188**
- underwater, 203, **203**, 206–13, **207**, **209**, **210**
- scintillation, 12–13, 273, 276–77, 346
- SDMT. *see* spatial discrete multitone modulation transmitter
- Second Largest Eigenvalue Modulus, 102–3, **102**
- secret-key cryptography. *see* conventional cryptography
- security guidance systems, 362
- signal-to-noise
- infrared optical wireless networks, **249**, **252**
 - underwater free-space optical wireless networks, 201–2
- SLEM. *see* Second Largest Eigenvalue Modulus
- small-angle approximation, 216–20, **220**
- smart dust, 371, **371**
- SNR. *see* signal-to-noise
- spatial discrete multitone modulation transmitter, 132–38, **133**, **135**, **137**
- spatial dispersion. *see* water dispersion
- spot-diffusing system design, 123–27, **125**, **126**, 127–38
- surface normal multiple quantum well electroabsorption modulators, 336–41, **338**, **339**, **341**
- system design
- diffuse, 119–23, **121**
 - free-space optical, **104**, **354**
 - hybrid RF/FSO wireless networks, 275–80, **275**, **277**
 - indoor optical wireless networks, 119–38, **135**, **136**
 - infrared optical wireless networks, 241–42
 - modern quantum cryptography, 312–19, **314**, **317**, **318**
 - optical code-division multiple-access wireless network, 55–57, **56**, **58**, 59–60, **59**, 68–70, **69**
 - optical modulating retro-reflectors, 329–34, **329**, **333**, **334**
 - optical wireless sensor networks, 371–74, **371**, **372**, **373**, 375–78, **375**, **376**, **377**, **379**, **380**
 - point-to-point, 131–36, **135**, **136**, 370
 - spot-diffusing, 123–27, **125**, **126**, 127–38
 - ultraviolet optical wireless networks, 189–92, **190**, **191**
 - underwater free-space optical wireless networks, 228–30, **229**, 231–34, **232**
 - visible-light wireless networks, 351–54, **352**, **354**
- TA. *see* trans-impedance amplifier
- Tanner graph, **14**, **27**
- temporal dispersion. *see* water dispersion
- TEQ. *see* time equalizer
- time equalizer, 90, 103–4, **106**, **109**
- TPC. *see* turbo-product codes
- trans-impedance amplifier, 19, 255–57, **256**, **257**, **258**, **262**
- transmitter. *see also* channel state information
- and channel shortening equalizer, 90, 106–12
 - indoor optical wireless networks, 117–18, 132–38, 146–48

- optical code-division multiple-access wireless network, 60, 66–68
- optical wireless sensor networks, 375
- pointing errors, 87–88
- spatial discrete multitone modulation, 132–38, **133, 135, 137**
- and time equalizer, 90, 103–4, **106, 109**
- underwater free-space optical wireless networks, 228–29
- truncated channel inversion, **30, 31**
- turbo product codes, 13
- turbulence. *see also* interference
 - and free-space optical wireless networks, 90–113
 - in FSO wireless networks, 11–49
 - underwater, 210
- uFSO. *see* underwater free-space optical wireless networks
- ultra wideband communications, 43
- ultraviolet optical wireless networks
 - eye safety, 178
 - history of, 177–78
 - interference, 179–89
 - performance, 192–99, **192**
 - system design, 189–92, **190, 191**
- unclipped OFDM scheme, 41
- underwater free-space optical wireless networks
 - history of, 201–2
 - interference, 202–3, **203, 205, 207, 209, 210, 212**
 - modulation, 230–31
 - networking, 234–36
 - optical modulating retro-reflectors, 347
 - system design, 228–30, **229, 232**
 - theory of, 213–28, **215, 219, 220, 222, 225, 227**
- U-OFDM. *see* unclipped OFDM scheme
- UV. *see* ultraviolet optical wireless networks
- UWB. *see* ultra wideband communications
- variable rate variable power adaptation, 31–34, **33, 34, 43–47, 47**
- variable spreading factor, 224–26, **225**
- vector radiative transfer modeling, 217. *see also* water dispersion
- Visible Light Communications Consortium, 358–59
- visible-light wireless networks
 - applications, 361–67, **362, 363, 364, 365, 366**
 - modulation, 359–61, **360**
 - standards, 354–59
 - system design, 351–54, **352, 354**
- Viterbi equalizer, 107–12, **108**
- VLC. *see* visible-light wireless networks
- VSF. *see* variable spreading factor
- water dispersion, 218–28, **219, 220, 222, 225, 226, 227**. *see also* vector radiative transfer modeling
- water optical properties, 211–13