

Cambridge University Press
978-0-521-28237-6 - Dinosaurs: A Concise Natural History: Second edition
David E . Fastovsky and David B. Weishampel
Excerpt
[More information](#)

PART I
REACHING BACK IN TIME



CHAPTER OBJECTIVES

- Understanding fossils and fossilization
- Collecting dinosaur fossils
- Preparing dinosaur specimens

Cambridge University Press
978-0-521-28237-6 - Dinosaurs: A Concise Natural History: Second edition
David E. Fastovsky and David B. Weishampel
Excerpt
[More information](#)

CHAPTER 1

TO CATCH A DINOSAUR



4 To catch a dinosaur

Dinosaur tales

This book is a tale of dinosaurs; who they were, what they did, and how they did it. But more significantly, it is also a tale of natural history. Dinosaurs enrich our concept of the **biosphere**, the three-dimensional layer of life that encircles the Earth. Our biosphere has a 3.8 *billion*-year history; we and all the organisms around us are merely the most recent products of yet a fourth dimension: its history. To be unaware of the history of life is to be unaware of our organic connections to the rest of life. Dinosaurs have significant lessons to impart in this regard, because, as we learn who dinosaurs really are, we can better understand who *we* really are.

Ours is also a tale of science itself. In an increasingly technical world, an understanding of what science is – and is not – is important. Science is all about imagination and creativity; with a little help from the data. In the following pages, we hope to build a sense of the intellectual richness of science, as well as a feel for what philosopher of science Karl Popper called the “logic of scientific discovery.”

The word “dinosaur” in this book The term “dinosaur” (*deinos* – terrible; *sauros* – lizard) was invented in 1842 by the English naturalist Sir Richard Owen (see Box 14.2) to describe a few fossil bones of large, extinct “reptiles.” With modifications (for example, “large” no longer applies to all members of the group), the name has proven resilient. It has become clear in the past 20 years, however, that not all dinosaurs are extinct; in fact, most specialists now agree that *birds are living dinosaurs*. We should use the technically correct term **non-avian dinosaurs** to specify all dinosaurs except birds, but we’d prefer to use the term “dinosaurs” as shorthand for “non-avian dinosaurs.” The distinction between non-avian dinosaurs and all dinosaurs will be most relevant only when we discuss the origin of birds and their early evolution in Chapter 10; there, we will take care to avoid confusing terminology.

Fossils

That we even know there ever were such creatures as dinosaurs is due to dumb luck: some dinosaurs just happened to be preserved as **fossils**, the buried remains of organic life, in rock. Dinosaurs last romped on Earth 65 million years ago. This means that their **soft tissues** – muscles, blood vessels, organs, skin, fatty layers, etc. – are, in almost every fossil (but not *every* one: see Box 9.3), long gone. If any vestige remains at all, it is usually **hard parts**: generally, bones and teeth. Hard parts are not as easily degraded as the soft tissues that constitute most of the body.

Making body fossils

Before burial Consider what might happen to a dinosaur – or any land-dwelling vertebrate – after it dies (Figure 1.1).

Carcasses are commonly **disarticulated** (dismembered), often by predators and then by scavengers ranging from mammals and birds to beetles. As the nose knows, most of the heavy lifting in the world of decomposition is done by bacteria that feast on rotting flesh. Some bones might be stripped clean of meat and left to bleach in the sun. Others might get carried off and gnawed. Sometimes the disarticulated remains are trampled by herds of animals, breaking and separating them further. So the sum total of all the earthly remains of the animal will end up lying there: a few disarticulated bleached bones in the grass.

5 Fossils



Figure 1.1 Bones. A wildebeest carcass, partly submerged in mud and water and on its way to becoming permanently buried and fossilized. If the bones are not protected from scavengers, air, and sunlight, they decompose rapidly and are gone in 10–15 years. Bones destined to become high-quality fossils must be buried soon after the death of the animal.

If the animal isn’t disarticulated right away, it is not uncommon for a carcass to bloat, as feasting bacteria produce gasses that inflate it. After a bit, the carcass will likely deflate (sometimes explosively), and then dry out, leaving bones, tissues, ligaments, tendons, and skin hard and inflexible.

Burial Sooner or later bones are either destroyed or buried. If they aren’t digested as somebody’s lunch, their destruction can come from **weathering**, which means that the minerals in the bones break down and the bones disintegrate. But the game gets interesting for paleontologists when weathering is stopped by rapid burial. At this point, they (the bones, not the paleontologists) become fossils. A **body fossil** is what is produced when a part of an organism is buried. We distinguish these from **trace fossils**, which are impressions in the substrate left by an organism. Figure 1.2 shows two of the many paths bones might take toward fossilization.

After burial Bone is made out of calcium-sodium hydroxy apatite, a mineral that weathers easily. This means that, after **fossilization**, many bones no longer have original calcium-sodium hydroxy apatite present. This is especially likely if the bone comes into contact with fluids rich in dissolved minerals, such as commonly occurs after burial. If, however, no fluids are present throughout the history of burial (from the moment that the bone is buried to when it is exhumed by paleontologists, a time interval that could be measured in millions of years), the bone could remain **unaltered**, which is to say that original bone mineralogy remains. This situation is not that common, and is progressively rarer in the case of older and older fossils.

Ancient, unaltered bones – and even tissue – do exist, and are crucial for our understanding of the growth of bone tissue (see Chapter 12) and other soft anatomy (for example, the discovery of genuine red blood cells and connective tissues from *Tyrannosaurus*; see Chapter 9, footnote 3 and Chapter 10).

Most bones are altered to a greater or lesser degree. Since bones are porous, the spaces once occupied by blood vessels, connective tissue, and nerves fill up with minerals. This situation is called **permineralization** (Figure 1.3).

6 To catch a dinosaur




Figure 1.2 Two endpoint processes of fossilization. In both cases, the first step is the death of the animal. Some decomposition occurs at the surface. In the upper sequence (a), the animal dies, the carcass undergoes quick burial, followed by bacterial decomposition underground, and permineralization and/or replacement. Finally, perhaps millions of years later, there is exposure. Under these conditions, when the fossil is exhumed, it is largely complete and the bones articulated (connected). This kind of preservation yields bones in the best condition. In the lower sequence (b), the carcass is dismembered on the surface by scavengers and perhaps trampled and distributed over the region by these organisms. The remains may then be carried or washed into a river channel and buried, replaced, and/or permineralized, eventually to be finally exposed perhaps millions of years later. Under these conditions, when the fossil is exhumed, it is disarticulated, fragmented, and the fossil bones may show water wear and/or the gnaw marks of ancient scavengers. Different conditions of fossil preservation tell us something about what happened to the animals after death.



Figure 1.3 Permineralized bone from the Jurassic-aged Morrison Formation, Utah, USA. The fossilized bone is now a solid piece of rock.

7 Fossils

Bones can also be **replaced**, in which case the original bone minerals are replaced with other minerals, retaining the exact original form of the fossil. Most fossil bones undergo a combination of replacement and permineralization. The resultant fossil, therefore, is a magnificent natural forgery: chemically and texturally not bone, but retaining the exact shape and delicate features of the original bone.

Other fossils

Bones are not all that is left of dinosaurs. Occasionally the fossilized feces of dinosaurs and other vertebrates are found. Called **coprolites**, these sometimes impressive relics can give an intestine’s-eye view of dinosaurian diets. Likewise, as we shall see later in this book, fossilized eggs and also skin impressions have been found.

Still, the single most important type of dinosaur fossil, other than the bones themselves, is trace fossils. Dinosaur trace fossils (sometimes also called **ichnofossils**; (*ichnos* – track or trace)) come as isolated **footprints** or as complete **trackways**. Figure 1.4 shows a **mold**, or impression, of a dinosaur footprint. We also find **casts**, which are made up of material filling up the mold. Thus a cast of a dinosaur footprint is a three-dimensional object that formed inside the impression (or mold).

In the last 20 years the importance of ichnofossils has been recognized. Ichnofossils have been used to show that dinosaurs walked erect, to reveal the position of the foot, and to reconstruct the speeds at which dinosaurs traveled. Trackways tell remarkable stories, such as that fateful day 150 or so million years ago when a large predatory theropod stalked a herd of smaller animals (Figure 1.5).



Figure 1.4 Theropod dinosaur footprint from the Early Jurassic Moenave Formation, north-eastern Arizona, USA. Human foot for scale.

8 To catch a dinosaur



Figure 1.5 Photograph from Shar-tsav, Gobi Desert, Mongolia, showing the tracks of a medium-sized theropod dinosaur among those of a pack of smaller theropods. Our drawing suggests one interpretation, consistent with the evidence: the trackway could record a pack of *Velociraptor* hunting down a single *Gallimimus*.

Finding fossils

So, if the fossils are buried, how is it that we find them? The answer is really in the luck of geology: if fossil-bearing **sedimentary rocks** happen to be eroded, and a **paleontologist** happens to be looking for fossils at the moment that one is actively eroding from a rock, the fossil *may* be observed and *may* be collected. Indeed, we may be sure that, throughout their 160 million-year existence on Earth, dinosaurs walked over the exposed fossils of earlier dinosaurs, now lost to eternity (Figure 1.6)!

9 Collecting




Figure 1.6 A pair of *Parasaurolophus* walking over some exposed fossilized bones of an earlier dinosaur that are weathering out of the cliff. Fragments of the fossilized bone have fallen at the dinosaurs' feet.

Collecting

The romance of dinosaurs is bound up with collecting: exotic and remote locales, heroic field conditions, and the manly extraction of gargantuan beasts (see Chapter 14). But ultimately dinosaur collecting is a process that draws upon good planning, a strong geological background, and a bit of luck. The steps are:

- 1 **planning**;
- 2 **prospecting**; that is, hunting for fossils;
- 3 **collecting**, which means getting the fossils out of whichever (usually remote) locale they are situated; and
- 4 **preparing** and **curating** them; that is, getting them ready for viewing, and incorporating them into museum collections.

These steps involve different skills and sometimes different specialists.

10 To catch a dinosaur

Planning

Collecting dinosaur fossils is not to be undertaken lightly. Dinosaur bones are – even in the richest sites – quite rare, and the moment they are disturbed the loss of important information becomes a concern. For this reason, most professional paleontologists have advanced degrees – often a Ph.D. in the geological or biological sciences – but before actually leading an expedition themselves, *all* have acquired many years of experience both in the logistical as well as the scientific ends of fieldwork.

Running an expedition The logistical end of an expedition involves keeping one’s team fed, watered, healthy, and happy in remote places where, in many cases, these commodities don’t come easily. Relentless sun, extreme heat, dust, lack of amenities, subsistence on a limited diet, and isolation from the “real world,” all conspire to wear down even the most robust of people. It’s all happening in the Great Outdoors, true, but it’s nothing like a camping catalog! Add to these, language problems when you are working in other countries and limited access to medical facilities in the event of an accident involving either you or one of your crew, and the potential for disaster increases dramatically.

Many expeditions have to carry everything with them – fuel, water, food, all gear for the maintenance of daily life – as well as all the maps and equipment necessary to successfully carry out the science and safely retrieve heavy, yet delicate, dinosaur bones. This takes some serious planning and experience; you and your crew’s lives may depend upon it (Figure 1.7). You have to know what you are doing.

Fossils generally, and dinosaurs in particular, are not **renewable resources**, which means that collecting a dinosaur is a one-shot deal: it must be done right, because we will never be afforded another chance to do it again. Any information that is lost – any piece of it that is damaged – may be lost or damaged forever. For this reason, there are many regulations associated with collecting vertebrate fossils.

The most basic are the collection permits required for work on public lands. Obtaining the permits requires advanced planning because the agencies in charge of issuing the permits reasonably require detailed accounts of your plans before the process can go forward.

One important part of the permit-obtaining process, especially in the case of dinosaur fossils (which tend to be large and heavy), is the eventual location of the fossils. Who gets them?



Figure 1.7 Supplies for one of the American Museum of Natural History’s 1920s expeditions to the Gobi Desert. In the intervening 90 years, nobody has found a way to get around hauling the basic necessities into the field.