

Index

- absorption cross-section 15, 24
- acoustic gravity waves and the aurora 331–332
- acoustic gravity waves, theory 52–57
- adiabatic invariants 79
- aeronomy, physical 13–23
- airglow and atmospheric cooling 9
- Alfvén Mach number 72
- Alfvén wave 103
- all-sky camera 291
- alpha-Chapman layer 18
- antennas 115–116
 - basic principles 115
 - design 116
- atmospheric composition 10–13
- atmospheric heating 8–9
- attachment coefficient 18
- attenuation 115
 - atmospheric absorption 122
 - ionospheric absorption 151
 - measurement techniques 203–210
 - deviative techniques 151
 - non-deviative techniques 144
- aurora australis 291
- aurora borealis 291
- aurora
 - altitude of 296
 - diffuse 300–301
 - discrete 300–301
 - intensity of 299–300
 - luminous 285, 291–302
 - mantle 300
 - radar 285, 326–329
 - theta 288, 302
- auroral
 - activity predictions 367–371
 - electrojet 312–314
 - forms 296
 - green line 302
 - infrasonic waves 300–331
 - red line 302
- auroral oval 286–288
 - and radio scintillation 308
 - boundaries of 289–290
 - models of 288–291
- auroral radar 326–329
- auroral radar echoes,
 - occurrence of 328–329
 - polarization of 328
- auroral radio absorption 285, 304, 339–382
 - and geomagnetic activity 365
 - and HF propagation 365–367
 - conjugacy of 379–382
 - co-rotation in 363–365
 - duration of 351–354
 - dynamics of 354–365
 - global movement of 358–359
 - preceeding bay in 345–347, 359–361
 - profiles of 373
 - pulsations in 347, 382
 - sharp onset in 341–342
 - substorm onset in 377–379
 - substorm dynamics in 377–379
 - slowly varying 347, 363
 - spatial extent of 351
 - spike event in 341–345
 - statistics of 350–354
 - zone 350–351
- auroral spectroscopy 302
- auroral substorm 285, 308–311
 - and ionospheric effects 311–312
 - break-up of 309
 - expansion phase of 309
 - growth phase of 309–310
 - pseudo-breakup of 310
 - recovery phase of 309
- auroral X-rays 285–304
- auroral zone 286
 - magnetic bays in 305
 - magnetic disturbances in 285
- barometric equation 5
- Bartels musical diagram 97–98
- beta-Chapman layer 19

- Bragg curve 107
- Bremsstrahlung* X-rays 106–107
- Brunt–Väisälä frequency 54
- bursty bulk flow 318
- C layer 36
- Canadian-border effect 261
- Chapman production function 15
- character figure 45
- charge-exchange reaction 26
- chemical transport (of heat) 9
- conductivity
 - Hall 49
 - height variation of 50
 - of the ionosphere 48–50
 - of the ground 48
 - Pedersen 49
 - with magnetic field 48–49
 - with no magnetic field 48
- continuity equation 14
- coronal hole 67
- coronal mass ejection (CME) 67–69
- current,
 - Birkeland 85–86, 96, 312–314
 - ring 84–85
- currents in substorm 312–315
- current system,
 - equivalent 86, 312
 - S_q^p 87
 - SD 95–96
- current wedge, wedgelet 313–314
- D region
 - at high latitude 337–339
 - electron flux 373–377
 - production of 31
 - profiles in the auroral zone 373
 - recombination coefficient 400
 - summer mesospheric echo in 406–409
- Dalton’s law 7
- diffusion coefficient 20
 - ambipolar 22
- diffusion in the ionosphere 20–23
- dipole field 61–63
- distribution height 21
- E layer at night 27
- E region
 - at high latitude 322–332
 - aeronomy of 26–31
 - disturbed auroral 323–326
 - polar 323
 - quiet auroral 323
 - sporadic-E phenomenon in 27–31
- eddy diffusion in the atmosphere 9
- electric current,
 - Birkland 51
 - Cowling 51
- electric currents in the ionosphere 50
- electric field and co-rotation 92
- electrojet,
 - auroral 75–76
 - equatorial 51
- EM noise and interference
 - atmospheric noise 127–139
 - galactic noise 133
 - solar noise 134–139
- emissions, electromagnetic 285
- escape temperature 8
- EUV (extreme ultra-violet) 14
- exobase, definition of 5
- exosphere 7–8
 - definition of 5
- F region
 - blobs 245–249
 - in the auroral oval 240–242
 - in polar cap: U.T. effect 235–237
 - in polar cap: the tongue 234–236
 - patches 244–245
 - scintillation production in 249–260
 - storm-time variation of 46–47
- F1 layer, aeronomy of 26
- F1 ledge 31
- F2 region 37–38
 - alpha–beta transition level in 37
 - and composition changes 43
 - and conjugate ionosphere 44
 - and effect of neutral wind 43
 - anomalies of 39–44
 - Bradbury layer in 37
 - seasonal anomaly of 40
 - semi-annual anomaly of 40
- field-line circulation 316
- field-lines 62
- flux-transfer event 91
- frozen-in field 65
- geomagnetic cavity 63
- geomagnetic field 61–63
- geopotential height 7
- Harang discontinuity 95, 242
- heliosphere, definition of 5
- heterosphere, definition of 5
- HF propagation at high latitudes 440–530
 - adaptive HF techniques 574–580
 - assessment of HF channels 586–590
 - fixed-frequency tests 440–474
 - absorption effects 467–474

- Alaska/Scandinavia 440–446
- other high-latitude paths 450–471, 503–511
- Alaska (Wales–Fairbanks) 523–530
- Alaska–continental USA 447–450
- Alaska–Greenland 471–474
- large bearing errors 591–593
- mitigation of disturbances 572–574
 - use of GPS/TEC 594–603
 - modem use 597–606
- PENEX 553–568
- realtime HF channel evaluation 580–586
- substorm effects 593–594
- swept-frequency tests 474–493
 - auroral-E effects 480–482
- Andøya–College 478–480, 503–512
- Barrow–Boulder tests 506–516
- Canadian tests 517–522
- McMurdo–Thule path 514, 517
- Sodankylä–Lindau tests 494–502
- Sondrestrom–Keflavik tests 528–530
- Thule–College tests 474–478
- models of high-latitude ionosphere 538–546, 568–572
- non-great-circle modes 477–480, 482–483
- “ducted” modes 490–493
- Doppler and fading characteristics 493–494
- ionospheric ray-tracing 538–541
- homosphere, definition of 5
- hydrated ions 32–35
- hydromagnetic wave 103
- hydrostatic equation 5
- hydrostatic equilibrium 5–7
- instability
 - ballooning 319
 - gradient-drift 328
 - Kelvin–Helmholtz 105, 318–319
 - two-stream 104–105, 328
- interplanetary magnetic field (IMF) 65
- ionization
 - by alpha-particles 107–108
 - by energetic electrons 105–106
 - by energetic protons 107–108
- ionization efficiency 15, 24
- ionization potential 24
- ionosphere
 - definition of 4
 - naming of 1
 - sluggishness of 27
- ionospheric effects
 - of the aurora 302–305
 - of the sunspot cycle 44–45
 - of the thermospheric wind 23
- ionospheric layers
 - critical frequency of 27
 - definitions of 13–14
 - heights of 25
- ionospheric storm 46–47
 - with sudden commencement 46
- irregularity strength parameter 258
- keogram 300
- log-normal distribution 369–371
- luminous aurora and the E region 325
- Lyman-alpha line of solar spectrum 31
- M region 285–286
- magnetic bay 95–96
- magnetic cloud 69
- magnetic-field merging 90–91
- magnetic field, reconnection of 90–91, 316
- magnetic index
 - A_p 96–97
 - D_p^{st} 94
 - K_p 96–97
- magnetic indices 96–100
 - AU, AL, AE 97–99
- magnetic longitude 62
- magnetic micropulsation 103–104
- magnetic storm 93–102
 - classical 94
 - phases of 94
 - practical effects of 100–102
- magnetopause 69–71
 - and image-dipole method 71
 - definition of 5
- magnetosheath 71–72
- magnetosonic wave 103
- magnetosphere,
 - circulation of 86–90, 228–234, 316
 - electric fields in 91–92
 - definition of 5
 - shock front of 71–72
- magnetosphere boundary layer 73–74
- magnetospheric substorm 315–319
- magnetotail 70, 72–73
 - behavior in substorm 316–318
 - lobes 78
 - plasma sheet 70, 73, 78
- magnetotail,
 - electric potential across 228
 - ionospheric sources to 240
 - neutral line 318
- mean free path 7
- mesopause, definition of 4
- mesosphere, definition of 4
- metallic ions in the atmosphere 12–13
- negative-ion/electron ratio 20, 405
- neutral line 90, 318
- nitric oxide 31
 - in the atmosphere 12

- optical depth 17, 25
- oxygen, dissociation of in the atmosphere 10
- ozone and the ozonosphere 12
- plasma pause 75
- plasmasphere 73–78
 - depletion of 93
 - dynamics of 92–93
- plasmoid 317
- polar arc 301–302
- polar cap
 - circulation patterns in 228–234
 - electric field in 228
 - potential across 91–92
- polar-cap absorption 382–406
 - and solar radio emissions 389–390
 - and solar flares 389–390
 - and proton flux 387
 - day–night effects in 400–405
 - duration of 384
 - magnitude of 389
 - midday recovery in 395–397
 - occurrence of 384–387
 - seasonal variation of 387–389
 - uniformity of 395
- polar-cap edge (in PCA) 393–395
- polar cusps (clefts) 237–239
 - and charged particles 237
 - and luminosity 237
 - and ionospheric heating 239
- polar hole 260, 276–280
- polar wind 74, 239–240
- propagation
 - conductivity 121
 - Faraday rotation 149–151
 - forward scatter 171
 - HF at high latitudes 440–530
 - LF and MF at high latitudes 430–439
 - ionospheric 140–169
 - ionospheric scatter 171–174
 - line-of-sight 113–116
 - lossy medium 120–121
 - magnetoionic theory 140–145
 - phase effects 148–149
 - prediction programs 174
 - predictions and validations 546–565
 - scintillations 152–163
 - terrain effects 125–127
 - transionospheric 147–159
 - VHF–microwave 530–531
 - VLF/UHF at high latitudes 530–531
 - VLF/ELF principles 163–167
 - VLF/ELF at high latitudes 419–430
 - whistlers 167–169
 - HF-propagation-prediction programs 174–176
 - noise and interference 127–139
- proton effects in the neutral atmosphere 398–406
- protonosphere 38–39
 - base of 39
 - definition of 5
- protons
 - IMF effects on 390–392
 - magnetospheric effects on 392–395
- quiet-day curve 339
- radar aurora 303–304
- radar, basics of 116–119
- radiation in the atmosphere 9
- radio absorption in the D region 36
- radio absorption, winter anomaly of 36
- radio waves
 - interaction with matter 122
 - terrain effects 125–127
- reaction rates, temperature dependence of 43, 274–275
- recombination
 - dissociative 19, 26, 33
 - radiative 26
- recombination coefficient 18
 - effective 20
- recombination processes, types of 18
- reflection from the ionosphere 144–145
 - relation between oblique and vertical 145–147
 - reflection at a boundary 159–163
- refractive effects
 - tropospheric 119–120
 - neutral atmosphere 122–125
- relativistic electron precipitation 348
- rigidity 393
- ring current 73, 84–85
- riometer 339–340
- scale height, definition of 6
- scale height of plasma 22
- scatter from the ionosphere 169–174
 - coherent scatter 169–171
 - forward scatter 171
 - incoherent scatter 171–174
- scintillation
 - and Fresnel zones 256
 - modeling 258–260
- scintillation,
 - properties of 249–256
 - S_4 index of 255
 - spectrum of 256
- small irregularities, *in situ* measurement of 257–258
- solar wind 63–69
 - and K_p 97
 - ballerina model of 67

- composition of 63
- fast stream in 67
- garden-hose effect in 65
- sectors 65–66
- space-weather-data use 565–574, 600
- sporadic-E
 - and metallic ions 29
 - and scintillation 31
 - and wind shear 28–29
 - at high latitude 29–30
- Störmer theory 392–395
- storm–substorm relations 321–322
- stratopause, definition of 4
- substorm 308–322
 - current wedge 313
 - rate 321
 - theories of 318–319
 - triggering 319–321
- techniques
 - D-region absorption 203–210
 - ground-based 181–214
 - HF Doppler and spaced receiver 217–219
 - incoherent scatter radars 203–205
 - in situ* measurements 216–217
 - ionosondes 181–187
 - ionospheric imaging 219–220
 - modification by HF transmitters 210–214
 - oblique-incidence HF/VHF sounders 187–202
 - riometers (URSI A2 method) 206–208
 - satellite beacons 215–216
 - space-based measurements 214–217
 - topside ionospheric sounders 216–217
 - URSI A1a and A1b (HF) absorption methods 204–206
 - URSI A3a and A3b (LF) absorption methods 208–210
- temperature of neutral atmosphere 8–10
- thermosphere, definition of 4
- three-body reaction 35
- trapped (Van Allen) particles 78–84
 - longitude drift 83
 - loss cone of 83
 - mirror point of 83
 - pitch angle of 83
 - pseudo-trapping of 83
- traveling ionospheric disturbance 57
- tropopause, definition of 4
- troposphere, definition of 4
- trough and electron precipitation 270–271
- trough
 - in electron content 261, 266
 - in the southern hemisphere 269
 - main 260–275
 - motion of 271–273
 - orientation of 269–270
 - poleward edge of 269–271
 - principal properties of 263–265
 - time and activity variations of 265–269
 - causes of: heating 274–275
 - causes of: plasma decay 273–274
- troughs at high latitude 276–280
- turbopause, definition of 5
- turbosphere, definition of 5
- Van Allen belts 78–84
- vertical transport in the atmosphere 20–23
- viscous interaction 86–88
- VLF-wave reflection in the D layer 35–36
- VLF whistlers and the plasmasphere 75
- VLF whistlers, nose 75
- wave–particle interaction 104
- X-rays 14, 106–107