CAMBRIDGE

Cambridge University Press
978-0-521-33707-6 - Spinors and Space-Time, Volume 1: Two-Spinor Calculus and Relativistic Fields
Roger Penrose and Wolfgang Rindler
Index
More information

Subject and author index

Italics denote main references; page numbers in parentheses refer to footnotes; a dash indicates continuation for more than two pages.

aberration formula 28
abstract index notation viii, 68–, *76*–, 353
affine parameter 387
Aharonov, Y. (46), 318
Aichelburg, P.C. 370
Aitken, A.C. 426
Aitken's diagrams 426
alternating tensor 92, 137–, 166
  diagram for 428
Ambler, E. (4)
analytic 341, 346, 386–
  see also holomorphic
antipodal map 10, 30, 291
anti-self-dual *151*, 236, 240, 351
anti-sky mapping *10*, 11, 30
anti-symmetric (skew) tensor 91, 92, *134*–
  dual of 149–, 166
  simple (145), *165*–, 324
  see also bivector, differential form
anti-symmetrization 132
  diagram for 426–
Argand (–Wessel–Gauss) plane *10*, 19, 25, 60–, 274
Arnol'd, V.I. 19
Arnowitt, R. 390
Ashtekar, A. 335, 342

background fields 402–
Badurek, G. (47)
basis 1
  change of 97
  coordinate 122
  dual *94*, 102
  existence of 82, *91*–
  for local cross-sections of bundle 335
  see also spinor basis, spin-frame
Bass. R.W. 55
Bauspiess, W. (47)
Bel, L. 240
Bel–Robinson tensor *240*–, 246, 325–
  for Einstein–Maxwell theory 326
  positive-definiteness 328
Bell, P. 367
Bergmann, P.G. 231, 364
Bernstein H.J. (47)
Bessel function 414
Bianchi identity 194, 210, 385
  contracted 210
    spin-coefficient form of 260
    spinor form of 246
  diagram for 429
  diagrammatic proof of, with torsion 430
  spin-coefficient form of 259
  spinor form of 245, 246, 362
    diagram for 433
Bianchi symmetry (cyclic identity) 143, 194, *195*, 232, 233
  diagram for 429
Birkhoff, G. 69, (90)
bivector *149*–
  [anti-] self-dual 151
  complex null 131
  dual of 150
  duality rotation of 152
  simple 324
Bjorken, J.D. 368, 423
Bohm, D. (318)
Bondi, H. 399
Bondi–Sachs mass 278
Bonse, U. (47)
boost *18*, 20
boost-weight 253
Bott, R. 335
Bramson, B.D. (401)
Bruhat, Y. (Choquet–Bruhat, Y.) 207, 390
Buchdahl, H.A. 366, 367, 370, 385
bump function 100, *181*, 183
bundle: *see* vector bundle

Campbell, S.J. 224
canonical decomposition of symmetric spinors 162
Carmeli, M. 224, (294)
Cartan, É. vii, 205, 237, 262
Cartan calculus
  of differential forms *203*–, *262*–, 424

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-33707-6 - Spinors and Space-Time, Volume 1: Two-Spinor Calculus and Relativistic Fields
Roger Penrose and Wolfgang Rindler
Index
More information

of moving frames vii, 262–
relation to spin-coefficients 265–
causal world-vector 3
causality 353
Cayley–Klein parameters 20
celestial sphere *9*, 26
Chandrasekhar, S. 224
characteristic hypersurface 374, 389
see also null hypersurface
charge 312
conservation of 322
elementary 314
charge-current vector *320*, 369, 371
Dirac 377
Schrödinger–Klein–Gordon 378
charged fields (charged modules) *313*–, 356, 357, 367
Chevalley, C. 180
Choquet–Bruhat, Y. 207, 390
Christenson, J.H. (4)
Christoffel symbols 208, *230*, 250, 262
see also covariant derivative
Clifford algebra 124
Clifford–Dirac equation (124) (221)
clumped (composite) indices *87*–, 134
Colella, R. (47)
colour spaces of particle physics 334
commutator
in compacted spin-coefficient formalism *258*, 270, 283
on null hypersurface 283
on two-sphere 292
on two-surface 270, 272
of covariant derivatives *193*–, 312–, 385
on bundle cross-section 340, 341
with charged fields 318, 320–
in ECSK theory 237
spinor form of *242*–, 320–, 350
with Yang–Mills-charged fields 349, 350
Lie bracket 206, 246
of Lie derivatives 207
in spin-coefficient formalism 247, 248
compacted spin-coefficient (GHP) formalism 250–
basic equations 258
Bianchi identity in 259
derivatives of symmetric spinors in 257
exterior calculus in 278–
massless field equation, twistor equation, wave equation in 260
complex analytic: *see* holomorphic
complex angle 32
complex conformal rescaling (353), (356), (360)
complex conjugation
of spinor components 114
of spinors 107–
of tensors, as spinors 117
complex curvature of 2-surface 277
complex null bivector 131
complex null direction 131
complex null vector 126, 129–
complex numbers
field of 56, 162
significance of viii, 250
complex projective line 14
see also Riemann sphere
complex scalars 188, 212
complex stereographic coordinate *11*, (12), 33–, 274, 309–
complex tensor 117, 188
complexified sphere 131
complexion of Maxwell field 330
components
of spin-vector 47
of spinor 113
of tensor 70–, *95*
of vector 35, *91*, 185
composite (clumped) indices *87*–, 134
conformal density 289, 354, *355*, 359, 366
conformal flatness 358, 367, 398–
conformal group (355)
conformal invariance *355*, 358–, 399–
conformal rescaling 352
change of covariant derivative under 355–
complex (353), (356), (360)
of curvature 357
of spin-coefficients 358, 359
conformal structure
of $\mathscr{S}^+$, $\mathscr{S}^-$, S^+, S^- 38, 60, 129
of space–time 352
conformal transformation
of 2-surface 25, 289–, 300
see also conformal rescaling
conformal weight 289–, *355*, 360
conformally invariant equations 361, 366, 369
conformally invariant eth, thorn 360–
conformally invariant integral on 2-surface 278
connection 191
expressions independent of 202–
symbols *199*–, 313
see also covariant derivative
connection 1-form 264
consistency condition
Buchdahl 366, 367
Fierz–Pauli 366, 367
constant scalars 181
constant spinors 294
constraints 390
avoidance of 386, 402

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-33707-6 - Spinors and Space-Time, Volume 1: Two-Spinor Calculus and Relativistic Fields
Roger Penrose and Wolfgang Rindler
Index
More information

continuous function 181
contraction 71, 74, 84, 85
contracted (inner) product *86*, 88, 89
contravariant 72
  classical definition of 185
  vector 72, 184
coordinate basis 122, 197
coordinate derivative 197–
coordinates
  Minkowskian 3
  normal 387
  of a vector 1
Corson, E.M. 312, 384, 390
cosmological constant 234, 235, 379
Courant, R. 297
covariant 72
  vector (covector) 72
covariant derivative 191–
  algebraic properties of 192
  change of *196*, 341
    under conformal rescalings 217, *355*–
  Christoffel (Levi–Civita) 209, 239, 341
    extended to spinor fields 211, 213–; (existence) 217–, 223–; (non-uniqueness) 216, 217; (uniqueness) 214–, 231
  diagram for 429–
  extended to bundles 340, 341
  extended to charged fields 315–
  extended to complex tensors 212, *218*
  exterior 263–
  spinor components of 225
  Taylor (–Gregory) series in 386–
  tensor components of 199
  in a two-surface 271
covector 72
covering 99, 335
covering space 50
  universal 45–
Cronin, J.W. (4)
cross-ratio 29–, *30*
  real, harmonic, equianharmonic 30, 31
cross-section of bundle (270), 334, *335*
Curtis, G.E. 365
curvature, Gaussian 272
curvature spinors 231–
  from Cartan formalism 263–
  change under conformal scaling 355
curvature tensor 194
  components of 200
  diagram for 429–
  Riemann tensor 146, 209, 231
curvature two-form 263
Cvitanović, P. 75, 424
cyclic identity (Bianchi symmetry) 143, 194, *195*, 232, 233
d'Adhémar, R. 389, 401
D'Alembert equation 375
  see also wave equation
Darmois, G. 393
de Donder gauge 364
degrees of freedom 374, 389, 390
derivation 184–
derivative, coordinate, covariant and directional: *see* coordinate derivative, covariant derivative *and* directional derivative
Deser, S. 370, 390
de-Sitter space 379
DeWitt-Morette C. 207
diagrammatic notation ix, 75, *424*–
differential 189
differential form (*p*-form) 203
  duals of 264
  spinor-valued 262
  suppression of indices on 203, 262
  tensor-valued 203, 262
  see also anti-symmetric tensor
Dillard-Bleik, M. 207
Dirac, P.A.M. vii, 220, 221, 362, 384, 403
Dirac delta-function 408, 413
  see also distribution
Dirac electron equation (field) 220–, 312, 377, 412–
  charge–current vector for 377
  degrees of freedom for 390
  energy tensor for 368
  Maxwell–Dirac equations 379, 417–
Dirac(–Fierz) higher spin fields 384
  degrees of freedom for 390
Dirac gamma matrices 124 (221)
Dirac scissors problem 43
Dirac spinors (4-spinors) vii, 143, (*221*), 370, 377
Dirac–Weyl neutrino equation (field) 220–, 362, 367, 375
directional derivative 180, 185, 190, 226, 227
  covariant 206
distributional solution
  of massless free-field equation 410, 412
  of wave equation 409
distributions 407–
divergence equation 322, 371
divergence theorem 205
  see also exterior calculus
division ring 69, 70
Dodson, C.T.J. 198
dominant energy condition 327
Doppler factor 20
Dowker, J.S. 370
Dowker, Y.P. 370

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-33707-6 - Spinors and Space-Time, Volume 1: Two-Spinor Calculus and Relativistic Fields
Roger Penrose and Wolfgang Rindler
Index
More information

Drell, S.D. 368, 423
dual
  [anti-] self-dual *151*–, 320, 351
  of basis *94*, 102
  of bivector 150
  of dual of module 79
  left and right duals 232–
  of module 78, 79
  of *p*-form 264
duality rotation *152*, 232, 233, 242, 330
Duff, G.F.D. 389
Duffin–Kemmer equation 384
dummy index 85, 424
dyad *112*, 223–
  see spinor basis

Eagen, C.F. (47)
Eastwood, M.G. 291
Eckmann B. (93)
edth 255
  see also eth
Ehlers, J. (24)
eigenspinor 173
Einstein, A. 237
Einstein–Cartan–Sciama–Kibble (ECSK) theory 216, *237*–
Einstein field equations *234*, 235, 238, 246, 260, 379–
  degrees of freedom for 390
  weak-field limit of *362*–, 375
Einstein–Maxwell (electrovac) equations *325*–, 379, 382
Einstein static universe 55
Einstein tensor 234
electric and magnetic 3-vectors 323
electromagnetic (Maxwell) field tensor 312–, *318*
  complex 323
  complexion of 330
  components of 323
  components of dual of 324
  duality rotation of 330
  nullity of 164, *324*
  PNDs of 324, 328
  and potential 320, 373, 378
  purely electric [magnetic] 324, 330
  scalar invariants of 164, *324*
  simple 324
electromagnetic potential 312, *316*–
  and field tensor 320, 373, 378
electromagnetic spinor 312, *320*–, 362. 375
  components of 323
  PNDs of 324, 328
Ellis, G.F.R. 55, 180, (191), 207
energy(–momentum) tensor 235
  conformal invariance of, if trace-free 371
  Dirac 368
  Dirac–Weyl 368
  electromagnetic 173, *325*–
  invariance of, under duality rotation 325
  massless scalar 369
  non-symmetric 238
  positive-definiteness of 326–
  supergravity 370
  Yang–Mills 351
energy positivity condition 327
Engelking, R. 183
epsilon spinors: *see* 2-spinors
eth (ð) 255
  conformally invariant ($ð_{\mathscr{C}}$) 360–
  coordinate descriptions of 275, *308*–
  equations in 297–
  generalized inverse of 299
Euler homogeneity operators 287, 291
exact set (of interacting fields) 373–
  Dirac field as 377, 378
  Dirac–Fierz field as 384–
  Einstein field as 379–
  Einstein–Maxwell field as 382, 383
  invariant 375
  massless free field as 375
  Schrödinger–Klein–Gordon field as 378
  Yang–Mills field as 383
exponentiation 176–, 207, 346
extent (*36*), 39, 387, 394
exterior calculus 02–
  compacted spin-coefficient form of
    in conformal form 361, 362
    on null hypersurface *281*–, 362, 396–
    on 2-surface 278–
  fundamental theorem of *205*, 281–, 362, 396
exterior derivative *202*–, 208
  covariant 263–
  in spin-coefficient forms 278, 279, 284, 361
exterior product 203–, 262–
Exton, A.R. 299
extrinsic curvature quantity of 2-surface 277

f-equivalence 99
Ferrara, S. 370
Feynman, R.P. 383, 417
Feynman diagrams 423
Fierz, M. 363, 366, 367, 384, 385
Fitch, V.L. (4)
flag plane *37*, 39, 40, 53, 128
flagpole *37*, 39, 40, 53, 127
Fock, V.A. 383
Fock–Feynmann–Gell-Mann equation 383
form (145), 203
  see also differential form
Fordy, A.P. 252

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-33707-6 - Spinors and Space-Time, Volume 1: Two-Spinor Calculus and Relativistic Fields
Roger Penrose and Wolfgang Rindler
Index
More information

four-screw *28*, 174
Frame, J.S. (144)
Freedman, D.Z. 370
Friedlander, F.G. 407, 408
fundamental group (first homotopy group) 44
fundamental theorem of exterior calculus 205
  see also exterior calculus
future-pointing world-vector *4*, 127

Gardner, M. (4)
gauge 251, 253, *316*, 345, 378
gauge transformation *317*, 345, 364
Gauss, C.F. 205
Gauss–Bonnet theorem 277, 278
Gaussian curvature 272, 276, 288
Gel'fand I.M. (301)
Gell-Mann, M. 383
general relativity: *see* Einstein field equations
generalized inverse of ð 299
generalized Kirchhoff–d'Adhémar formula 393
  see also Kirchhoff–d'Adhémar formula
generator of null hypersurface 283
genus 277
geodesic 283, *387*, 395
geodetic deviation 392, 393
geometrodynamics 329
geometry
  of intersecting null hypersurfaces 393
  of light cone (null cone) 392, 393
  of spinor operations 59: *see also* spinor operations
Geroch, R. 51, 55, 93, 252
Geroch–Held–Penrose (GHP) formalism: *see* compacted spin-coefficient formalism
Goldberg, J.N. 272, (297), 305, (306), (307)
Goldstein, H. 19, 20
gradient of scalar (72) *189*–
Graev, M.I. (301)
graph of a function 333
Grassmann calculus 424
  see also Cartan calculus
gravitational constant (Newton's) 235, 238
gravitational spinor 235
  see also Weyl (conformal) spinor
Green, G. 205
Grgin phenomenon (411)
Gunning, R.C. 298

Hadamard, J. 389
Hausdorff manifold 48, 98
Hawking, S.W. 55, 180, (191), 207
Hayward, R. (4)
Hehl, F.W. 237
Held, A. 252
helicity 308, 362
Herlt, E. 119, 224
Hermitian 16, 123, 124
Hermitian-null vector 131, 132
Hermitian scalar product on sphere 301
Herstein, I.N. 69, (90)
Hibbs, A.R. 417
Hicks, N.J. 180
Hilbert, D. 297
Hitchin, N. 51
Hochschild, G. (176)
holomorphic (15), (*25*), (287), 298
holomorphic coordinate for 2-surface 273–
holonomic basis (93), *199*
homotopy type (46)
Hoppes, D. (4)
Horowitz, G.T. 335, 342
Hudson, R. (4)
Huygens' principle 407

index permutation 71, 75, 84
index substitution 84
indices
  bold-face upright (numerical)*2*–, 76, 93–
  capital Greek (bundle) 335
  composite (clumped) *87*–, 134
  light-face sloping (abstract) *76*–, 93–
  lowering and raising of 104–, 118, 209, 225
  moving of, across each other 110
  staggering of 87, 105
  suppression of 203, 262
Infeld, L. 221
Infeld–van der Waerden symbols *123*–, 228–, 262, 266
infinitesimal transformation 175–, 364
initial value problem, initial data 374, *385*–
  explicit integrals for, in $\mathbb{M}$ 393–
  on intersecting null hypersurfaces 393
  on light cone (null data) 385–
  on spacelike hypersurface 389, 401, 402
inner product 2
  of spin-vector *56*–, 59–, 104, 137
  of tensors 86
intrinsic derivative 226
  see also directional derivative
irreducibility 141–
isotopic spin-space 179, 334

Jacobi identity 206

K^0-decay (4), 56
Kelley, J.L. 93, 183
Kelvin, Lord 205
Kennedy, A.D. 424

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-33707-6 - Spinors and Space-Time, Volume 1: Two-Spinor Calculus and Relativistic Fields
Roger Penrose and Wolfgang Rindler
Index
More information

Kerlick, G.D. 237
Kibble, T.W.B. 237
Kirchhoff, G. 401
Kirchhoff–d'Adhémar formula (generalized) 394–
  in conformally space–time 398–
  defining background fields 402–
  derivatives of 406, 408
  proof of 396–
  satisfaction of field equations 405–
  use with spacelike data 401, 402
Klein, A.G. (47)
Klein–Gordon equation (field) 378
  degrees of freedom for 390
Kobayashi, S. 180, 197
Kramer, D. 119, 224
Kronecker delta
  abstract *89*, 118, 123, 353
    diagram for 425–
  mixed 93–
  numerical *73*, 94, 97, 112

labelling set 77, 78, 116
Lang, S. 180
Lee, T.D. (4)
left-handed massless particles 362
Leibniz law 191–, 214, 255
  in diagrams 429
Levi–Civita connection: *see* covariant derivative, Christoffel
Levi–Civita symbol 112, 113, 115, 137, 139
Lichnerowicz, A. 52
Lie algebra 346
Lie bracket (199), 202, *206*, 246, 247
Lie derivative *202*, 207, 208
  diagram for 429
  geometrical meaning of 207
Lie group 343
light cone 285–, 385, 388
  geometry of 392, 393
  initial data on 385–, *388*, 394–
  invariant volume 3-form on 415, 416
  see also null cone
linearized Einstein field 362–, 375
line bundle (253), 344, 355
  see also vector bundle
local coordinates 182
loop notation for (covariant) derivative 429–
loops in $SO(3)$, classes I and II of 41–
Lorentz, H.A. (321)
Lorentz force 403
Lorentz group *5*, 6
  representations of 141, 146, 237, (294), 300, (301)
  see also rotations of 2-sphere
Lorentz norm 3
Lorentz transformations *5*–, 167–
  improper 167, 171, 172
  infinitesimal 175–
  involutory (reflections) 171–
  kinds of 27, 170
  proper *172*–
  and spin transformations 14, 121, 167–
Lorentzian metric
Lorenz, L. (321)
Lorenz gauge *321*, 322, 373, 378, 383, 417
luminosity parameter 399

MacCallum, M.A.H. 119, 224, 362
Macfarlane, A.J. 272, (297), 305, (306), (307)
Mac Lane, S. 69, (90)
Magnon-Ashtekar, A. 335, 342
Majorana 4-spinor-tensor 370
manifold 48, *179*–
  analytic 346, 386
  connected, Hausdorff, paracompact 48, 98, 180, 183, 184, 335
  covering of 99
  see also space–time manifold
massless (free-) field equations 246, 322, *362*, 394
  derivatives of 375, 376
  giving exact set 375
  initial data for 388, 395
  in spin-coefficient form 260
    conformally invariant 361
massless particles 362
  see also massless field equations
Mather, J. 335
Maxwell equations 319–
  conformal invariance of 372, 373
  degrees of freedom for 390
  with differential forms 322, 373
  Einstein–Maxwell equations 379
  first half 319
  free space 260, 319, 362, 367, 375
  Maxwell–Dirac equations 379, 417–
  second half 320
  in spinor form 322, 376
Maxwell field 150, (151), *318*
  see also electromagnetic field
Maxwell theory 312–, 333
  as Yang–Mills theory 344
metric 266, 275
  see also metric tensor
metric tensor 208, 266
  diagram for 428
  as spinor 117–
Metzner, A.W.K. 399
Mills, R. 342
Milnor, J. 52
Minkowski space–time *5*–, 285–, 318, (355), 366, 375, 393–

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-33707-6 - Spinors and Space-Time, Volume 1: Two-Spinor Calculus and Relativistic Fields
Roger Penrose and Wolfgang Rindler
Index
More information

Minkowski tetrads 3–
  global 55
  orthochronous 4
  proper and improper 2
  restricted *4*, 58, 120
  and spin-frames 58, (59), 120
Minkowski vector space *1*–, 48
  orientation (space–time orientation) 2
  space-orientation 4, 121
  time-orientation 4, 121
Misner, C.W. 329, 330, 390
Möbius band 338, 339
module 69, 70, 76–
  axioms for 78
  dimension of 92
  dual 78, 79
  reflexive 80
  $\mathfrak{S}$-module 78
  totally reflexive 80
Moore, E.H. 299
multilinear map 80

Naimark, N.A. (257), (294), (301)
Nashed, M.Z. 299
neighbourhood 99, 184
  $\mathfrak{T}$-neighbourhood 181–
Nester, J.M. 237
neutrino (220)
  see also Dirac–Weyl equation
neutron (47), 179
Newman, E.T. 119, 224, 262, 272, 275, 291, 292, 293, (297), 299, 305, (306), (307), 307, 308, (399)
Newman–Penrose (NP)
  constants 404
  formalism 223–, 246–
Newman, M.H.A. (43)
Nomizu, K. 180, 197
normal coordinates 387
nucleon 179
null cone *8*–, 352, 388
  conformal structure of cross-section of 38
  see also light cone
null datum *388*–, 395
null-flag bundle 48
null flags 32–, 128
  and orthonormal frames in $\mathbb{R}^4$ 53
  PP' description of, on $\mathscr{S}^+$ 34–
  and spin-vectors 39–, 352
null hypersurface (251), *281*
  conservation law on 285
  fundamental theorem of exterior calculus on 281–
  generator of 283
  geometry of 392, 393
  initial data on 374, 385–, *388*–, 393–
  invariant volume 3-form for light cone 415, 416
  volume element 3-form 284
null rotation *28*, (29), 174, 178
null symmetric spinor 164, 324
null tetrad 119, 125
null two-planes 37
  angle between 38
null vector: *see* world-vector, null
null zig-zag 415–
numerical indices *2*, 76

Oehme, R. (4)
Opat, G.I. (47)
orientation
  of Minkowski vector space 2, 4, 121
  of $\mathscr{S}^+$ [$\mathscr{S}^-$, S^+, S^-] 129, 274, 308
  of space–time manifold 49, 129
  of tetrads 2
orthochronous Minkowski tetrad 4
Ostrogradski (205)
Overhauser, A.W. (47)

Papapetrou, A. 224
paracompact 48, 98
parallelizability *92*, 93
partition of unity 98, *100*, 336
Pauli, W. 362, 366, 367, 385
Pauli spin matrices 125
Penrose, R. 26, 51, 55, 75, 119, 224, 239, 251, 252, 262, 275, 291, 292, 293, (297), 299, 305, 307, 308, 353, (353), 362, 374, 385, 392, 395, (399), (401), 402, (404)
photon 323
  left- and right-handed (151)
Pirani, F.A.E. 392
Planck's constant 377
Plebanski, J. 366
PND 162–
  see also principal null direction
Poincaré group 6, (355)
Poincaré lemma [converse of] 204
Poincaré transformation *5*, 6, 7, 8
position vector *5*, 362, *387*, 405
positive frequency 362
Poston, T. 198
potential
  electromagnetic 312, *316*–, 320, 373, 378
  Yang–Mills 347–
Poynting vector 327
prime operation 226–, 250, 256–, 268
principal null direction (PND) *162*–, 173, 367
  k-fold 162, 163
  of Maxwell field 328
principal null vector 162, 328

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-33707-6 - Spinors and Space-Time, Volume 1: Two-Spinor Calculus and Relativistic Fields
Roger Penrose and Wolfgang Rindler
Index
More information

principal spinor 162–
product
  contracted (inner) *86*, 88, 89
  exterior 203–, 262–
  inner (scalar) 2
    of spin-vectors *56*–, 59–, 104
  outer (tensor) 71, 74, *83*
  scalar multiplication 1, 56, 83
projection operator 271
proper [improper] tetrad 2
proton 179

quantum mechanics viii, (47), 220
quaternions *21*–, (45), 52, 55, (92), (93)
  conjugate of 22
norm of 22

Rainich, G.Y. 329
Rainich conditions 328–,
  differential 331, 332
rank 72
rapidity *20*, 27, 32
Rarita, W. 384
Rarita–Schwinger equation 384
Rauch, H. (47)
reducibility 141–
reduction to symmetric spinors 139–
  of curvature 236
reflexive 80
  see also total reflexivity
restricted Lorentz group 5
  representations of 141–
restricted Lorentz transformation *5*, 17, 167–
restricted Minkowski tetrad 4
restricted Poincaré group 6
  representations of (141)
Ricci identity 194
  diagram for 429
  spinor form of 243, 244
    with charged fields 320–, 366
    diagram for 433
Ricci rotation coefficients 265
Ricci spinor 231–, *234*
  diagram for 433
  dyad components of 248
    weight types of 256
Ricci tensor 146, 210, 239
  non-symmetric 238
  trace-free 146
Riemann sphere 10–, *11*, 24–, 274, 289
Riemann (–Christoffel) tensor 146, *209*, 231, 239, 341
  and curvature 2-form 263
  diagram for 431
Riemannian connection: *see* covariant derivative, Christoffel
Riesz, M. 389
right-handed massless particles 362
Rindler, W. 24, 352
Robinson, G. de B. (144)
Robinson I. 24, (31), 153, 241
Robinson–Bel tensor 240–
  see also Bel–Robinson tensor
Rohrlich, F. 272, (297), 305, (306), (307)
rotations of 2-sphere 18–, 294–
  irreducible functions under 296–
    completeness of 297

Sachs, R.K. 199, 260, 364, 392, 393, 399
Sachs (asterisk-) operation 260, *261*, 269, 270
scalar curvature 210, 233
scalar fields 180
scalar multiplication 1, 56, 83
scalar product 1
  between module and its dual 79
  numerical expression for 94, 95
  see also product
scalars 73
  complex 188
  ring of 76, 77
scattering 419–
Schiff, L.I. 306
Schild, A. 392
Schrödinger, E. 371
Schrödinger–Klein–Gordon field (equation) 378
  degrees of freedom for 390
Schwinger, J. 384
Sciama, D.W. 237
see-saw 106, 110
self-dual 151, 351
signature
  Lorentzian *2*, 24, (121), 235
  positive-definite 24
simple skew tensors (145), *165*–
simply-connected 41
  non-simply-connected region of space–time 219, 318, 331
skew symmetry: *see* anti-symmetry
sky mapping *9*, 30
spacelike hypersurface, initial data on 389, 401, 402
spacelike 2-surface 252, *267*–
  orientation of 268
  surface element 2-form for *280*, 301, 394
spacelike world-vector 3
space-orientation of $\mathbb{V}$ 4
space-time manifold 48–, 103, *210*–
  Minkowskian 5
  space-orientation of 129
  space time orientation of *49*, 129
  spin structure on *49*–, 129

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-33707-6 - Spinors and Space-Time, Volume 1: Two-Spinor Calculus and Relativistic Fields
Roger Penrose and Wolfgang Rindler
Index
More information

time-orientation of *49*, 129
Sparling, G.A.J. (401)
speed of light 235
spherical harmonics: *see* spin-weighted spherical harmonics
spin
of a massive particle 384
of a massless particle 362
spin-coefficient Bianchi identity (compacted form) 259
spin-coefficient commutator equations 247, 248
in compacted form 258
spin-coefficient equations 247–
in compacted form 258
spin-coefficients *223*–, 246–, 254–
conformal rescalings of 358, 359
relation to Cartan's moving frames 265–
spin density 237–
spin-frame *58*, *110*–, 119–, 224, 228, 353
conformal rescaling of 358
and Minkowski tetrad 58, (59), 120
spin group 16
representations of 141–, 237
spin matrix *15*–, 115
spin-space 56
spin structure *49*–, 129
ambiguity of 51–
obstructions to 50–
spin transformation *15*–, 58, 167–
infinitesimal 176–
positive-definite Hermitian 20
unitary 18–
spin-vector bundle (48), 50–
spin-vectors 32, 39–, *47*, 126–, 352
components of 56–, *58*, 112
diagrams for 431
fields of 69, 70, 103–
operations on: *see* spinor operations
spin-weight *253*, 273, 290–, 391
spin-weighted spherical harmonics *297*–, 391, 392, 399
basis $({}_sY_{j,m})$ for 305
conformal behaviour of 300–
coordinate descriptions of 308–
orthogonality of 302
reciprocity relations for 307
scalar product of 305
table of dimensions of 298
spinor basis *110*–, 223–
conformal rescaling of 358
global existence of 93, 111
normalized: *see* spin-frame
spinor operations
algebraic 56–
complex conjugation 107–
on fields 103–
on general spinor 108–
geometry of 59–
inner product *59*–, 137, 352
scalar multiplication 39, *40*, 59, 128, 129
sum 63
spinor structure 48–, *54*, 129
in non-compact space–times 55
spinorial object 41–, *46*,
in nature (46)
1-spinors 273
2-spinors vii, 70, 103–, *108*–, 423
components of 113–
curvature spinors 231–
diagrams for 431–
ε-spinors 104–
covariant constancy of 215
covariant non-constancy of 216, 217
diagrams for 432
identity in 106, 136
4-spinors (Dirac spinors) vii, 143, (*221*), 370, 377
splitting off skew indices 106, 137
squared interval 5
Staruszkiewicz, A. (32)
Stasheff, J.D. 52
Stephani, H. 119, 224
stereographic coordinate (complex) *11*, (12), 33–, 274, 309, 310
stereographic projection *10*–, 25, 60
Stewart, J.M. 252
Stieffel–Whitney classes 51, *52*
Stokes' theorem (205)
stretch band 339, 340
Sudarshan, E.C.G. 272, (297), 305, (306), (307)
summation convention *2*, 71–, 76
supersymmetry (supergravity) 370
surface: *see* null hypersurface, spacelike hypersurface, spacelike 2-surface
surface area 2-form 280, 301
Susskind, L. (46)
symmetric spinors 139–
canonical decomposition of 162
constant 294
derivatives of, in compacted formalism 257
null 164
number of components of 147
reduction of arbitrary spinor to 139
reduction of curvature to 236
symmetric tensors 134–
trace-free 146, 147, 240
trace-free part of 148
trace-reversed 149
symmetrization 132
diagram for 426–

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-33707-6 - Spinors and Space-Time, Volume 1: Two-Spinor Calculus and Relativistic Fields
Roger Penrose and Wolfgang Rindler
Index
More information

symmetry operations 84, *132–*
  diagrams for 426–
Synge, J.L. 28, 387, 416
Szekeres, P. 367

tangent space 179
  at a point 187
tangent vectors 179
  bundle of 333
  field of 184
  at a point 187
Taylor (Gregory) series (covariant) 386–
tensor translation of spinor algebra 147–
  of contraction 158
  of even spinor 155
  of odd spinor 156
  of outer product 156, 157
  of spinor-index permutation 153–
  of sum 157, 158
tensor translation of spinor differential equations 219–
  of Dirac–Weyl equation 220, 221
  of Dirac equation 222
tensors vii, 70–
  abstract algebraic view of 73–
  [anti-] symmetric: *see* [anti-] symmetric tensors
  classical algebra of 70–
  classical transformations of 71, 97, 101
  components of 70–
  definitions of
    as formal-sum (type II) *81–*, 95–
    as multilinear-map (type I) *80–*, 95–
    as rule (type III) 72, 95–, *100–*
  invariant under a linear transformation 168
  operations on
    contraction 71, 74, 84, 85
    diagrams for 425–
    index [substitution] permutation 71, 75, 84
    outer product 71, 74, *83*
    sum 70, 74, 82
  real and complex 188
  restricted to open set 98–
Terrell, J. 26
tetrad 1–
  improper, proper 2
Minkowski 3–, 58, 120
  null 119, 125
  orientation of 2
t' Hooft, G. 75
thorn ($\mathfrak{p}$) 255–
  conformally invariant ($\mathfrak{p}_{\mathscr{C}}$) 360
Thrall, R.M. (144)
three-sphere
  left [right] translations of 55, (92), (93)
  parallelizability (92), (93)
time-orientable space–time 49
time-orientation of $\mathbb{V}$ 4
timelike 2-surface 268–
  see also spacelike 2-surface
timelike world-vector 3
Tod, K.P. 291
torsion-free 193, 200, 202–, 216–, 223–, 355–, 386
torsion tensor 193, 200, 215, 216, 237, (353), (356), 370
  diagram for 429, 430
total reflexivity *80–*, 82
  from existence of basis 95–
  on a manifold *98–*, 183, 188
trace-reversal 149
transformation laws of components
  for spinors 115
  for tensors 71, 97, 101
transvection 86
Trautman, A. 119, 237, 364
trivialization (317), 345
Turlay, R. (4)
twistor equation 260
  in spin-coefficient form 260
    conformal 361
twistors (viii), 130, 143, 273, 348, (401), 423
  diagrams for 434
types of weighted quantity 253–, 289–

unimodular matrix 15, 115
universal covering space 45–
Unruh, W.G. 403
unscrambler (Robinson's) 153, 241
Unti, T.W.J. 224
Urbantke, H.K. 370

valence 72, 78
van der Burg, M.G.J. 399
van der Waerden, B.L. vii, (107), 221
vector bundle 48–, (253), 269, *332–*
  base space of 333
  complex line bundle (253)
    unitary 344
  connection on 340
    change of 341
  cross-section of (270), 334, *335*
    local basis for 335
  curvature of 340, 341
  explicit construction of 337–
  fibre of 333
    Hermitian structure on 344
    Lie group structure on 343, 344
  fields on 341, 342
  null-flag [spin-vector] bundle 48–
  tangent bundle 333–
vector field 69, *184–*,

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-33707-6 - Spinors and Space-Time, Volume 1: Two-Spinor Calculus and Relativistic Fields
Roger Penrose and Wolfgang Rindler
Index
More information

components of 185
vector space 1
spin-space as 58
vectors, contravariant and covariant 72
Veltman, M. 75
Vilenkin, N. Ya. (301)
von der Heyde, P. 237
Voorhees, B.H. 252

Wainwright, J. 224
Walker, M. 252
Ward, R.S. 352
wave equation 260, 374
conformally invariant 260, 395
degrees of freedom for 390
energy tensor for 369
initial data for 390, 401
in spin-coefficient form 260
weak energy condition 327
weak-field limit of Einstein equations 362–, 375
weak interactions, non-invariance under space-reflections (4), 56
wedge (exterior) product 203–, 262–
weighted quantity 253–
type of 253–
Wells, R.O. Junior 274
Werner, S.A. (47)
Weyl, H. 42, (143), 220, 356
Weyl geometry 356, 357
Weyl neutrino equation 220–
see Dirac–Weyl equation
Weyl (conformal) spinor *236*, 239, 240–, 366, 367, 373
dyad components of 248
weight types of 256
Weyl (conformal) tensor 146, 236, *240*–
[anti-] self-dual parts of 236, 237, *240*–
Wheeler, J.A. 329, 330
Whittaker, E.T. 222, (321)
Wilfing, A. (47)
Witten, L. 55, 329
Woodhouse, N.M.J. 205
world-tensor, as spinor 116–
complex and real 117, 124
world-tensor calculus vii
world-vector *1*–, 116–
causal, spacelike, timelike 3
complex, and improper Lorentz transformations 171
complex null 126, 129
future-and past-pointing *4*, 127
Hermitian-null 131, 132
null *3*, 126
Wu, C.S. (4)
Wu, T.T. (4), (315)

Yang, C.N. (4), (315), 342
Yang–Mills (YM) theory 333, *342*–
bundle connection in 344–
current for 350
energy tensor in 351
exact sets with 383, 386
field equations in 350
spinor form of 351
field tensor in 349
[anti-] self-dual 351
spinor form of 350, 351
gauge in 345
gauge transformations in 345, *348*
Hermitian metric in 347
potentials for 347
change under gauge transformations 349
YM-charged fields 333, *342*–, 356
Young, A. (143)
Young tableau 143, (*143*–)
number of independent components (144)
tensor diagram for 431

Zeilinger, A. (47)
zero rest-mass field equations 362
see also massless field equations
zero spin-vector 47
zero tensor 73
Zumino, B. 370

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-33707-6 - Spinors and Space-Time, Volume 1: Two-Spinor Calculus and Relativistic Fields
Roger Penrose and Wolfgang Rindler
Index
More information

Index of symbols

Symbols are listed in order of appearence in text; page numbers in italics denote main references; page numbers in parentheses refer to footnotes; a dash indicates continuation for more than two pages.

$\mathbb{R}$ 1, 180–
$\mathbb{V}$ 1–
$\mathbf{g}_{\mathbf{i}}$ 1–
$\mathbf{a}$, $\mathbf{A}$, $\boldsymbol{\alpha}$, $\boldsymbol{\Gamma}$ (bold upright indices: numerical) 2–, 76, 335–
$\|U\|$ 3
$\mathbb{M}$ 5–, 285–, 393–
$\overrightarrow{PQ} = \mathrm{vec}(P, Q)$ 5
$\mathbb{R}^4$ 5, 52–
$\mathscr{S}^+$, $\mathscr{S}^-$, S^+, S^- 8–, 24–, 26, 33–, 60–
ζ (complex stereographic coordinate) *10*–, 33–, 274, 309, 310
$\boldsymbol{K}$ 14, 32
$SL(2, \mathbb{C})$ *16*–, 45–, 141–, 237
$\mathbf{A}^*$ (conjugate transpose) 16
w (Doppler factor) *20*, 27
$\phi = \log w$ (rapidity) 27
PP' 34
$SO(3)$ *41*–, 344
π_1 (first homotopy group) 44
$\widetilde{T}$, $\widetilde{SO(3)}$ (universal covering space) 45–
$SU(2)$, $O^{\uparrow}_{+}(1, 3)$ 45–
$\boldsymbol{\kappa}$ (spin-vector) 47
$\mathbf{0}$ (zero spin-vector, tensor) 47, 73
$\mathscr{M}$ 48–, 98–, *180*–, 210–
C^∞ 48
$\mathscr{F}$, $\mathscr{F}'$, $\mathscr{F}_P$, $\widetilde{\mathscr{F}}_P$ 48–
$SO(4)$ 52
S^3 55, 92
$\mathfrak{S}^{\cdot}$ 56, *76*–
$\mathbb{C}$ 56, 294
$\{\boldsymbol{\kappa}, \boldsymbol{\omega}\}$ 56–, 104, 352
$\boldsymbol{o}$, $\boldsymbol{\iota}$ 58
$[{}^{p}_{q}]$, $[{}^{pq}_{rs}]$ 72, 108
$\boldsymbol{\delta}$, $\delta^{\boldsymbol{\beta}}_{\boldsymbol{\alpha}}$ 73
a, A, α, Γ (lightface sloping indices: abstract) *76*–, 335–
$\mathscr{L}$ (labelling set) 77, 103
$\mathfrak{S}^{\alpha\cdots}_{\lambda\ldots}$ 80
δ^{β}_{α} *89*, 90, 425
α^* (reversed-position index) 90
$\mathscr{A}$, $\mathscr{B}$, ... (composite indices) 90
$\mathfrak{S}^{\mathscr{B}\ldots}_{\mathscr{A}\ldots}$ 90
$\mathscr{L}'$ 91, 107
$\varepsilon_{\alpha_1\cdots\alpha_n}$ 92
$\delta^{\alpha}_{\boldsymbol{\alpha}}$, $\delta^{\boldsymbol{\alpha}}_{\alpha}$ 93, 94
$A^{\boldsymbol{\alpha}\cdots}_{\lambda\ldots}$, $A^{\alpha\cdots}_{\boldsymbol{\lambda}\ldots}$ 95
$\delta^{\alpha}_{\boldsymbol{\alpha}}$, $\delta^{\boldsymbol{\alpha}}_{\alpha}$ 97
$\mathfrak{S}^{\alpha\cdots}_{\beta\ldots}(f)$ 99
$\{\mathscr{U}_i\}$ 99, 335
$\mathfrak{S}^{\boldsymbol{B}\cdots}_{\boldsymbol{A}\ldots}$ 103, 212–
ε_{AB}, ε^{AB}, $\varepsilon_{A}{}^{B}$ 104, 105, 432
$\overline{\kappa^A} = \bar{\kappa}^{A'}$ 107
$\mathfrak{S}^{A\ldots P'\ldots}_{L\ldots U'\ldots}$ 108
o_A, o^A, ι_A, ι^A 111
$\chi = o_A\iota^A$ 111, 224, 252, 254
$\varepsilon_{\mathbf{AB}}$, $\varepsilon_{\mathbf{A}}{}^{A}$, ... 111–, 223, 432
$\mathscr{K}$ (world-tensor labelling set) 116
$a = AA'$ etc. 116
$\mathfrak{S}^{a\ldots d}_{p\ldots r}$, $\mathfrak{T}^{a\ldots d}_{p\ldots r}$ 117
$\mathfrak{T}$ 117, *180*
g_{ab}, $g_a{}^b$, g^{ab} 117, 208
l^a, m^a, $\bar{m}^a$, n^a 119, 226, 253
$g_{\mathbf{ab}}$, $g_{\mathbf{a}}{}^{\mathbf{b}}$, $g^{\mathbf{ab}}$, $g_{\mathbf{a}}{}^{a}$, $g_a{}^{\mathbf{a}}$ 121
$g_{\mathbf{a}}{}^{\mathbf{AA'}}$, $g_{\mathbf{AA'}}{}^{\mathbf{a}}$ (Infeld–van der Waerden symbols) *123*, 266
$\chi_{\ldots(\ldots)\ldots}$, $\chi_{\ldots[\ldots]\ldots}$, $\chi_{\ldots|\ldots|\ldots}$ 132–
$\mathfrak{S}_{\ldots(\ldots)\ldots}$, $\mathfrak{S}_{\ldots[\ldots]\ldots}$ 134
e_{abcd}, e^{abcd} 137, *138*
$\oplus$ (direct sum) 141, 142, 180, 212, 343
$\frac{\partial}{\partial Y^{\alpha}}, \frac{\partial}{\partial o^A}, \frac{\partial}{\partial x^a}, \frac{\partial}{\partial y^{\Phi}}$ (abstract indices!) (145), *287*, 341
$GL(n, \mathbb{C})$ 146
$\hat{T}_{ab}$ (trace-reversed tensor) *149*, 364
$^*F_{ab}$, $^*G_{ab\mathscr{A}}$ *150*, 264

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-33707-6 - Spinors and Space-Time, Volume 1: Two-Spinor Calculus and Relativistic Fields
Roger Penrose and Wolfgang Rindler
Index
More information

$^{\dagger}J_{abc\mathscr{A}}$ *151*, 264, 371
$^{\ddagger}K_{a\mathscr{B}}$ *151*, 264
$^{-}F_{ab}$, $^{+}F_{ab}$ *151*, 320
$^{(\theta)}F_{ab}$ 152
$U_{ab}{}^{cd}$ 153–
exp(...) *176*, 177, 207, 346, 387
$\mathfrak{R}$ 181
$B_{a,b}(x)$ *181*, 183
$(\mathscr{U}, x^i)$ 182–
$V(f)$ 184
$\mathfrak{T}^{\cdot}$ 184
$\partial/\partial x^{\mathbf{a}}$ (on a manifold) (184), 189
$V[P]$, $V[\mathscr{S}]$, $\mathfrak{T}^{\cdot}[P]$, $\mathfrak{T}[\mathscr{S}]$, $\mathfrak{T}^{\cdot}[\mathscr{S}]$ 187
$\mathfrak{T}^{\alpha\ldots\gamma}_{\lambda\ldots\nu}[P]$, $\mathfrak{S}^{\alpha\ldots\gamma}_{\lambda\ldots\nu}[\mathscr{S}]$ 188
d 189, 203–, 263–
dx^{α} 189
∇_{α} 190–, *192*, 312–, 340, 429
$\Delta_{\alpha\beta}$ *193*–, 242
$T_{\alpha\beta}{}^{\gamma}$ *193*–, 237, 429
$\text{Д}_{\alpha\beta}$ *193*–, 340
$R_{\alpha\beta\gamma}{}^{\delta}$ *194*, 209, 231, 429
$Q_{\alpha\beta}{}^{\gamma}$ *196*, 215, 341
∂_{α} *198*, 348
$\Gamma_{\alpha\beta}{}^{\gamma}$ 199
$[U, V]$ (199), *206*, 246, 247
$\nabla_2 A_3$ 201
$\pounds$ *202*, 207
$\overset{V}{A} := A_{l_1 l_2 \ldots l_p}$ 203
p-form 203–
$\boldsymbol{A} \wedge \boldsymbol{C}$ 203–, 262–
$\int_{\mathscr{P}} \boldsymbol{A}$ 205
$\boldsymbol{U} \circ \boldsymbol{V}$ (composition) 206
$\overset{X}{\nabla}$ 206
$\Theta_{aB}{}^{C}$ 215–, 355
Υ_a 217, 356–
$\gamma_{\mathbf{AA'C}}{}^{\mathbf{B}}$, $\gamma_{\mathbf{AA'BC}}$ (spin-coefficients) 223–
$\rho, \sigma, \kappa, \tau, \ldots, \varepsilon'$ (spin-coefficients) *225*–, 248, 249, 254–, 270, 358, 359
$(\ldots)'$ 226–
D, δ, D', δ' 227
$R_{abcd} = R_{AA'BB'CC'DD'}$ 231
X_{ABCD}, $\Phi_{ABC'D'}$ 231–, 357, 433
$^{*}(\ldots)$, $(\ldots)^{*}$, $^{(\theta)}(\ldots)$, $(\ldots)^{(\theta)}$ 232
Λ 233–, 357
γ (Newton's constant) 235
Ψ_{ABCD} 235–, 312, 357, 433
C_{abcd}, $^{+}C_{abcd}, \ldots$ 236, 237
$\Box_{AB}$, $\Box_{A'B'}$ *242*–, 320–, 350
$\Psi_0, \Psi_1, \ldots$ 248
$\Phi_{00}, \Phi_{01}, \ldots$ 248
Π 248
$\{r', r; t', t\}$ (type) 253
$\{p, q\}$ (type): $p = r' - r$, $q = t' - t$ 253
$[s, w]$ (type): $s = \frac{1}{2}(p - q)$, $w = \frac{1}{2}(p + q)$ 253, 273, 289–, *291*–
$\text{þ}, \text{ð}, \text{þ}', \text{ð}'$ 255–, 270–, 308–
$\Box$ *260*, 364, 409
$(\ldots)^{*}$ (Sachs operation) 260, 261
$\Omega_a{}^b$, $\Omega_A{}^B$ 263
θ^a 264, 265
$\omega_a{}^b$ 264, 265
$\boldsymbol{l}, \boldsymbol{m}, \bar{\boldsymbol{m}}, \boldsymbol{n}$ 266, 267
ds^2 266, 275
$\delta\mathscr{S}, \mathscr{S}$ 268–
Δ_a 271–
K (complex curvature of 2-surface) 272, 277
$\mathscr{S}$ (area 2-form) 280, 301, 394
$\mathscr{N}$ (null hypersurface) 281–, 388–
∂ (boundary) 282
$\mathscr{N}$ (null volume 3-form) 284
$\mathscr{N}$ (invariant volume 3-form of light cone) 415
$f(\xi)$, $f(\xi, \bar{\xi})$ (287)
$\mathbb{S}\ldots$ *294*–, 396
$\langle h, f \rangle$ 301–
${}_sY_{j,m}$, ${}_sZ_{j,m}$ 305–
φ_{AB} 312–, *320*
Φ_a 312–, *316*
F_{ab} (Maxwell field) 312, *318*–
$\overset{e}{\mathfrak{S}}{}^{\ldots}_{\ldots}$, $\overset{e}{\mathfrak{S}}{}^{\ldots}_{\ldots}[P]$ 313–
ε (elementary charge) 314–, 344
K (complex Maxwell scalar) *324*, 330
$\mathfrak{T}^{\Phi}$, $\mathfrak{S}^{\Phi}$ 336, 343
$\mathscr{V}^{\cdot}$ (fibre) 338–
$K_{ab\Omega}{}^{\Phi}$ 340, 341
$\Phi', \ldots$ (conjugated bundle index) 343
$\alpha_{\Psi}{}^{\Psi}$ 345
$q_{\hat{\Psi}}{}^{\Psi}$ 345
$q_{\Psi}{}^{\Theta}$, $p_{\Psi}{}^{\Theta}$ 346
$\Phi_{a\Psi}{}^{\Theta}$ 347
$\hat{g}_{ab}$, $\hat{\phi}_{\ldots}$ (conformally rescaled) 352–
Ω 352–
w_0, w_1, w (conformal weights) 358, 360
$\text{þ}_{\mathscr{C}}, \text{ð}_{\mathscr{C}}, \text{þ}'_{\mathscr{C}}, \text{ð}'_{\mathscr{C}}$ *360*, 395
x^a (position vector) 362, *387*, 405
h_{ab} 363
$\mu = 2^{-\frac{1}{2}}\hbar^{-1}m$ 377, 384, 412
Δ_j (distributional field) 408–

© Cambridge University Press www.cambridge.org