

# Index

Page numbers in **bold** type refer to tables; those in *italic* type refer to figures and boxes.

- abandoned fields 99, 103, 241  
 abundance plots 264, 266  
*Acacia saligna* **157–8, 174**  
*Acacia suaveolens* 134–6, 139  
*Acacia* spp. 114  
 accident or purpose 156, 158  
*Acer pseudoplatanus* 30  
*Acer rubrum* 148–9  
 adjacency effects 36  
*Adonis aestivalis* 12–13  
*Adonis flammea* 12–13  
 aerial photography 47–9  
*Aeschynomene virginica* 156  
 Africa **19**, 29, 69, 165, **174–5**, 242  
   *see also* North, South and individual countries  
*Agalinis* spp. 160–1  
 agamospermy **90–1**  
 age specific population growth model **199**  
 agents 12, 60–2, 164–94, 211, 248  
*Ageratina adenophora* **174**  
*Ageratina riparia* **157, 174**  
 Agreement on the Application of Sanitary and Phytosanitary Measures 162  
 agrestals 12–13  
*Agropyron desertorum* 62, 103, **105**  
*Agropyron spicatum* 62, 103, **105**  
*Agrostemma githago* 12–13  
*Agrostis stolonifera* 70, 73–4, 108–10  
 Alaska **18–19**  
 Alberta **18**  
 alder 147  
*Aletris* spp. 160–1  
 alga, brown 151–2  
 Allee effect 218  
*Alliaria petiolata* 229–30  
*Alliaria* spp. 160–1  
*Alnus* sp. 147  
*Alternanthera philoxeroides* **174**  
 alternate hosts 150, 151–2, 152–4  
*Ambrosia artemisiifolia* 30, **157**  
 American chestnut 148–9  
 Americas 69, 168  
   *see also* Central, North, South  
*Amsinckia tessellata* 65  
 Amur honeysuckle 81–2  
*Andropogon* sp. 85  
*Anthemis austriaca* 4  
*Anthemis cotula* 4  
 anthracnose 147  
 ants 99, 106  
*Aphthona nigriscutis* 173  
*Aphthona* spp. 182  
 Appalachian Mountains 148–9  
 aquaria 25, 119, 175  
 aquatics 58, **115, 116**, 178, 249  
   introductions 25–6, 30–2  
   vegetative 106, 119, 139–40, 175–6, 236–8  
*Araucaria* sp. 147  
 Argentina 27, **157**, 165, 168  
 Arizona 25  
*Arrhenatherum elatius* 112–13  
 Ascension Island 267–8  
 Asia 28–30, 108–12, **157**, 175, 242  
 Asteraceae 12, 66, 73–4  
 Australia 61–3, 74–5, 85, 93–4, 110–19  
   biological control 157–8, 173–9, 194  
   *Opuntia* spp. 164, 167–70, **174–5**, 197–8  
   genetic modification 245  
   introductions 3–5, 17–18, 24, 26–9  
   models 197–8, 204, 208–10, 219  
   physical control 229–30  
   south **24**, 134–6, **157**  
 Austria **19**

## 302 · Index

- Bahamas **18–19**  
 bahia grass 229  
 barriers 39–41, 222  
 bears 153  
 bees 171, 178  
 beetles 106, **133**, 154–5, 173, 188–9  
   leaf eating 66, 94–5, 181–3, 209–10, 210–12  
   root-boring 66, **133–4**, 200–2  
   weevils 95–6, 176, 179, 181–4, 191–2  
   *see also* Coleoptera  
 Belgium 80  
 Belize **18–19**  
 Bell's vireo 85  
 beneficial landscaping 7–8  
 Benin 165, **174**  
*Berberis thunbergii* 10–11, 227–8  
*Berberis vulgaris* 149–51  
 Bermuda **18–19**  
 biennials 37–8, 91–4, 101–3, 129, 180  
 biodiversity 14–23, 261–7  
 Biological Control Act 1984 178  
 biological control 11–12, 61–2, **118**, 164–94, 248–50  
   cactus 9, 164–5, 167–70, **174–5**, 197–8  
   *Centaurea diffusa* 140–6, 172, **174**, 190  
   cost effectiveness 176–84, **192**  
   fungi 149, 154–63  
   models 128–9, 181–2, 195–223  
   population 120–2, 128–9  
   *see also individual species*  
 biological success 165, 167–70, 171–94  
 biomass 64, 86, 205–9, 262  
 biotic resistance hypothesis 62–4, 86–8  
 birds 2, 16, 79, 85, 153–4  
   carriers 30, **115**, 117  
   and diseases 149–51  
   and life histories 106, 110  
 birth rate 129–31, 139–40, 140–6, 213  
 Bitou Bush 5  
 black currant 152–4  
 blackberry (*Rubus* spp.) 63, **157–8**, 178  
 Blyth and Ridley procedure 259  
 boats 25, 30–2, 217–18  
*Boiga irregularis* 16  
*Bos bison* 63  
 Botswana **174**  
 bottom-up influences 121–2  
 bramble 10–11  
 Brazil 167–8, 175  
 British Columbia **19**, 147, 152–4, 227  
   knapweed 124–6, 140–6, 172, 200–2  
   British Isles **19**, 30, 33–4, 65–9, 203–5  
   *Bromus japonicus* 63  
   *Bromus madritensis* ssp. *rubens* 64, 85  
   *Bromus tectorum* 60, 85  
   *Bromus* sp. 64–5  
   broomrape 156, 236–8  
   brown alga 151–2  
   brown tree snake 16  
   buffalo 63  
 C–S–R model 54–8, 56–60  
 Cactaceae 11–12, 180, 188  
   *see also Opuntia* spp.  
*Cactoblastis cactorum* 165, 167–70, **174–5**, 180, 191, 197–8  
*Calathea ovandensis* 221  
 calcareous grassland 102  
 California **18–19**, 61–7, 70, 73–4, **238**  
   invasions 84–5, 151–2, 159–60, 226  
*Calligrapha pantherina* 209–10  
 Canada 62, 245, 262, 268–9  
   biological control 164–5, **174–5**  
   diseases 147–56, 152, 160, 162  
   introductions 6, 10–11, 17–**18**, 22, 26–9, 47–9  
   physical control 227–30  
   *see also individual Provinces*, Toronto  
 Canada thistle 70, 73–4, 162  
 Canary Islands **237**  
 canola, 'Roundup Ready' 245  
*Carduus acanthoides* **174**  
*Carduus nutans* 4, **174**, 189–92, 206–8  
*Carduus tenuiflorus* **157**, **174**  
*Carduus thoermeri* **199**  
*Carduus* spp. 62, 191–2  
*Carex nudata* 70, 73–4  
 Caribbean **18**  
 Carolinas 66–7, **237–8**  
 Carpathian Mountains 12–13  
 carrotwood 240  
*Castanea dentata* 148–9  
 catclaw mimosa **238**  
 cattails 81  
 cattle 2, 27, 64, 168, 229, 238–9  
 cedar 147  
*Centaurea diffusa* 68, 92–3, 214, 256–7  
   biological control 172, **174**, 190  
   Leslie matrix model **199**  
   population 124–6, 130–4, 140–6, **199–203**  
*Centaurea maculosa* **174**

- Centaurea nigra* 103–4  
*Centaurea solstitialis* 190–1  
 Central America **18**, **28**  
*Ceratophyllum* sp. 26  
 cereal 12, 158, 162  
 chains of extinction 14–16  
 cheatgrass 60  
 chemical control 11, 117–**18**, 230–1, 236  
 chestnut blight 148–9  
 Chile 3, **18–19**, 28–9  
   biological control **157**, 165, **174**  
 China 6, 165, **174**  
*Chondrilla juncea* **157–60**, **174**, 178  
*Choricarpia leproetala* 242–3  
*Chromolaena odorata* **174**, 229, 241–3  
 chromosome doubling 67–8  
*Chrysanthemoides monilifera* 5  
*Chrysanthemum leucanthemum* 40–1, 103–4  
 cinnabar moth 37–8, 197–8, 210–12  
*Cirsium arvense* 70, 73–4, 162  
*Cirsium canescens* 192  
*Cirsium vulgare* 40–1, 62, 99–101  
*Cirsium* spp. 62, 160–1, 191–2  
 citrus 147  
*Cladium jamaicense* 84  
 Clark's nutcracker 153–4  
*Clematis vitalba* 177–8  
*Clidemia hirta* 47, **157**, **174**  
 climate 14–16, 98, 172  
   and invasion 28, 44–5, 53, 117  
 climax 51–2  
 CLIMAX model 78–9  
 clones 34, **90**, 93–4, 108–11, 139–40  
 clumping 197–9, 256–8  
 cochineal 9, 167, 188  
 cogongrass 241  
 Coleoptera 5, 66, 182–4, 188–9  
   *see also* beetles  
*Colletotrichum gloeosporoides* 156–7  
 colonization 34–5, 39–41, 52–4, 102–3  
 Colorado 63  
 Colorado Springs 267  
 common barberry 149–51  
 common ragweed 30, **157**  
 common reed 110–11  
   competition 11, 54–78, 204, 210–12, 243  
   agents 183–9, 204, 210–12  
   stress 121–2  
 complementary agents 182–4  
 connectivity 40–1, 47–9  
 contingent valuation 177–8  
 continuum concept 52  
   control 8–13, 195–223, 223–43  
     *see also* biological, chemical, physical  
   control segment, GPS 267  
 Cook Islands **18–19**, 174  
*Cordia curassavica* **174**  
*Cornus* spp. 147  
 corridors 36, 39–41, 50, 125, 220–21  
 cost 7, 17, 19–20, 226–7, 239–41, 255–6  
 cost–benefits 7, 10–11, 39, **114**, 222–3  
   control 176–84, **192**, 224, 231–43  
 Côte d'Ivoire 166  
*Cronartium ribicola* 152–4  
 crowding 92–4, 126, 132–3  
*Cryphonectria parasitica* 148–9  
*Cryptococcus neoformans gattii* 147  
*Cryptostegia grandiflora* **157**  
 Cuba **18–19**  
*Cucurbita pepo* 244  
 cumulative stress hypothesis 181–2  
*Cupaniopsis anacardioides* 240  
*Cuscuta japonica* 236–8  
*Cynoglossum officinale* 37–8, 99–101  
*Cyrtobagous salviniae* 176  
*Cyrtobagous singularis* 176  
*Cytisus scoparius* 27, 61, 97–9, 101  
   models 203–5, 208  
   population 128–9, 135, **137–9**, 227  
  
*Dactylis glomerata* 112  
*Dactylopius austrinus* 9, 167  
*Dactylopius* spp. 188  
 data management 268–70  
*Daucus carota* **102–4**  
 deer 10–11, 63  
 defended species 10–11, 65–7, 85  
 definitions 15–17, **80**  
   names 20–3  
   success 163, 170–6  
 demographic parameters 129–31  
*Dendroctonus ponderosae* 154  
*Dendroica petechia* 85  
 Denmark 152  
 density 4, 121–31, 139–46, 231  
   agents 61–2, 85, 173–6, 181–94  
   biological control 11–12, **157–8**,  
     164–70  
   Cactaceae 9, 11–12, 165, 167–70  
   and herbivores 60–4  
   and life histories 91–6, 106–8  
   models 128–9, 181–2, 200–2, 205,  
     208–12, 247  
   sampling 140, **252–60**

## 304 · Index

- Devon Island **18–19**  
 Diego Garcia 267–8  
 diffuse knapweed (*Centaurea diffusa*) 68,  
   92–3, 214, 256–7  
   biological control 172, **174**, 190  
   Leslie matrix model **199**  
   population 124–6, 131–4, 140–6,  
   **199–203**  
 diffusion 68, 214–23  
*Dipsacus sylvestris* 221–2  
 Diptera 5, 94–5, **133–4**, 140, **188–9**,  
   200–2  
*Discula destructiva* 147  
 disease 16, 62, 120–2, 244–8  
   fungal 147–63, 168  
 dispersal 38–46, 96–107, 111–19,  
   122  
   and control efforts 227, 236  
   models 197–8, 214–23  
   see also humans  
 distance or plotless sampling 258–60  
 distribution 9, 22–3, 115–19, 197–9  
   methods 39–41, 120, 153–4  
 disturbance 8, 36–44, 49, 52–61, 75, 80  
   catastrophic 36  
   and fires 85–6, 220–1  
   and germination **97–103**, 116–18, 127–8,  
   227  
   intermediate theory 54  
   and population 107, **121–2**, 190, 203–5,  
   210–12  
   regime 13, 36, 87–8  
 diversity 68–79, 79–87, 266–7  
   and disturbance 51–4  
   and resistance 68–75  
 dogwood anthracnose 147  
 dominance 51–3, 60, 77–8, 148–9, 190,  
   254–5  
 dormancy 98–106, 180, 245  
 Douglas fir 147  
*Dreissena polymorpha* 217–18, 220  
 dunes 37, 58, 87, 93–4, 101, 129  
 Dutch elm disease 154–5  
 dynamic communities 70–5, 88, 120–46,  
   229–31  
   *Centaurea diffusa* 140–6, 199–202  
 eastern white pine 152–4  
*Echium italicum* 219  
*Echium plantagineum* 178, 194, 219  
*Echium vulgare* 103–4, 219  
*Echium* spp. 74–5  
 ecological success 170  
 ecosystem services 7, 232–3  
 edge effects 15, 36, 39, 46–50, 94–6  
   *Cytisus scoparius* 135, **137–9**  
 eradication 236  
   sampling 255  
 egg-clumping 197  
*Eichhornia crassipes* **174**, 179, **199**, 234  
*Elaeagnus angustifolia* 24  
 elk 63  
 elm bark beetles 154–5  
*Emex australis* **174**  
 emigration 122, 129  
*Empidonax traillii extimus* 85  
 endangered species 16  
 endophytes 154  
 England 56–7, 61  
*Entyloma ageratinae* **157**  
 environmental factors **189**  
 Environmental Protection Agency 7–8  
*Epiblema strenuana* 177  
 Equilibrium Theory of Island Biogeography  
   35–8, 41, 43–50, 53, 69–70  
 equilibrium density **80**, 196, 196–7,  
   205  
 eradication 150–1, 152–4, 196, 232–9  
*Erodium cicutarium* 65  
 erosion 25–6, 39, 84, 103–5, 119  
   and biological control 171, 241  
 establishment **20**, 23  
 eucalyptus 114, 147, 204  
*Eucalyptus* spp. 114, 147, 204  
*Euphorbia esula* 173–4, 182  
*Euphorbia* spp. 160–1  
 Eurasia 83  
 Eurasian water milfoil 25, 30–2, 214,  
   220  
 Europe 26–34, 56–8, 226, 229  
   invasion 26–34, 61, 65–9, 147–61, 249  
   life histories 99, 101–2, 108–20  
 eutrophication **77**  
 evaluation **115–18**, 167–8, 172–86  
   of effort 210, 225–43, 260–1  
 evenness of species 262–3, 265–7  
*Exapion fuscirostre* 205  
 extinction 23, 50, 54  
   rates 14–17, 35–8, 102, **104**  
 facilitation 52, 87  
*Fallopia japonica* 33–4, 106, 110, 214, 225

- fecundity **185, 192**, 197–212, 218, 248  
 and diversity 70–5, 81–2  
 and population 126–39, 190, 220  
 variation in 75–9, 86–8, 114, 141–6  
 feedback 79  
 fern, *Salvinia molesta* 12, 25, 140  
 biological control **174–6**, 178, 179, 186  
 fertilization 60, 63, 73  
*Festuca ovina* 53, 112–13  
 fieldwork 131–2, 195–223, 248, 259–61  
 Fiji **18–19**, 174  
*Filago californica* 65  
 Finland 152  
 fire 54–5, 58–60, 69, 85–6  
 and control 158, 220–1, 225, 227–30  
 as stress 52, 76, 88, 106  
 fitness homeostasis 112–13  
 five-needled pines 152–4  
 flax 12  
 flies 5, 94–5, **133–4**, 140, 188–9, 200–2  
 Florida **18–19**, 24, 84, 87  
 biological control 168–70, 180, 234–41  
 flowering time 94–6, 99, 105, 227  
 forest 81–5, 94–6, 114–15, 219–22  
 damage 148–9, 151, 158, 204  
 disturbance 10–11, 58, 73, 229  
 spread 30, 40–1, 46–50, 52, 241  
 fountain grass **237**  
 fragmentation 36–40  
 France **19**, 60–1, 73–4, 153, 208  
 Fremont cottonwood 25, 84  
 French Polynesia **18–19**  
 frequency, sampling 254–8  
*Fritillaria meleagris* 245–6  
 fritillary 245–6  
 functional groups 54–8, 74–5  
 fungi 147–51, 151–4, 154–61, 168, 207  
 mycorrhizal 160–1  
*Fusarium subglutinans* 147  
*Fusarium* spp. 156  
 fynbos biome **157–8**, 220, 228–9
- Galápagos 46  
*Galega officinalis* **157**, 236–8  
*Galium aparine* 81–2  
 gardening 6–8, 33–4, 240–3, 248  
 gardens 66, 111–19  
 botanic 23–4, 175, 237–43, 249–50  
 ornamentals 3, 5–6, 9, 20, 23–4, 29, 168  
 garlic mustard 229–31  
 gene flow 244–7  
 genetic modification 89, 150, 244–50  
 genetic variation 14–15, 89, 92, 112–13,  
 150, 179–80  
*Lantana* spp. 242–3  
*Gentiana* spp. 160–1  
 Geographic Information Systems (GIS) 152,  
 214, 252, 267–70  
 Georgia 169, **238**  
 Germany **19**, 30, 151–2  
 germination 59, 74, 127, 200–3, 220–1  
 in life histories 93, 96–102, 106, 114  
 models 200–5, 220–1  
 Ghana 165, **174**  
*Gilia minor* 65  
 Global Positioning Systems (GPS) 167, 214,  
 267–8  
 GLONASS 267  
 glufosinate 245  
 glyphosate 2, 245  
 goats 2, 63, 85  
 goat's rue **157**, 236–8  
 goldenrod 30, 103–4  
 Gooding willow 25, 84  
 gooseberry 152–4  
 gorse 1–2  
 grasses 90, 98, 111–13, 204  
 non-native 27, 60–4, 73, 85, 103–5,  
 116  
 grassland 69–70, 73, 83–6, 125–6  
 disturbance 52, 58–64  
 population 27, 102–5, 129, 139–40  
 grazing 2, 53, 58–66, 79, 85, 194  
 and life histories 27, 103–6, 116, 227  
 Great Plains **18–19**  
 green wood 147, 161  
 Grime's C–S–R model 54–60, 76, 107–8,  
 175  
 growth 60, 66, 74–5, **90–6**, 106–10, 180  
 and fungi/soil 160–1  
 models 209  
 Guam 16, **174**  
 guerrilla spreading growth 108–10  
 gypsy moth 149
- habitat 14, 16–17, 57–60  
 characteristics **104–10**, 266–7  
 fragmentation 13–16, 36, 39–41, 47–50  
*Harrisia martinii* **174**  
 Hatfield Moors 7  
 Hawaii **18–19**, 63, 83, 85, 267  
 biological control **157**, 173–4

## 306 · Index

- Hazardous Substances and New Organisms Act (NZ) 192
- Hemiptera 5, 188–9
- herbicide 9, 12–13, 117, 228–31, 235  
 mycoherbicide 156, 163  
 resistance 244–5
- herbivore(s) 2, 87–8, 133–4, 246, 248  
 insect 5, 61–2, 140, 142–3, 195  
 in models 143, 198–9, 202–12  
 pressure 94–5, 120–4, 181–9  
 specialist 60–6, 164
- heterogeneity 146, 220–1, 252–5, 262–6
- hexaploids 67–8
- hide and seek 196
- Hieracium pilosella* 53
- Hieracium pratense* 103–4
- Himalayan balsam 27, 34
- Holcus lanatus* 112–13
- host-specificity 158–60, 167, 184–6
- humans 1–13, 14–34, 44–50, 215–20  
 and C–S–R model 56–60  
 and fungal diseases 147  
*see also* dispersal
- Hungary 19, 30, 156
- hybridization 154–5, 244–5
- Hydrilla verticillata* 26, 174, 199, 236–8
- hydrological changes 25, 84–6, 225, 229, 232–3
- Hymenoptera 5, 188
- Hypericum perforatum* 40–1, 62–3, 103–4  
 biological control 11–12, 174, 179
- Hypochaeris radicata* 40–1
- ice ages 4–5
- ice plant 83–5
- Illinois 18–19
- imidazolinone 245
- immigration 34–59, 134–9  
 rates 121, 129–32
- Impatiens balsamifera* 27
- Impatiens glandulifera* 30
- Impatiens pallida* 81–2, 94–5
- Imperata cylindrica* 241
- import permits 162–3, 166–8, 172, 243  
*see also* quarantine, risk
- indexes of diversity 264–6
- India 64, 165, 174–5, 242–3
- Indiana 49–50
- Indonesia 165, 174
- inertia, water and nitrogen 86–7
- infection, secondary 180
- information layers 269–70
- inhibition and succession 52
- insects 140, 164–94, 248  
 in biological control 173–94, 248  
 and invasive species 5, 61–2, 78, 94–6  
 models 195–9, 199–212  
 and prickly pear 9, 165–70, 188  
*see also* beetles, flies, moths, *individual species*
- integrated weed control 176
- integrated weed management 226–7
- interspecific competition 64–78, 88, 204, 243
- introduction 15, 18–23, 23–50, 170  
 and biological control 164–94
- invasibility 39–50, 51–75, 75–88, 161–3, 250  
 and genetic modification 244  
 and life histories 89–119, 204
- invasion 34–6, 41–50, 75, 160–3  
 prediction 112–19, 214, 219–23, 247–50  
 speed 221–3
- Invasive Species Council 17
- iridoid glycosides 242
- Island Biogeography theory 35–8, 41, 43–50, 58, 69–70
- Israel 19, 59
- Japan 26, 33–4
- Japanese barberry 10–11, 227–8
- Japanese dodder 236–8
- Japanese knotweed 33–4, 106, 110, 214, 225
- Julien's Catalogue 172
- Juniperus virginiana* 87
- k*-values 133–4
- Kansas 54, 63
- Kentucky blue grass 63
- Kenya 69, 165
- key factor analysis 133–9
- keystone species 83, 88, 153–4, 225
- kudzu 24, 26, 80–1, 147, 156
- Lactuca muralis* 40–1
- Lake George, New York 31–2
- lakes 12, 25–6, 30–2, 140, 175–6, 218–20  
*see also* *Ranunculus repens*
- landscape ecology 37–45
- Lantana camara* 3, 64, 84, 164, 229, 242–3
- Laos 242
- larch 147
- Larix* spp. 147

- Lasthenia californica* 65  
 leafy spurge 173–4, 182  
 Lefkovich models 206  
 legumes 73–4, 113–14  
 Lepidoptera 177, 188  
   *see also* moths, *individual species*  
 Leslie matrix model **199**, 206–8  
 lesser snow geese 79  
*Liatis* spp. 160–1  
 life cycles 137–9, 206–8, 209, 211  
 life histories 62, 89–119, 180, 205–8  
 life stages **90**, 133–9, 190–4, 200, 205–8,  
   257  
 life tables 132–9, 140–6, 195, 211  
 light levels 40, 49, 76, 83  
 limiting factors 121–9, 146  
*Lindera benzoin* 10–11  
 local action 231–9, 243, 249  
*Lolium perenne* 112–13  
*Longitarsus jacobaeae* 211  
*Lonicera maackii* 81–2  
 Lonsdale model 41–50  
 Lotka–Volterra equations 70, **198**  
 Louisiana 234  
*Lymantria dispar* 149  
*Lythrum salicaria* 22, 81, 97–8, 251  
   biological control 66, **174**, 181  
*Lythrum* spp. 160–1
- Madagascar **157**  
*Magnolia* sp. 148–50  
 maize 245  
 Malaysia 165, **174**  
 mammals 12, 106, 147, 149, 153, 218  
   dispersal **115**, 227, 236  
   *see also* grazing, *individual species*  
 management 8–11, 171, 224–43, 249,  
   251–70  
   control **192**  
 manuals 226–7  
 maple 148–9  
*Maravalia cryptostegiae* **157**  
 Margalef's diversity index 264  
 Marianas **174**  
 Marshall Islands 267–8  
 matrix models 195, 206–8, 210–12,  
   221–2  
 Mauritius 173, **175**  
 measuring 260–7  
*Mecysmoderes* sp. 95–6  
*Medicago lupulina* 103–4  
 medicinal plants **24**, 241–3  
 Mediterranean Europe 60, 98, 159,  
   **189**  
 Mediterranean saltwort 236–8  
*Melaleuca quinquenervia* 84–6, 229–31, 234,  
   241  
*Melampsora* fungus 147  
 Menhinick's index 264  
*Mentha arvensis* 103–4  
*Mesembryanthemum crystallinum* 83–5  
 mesquite 85  
 metapopulation biology 36–8, 50, 196–7  
 Mexico 25, 169–70, 245  
 Micronesia **174**  
 milkweed vine 156  
*Mimosa invisa* **174**  
*Mimosa pigra* 62, 83, 85  
*Mimosa pigra* var. *pigra* **238**  
 Minnesota 70, 150–1  
 mistflower **157**, **174**  
 moas 2  
 models 78–9, 111, 128–31, 181–2, 247  
   C–S–R 56–60  
   dispersal 214–19, 220–3  
   genetic modification 245  
   Grime's 54–60, 76, 107–8, 175  
   Lefkovich 206  
   Leslie **199**, 206–8  
   Lonsdale 41–6  
   and Lotka–Volterra equations 70, 198  
   management 225–6  
   matrix 195, **199**, 205–8, 210–12, 221–2  
   Nicholson–Bailey 196–8  
   reaction–diffusion 217–18  
   seed limitation 199–205  
   SEIBS 220–1  
   simulation 190, 195–205, 220–1  
   stochastic 202–3, 218  
   succession 52–6  
   Weed Risk Assessment 116–18  
 moisture 121–2, 124–6, 132–3, **189**  
 Mojave Desert 64–5, 85  
 monitoring 17, 194, 225–6, 246, 267–70  
   control 128–40, 158, 164–94  
   and costs 231–7  
 monocarpic plants 93  
 Montana 25, 63  
 Monterey pine 147  
 Montpellier 73–4  
 moose 63, 79  
*Morrenia odorata* 156

## 308 · Index

- mortality 92–3, 122, 130, 213, 248  
   models 139, 140–6, 195, 199–213, 248  
   rates **133–9**, 151–2, 152–4, 185, 194  
*Morus alba* 245  
*Morus rubra* 245  
 moths 37–8, 149, 176–7, 197–8, 210–12  
   *see also Cactoblastis cactorum*  
 mountain pine beetles 154  
 Mudumalai Wildlife Sanctuary 64  
 mulberries 245  
 multiflora rose 24  
 musk thistle **199**  
 mycoherbicide 156, 163  
 mycorrhizal fungi 160–1  
*Myocaster coypus* 11  
*Myrica faya* 83, 86–7  
*Myriophyllum spicatum* 25, 30–2, 214, 220  
*Myrothecium verrucaria* 156
- nascent foci 215–19, 223, 234  
 native agents 160–1, 184–94, 247  
 naturalization 20, 23, 34, **116–18**  
 NAVSTAR 267  
 Nebraska 192  
 negative binomial distribution 256–8  
 Neo-Europe 26–7, 29, 93, 164–5, 249  
*Neochetina bruchi* 179  
*Neochetina eichhorniae* 179  
 Netherlands 37, 56–7, 93–5, 99–101  
   diseases 151–2, 154–5  
 nettle 80–1  
 Nevis 168–9  
 New Caledonia **18–19**, **175**  
 New England 27, 149  
 New Jersey 25  
 New Mexico **18–19**, 25  
 New and Old Worlds 44–5, 93–4  
 New South Wales 5, 158–60  
 New York 148–9, 152  
 New Zealand 1–3, 17–20, 25–6, 93–4, 115  
   biological control 61, 164–5, 173–4, 235  
   population 128–9, 205–8  
   niche 77–9, 81, 120, 150, **185**  
   Nicholson–Bailey models 196–8  
 Nigeria **174**  
 nitrogen 73, 75–7, 83, 86–7, **117**, 176  
 nodding thistle 4, **174**, 189–92, 206–8  
 Noogoora burr 156–8, **174**, 177, **199**  
 North Africa **19**  
 North America 6, 28–30, 61, 103–5  
   control 12, 191–4, 205–8, 226–43  
   diseases 148–57  
   intermountain 85, 140–6, 200–2  
   life history 92–5, 98–106, 108–12  
   north 30, 102–3, 221–2  
   *see also individual countries*  
 Northern Ireland 56–7  
 northern joint vetch 156  
 Norway **19**  
 Nottingham 29  
*Nucifraga columbiana* 153–4  
 number of introductions 2–4, 17–20, 26–30, 56–60  
   interaction 35–6, 41–50, 64, 68–75  
 nutria 11
- oaks, North American 148–9, 151–2, 262  
*Odocoileus virginianus* 10–11  
*Oenothera biennis* **102**  
 Ohio 81  
 Okanagan Valley 140–6, 200–2  
 old aliens 12–13  
 Ontario 10, **18–19**, 47–9, 103–4, 262  
   control 160–1, 227–8, 230–1  
*Operculina ventricosa* 63  
*Ophiostoma novo-ulmi* 154–5  
*Ophiostoma ulmi* 154–5  
 opportunity **118**  
*Opuntia aurantiaca* 9, 164–5, 167–70, **174**  
*Opuntia corallicola* 169–70  
*Opuntia elatior* **174**  
*Opuntia ficus-indica* **174**  
*Opuntia imbricata* **174**  
*Opuntia inermis* 168–70, 197–8  
*Opuntia leptocaulis* **174**  
*Opuntia littoralis* **174**  
*Opuntia monacantha* 167  
*Opuntia oricola* **174**  
*Opuntia streptacantha* **175**  
*Opuntia stricta* 168–70, **175**, 197–8  
*Opuntia triacantha* **175**  
*Opuntia tuna* **175**  
*Opuntia* spp. 11–12, 164, 168–70, 188  
 ordered distance sampling 259  
 Oregon 40–1, 205, 210–12  
*Orobanche minor* 236–8  
*Orobanche ramosa* 156, 236–8  
 Orthoptera 188  
*Oryza rufipogon* **237**, **238**  
*Oryza sativa* **237**



- Oryza* spp. 234, 242  
 over-exploitation 14, 16  
 oviposition 166, 197–9
- Pacific North-west 6–7, 99, 135, **137–9**  
 palatability 11–12, 73, 116  
 Palau **174**  
 Panama **157**  
*Panicum repens* 229  
 paperbark 84–6, 229–31, 234, 241  
 Papua New Guinea (PNG) 165, **174**  
 Paraguay 168  
 parasitoids 166, 170, 187, **189**, 195–9  
*Paspalum notatum* 229  
*Paspalum repens* 229  
 pathogens 147–63, 167–8, 171  
   *see also individual species*  
 pathotypes 159–60  
 Patterson's Curse or Salvation Jane 178, 194, 219  
*Paulinia acuminata* 176  
 peat 7–8, 110  
*Pectocarya* sp. 65  
*Pennisetum setaceum* **237**  
 persistence 21, 89–107, 117  
 pest status 3  
 pest–enemy associations 184–8  
 phalanx compact growth 108–10  
*Phalaris arundinacea* 98  
 phenotype plasticity 91–2, 105  
 photosynthesis-based simulation model **199**  
*Phragmidium violaceum* **157–8**  
*Phragmites australis* 110–11  
 physical control 9, 227–30  
 physiological performance 112–13  
 physiological time model **199**  
 phytophage species 61  
*Phytophthora palmivora* 156  
*Phytophthora* sp. 151–2  
 phytosanitary programme 161–2  
*Pilea pumila* 81–2  
 pine pitch canker 147  
*Pinus albicaulis* 153–4  
*Pinus cembra* 152  
*Pinus strobus* 152–4  
*Pinus* sp. 114, 220, 229  
*Pistia stratiotes* **174**  
 plant associations and insects 186–8  
 plant communities 51–88  
*Plantago major* 27, 70, 73–4  
 plantain 27, 70, 73–4  
 Platte thistle 192  
 plotless or distance sampling 258–60  
*Poa annua* 112–13  
*Poa pratensis* 63, 103–4  
 Poaceae 66  
 point-quarter sampling method 259  
 points in sampling **252–4**  
 Poisson distribution 256  
 Poland 12–13  
 pollination **90–1**, 94–6, 110  
   *see also self-pollination*  
 polluter pays policy 114, 239–43  
 pollution 14–16  
*Polygala* spp. 160–1  
*Polygonum* spp. 160–1  
 poplar 25, 84, 147  
 population 15–16, 120–46, 160–1, 195–223  
   density 108–10, 195, 248  
   growth 128–31, 195, 206–8, 210–12, 220–2  
   life tables 132–9, 140–6, 195, 211  
   monitoring 131–2, 140, 158, 230–1  
*Populus fremontii* 25, 84  
*Populus* spp. 147  
 porpoise 147  
 Portugal 30, 194  
 potato 147  
*Potentilla recta* 67–8  
 prairie 6–7, 60, 85–7, 103–5, 245  
   Scotch broom 27, 135, **137–9**, 205, 208  
 Precise Positioning Service (PPS) 268  
 precision 257–8  
 predation 77, 97–9, 103–6, 127–9, 182–4  
   in biological control 61–2, **133–4**, 182–5, 187–92, 248  
   model 140–6, 199–212  
 prediction, of invasiveness 89–119, 161–3  
   of success 179–94, 195, 248–50  
 prickly pear cactus 9, 164–5, 167–70, **174**  
   *see also Opuntia* species  
*Primer on Ecological Restoration* 226, 238, 243  
 Prince Edward Island **18–19**  
 productivity 64–77, 199–202, 204–5, 218  
*Pseudotsuga menziesii* 147  
*Puccinia carduorum* **157**  
*Puccinia chondrillina* **157–60**  
*Puccinia xanthii* 156–8, 177  
*Pueraria lobata* 24, 26, 80–1, 147, 156  
 Puerto Rico **18–19**

## 310 · Index

- Pullman, Washington 4  
 purple loosestrife 22, 81, 97–8, 251  
     biological control 66, **174**, 181
- quadrat sampling **252–9**  
 quantifying techniques 251–70  
 quarantine 113–**18**, 151–2, 155, 161–3,  
     219, 243  
     host-specificity 158–**60**, 167  
 Quebec **18–19**, 160–1  
 Queensland 176, 177  
 Queensland Prickly Pear Commission 168  
*Quercus rubra* 148–9, 151–2
- rabbits 53, 63  
 radishes 244–5  
 railways 39  
 rainforest 38, 98  
 ramets **90**, 108, 139–40, 176  
 random sampling **242–3**, 256  
*Ranunculus repens* 139–40  
*Ranunculus reptans* 108–10  
 rapeseed 245  
*Raphanus raphanistrum* 244–5  
*Raphanus sativus* 244–5  
 rarefaction 264, 266  
 rat 12, 242  
*Rattus* spp. 12, 242  
 reaction–diffusion model 217–18  
 recolonization 34–6  
 red cedar 87  
 red currant 152–4  
 Red Data Book 16  
 red maple 148–9  
 red mulberry 245  
 red oak 148–9, 151–2  
 reed canary grass 98  
 refuges 37, 197  
 regulating factors **121–6**  
 reproduction 89–96, **117–18**, 122, 126–7  
     age 91–2, 95–6, 111, 134–7  
     net rate 60, 130–40, 220–1  
     vegetative 68, 106–11, 139–46  
 reproductive value 134–6  
 Republic of Ireland 56–7  
 reserves 43–50  
 resilience 79–87, 128–9  
 resistance 79–97, 149–50, 245–6  
     diseases 149, 154  
     invasion **42–5**, 62, 68–75, 75–9  
 resources 69–79, **121–37**, 140, 242, 247
- response decision 235  
 restoration 8–11, 153–4  
     and control 8–11, 165–71, 170–1,  
     224–43  
     Primer 226, 238, 243  
*Rhabdopterus praetexus* 95  
*Rhinocyllus conicus* 190–2, 208  
 rhizomes 33–4, **90–1**, 110–11, **238**  
     biological control 140, 175–6, 180  
*Rhododendron ponticum* 30  
*Rhododendron* spp. 147, 151–2  
*Ribes nigrum* 152–4  
*Ribes palmatum* 152–4  
*Ribes rubrum* 152–4  
 rice 234, 236–**8**, 242  
     see also *Oryza* species  
 risk assessment 113–**18**, 191–4, 249–50  
     and trade 17–20, 161–3, 237–**9**  
 River Tweed 29  
 roads 39–41  
 Rocky Mountains 63–4  
 Rondeau Provincial Park 10–11, 227–30  
 root systems 111  
*Rosa multiflora* 24  
 rosettes **91–4**, 99, **102**, 108–10, 193  
     *Centaurea diffusa* 92–4, 131–**3**, 140–6,  
     190, 200–2  
     *Chrodrilla juncea* 158–9  
     *Ranunculus repens* 139–40  
*Rubus constrictus* **157**  
*Rubus fruticosus* **157–8**, 178  
*Rubus idaeus* 10–11  
*Rubus ulmifolius* **157**  
*Rubus* spp. 63  
 ruderals 55–6, 58, 107–8  
 Russia 30, **157**, 165  
 Russian olive 24
- Saccharum spontaneum* 236–**8**  
 St John's Wort 41, 62–3, 103–4  
     biological control 11–12, **174**, 179  
 salinity 25, 39, 84–5  
*Salix gooddingii* 25, 84  
*Salsola vermiculata* 236–**8**  
 saltcedar 25, 83–5, 231–3  
*Salvinia auriculata* 175–6  
*Salvinia molesta* 12, 25, 140, 186, 234  
     biological control **174–6**, 178, 180  
*Samea multiplicalis* 176  
 sampling 71–2, 131–2, 140, 143, 251–61  
 saprophytes 147

- saturation 68–70  
 savanna plant 262  
 sawgrass 84–6, 229–31  
*Schismus arabicus* 64, 85  
*Schismus barbatus* 64, 85  
*Schismus* sp. 65  
 scientific success 171  
*Scolytus* spp. 154–5  
 Scotch broom 27, 61, 128–9, 227  
   models 203–5, 208  
   Washington 97–9, 101, 135,  
     137–9  
 Scotland 56–7  
 sedge, tussock forming 70, 73–4  
 seed(s) 37, 56–60, 103–6, 111–19  
   germination 59, 74, 96–103, 114, 126–7  
   models 200–5, 220–1  
   life histories 93, 96–102, 106, 114  
   limitation 62, 126–39, 190, 202–8  
     models 146, 202–5, 205–8, 210–12  
   movement 39, 111, 190–1, 227  
   persistence 98–107, 112–13  
   size 40, 57, 96–7, 101–6, 111–12, 119  
 seed bank 82, 89–90, 98–9, 105–6, 112  
   and control 150, 190, 202–4, 227, 245  
 seed galls 133–4, 199–202  
 Segments of GPS 267–8  
 SEIBS, model 220–1  
 selection in sampling 251–6  
 self-pollination 90, 111  
 self-thinning 126–8, 146, 209  
*Senecio auriculata* 176–7  
*Senecio jacobaea* 12, 37–8, 40–1, 63,  
   92–5  
   biological control 174, 197–8, 210–12  
*Senna obtusifolia* 156  
*Sesbania punicea* 174, 182–4, 199  
 Shannon index 265–6  
 sheep 2, 63  
 Siam or trifid weed 174, 229, 241–3  
 Siberian stone pine 152  
 sicklepod 156  
*Sida acuta* 174, 208–10  
 Simpson's index 265–6  
 simulation models 190, 195–9, 202–5,  
   220–1  
 Singapore 47  
 skeleton weed 157–60, 174, 178  
 small broomrape 236–9  
 Smith and Wilson index of variance 265–7  
 soda apple 238–9  
 soil 25–6, 51–2, 58, 86–8, 111–12  
   fungi 68, 75, 147, 153–61  
   microbes 62, 68, 160–1, 247–8  
   moisture 121, 124–6  
*Solanum viarum* 238–9  
*Solidago canadensis* 30, 103–4  
 Solomon Islands 18–19  
 South Africa 9, 18, 27–9, 73, 157–8, 228–9  
   biological control 164–5, 173–4, 178,  
     186, 189  
   spreading of species 220, 242  
 South America 18, 28–30, 73  
 South Dakota 25, 63  
 space segment, 267  
 Spain 19, 27–30, 237  
 species richness 15–17, 68–75, 262–7  
   and invasion 35–50, 53–64, 75–88  
 species–area relationship 34–5, 42, 262  
 specificity 61–2, 158–60, 164, 167, 209  
*Sphenoptera jugoslavica* 134, 200–2  
 spice bush 10–11  
 spread 120, 146, 154, 181, 236, 241  
 Spurge, *see Euphorbia* spp.  
   models 205, 214–22  
 squirrels 153  
 squash 244  
 Sri Lanka 174–5, 178, 242  
 stability 79–80, 127, 196–200, 209  
 Standard Positioning Service (SPS) 268  
 STELLA model 199  
 stem rust fungus (wheat) 149–51  
 stochastic models 202–3, 218  
 streams 40–1  
 stress 55–68, 106, 181–2  
*Striga asiatica* 236–9  
*Striga hermonthica* 199  
 successes 165, 167–80, 180–94, 249–50  
   evaluation 233–4, 248–50  
 succession 36, 51–3, 64–8, 128–9, 148–9  
   vegetative 106–7, 139–40  
 successional habitats 2, 129  
 sudden oak death 151–2  
 sulphur cinquefoil 67–8  
 suppression 150  
 surfactants 156  
 survival 42, 124–46, 202–3, 220  
 susceptibility 38, 180–1  
 Sweden 127–8  
 Switzerland 19, 24  
 sycamore 30  
 systematic sampling 252–4

## 312 · Index

- T-square sampling procedure 259  
*Tamarix ramosissima* 24–5, 83–5  
*Tamarix* spp. 25, 83–5, 231–3  
 tansy ragwort (*Senecio jacobaea*) 12, 37–8, 41, 63, 92–5  
     biological control **174**, 197–8, 210–12  
 Tanzania 165  
*Taraxacum officinale* 103–4  
 teasel 221–2  
 Tennessee **18–19**  
 Tens rule 34  
 Tephritid flies **133–4**, 188, 200–2  
 tetraploids 67–8  
 Texas **18–19**, 25, 168, **238**  
 Thailand **74**, 165  
 thistle(s) 6, 62, 190–2  
     *Carduus* spp. **157**, **174**, 189–92, **199**, 206–8  
     *Cirsium* spp. 40–1, 70, 73–4, 99–100, 191–2  
 3/2 rule 126–7  
*Thuja* sp. 147  
*Thymus nucei* 53  
 Thysanoptera 188  
 tolerance and succession 52  
 Toronto 7–9, 269  
 torpedo grass 229  
 toxic plants 62–3, 115, 181  
 trade-offs 92, 95–6, 105–7, 197–8  
*Triopogon dubius* **102–4**  
 transgenic *see* genetic modification  
 translated vigor 65–7  
*Tribulus cistoides* **174**  
*Tribulus terrestris* **174**  
*Trifolium repens* 40–1  
*Triticum* spp. 147, 149–51, 242  
 tropic cascades 121–2, 211  
 Turkey 30, 158–9  
 tussock grasses 108  
*Tyria jacobaeae* 37–8, 197–8, 210–12
- Uganda 165, **174**  
 UK 3, 7, 11, 17–21, 155, 245  
     biological control 164, 226  
     *see also* Northern Ireland, Scotland, Wales  
 Ukraine 156  
*Ulex europeus* 1–2  
*Ulmus* spp. 154–5  
*Uromyces galegae* **157**  
*Uromycladium tepperianum* **157–8**  
*Urophora affinis* **133–4**, 200–2  
*Urophora quadrifasciata* **133–4**, 200–2  
*Urtica dioica* 80–1  
 Uruguay 168  
 USA 6–7, 12, 16–**18**, 23–32, 62, 80–7  
     biological control **157**, 164, 168–70, **174**  
     risk assessment 113–**18**, 152  
     *see also* individual states  
     user segment, GPS 267  
 USSR (former) 165  
 Utah **18–19**, 103, **105**, **238**
- Vaccinium hirtum* 95–6  
 value, exotics 5–7  
 Vancouver Island 6, 152–3  
 variability 79–**80**  
     relative 255–8, 265–6  
     variable forms 159–60, 243  
 variable-area transect method 259–60  
 vegetative reproduction 68, 89–91, 106–13, 119, 139–40  
*Verbascum thapsus* **102**  
 verticality of leaves 102–3  
 Vietnam 165  
 vines 24, 63, 156  
     *see also* kudzu  
*Vireo bellii* 85  
 Virginia **18–19**, 148–9, **238**  
 vulnerable species 16  
*Vulpia membranacea* 112–13
- Wales 6, 56, 139–40  
 Washington 30–1, 135, **137–9**, 205, 208  
 water 76–7, 83–5, **97**, 232–3  
     and disease 149–51  
     flow 7, 34, 81, 83–4, 86–7, 178  
     tables 7, 25  
 water buffalo 85  
 water hyacinth **174**, 179, **199**  
 ‘wave’ years 153  
 Weed Risk Assessment model 116–18  
 weeds 1–2, 11–13, 17–23, 24–50  
     programmes 166–94, 223–43  
     *see also* individual species  
 West Indies **174–5**  
 wetlands 84–6, 108, 110–11, 229–31, 234, 241  
 wheat 147, 149–51, 242  
 wheat stem rust 149–51  
 white mulberry 245  
 white pine blister rust 152–4

Cambridge University Press  
0521355168 - Ecology and Control of Introduced Plants  
Judith H. Myers and Dawn Bazely  
Index

[More information](#)

Index · 313

- white-tailed deer 10–11  
whitebark pine 152–4  
Whittaker plots 266  
wild red rice 234, 236–8  
wild sugarcane 236–8  
willow flycatcher 85  
willows 25, 84, 85  
Wisconsin 30–2  
witchweed 236–9  
woodlands 129, 139–40, 150–1  
wool 29  
Wyoming 63
- Xanthium occidentale* 199  
*Xanthium stumarium* 156–8, 174, 177
- yellow star thistle 190–1  
yellow warbler 85
- Zambia 165, 174  
*Zea* sp. 245  
zebra mussel 218, 220  
*Zerna erecta* 112–13  
Zimbabwe 174  
*Zygogramma suturalis* 157