

Index

- absorbing set, 138, 139, 188
 accretivity property (of a measure), 178, 245
 Agmon inequality, 97, 100
 analyticity, *see* time analyticity
 approximate inertial manifold, 118, 150, 152
 a priori estimate, 65–7, 71–3, 88–90, 98–102, 104–6
 Arzelà–Ascoli theorem, 224
 asymptotic bounds on the solutions, *see* a priori estimates
 asymptotic compactness, 138, 139
 attractor
 dimension, 117–18, 125, 131, 137, 140–5, 147–9, 159–61
 dimension (lower bounds), 144
 example of trivial attractor, 145–7, 161–3
 global attractor, 116–18, 137–40, 145–7, 194
 weak global attractor, 149–50, 163–4, 196–7
 Aubin compactness theorem, 224
 autonomous system, 39
- background flow, 79, 84
 Banach limit, *see* generalized limit
 bilinear operator, 38, 96–101
 orthogonality property, 97, 99, 101
 Birkhoff ergodic theorem, *see* ergodicity
 Boltzmann equation, 3
 Borel
 measure, 219–21
 probability measure, 219, 221
 regularity of Borel measure, 220
 set, 219–21
 sigma-algebra, 219
 boundary conditions, 25, 29, 30, 32, 33, 43, 44, 77–8
 compatibility condition for regularity, 59
 boundary layer, 29, 84, 218
 boundary value problem for the pressure, *see* pressure
 Brézis–Gallouet inequality, 100
- carrier, *see* measure
 cascade, *see* energy; enstrophy
 Cauchy integral formula, 65
 Cauchy–Schwarz inequality, 15, 94
 CFT theory, 143, 148
 channel flow, 32
 chaos, 8, 115, 183
 characteristic
 time, 80, 216
 velocity, 80, 85, 299
 closure schemes, 7
 compactness, 118
 complexified functional spaces, 63
 complexified NSE, *see* Navier–Stokes equations
 computational fluid dynamics, 115
 conservation
 of energy, 13, 28
 of enstrophy, *see* enstrophy
 of mass, 1
 of momentum, 2
 correlation function, 193, 295, 297, 300, 301, 304
- decaying homogeneous turbulence, 257, 295
 degrees of freedom, 10, 115, 117, 123, 141, 145, 148–9
 density, *see* measure, probability
 determining nodes, 116, 123–30
 determining nodes, 116, 131–7
 dilatation invariance, 17, 19–20, 23
 dimensional analysis, 9–10, 216
 dissipation range, 9, 115, 151, 198, 214, 297
 divergence-free condition
 in Fourier space, 46
 in physical space, 2, 36–7
 domain of analyticity, *see* time analyticity
 dual spaces, *see* function spaces
 duality product, 90–2, 95
 dynamical multilevel method, 154

- eddies, 9, 215
 effective viscosity, 119, 155
 eigenfunctions, *see* Stokes operator
 eigenvalues, *see* Stokes operator
 embedding, *see* Sobolev
 energy, 9, 11, 15, 27, 41, 199, 201, 204, 277
 cascade (direct), 9, 13, 198, 204, 206
 cascade (inverse), 14, 213–14
 cascade (mechanism), 214–17
 conservation, 13, 28
 dissipation rate, 9, 41, 80, 85, 142, 148, 202,
 216, 288–91, 297
 dissipation rate, bound on, 80, 85
 equation, 41, 57, 58, 201–5, 287, 288–9
 inequality, 57, 60, 85, 95, 98, 102–4, 265, 268,
 276, 277, 278
 local, 75, 275, 277
 spectrum, 9, 12, 13–14, 215–17, 296, 302–3
 transfer (direct), 198, 202, 204, 207
 transfer (inverse), 199, 204, 207, 213
 ensemble averages, 169–72, 183, 184, 187, 193,
 203, 204, 210, 255–6, 280, 295, 297
 enstrophy, 11, 15, 28, 41, 42, 55, 201, 207, 215
 cascade, 13, 199, 206, 210, 214
 cascade (mechanism), 215–16
 conservation, 13, 101, 102, 208, 209, 212
 dissipation rate, 13–14, 141, 145, 208–10
 equation, 101, 102, 208, 209, 212
 local, 75, 275, 277
 transfer, 206, 208–10, 212
 ergodicity, 6, 170, 183, 195
 Euler equation, 5
 Eulerian representation of a flow, 1
 evolution equation for the velocity field, 36, 38,
 96
 existence of solutions, 26, 55–9
 extremal point, 224

 finite dimensionality of flows, 115–19, 137, 141,
 150; *see also* attractor, dimension
 FMT manifold, 153, 164
 Fourier characterization of the function spaces,
 45–8, 50–1, 68
 Fourier series, 11, 29, 44–8
 exponential decrease of coefficients, 74
 fractal dimension, 117; *see also* attractor,
 dimension
 Fubini theorem, 222
 functional inequalities, 16–17
 functional evolution equation, 36, 38, 96
 function spaces, 14–16, 21, 22, 41–9, 49–54,
 75–7, 90–5
 $C([0, T], X)$, 48
 $C(I, H_w)$, 95
 $C(I, X)$, 93

 complexified spaces, 63
 $D(A)_{\mathbb{C}}$, $H_{\mathbb{C}}$, $V_{\mathbb{C}}$, $V'_{\mathbb{C}}$, 63
 $D(A^s)$, V_{2s} , 50–1
 dual spaces, 26, 48, 49, 51, 53, 77, 90–2
 Fourier characterization of, 45–8, 50–1, 68
 Fourier characterization of Gevrey spaces, 68
 Gevrey spaces, 68–9, 89, 108, 109
 H and V , 16, 41–3
 $H^1(\Omega)$, 15
 $H^1(\Omega)^d$, 16
 H_{loc} , V_{loc} , 76
 $H^1_{loc}(\mathbb{R}^d)$, $L^1_{loc}(\mathbb{R}^d)$, $L^2_{loc}(\mathbb{R}^d)$, 76
 $H^m(\Omega)$, 21
 H_{nsp} , V_{nsp} , \mathcal{V}_{nsp} , 43–4
 H_{per} , V_{per} , \mathcal{V}_{per} , 44–5, 46–7
 \dot{H}_{per} , \dot{V}_{per} , $\dot{\mathcal{V}}_{per}$, 45, 47
 H_w , 93
 Hausdorff topological space, 221
 $L^2(\Omega)$, 14
 $L^2(\Omega)^d$, 14
 $L^p(0, T; X)$, 48
 $L^p(a, b; X)$, $L^p(I; X)$, 93–4
 $L^p_{loc}(a, b; X)$, $L^p_{loc}(I; X)$, 94
 Lebesgue spaces, 21
 locally convex topological vector space, 224
 normal topological space, 223
 Polish, 220
 Sobolev spaces, 8, 16, 21–2
 space-time, 48, 93–5
 topological vector space, 224
 $V_{\mathbb{C}}$, $V'_{\mathbb{C}}$, 76–7
 V'_{nsp} , V'_{per} , \dot{V}'_{per} , 91–2
 in the whole-space case, 75–7

 Galerkin projector, 54–5
 generalized Gronwall lemma, 125, 156
 generalized limit, 170, 182, 225–6
 Gevrey regularity, 67–73
 Gevrey spaces, *see* function spaces
 global attractor, *see* attractor
 Grashof number, 87–90

 Hahn–Banach theorem, 223
 Hausdorff dimension, 117, 137, 141–5, 147–9,
 159–61
 Hausdorff topological space, 221
 Helmholtz–Leray decomposition, 25, 36–8
 Hölder inequality, 20, 21
 homogeneous isotropic turbulence, *see*
 turbulence
 homogeneous turbulence, *see* turbulence
 homogeneous statistical solution, *see* statistical
 solutions
 homogeneous measures, 257, 272
 Hopf equation, 257, 270, 279

- inequality
 - Agmon, 97, 100
 - for the bilinear term, 69–70, 77, 97, 100
 - Brézis–Gallouet, 100
 - Cauchy–Schwarz, 15, 94
 - functional, 16–17
 - Hölder, 20, 21
 - interpolation, 23, 51, 100
 - Ladyzhenskaya, 17–20, 97, 100
 - Lieb–Thirring, 118, 141, 144, 160
 - Poincaré, 17, 19, 44, 45, 50
 - Schwarz, 20
 - Sobolev, 16, 22–3
 - for the trilinear operator, *see* inequality, for the bilinear term
 - Young, 20
- inertial form, 151
- inertial manifolds, 7, 150, 151
- inertial range, 12, 14, 115, 198, 199, 204, 210, 214–17, 217–18, 297
- inertial term, 2, 9, 92; *see also* bilinear operator
- initial boundary value problems, 33
- inner product, 14, 15, 16, 41–2
- intermittency, 12, 308–10
- interpolation inequality, 23, 51, 100
- invariant measure, 170, 178, 184, 187, 188, 194
 - equivalence with stationary statistical solution, 187, 227
 - support of, 181, 194–5, 196
 - support of, regularity, 188, 196
- invariant set, 138, 147
 - dimension of, 147–9
- inverse cascade, 14, 213–14
- isotropy, *see* turbulence, isotropic homogeneous

- Kakutani–Riesz representation theorem, 219, 221
- kinetic energy, *see* energy
- kinematic pressure, *see* pressure
- kinematic viscosity, *see* viscosity
- Kolmogorov
 - 2/3 law, 299
 - 5/3 law, 12, 217, 302
 - constant, 12, 299, 301, 290, 305
 - dissipation length, 10, 141, 148, 298, 299, 300, 306
 - dissipation wavenumber, 10, 217, 297, 302–3
 - spectrum, 9, 12, 217, 258, 302–3
 - theory, 9–12, 115, 151, 198, 217, 297
- Kolmogorov–Landau–Lifshitz theory, 115, 137
- Kraichnan
 - cutoff wavenumber, 14, 115, 214, 217–18
 - dissipation length, 14, 115, 141, 142, 145, 214
 - spectrum, 14, 199, 216
 - theory, 14, 151, 214
- Krein–Milman theorem, 223
- Krylov–Bogoliubov theory, 183

- Ladyzhenskaya inequality, 17–20, 97, 100
- Lagrangian representation of a flow, 1
- Lebesgue differentiation theorem, 222
- Lebesgue dominated convergence theorem, 222
- Lebesgue points, 60, 96, 103, 104, 222
- Lebesgue spaces, 21
- length scale, 10, 80, 85, 299; *see also* Taylor microscale; Kolmogorov, dissipation length; Kraichan, dissipation length
- Leray projector, 37
- Lieb–Thirring-type inequality, 118, 141, 144, 160
- lifting operator Λ_δ , 78
- Liouville-type equation, 170, 177, 263, 265, 266, 276, 278
- locally convex topological vector space, 224
- Lorenz system, 115
- Lyapunov exponents, 118, 141

- mean free path, 3
- measurable set, 221
- measurable space, 219
- measure, 219, 221
 - accreitivity property of, 178, 245
 - Borel, 219–21
 - carrier of, 220
 - homogeneous, 257, 272
 - invariant, *see* invariant measure
 - probability, 219, 221
 - Radon, 219
 - support of, 220
 - time-average, *see* time-average measure
- moments, 170, 177, 256
- monotone convergence theorem, 221
- moving boundary, 77; *see also* boundary conditions
- multilevel methods, 154

- Navier–Stokes equations (NSE), 2–3, 25–7
 - complexified form, 64, 70, 106, 109
 - existence, 26, 55–9
 - functional equation formulation, 36, 38, 96
 - regularization effect, 59, 61–2, 98–102; *see also* Gevrey regularity
 - stationary, 33
 - strong solutions, 57, 58, 59, 61–2, 99–102
 - uniqueness, 26, 57, 58
 - weak formulation, 40, 56
 - weak solutions, 25, 56, 58, 95, 98–9
 - weak solution, lower semicontinuity of, 61
- nondimensional estimates, 87–90
- nonlinear Galerkin method, 154
- nonsmooth domains, 140, 141

346

norm, 14, 16, 42
 normal topological space, 223
 no-slip condition, *see* boundary conditions

 omega-limit set, 139, 195
 orthogonality property of the inertial term, *see*
 bilinear operator

 Parseval identity, 50
 periodic boundary condition, *see* boundary
 conditions
 Poincaré inequality, 17, 19, 44, 45, 50
 Polish space, 220
 pressure, 2, 25, 28, 34
 boundary value problem for, 34–6
 probability measure, 219, 221
 Prohorov theorem, 224

 Radon measure, 219
 regularity
 of a Borel measure, 220
 of the support of time-average measures,
 see time-average measure
 regularization effect, *see* Navier–Stokes
 equations
 Rellich theorem, 24, 49
 Reynolds
 equation, 257, 280, 282
 number, 4, 10, 85, 87, 115, 299, 306–7
 similarity hypothesis, 4, 87
 Riesz representation theorem, 91

 scalar product, *see* inner product
 Schwarz’s inequality, 20
 self-similar homogeneous statistical solution,
 see statistical solutions
 self-similarity, 9, 283, 284, 288–9
 semigroup, 138
 sigma-algebra, 219
 Sobolev
 compact embeddings, 24, 58, 139
 embeddings, 22–4
 inequalities, 16, 22–3
 spaces, 8, 16, 21–2
 solution operator
 $S(t; t_0)$ and $S(t)$, 60
 $S_V(t_2; t_1)$ and $S_V(t_2)$, 61
 space analyticity, *see* Gevrey regularity
 spaces, *see* function spaces
 spectral projector, *see* Galerkin projector
 spectral and pseudo-spectral methods, 154
 stationary NSE, *see* Navier–Stokes equations
 statistical equilibrium, 170, 177
 statistical solutions
 homogeneous, 257, 258, 271, 275–9, 323

Index

self-similar homogeneous, 283, 288–9, 290,
 292, 297, 298, 303, 308, 326
 stationary, 170, 171, 176, 179–80, 183, 187,
 190, 191, 194, 227, 234, 292, 326
 stationary, support of, 181, 194
 time-dependent, 178, 255, 263, 265, 268
 Stokes operator, 38, 49, 52, 53, 91
 abstract definition, 53
 eigenfunctions of, 50, 52
 eigenvalues of, 50, 52, 53, 54
 eigenvalues of, asymptotic behavior, 54
 powers of, 51, 93
 Stokes problem, 34
 stress tensor, 1, 2
 strong convergence, 93
 strong solution, *see* Navier–Stokes equations
 support
 of an invariant measure, *see* invariant measure
 of a measure, 220
 of stationary statistical solutions, 181, 194

 Taylor microscale, 300, 306, 310
 test functions
 for stationary statistical solutions, 178
 for time-dependent statistical solutions, 256,
 263–4, 266, 267, 278
 for weak formulation of the NSE, 39
 theorem
 Arzelà–Ascoli, 224
 Aubin compactness, 224
 Fubini, 222
 Hahn–Banach theorem, 223
 Kakutani–Riesz representation, 219, 221
 Krein–Milman, 223
 Lebesgue differentiation, 222
 Lebesgue dominated convergence, 222
 monotone convergence, 221
 Prohorov, 224
 Rellich, 24, 49
 Riesz representation, 91
 Tietze extension, 223
 Tonelli, 222
 Tietze extension theorem, 223
 time analyticity, 26, 62–7, 67–73, 106–9,
 109–14
 domain of, 65, 66, 67, 71, 72, 73, 108, 111,
 114
 in Gevrey spaces, 67–73, 109–14
 time-average measure, 171, 184–5, 187, 188, 189,
 190–3, 197, 203, 204, 210, 234, 245
 regularity of the support of, 187–9, 193–4,
 196–7
 time-dependent statistical solution, *see* statistical
 solutions
 Tonelli theorem, 222

- topological vector space, 224
 trace of a function, 78
 trilinear operator, 41, 96, 97, 99, 101
 inequalities for, *see* inequality, for the bilinear term
 turbulence, 4, 5–8, 9–14, 55, 115–19, 142, 145, 147, 150, 169–72, 198–9, 204, 206, 210, 213, 214–17, 217–18, 255–8, 271, 280, 288, 295, 297, 306, 308, 310–12
 homogeneous, 29, 30, 257, 271, 280, 295
 isotropic homogeneous, 7, 299, 303, 304, 308
 two-dimensional flows, 13, 206
- unbounded domains, 29, 75, 140, 141, 272, 277, 279
 uniform compactness, 139
 universality, 4, 9, 10–11, 13, 288
 Uryshon lemma, 223
- viscosity, 2, 4, 5, 13, 41, 60, 65, 274, 297
 effective, 119, 155
 viscous dissipation, 3, 5, 9, 13, 14, 41, 115, 151, 198, 202, 205, 208, 211, 214, 288, 297; *see also* energy, dissipation rate; enstrophy, dissipation rate
 volume element, 143, 144
 von Karman–Howarth equation, 7, 303
 von Karman–Howarth–Dryden equation, 303
 vorticity, 13, 28, 55, 206
- weak continuity, 57, 61, 95, 103, 190
 weak convergence, 93
 weak global attractor, *see* attractor
 weak solutions, *see* Navier–Stokes equations
 weak topology, 92–3, 95
- Young inequality, 20