

---



---

## *Index*

- abortion 137–8
- acetaldehyde 2
- acquired immune deficiency syndrome (AIDS) 218, 201–2
- adolescence 127–46, 214–16
  - abortion 137–8
  - alcohol abuse 140, 141
  - biological maturation 120
  - children of adolescent mothers 136
  - drug abuse 17, 140, 214
  - health problems 130–2; educational factors 132; nutritional factors 132–3; socio-economic factors 132
  - mental health 141–3
  - mortality rates 130, 131 (table)
    - accidents (table)
  - national youth service 142
  - North America 128, 129 (table)
  - pregnancy 134
    - medical consequences 135
    - psychosocial consequences 135–6
  - problem-behaviour perspective 140–1
  - research priorities/opportunities 143–5
  - sociocultural aspect 127–8
  - suicide 141, 142 (table), 143 (table)
  - tobacco abuse 138–40, 141, 214
  - violence 142
- adoption 83, 113
- alcohol 14
  - availability 15–16
  - cultural influences 14–16
  - metabolism 2
  - parental drinking example 17
  - permissive societies 13
  - transmitter/non-transmitter families 16–17
- alcohol abuse 2, 10, 207
  - adolescent 140, 141
  - brain atrophy associated 10
  - Mongoloid races 2
  - social selection process 25
  - social status 22
- alexithymia 169
- Alzheimer's disease 16; *see also* dementia
- anorexia nervosa 133
- area characteristics determined by cluster analysis 23 (table)
- attachment 210
- behaviour, health and 206–19
  - developing countries: research capabilities 216–17
  - developmental perspectives 211–12
- 'bio-foods' 58
- Brazil 196, 197
- breast feeding
- cervical cancer 166
- children
  - absence of father 76, 77
  - adjustment to violence 71–2
  - adolescent mother 136
  - aggressive behaviour 72, 77
  - biological vulnerability 67
  - biomedical risks 79–80

Cambridge University Press

0521363527 - Health and Behaviour: Selected Perspectives

Edited by David Hamburg and Norman Sartorius

Index

[More information](#)222 *Index*

- cognitive development over first 5 years 75 (table)
- coping capacity 118
- criminality risk 79
- death (America 1969, 1975) 130, 131 (table)
- disturbances in family communication 78, 115–116
- EEG abnormalities 79
- effect on own environment 86–7
- environmental hazards 111–12
- experience 66
- family breakdown 113–14
- family care 114–17
- genetic risks 79, 117
- inappropriate upbringing 117
- in danger 107–24
- industrialization effect 71
- institutional care 113–14
- interventions 81–9; adoption 83; exosystem level 83; family level 85–6; institutional 83–4; macrosystem level 82; microsystem level 85–7; personnel training 87–8; psychosocial model 87; school 84–5
- malnutrition 52, 80, 108–9
- migrants 112
- multiple risks 80–1
- obese 133
- organismic characteristics 67
- organismic specificity 67
- parental attitudes 74–6, 78, 79
- parental death 115
- parental mental illness 116
- parental personality disorder 116
- parental physical illness 115
- peer-group educational aspirations 76
- physical disorders 117–18
- primary health care 119–20
- psychosocial environment effect on competence development 65–89; *see also* environment
- psychosocial risk 80
- school attendance 74
- school factors 112–13, 122–3
- social skills training 65
- social/attempted suicide 119
- temperament 67
- urbanization effect 71
- urban poverty 110–11
- vulnerable/invulnerable 81 *see also* mental health care
- cigarette smoking *see* smoking
- community centres 84
- competence 66
  - cognitive 66, 70–1, 74–5
  - interpersonal 66, 71–2, 76–8
  - motivational 66, 71–2, 76–8
- contraception 137–8
- coronary heart disease, depressive disorder associated 9
- Côte d'Ivoire, trypanosomiasis in 195
- crisis support 153
- culture, influence on mental health 12–16
- dementia
  - incidence 9
  - urban distribution 22
  - see also* Alzheimer's disease
- depressive disorders
  - cancer risk in men 167
  - cervical cancer associated 166
  - coronary disease associated 9
  - elderly patients 9
  - morbidity trends 33
  - non-psychotic 9
  - pancreatic carcinoma associated 164
  - social support 152
- developing countries 178–89
  - diarrhoeal diseases 213
  - educational effects 213–14
  - infant mortality rate 212
  - maternal mortality rate 213
  - prenatal care 213
  - psychiatrists in Africa 218
  - research capabilities 216–17
  - western medicine in 179–80
  - WHO policy 187–8
- diabetes mellitus 11
- diarrhoeal diseases 213
- disability, chronic 1, 10–12
- Dominican Republic, malaria in 195
- Down's syndrome 79
- downtown areas 21
- drug abuse
  - adolescent 17, 140, 157
  - downtown areas 21

- peer group influence 17–21  
spread 19–21  
*see also* heroin
- elderly people  
confusional states 153  
fractures 12  
hypertension 16  
lack of intellectual decline in physically healthy 11  
mental health–physical health relationship 10–12  
mental disorder: incidence 7–9; social class relationship 22  
psycho-organic syndromes 153  
services utilization 26  
social isolation 154  
social networks 153–4  
stressful life events 153–4  
transcultural aspects of mental illness 16
- emotional support 155
- environment 66  
action specificity 69  
covariate 69–70  
exosystem 68, 69, 72–3; intervention 83  
experience and 66–7  
genetic risks 79  
limited generalizability 68–9  
macrosystem 68, 69, 70–2; intervention 82  
mesosystem 68  
microsystem 68; intervention 85–7  
structure 68–9  
transactional nature 68  
transitional nature 67
- environmental specificity 69
- everyday support 155
- expectancy parameters 73
- experience 66
- family model for behaviour 16–17
- Fiji, Ron River virus in 194
- food 45–62  
characteristics 47  
children's needs 48  
classification 46–7  
definition 46  
determinants of food-related behaviour 46–51  
habit changing 51–60; migrants 54–5; natural disasters 58–60; refugees 56; socioeconomic change 56–7; technological change 57–8; tourists/transient visitors 55–6; urbanization effect 51; interventions 60–1; perceived status 47; physiological factors 49–51; psychological factors 49–51; research methodology 62; sociocultural role 46; symbolic roles 49; traditional beliefs/practices 48–9
- foreign workers 28–30  
eating habits 54–5  
seasonal 200  
*see also* migrants
- fostering 113
- general health care, mental health aspects 162–73  
ambulatory patients 165  
medical outpatients 165–6  
medical/surgical inpatients 162–4; case finding by screening tests 164; specific disorders 164
- general practice, mental disorder incidence 3–4
- genetic risks 79
- Health by the people* (WHO, 1975) 186
- health for/by the people 186/7
- help-seeking behaviour 26–7
- heroin 2–3, 18 (fig.), 20  
*see also* drug abuse
- hypertension 11  
elderly people 16
- hysterical symptoms 156, 157
- India  
primary health centres 184  
social analysis of health care services 180–5  
Statement on National Health Policy (1982) 185  
*see also* developing countries
- infant mortality rate 212

224 *Index*

- institutional rearing 83–4, 113–14  
 instrumental help 155  
 iodine deficiency 134  
 iron deficiency 134
- lay referral systems 156  
 Lesch-Nyhan syndrome 79  
 low birth-weight infants 212–13
- malaria, drug-resistant 195–6, 196  
 Malaysian Federal Land Development Authority 196  
 malnutrition 80, 108–9, 132–4  
   protein-energy 133–4  
   urban/rural areas 52  
 maternal mortality rate 212  
 mental disorder  
   behavioural determinants 1–34  
   incidence 1, 3–9; case-register studies 4–5; elderly people 7–9; field/community studies 5–7; general practice studies 3–4  
   invisible pandemic 217–19  
   management in medical settings 170–3  
   morbidity trends 30–3  
   physical symptoms related 166–7  
   social determinants 1–34  
   social environment relationship 152  
   sociocultural influences on etiology 12–13  
   somatic presentation 167–70  
 mental health care 120–4  
   brief assessment 122  
   brief treatment procedures 122  
   epidemiological studies 121  
   research on care delivery 123–4  
 mental retardation, social class relationship 22  
 migration 28–30, 112, 193–5  
   chronic diseases related 193–4  
   seasonal 214  
   *see also* foreign workers; population movements  
 multiple sclerosis 164  
 myocardial infarction 164  
 myxoedema 167  
 neurasthenia 168–9  
 old age *see* elderly people  
 Onchocerciasis Control Programme 195  
 organismic specificity 67
- pain, chronic 167  
 Pan American Health Organization's Advisory Committee on Medical Research 195  
 pancreatic carcinoma 164  
 pernicious anaemia 167  
 physical illness, chronic 1, 10–12  
 physician-adverse behaviour 26  
 population movements 192–202  
   circulation pattern 193  
   conceptual framework 199–200  
   research needs 197–9  
   *see also* foreign workers; migration  
 primary health care 119–120  
   India 184  
 pregnancy, social support in 151–2  
 protein-energy malnutrition 133–4  
 psychiatric beds per 10 000 adults 12, 13 (fig.)  
 psychiatric services transfer to community-based service 5  
 puberty 127–8
- Rameswaren Island 194
- Salt Lake City, Utah, diarrhoeal disease 196  
 schistosomiasis, migrant-spread 194  
 schizophrenia  
   differential diagnosis 14  
   downtown area prevalence 21  
   first-admission rates 25  
   migrants 25  
   morbidity trends 30–2  
   social causation/selection 24–6  
   social class relationship 22  
   sociocultural influence on etiology 13  
   twin studies 25–6  
 school 84–5  
 school attendance 74  
 services utilization 26–7  
 smoking 139–40, 206–7  
   intellectual decline in old age 11–12  
   physical disorders in old age 12  
 social disintegration 21

- social groups 2
- social isolation 150–1
- social networks 150–8, 210–11
  - functions 151–3
  - lay referral system 156
  - normative reference groups 156–7
  - structure 151
- social status
  - life expectancy effect 22
  - mental health effect 22–3
- social support 153–4
  - interactional dimension 15
  - subjective component 153
  - types 153
- somatization 167–70
  - acute 169–70
  - chronic 170
  - subacute 170
- Sri Lanka, filariasis in 194
- sterilization, elective 166
- stressful life events 27–8
  - affective illness following 167
  - consequences 166–7
  - elderly people 153–4
  - suicide following 27
- Sudan, Gezira scheme 197
- suicide 143 (table), 150
  - adolescent 141, 142 (table), 143 (table)
  - altruistic 14
  - 'areas' 21
  - attempted 151, 157
  - children 119
  - cultural variation in rate 14
  - downtown prevalence 21
  - social status 22
  - stressful life events 27
- Tanzania 186
- Thailand, malaria in 195–6
- therapeutic villages 84
- typhoid fever 167
- unemployment 27–8, 152
- urban poverty 110–11
- World Health Organization
  - child mental health 118, 119
  - developing countries policies 187–8
  - estimation of mental/neurological disorders and psychological problems 203–4
  - programme on biobehavioural sciences and health (1980) 207
  - Scientific Planning Group 207–9
  - South-East Asia Regional Office child mental health manuals 122