

Index

- abscisic acid (ABA) 5, 63, 65–8
Acacia 36
Acacia tortilis 223
Acer campestre 207, 212
Acer pseudoplatanus 209–15
Actaea spicata 240
Adenantha pavonina 221
Agave 17–18
 aleurone 63, 64, 126, 127, 129, 130, 132, 137
Alnus glutinosa 227
 Aloaceae 35
Alopecurus 23
Alopecurus pratensis 38
Ambrosia trifida 174
 amino acids 61, 81, 84, 132–3, 137
 amylase 126
 amyloplasts 115, 127–8, 130, 134–7
 Anacardiaceae 232
 annuals 18, 156, 174, 179, 192
 anther culture 60–4
 anthesis 24–5, 45, 62, 75, 83, 89, 91, 95, 110, 111–13, 126, 127, 129, 130, 137, 140, 142, 152–3, 174, 189, 190, 191, 192, 205
Antirrhinum majus 5
 apple 24, 75, 80, 90, 91, 92, 104, 106, 107, 111, 112, 113, 181, 222, 230, 244, 245
 Bramley's Seedling 76
 Cox's Orange Pippin 76, 81–94
 Golden Delicious 77, 84, 94
 Lord Lambourne 93
 see also Malus spp.
 apomixis 1, 10, 225, 231
 apricot 110
Arabidopsis thaliana 5
 Araliaceae 230
Arbutus unedo 229
Arum maculatum 240
Asclepias speciosa 164
 assimilate 4, 14, 25–6, 76, 84, 94, 101–2, 108, 109, 112, 114, 115, 132–4, 142, 144, 181, 184, 185, 188, 191
 competition 101, 103–6, 177
 unloading 113, 114–15, 132
Atropa belladonna 240
 auxin (IAA) 27, 37, 91, 107, 108, 112, 166, 177
 avocado 25, 110
 bamboo 18
 barley 24, 44, 61–6, 103, 112, 125–45, 193
 haploid 4–5
 see also Hordeum vulgare
 beech *see Fagus sylvatica*
Begonia 17, 24
Bencomia spp. 232
Berberis vulgaris 239
Betula spp. 227
 biennials 19–20, 104, 156, 181
 biomass 1, 4, 90, 102, 104, 113–14, 144, 175–7, 180, 188, 190
Blitum 15
Brassica campestris 14, 26
Brassica napus 66, 67, 83
Brassica oleracea 36
 broad bean *see Vicia faba*
Brunfelsia 14
 bryony, black *see Tamus communis*
Bryophyllum 15
 buckthorn *see Rhamnus catharticus*
 bulbs 14, 19
Caesalpinia pulcherrima 37
Calamintha 16
 callus 57, 58, 61, 62, 63
Campanula rapunculoides 40
Campsis radicans 163
 Caprifoliaceae 230, 231

Cambridge University Press

0521373506 - Fruit and Seed Production: Aspects of Development, Environmental Physiology and Ecology

Edited by C. Marshall and J. Grace

Index

[More information](#)252 *Index*

- carbohydrate 41, 62, 64, 76, 81, 83–4, 93–5, 105, 137, 156, 181, 219, 222
 reserve utilization 84, 102–3, 104, 114, 189, 192
- carbon economy 174–7, 181, 182–4, 190
- carob *see Ceratonia siliqua*
- Carpinus betulus* 214
- carrot culture system 57–61, 64
- Cassia fasciculata* 163, 164
- Castanea sativa* 213
- cell
 division 45, 60, 65, 91, 105, 106, 108, 110–13, 117, 126, 127, 130
 enlargement 25, 58–9, 65, 66, 68, 109, 110, 113, 117, 130
 number 101, 109–13, 117, 127, 142
- Ceratonia siliqua* 223, 230, 245
- Cercidium floridum* 164
- chemotropism 40
- cherry 80; *see also Prunus* spp.
- chickpea 193–4
- Chrysanthemum* 15, 20, 23
- citrus fruits 75, 80, 83, 104
- Clarkia unguiculata* 160
- cleistogamy 25
- Cneoraceae 232
- Cneorum* spp. 232
- Cocos nucifera* 156
- coffee 17
- Colchicum* 19
- competition 34, 75, 77, 78–9, 151, 154, 157, 166, 173, 174, 178, 180, 184, 186, 191, 192, 214, 234, 237, 240
 between flowers 81–5, 103–5, 154
 between fruits 92–4, 102, 106–8, 154, 178
 for assimilate 101, 103–8, 177
- Compositae 20
- Convallaria majalis* 240
- Corchorus* 13
- corns 19
- Cornus sanguinea* 207, 234
- Cornus suecica* 237
- Corylus* 42
- Corylus avellana* 212
- Cotoneaster* spp. 237
- crab apple *see Malus sylvestris*
- Crataegus* spp. 232
- Crataegus monogyna* 207, 232, 234, 236
- cucumber 79
- Cucurbita pepo* 107, 151–67
- cucurbitaceae 24, 89, 151–67
- Crepis capillaris* 39, 41
- Crocus* 36, 39, 41
- Cruciferae 35
- Cydonia* spp. 223
- Cytinus* spp. 232
- cytokinin 26, 105
- DNA 22, 105, 127
- cDNA 39, 60, 62–4
- duckweed 12
- Dumoria heckeli* 223
- Eichhornia crassipes* 182–4, 186
- embryo 57–69, 91, 126, 130, 138–9, 140, 159, 160, 166
 precocious germination 57, 65–8, 138
- embryo sac 33, 41–4, 45, 78, 79, 90–1, 92, 126, 130
- embryogenesis 4, 57–69, 130, 138
- Empetrum nigrum* 227, 237
- endosperm 63, 68, 114, 126–30, 131, 132–3, 135, 138, 140, 142, 144, 159, 160, 192
- endozoochory 217–45
 ecological aspects 233–9
 evolutionary aspects 240–5
 in Australia 229, 232
 in British Isles 225–7, 229–30, 231–2, 239
 in Canary Islands 227–9, 232
 in European flora 230–2, 229–30, 224–5, 239, 245
 taxonomic distribution of fruits 230–2
- Enterolobium cyclocarpum* 224, 245
- ephemerals 19, 180
- Ericaceae 35, 230, 231, 232
- Euonymus europaeus* 242
- Fagus sylvatica* 209, 213, 214
- fertilization 11, 33, 41–5, 57, 75, 78, 89–90, 92, 112, 126, 159
- Ficus* spp. 232
- Ficus carica* 229, 242
- fig *see Ficus* spp.
- flower 1, 4, 11, 24–5, 76–7, 81–9, 103–4, 151, 152, 154, 156–7, 158, 160, 164, 176, 205, 209, 217, 219
 abscission 85–8, 90–1, 102
 abortion 75, 105, 165, 166
 development 4, 22–5, 26, 102, 112, 182
 initiation 15, 16, 17, 22–4, 76, 104, 106, 187
 ‘king’ 80, 81, 86
 opening *see* anthesis
 production 152–60, 182, 184, 186–7
 removal 81–5, 86–7, 152–7
 reversion 25, 26
 senescence 37, 40

Index

253

- flower bud initiation 76–7, 182
 flowering
 environmental regulation 9–27
 habitat 9–10, 13, 18, 19
 irradiance 12, 14, 76
 mineral nutrient supply 12
 photoperiod 12–13, 18–20, 23
 temperature 14–15, 76
 temperature and photoperiod
 interaction 15–17
 water supply 12, 17, 18
Fragaria vesca 236
 frugivores 218–20
 birds 207, 220–3, 229, 230, 232–44
 fish 220
 mammals 220, 222–4, 238, 243, 245
 reptiles 220–1
 fruit 103, 106–8, 151–67, 176, 177, 204–5,
 207, 209, 217–45
 abortion 77, 151, 152–7, 163, 164, 166,
 178
 abscission 75, 91, 92, 94, 95, 156
 development 75–7, 94, 103–4, 108, 114
 drop 77, 81, 83, 92–4, 106, 107
 endozoochorous 217–45
 growth 101–17
 predation 205
 production 1, 152–67, 177, 181, 203,
 205–6, 211–12, 213–14, 236, 239
 removal 104, 108, 152–7, 177
 ripening 5, 75, 214
 set 75–95, 107, 152, 178, 214
 size 109, 111, 117, 222, 225, 227, 229–
 30
 yield 101–3, 104, 106, 176–7, 178, 203,
 210

 gametes 38, 42–5, 57
Gasteria verrucosa 38–9
 gene expression 57, 58, 60, 61–2, 63–4,
 65, 67
 gibberellin (GA) 26, 77, 81, 85, 87, 105,
 112
Ginkgo 221
 grain 65, 67, 68, 115; *see also* seed
 development 125–45
 growth 102–3, 112, 125–45, 189, 192,
 193
 mass 112, 142, 174, 192
 number 190–1, 192
 set 192, 193
 yield 188–94
 Gramineae 21, 22, 35
 grape 80, 115

 grasses 12, 18, 20, 21, 23, 177; *see also*
 under individual species
 Grossulariaceae 231

 habitat 3, 9, 10, 11, 18, 19, 179, 209, 218,
 234, 237, 238, 239
 harvest index 106, 180, 188–95
 hazel *see Corylus avellana*
Hedera helix 236, 242
Helleborus foetidus 38
Hibiscus esculentus 13
Hieracium 225
Hordeum vulgare 39, 45
 hormones 11, 25–7, 75–6, 79–88, 95, 105,
 106, 108, 112, 166, 177, 178, 182
 growth regulators 154
 growth retardants 106
 ‘Wye’ hormone mixture 81, 85, 86, 87,
 88
 see also under individual compounds
 hornbeam *see Carpinus betulus*
Hyacinthus orientalis 38
 Hydrocharitaceae 12

Ilex aquifolium 234, 236
Impatiens 26
 irradiance 12, 14, 25, 75, 76, 94, 102, 127,
 180, 187
 ivy *see Hedera helix*

Juglans nigra 34
Juglans regia 34, 39
 Juglandaceae 35
 ‘June drop’ 77, 81, 83, 92–4
 jute *see Corchorus*

 kiwi fruit 108–9
Kleinhovia hospita 40
 K-selection 3, 179

Lamium 25
 Lauraceae 232
Laurus spp. 232
Ledum sp. 45
 legumes 17, 20, 21, 22, 23, 114, 174, 221,
 223; *see also under individual species*
 Leguminosae 35, 36, 37, 230, 245
 Lemnaceae 12
 life forms 1, 19–20; *see also* annuals,
 biennials, bulbs, corms, ephemerals,
 perennials
 life history 165, 174, 179–88
 Liliaceae 37, 230, 231, 232
Lilium longiflorum 38
 lime, small-leaved *see Tilia cordata*

254 *Index*

- Livingstone Daisy *see*
Mesembryanthemum
Lobelia cardinalis 158, 160
Lonicera 242
Lonicera caerulea 225
 Loranthaceae 232, 237
Lotus corniculatus 163
Lycopersicon esculentum 220, 224, 238;
see also tomato
- Macadamia* 91
 maize 5, 38, 42, 67, 114, 115, 125, 132–4,
 135, 137, 138, 139, 144
Malus spp. 223, 230
Malus sylvestris 227
Mangifera 223
 maple *see* *Acer campestre*
 mast fruiting 214, 220, 238–9
 mayapple *see* *Podophyllum peltatum*
 medlar *see* *Mespilus germanica*
Melandrium 75
 melon 91, 115
Mesembryanthemum 25
Mespilus germanica 230, 245
 millet 125
 mineral nutrients 1, 12, 25, 81, 114, 158,
 160, 175, 180, 181, 182, 190, 192, 194
 mistletoe *see* *Viscum album*
 modules 181, 184, 195
Moenchia 25
 Moraceae 232
 Myrsinaceae 232
 Myrtaceae 35
- Nicotiana* spp. 21
Nicotiana alata 40
Nicotiana glutinosa 12
 nitrogen 84, 90, 157–60, 162, 165, 175,
 190
 reserve utilization 84, 190
 nuclear fusion 45, 78, 90, 92, 126
- oak, holm *see* *Quercus ilex*
 oak, sessile *see* *Quercus petraea*
 oat 125, 126, 129–30, 131, 132, 140
 obturator 39, 41
Oenothera erythrosepala 44
Oenothera hookeri 44
 Oenotheraceae 35
 okra 13
Olea spp. 232
Olea europea 236, 238
 Oleaceae 232
 olive *see* *Olea europaea*
Opuntia spp. 224
- Orchidaceae 34, 35, 36–7
 osmotic stress 65–7
Osyris spp. 232
 ovary 33, 36, 38–41, 45, 77, 78, 79, 83, 85,
 87, 89–91, 92, 95, 105, 108, 111, 112,
 152, 178, 218, 219
 ovule 40, 42, 57, 76–7, 80, 83, 84, 89–91,
 92, 95, 105, 114, 151, 152, 159, 160,
 165, 178, 205, 209
- Paeoniaceae 230
Palaeotaxus 241
 palm, talipot 18
Papaver nudicaule 40
 parthenocarpy 75, 79, 80, 83–93, 95, 108,
 112, 181
 peach 41, 75, 104
 pear 75, 80, 92, 227, 230, 245
 Doyenne du Comice 78
 pea 22, 94, 112, 114
Pelargonium zonale 44
 perennials 18, 20, 24, 104, 163, 174, 179,
 180
Perilla 15, 20
Persea 25
Petunia 38
Petunia hybrida 43
Pharbitis 13, 15, 25
Phaseolus vulgaris 107, 160
Phillyrea spp. 232
 phloem transport 113–14, 175
 photoperiodic types
 day-neutral plant (DNP) 12–13, 15, 20,
 22–3, 26
 long-day plant (LDP) 12–17, 18, 20,
 22–3, 26
 long-short-day plant (LSDP) 12, 15
 short-day plant (SDP) 12–13, 15, 17,
 18, 20, 22, 24, 26
 photosynthate *see* assimilate
 photosynthesis 14, 83, 94, 101–3, 139–41,
 174, 181, 190, 195
Picea abies 209
Pinus 24
Pistachia spp. 232
Plantago 3
Plantago coronopus 180
 plant growth substances *see* hormones
 plum 78
Plumbagella micrantha 43
Plumbago capensis 42
Plumbago zeylanica 41, 43, 44
Poa annua 4, 179
Podophyllum peltatum 184–8, 221
 pollen 25, 33, 34, 40, 60, 78, 91, 95, 156–
 7, 160, 163, 211–12, 219, 243

Index

255

- dispersal 219
 germination 33, 34–6, 45, 78, 205, 209
 load 160–5
 stigma receptivity 33–4, 36
 touch down 34, 36, 45
 tube growth 33, 36, 37–41, 43, 45, 78–9,
 92, 95, 205–6, 209
 tube wall 37, 38
 pollen–stigma interaction 33–7
 pollination 11, 25, 33–41, 45–6, 78–81, 82,
 89–90, 126, 152, 156, 163, 182, 217,
 240
 effect of temperature 78–9
 effective pollination period (EPP) 90,
 92
 hand 79, 80, 154, 156, 159, 160–4
 insect 1, 20, 36, 78, 152, 212, 219, 239
 self 159
Polygonum spp. 186
Polygonum arenastrum 186
 Portulacaceae 34, 35
 prickly pear *see Opuntia*
 Proteaceae 35, 232
 protein 41, 59–60, 62, 64, 84, 125, 126,
 127–30, 133, 144, 219, 222, 236
 synthesis 132, 137–8
Prunus spp. 222, 232
Prunus avium 236
Prunus lusitanica 232
Prunus malaheb 238, 245
Prunus padus 232
Prunus persica 39, 41
Prunus spinosa 227, 232, 236
Pyrus spp. 230, 232
Pyrus communis 227

Quercus 42
Quercus ilex 213
Quercus petraea 214–15
 quince 223

 Rafflesiaceae 232
 ramets 182–4, 186
Raphanus raphanistrum 156, 159
 raspberry 104, 113
 receptacle 79, 83, 85, 86, 89–92, 218
 reproductive allocation (RA) 173–95
 reproductive effort (RE) 176
 resource allocation 1, 3, 79, 90, 173, 179–
 80, 188–95, 219, 240
 competition 154, 166, 178, 240
 currency 4, 174–7, 182
 maternal investment 151–67
 morphological aspects 173, 180–6, 195
 phenological aspects 186–8
 physiological aspects 101, 103–8, 177–8,
 188–94
 Rhamnaceae 230
Rhamnus catharticus 207, 212, 217, 234,
 242
Rhododendron sp. 44, 45
Rhododendron nuttalli 39, 41, 45
Ribes spp. 20, 236
 rice 61, 67, 125, 132
 RNA 61
 mRNA 58, 61, 63, 137
Rosa spp. 231, 232, 234
Rosa canina 242
 Rosaceae 230, 231, 232, 239, 243, 245
r-selection 3, 179
Rubus spp. 231, 232
Rubus chamaemorus 237
Rubus fruticosus 221, 225, 236, 238
Rubus idaeus 236
Rubus cf. *ulmifolius* 232
Rudbeckia 16
 rye 38, 125, 131, 132

Salix atrocinerea 217
Salpiglossis sinuata 39
Sambucus nigra 232, 236
 Santalaceae 232
 Sapotaceae 232
Secale cereale 38
 seeds 1, 4, 5, 77, 79, 93, 108, 113, 151,
 152, 157–66, 176, 177, 181, 182, 205,
 207–9, 211–12, 213; *see also* grain
 seed
 abortion 151, 159, 160, 165, 178
 biomass 157–66, 236, 242
 development 67, 94, 125, 128
 dispersal 1, 11, 217–45
 growth 114, 125, 174, 178
 number 107, 108–9, 157–66, 242
 predation 220, 238
 production 1, 3, 152, 157–66, 177, 207,
 211, 214
 set 203–15
 yield 176–7, 178, 188–94
 self-incompatibility 33, 34, 36, 45–6
Senecio vulgaris 176
Silene 16
Silene armeria 15
Silene coeli-rosa 11
Sinapis 26
Sinapis alba 13–14
 sinks 5, 103, 106, 130, 154, 166, 177, 178,
 188–92
 strength 5, 93, 101–17, 166, 177, 178,
 195

256 *Index*

- sinks (*cont.*)
 size 5, 85, 93, 101, 109, 117, 177, 195
Smilax aspera 242
Smyrniolum oluastrum 176
 Solanaceae 35, 230
Solanum carolinense 157
Solanum tuberosum 40
Solidago 3, 179
Sonneratia alba 220
 sorb 245
Sorbus spp. 231, 237
Sorbus aria 236
Sorbus aucuparia 232
 sorghum 125, 132
 source-sink system 101, 177
 soybean 13, 67, 114
 species distribution 203–15
Spinacia 24, 44
 spruce *see Picea abies*
 starch 41, 112–13, 115, 126, 131, 133, 142, 144, 219
 synthesis 5, 115, 116, 117, 127–30, 134–7, 142, 144
 stigma 33, 34, 36, 39, 45, 78, 80, 89, 92, 205
 strawberry 90, 110
 sucrose 114–17, 132–4, 135–6, 138–9, 205–6
 sugarcane 116
 suspension cultures 57–60
 sweet chestnut *see Castanea sativa*
 sycamore *see Acer pseudoplatanus*
 synergid 41–4
Tabebuia 17, 25
Talinum mengesii 34, 38
Tamus communis 207–9, 211–12
Taraxacum 3, 225
Taraxacum koksaghyz 42
Taxus baccata 241
 temperature
 cell division 127
 cell enlargement 117
 flowering 14–17, 76
 fruit abscission 94
 fruit set 90
 grain growth 141–3, 189
 plant distribution 203, 212
 pollen germination and tube growth 34, 78–9, 92, 205, 209
 fruit yield 210
 fruit set 90–1
Tetragastris panamensis 224
Themeda australis 21
 Thymelaeaceae 230
Tilia cordata 204–7, 211–12, 227
 tobacco 60, 75
 tomato 75, 80, 103, 104, 105, 106, 107, 108, 110, 111, 112, 113, 116, 220, 224
 trade-off, 3, 155, 181, 182, 183–4, 190, 194
Triticale 44–5, 125, 127
Triticum aestivum 39, 44
 tulip 105
Tussilago farfara 180

Ulmus glabra 227

Vaccinium spp. 227
Vaccinium myrtillus 227, 237
Vaccinium vitis-idaea 237
 vernalization 5, 14–15, 19, 20–2
Viburnum opulus 234
Viburnum tinus 225
Vicia faba 75, 76, 81, 114
 Viscaceae 41
Viscum album 227, 236, 238, 241, 242, 244

 water supply 17–18, 25, 94, 113, 117, 127, 180, 193–4, 195, 203, 211
 deficit 113, 114, 142–4, 189
 water hyacinth *see Eichhornia crassipes*
 wheat 16, 22, 42, 44, 46, 61, 65, 66, 67, 103, 106, 112, 125–45, 190–1, 193–4;
see also Triticum aestivum

Xanthium 15, 26

 yew *see Taxus baccata*

 zygote 40, 45, 126, 130
 zucchini *see Cucurbita pepo*