

## INDEX

---

- ablation, 189
- acetylcholine, 50
- actinomycin, 67, 70–1
- activation, 88
- Adair equation, 10, 15, 21, 31
  - model, 50
  - theory, 23
- adaptation, 148
- adenosine, 98
  - triphosphate, 26
- adenylate cyclase, 74–104, 128–9, 136, 138–42, 144, 145, 147
- ADP, 108, 121, 122, 124, 125, 147
- affinity, 12, 20, 31, 80
  - constant, 61, 72
- agar, 136
- aggregation, 127, 128, 139, 146
- alcohol dehydrogenase, 109
- all-or-none transition, 125, 144
- allosteric, 21
  - activator, 91
    - constant, 21, 112, 122, 124, 130
    - enzyme, 109, 147
    - model, 40, 50, 130
    - protein, 147
    - regulation, 129
    - theory, 20
- amoebae, 127
- AMP, 108, 124
- amplification, 122, 134–5
- amplifier, 121
- antagonism, 156
- antibody, 11, 17
- antigenic determinant, 12
- antigens, 11
- aperiodic trajectories, 207
- arsenazo, 159
- arylhydrocarbon hydroxylase, 64–8, 71
- aspartase transcarbamylase, 26
- association
  - constant, 9, 10, 20, 30, 31, 32, 41, 46
  - function, 9
- asymptote, 50
- ATCase, 26–7
- ATP, 26, 116, 128, 130, 131, 132, 137, 138
- attenuation, 57
- attractant, 127
- augmentation, 170, 171, 172, 179
- autocatalysis, 107, 148
- autoradiograph, 183, 184
  
- back reaction, 5
- basal
  - conditions, 60
  - rate, 63
- Belousov–Zhabotinsky reaction, 107, 209
- benzanthracene, 64, 67
- beta-adrenergic blocker, 74
- beta-galactosidase, 58
- bifurcations, 209
- binding sites, 12, 18, 20, 29
- binomial coefficients, 22
- birhythmicity, 126, 146
- blood cell, 197
- bone marrow, 197
- BRL cells, 71
- bursting, 126–7, 146
- butterfly effect, 208
  
- calcium, 129, 146, 149, 155–80
- cAMP, 61, 76, 108
  - induction, 64
  - signaling, 127–49
- CAP, 61
- carbaryl
  - aspartate, 26
  - phosphate, 26
- carcinogen, 70
- catabolite, 145
  - repression, 59, 61
- catalytic subunit, 26, 118
- catecholamine, 74, 94

216 *Index*

- cell
  - ghosts, 137
  - growth, 58, 61
  - multiplication, 58
  - suspension, 137
- cell-free system, 58, 67
- cellular
  - differentiation, 58
  - hypertrophy, 194
- cGMP, 129, 147
- chain rule, 203
- chalone, 182, 185, 195
- chaos, 126–7, 146, 197–212
- characteristic equation, 114–15
- chemical waves, 107
- chemotaxis, 127
- cholesterol, 100
- circadian rhythms, 118
- citrate, 124
- clock, 108
- collision coupling, 88
- compartments, 131, 140
- competition, 176, 178
- complex, 1, 2
- concerted, 130
  - change, 22
  - model, 23
- transition, 109, 147
- conductance, 159
- conformational change, 20, 23
- conservation equation, 2, 35, 78, 84, 92
- cooperativity, 11, 14, 20, 22, 29–47, 81, 88, 110, 148, 160, 168, 169, 170, 176
- covalent modification, 57, 129, 147, 148
- CO<sub>2</sub> production, 123
- critical point, 204
- CRP, 61
- CTP, 26
- curvature, 30, 34, 47–9
- cycles, 206
- cyclic AMP, *see* cAMP
- cyclic GMP, 129
- cycloheximide, 67, 68–71
- cytoplasmic messenger, 65
- cytosine triphosphate, 26
  
- D. minutum*, 128
- dead-end complex, 23, 27
- degradation, 66, 68
- derivative, second, 33
- desensitization, 145, 146, 148
- detailed balancing, 21–2, 25, 38
  
- developmental
  - control, 138
  - path, 139
  - transition, 138
- dibenzanthracene, 64–5
- Dictyostelium discoideum*, 108, 122, 125, 127–49
- difference equations, 2, 198
- differential-delay equation, 197
- differentiation, 127, 128
- diffusion, 107, 128, 161
  - controlled reaction, 100
- dilution, 144
  - factor, 130
- dimensionless, *see* nondimensional
- dimer, 23, 24, 31, 36, 42, 130
- dinitrophenol, 137
  - dissipative structures, 107, 148
- dissociation constant, 9, 21, 77, 124, 136
- DNA
  - loops, 59
  - transcription, 58
- dose-response, 122, 134, 136, 188, 189, 193
- double periodicity, 117–18
- double-reciprocal plot, 5
- DPH, 100
  
- E. coli*, 58, 60, 62, 116, 147
- e.p.p., 155, 157, 159
- Eadie plot, 14
- effector, 60
- end-plate potential, *see* e.p.p.
- end-product inhibition, 148
- entrainment, 117–18
- entry, 159, 161, 162, 163, 168, 169, 176
- enzyme, 2, 42, 74
  - casades, 1–47
  - induction, 57–73
- epidemiology, 211
- epinephrine, 95–8
- equilibrium
  - binding, 31
  - constant, 9, 23
  - dialysis, 8
  - point, 191, 200
- error, 50
- erythrocyte, 76–104
- evoked release, 156, 159
- excitability, 107–49, 120–6, 128
- extremum, 36
- extrusion, 161

- facilitation, 153, 158–62, 164, 165–74, 177–9  
 fatty acids, 100  
 FDP, 109, 124  
 feedback, 120, 126, 146–8  
 fixed point, 200, 204–6  
 fluorescence, 109, 123  
 formation, 63  
 frequency demultiplication, 118  
 frog, 173  
 fructose diphosphate (FDP), 123  
 fructose-1,6-bisphosphate, 109  
 fructose-6-phosphate, 109  
 fruiting body, 127
- $G_0$  phase, 183  
 $G_1$  phase, 185  
 G-proteins, 129  
 galactosidase, 62  
 gap, 155  
 gate, 74  
 GDP, 101  
 gene dosage, 62  
 genes, 144  
 genetic control, 57  
 glycogen phosphorylase, 27–8  
 glycolysis, 123  
 glycolytic oscillations, 108–27  
 Gpp(NH), 39  
 Gpp(NH)p, 74–6, 78, 80, 85, 91, 99, 101–4  
 GTP, 74, 75, 77, 80, 90–1, 101  
 guanosine triphosphate, 74  
 guanylyl-imido-diphosphate, 74
- half saturation, 36–7  
 half-life, 66, 71  
 half-saturation concentration, 51  
 half-site reactivity, 61  
 haptens, 12  
 hard excitation, 143  
 heart, 211  
 HeLa cells, 67  
 hematopoiesis, 197  
 hemoglobin, 20, 21, 23  
 hepatactomy, 182, 185, 188, 190, 195  
 heterogeneous affinity, 12  
 hexachlorocyclohexane, 183  
 hexamer, 120  
 hexokinase, 109  
 Hill
  - approximation, 38, 60
  - law, 37–8
  - number, 36
  - plot, 35–8, 50–2
- homeostasis, 195  
 hormone, 74, 77, 146, 148  
 horseradish peroxidase, 209  
 hybrid conformation, 23  
 hydrogen, 209  
 hydroxybenzylpindolol, 95  
 hyperbolic law, 20
- identical site oligomer, 41  
 IgM, 17–18  
 immunoglobulins, 11, 40  
 immunology, 211  
 independent sites, 10  
 induced-fit
  - models, 50
  - theory, 20, 22–8
- induction, 57
  - equation, 60
  - enzyme, 57–63
  - positive, 61–5
- inhibition, 175  
 inhibitor, 67–72, 68, 70, 182–3, 186, 189,  
 190–1, 194, 195
- initial
  - conditions, 2
  - velocity, 40–4
- insects, 198  
 instability, 206  
 integration, 86  
 IPTG, 59, 61–2  
 isomerization constant, 21  
 isopropylthiogalactoside, 59  
 isoproterenol, 95
- Jacob–Monod
  - mechanism, 57
  - regulatory circuit, 61
- kinetics, 74, 87
- lac, 58–65
  - inducers, 61
  - systems, 58
- lag period, 66  
 Langmuir isotherm, 4  
 latent period, 66  
 ligand, 8, 20, 24, 25, 29, 31, 42, 74  
 light scattering, 128  
 limit cycle, 115–20, 126, 131, 136, 138, 142,  
 197  
 linear regression, 16

218 *Index*

- linearizing, 191
- Lineweaver–Burk plot, 5, 13, 14, 33–4, 52, 55–6
- liver regeneration, 182–96
- liver, 64, 66, 67
- loop relation, 21–2, 25
- lurbol-PX, 103
  
- m.e.p.p., 157
- macromolecules, 8
- magnesium, 156, 171, 174–80
- mass action, 1
- maximum, 36, 48–9, 203–4
- membrane, 136
- messenger RNA, 58, 65, 68
- metabolite regulator, 57–73
- Michaelian
  - enzyme, 134
  - function, 80
- Michaelis constant, 4, 41, 162
- Michaelis–Menten
  - curve, 30, 168
  - equation, 3–7, 11
  - functions, 162
  - kinetics, 34
  - law, 41
- miniature end-plate potentials, 155
- minimum, 36, 203–4
- mitochondria, 159, 168, 175
- mitosis, 182–9
- mitotic
  - index, 183–4, 186, 187, 189, 193
  - rate, 187, 189
  - stimulator, 185
- molecular mechanism, 29
- mRNA, 58, 67
- multiple
  - periodic attractors, 126
  - stationary states, 125, 142, 144
- muscle, 108
- MWC
  - model, 109–13
  - theory, 20–8, 40
  - mechanism, 147
  
- NADH, 109, 123, 210
- nerve
  - impulse, 155
  - membrane, 133
  - terminal, 155
- neurotransmitter release, 155–80
- noncooperative binding, 33, 78
  
- nondimensional
  - parameters, 42
  - variables, 32, 112
- nonequilibrium
  - systems, 107
  - thermodynamics, 107
- nonidentical sites, 38
- nonlinear, 149
  - kinetic laws, 107
  - springs, 209
- norepinephrine, 95
- nucleic acids, 26
- nucleotide, 27
- nullcline, 113, 115, 125, 126, 131, 132, 137
  - sigmoid, 113, 117, 119, 121, 131–3, 137, 138, 144, 147
  
- oligomer, 20, 29, 35, 40, 41
- operator, 59
- operon, 58, 60
- optimal frequency, 146
- oscillation, 128, 107–49, 137, 193
- overshoot, 182, 192–3
- oxidation, 209
- oxygen, 20, 21
  
- papain, 148
- parabiotic rats, 184
- parameter space, 144
- pendulum, 209
- perfect
  - K* system, 113
  - V* system, 113
- period, 204, 209
- peroxidase, 210
- perturbations, 113
- PFK, 109, 110, 116–18, 120, 122, 124, 131, 134, 135, 137, 147
- pH-dependent kinetics, 107
- phase
  - plane, 113, 120, 131, 132, 137, 138, 143, 145, 147, 148, 191–2
  - shift, 117
- phosphate, 26
- phosphodiesterase, 130, 134, 136, 138–42, 145
- phosphofructokinase, 108, 109, 118, 125, 147
- phospholipids, 100
- phosphorylation, 57, 146
- plateau, 136
- post-tetanic potentiation, *see* PTP
- postsynaptic membrane, 155

- potentiation, 158, 172  
 pox virus, 67  
 predator–prey, 107  
 presynaptic membrane, 155  
 product, 2, 42–4, 124  
 promoter, 61  
 propranolol, 74, 95  
 protein  
   kinase, 129, 147  
   molecule, 8  
   synthesizing, 57  
 protomer, *see* subunit  
 pseudo-steady state, 3, 93  
 PTP, 169–71, 173, 178, 179  
 puromycin, 67  
 pyrimidines, 26
- quantal  
   content, 158  
   release, 157  
 quasi-steady state, 3, 42, 78, 112, 130–1  
   *see also* pseudo-steady state
- R-state, 20  
 rat, 182, 195  
 rate constant, 1, 31, 65  
 rate-determining step, 66  
 rate-limiting step, 5  
 reaction, irreversible, 2  
 receptor, 74  
 rectangular hyperbola, 4  
 red blood cells, 76  
 refractory period, 125, 133  
 regression, linear, 16  
 regulatory sites, 26  
 regulation, 57  
 regulatory subunit, 26, 118, 130  
 relaxation oscillations, 119  
 relay, 128, 132, 137, 140, 141, 146  
 release, 139, 161–3, 168–70, 175, 176  
 removal, 159–61, 165–8, 173, 176, 178  
 repetitive stimulation, 171  
 repression, 57, 65  
 repressor–effector complex, 60  
 repressor, 59, 60, 68–9, 70  
 reserve material, 145  
 residual theory, 158  
 resting calcium concentration, 162  
 reversible association, 57
- Sarkovskii's theorem, 206
- saturation, 38, 40, 49, 161, 162, 164, 167–9,  
   173  
 function, 10, 22, 29, 30, 32, 33, 35, 45, 50–6
- Scatchard  
   curve, 13  
   function, 13  
   plot, 13–18, 31–5, 45–50  
 seasonal breeding, 198  
 self-organization, 107  
 separation of variables, 3  
 shuttle model, 102  
 sigmoid, 30, 32, 45  
   nullcline, *see* nullcline, sigmoid  
 signaling, 139  
 slime mould, 108, 127  
 slope  
   final, 46  
   initial, 46, 49  
   sodium, 179  
 space-dependent structures, 107  
 specific reaction, 4  
 spores, 127  
 squid, 159, 175  
 stability, 115, 130, 141, 202, 206  
 stalk, 127  
 standard plot, 29, 33, 52–4  
 starvation, 128, 145  
 stationary state, 107  
 statistical mechanics, 208  
 steady-state, 3, 85, 121, 131, 141, 200  
 stimulator, 183  
 stirring, 137  
 stoichiometry, 61  
 strange attractor, 127, 197  
 structural gene, 65  
 substrate, 2, 23, 134  
   inhibition, 115  
   injection, 121–5, 137, 138  
 subunit, 20, 23, 35, 110, 118–20  
 succinate, 27  
 superinduction, 67–72  
 switching, 131  
 synapse, 155, 156  
 synchronized release, 155
- T-state, 20  
 Taylor series, 167  
 temperature, 137, 176  
 test pulse, 160  
 tetramer, 23, 45–56, 118  
 threshold, 121, 122, 124, 125, 132, 134, 136–  
   8, 143, 145, 147, 148, 189

220 *Index*

thymidine, 183–5  
  kinase, 67

time

  constant, 178  
  scale, 6, 118

transcription, 61, 63, 67

  termination, 57

transition, 144

  map, 210

translation, 65, 67

  control, 65, 72  
  factor, 68, 69

transmitter, 155, 160

trimer, 118

trirhythmicity, 126

turbulence, 208, 209

turkey, 76

  erythrocyte, 94

turnover, 65

tyrosine aminotransferase, 67

units, 186

velocity, of reaction, 3, 41

vesicles, 136, 155

viscosity, membrane, 99–100

waste product, 182–3, 190, 194, 195

yeast, 108, 117, 147