

Index

- adaptive filtering, 383
- adjoint technique (*see* variational analysis)
- aircraft reports, 16, 137
- aliasing, 80–2, 432–5
- analysis
 - local, 33, 67–70, 178
 - global, 41, 55, 70
 - subjective, 17–19
- analysis error, 99–101, 131–7, 151
 - covariance matrix, 38–40, 129–30, 148, 183, 377
 - spectrum, 121, 142
- analysis increments (*see also* correction vector), 23, 26, 102
- anelastic equations, 397
- aspect ratio, 4, 395
- asynoptic, 11

- background error, 38–40
 - covariance (correlation) matrix, 38–40, 94, 107–17, 153–69, 418
 - homogeneous, 65, 107, 127, 155–6, 419
 - isotropic, 108–9, 112, 159
 - mis-specification, 143–8, 180
 - normalized, 106
 - separable, 107, 145, 155
 - spectrum, 109–10, 118–24, 141, 171
 - vertical, 107, 136–7
 - unbiased, 103, 107
- background estimate, 22, 38, 64, 102
 - climatological, 104, 111–17
 - forecast, 102, 112–17
- balance equation
 - linear, 227, 240, 316
 - nonlinear, 226, 230, 308
- balanced state or balanced initial conditions, 190–4
 - Machenhauer balance, 284
 - superbalance, 288
- band-limited function, 436

- baroclinic, 5
 - equations (*see also* primitive equation), 219–23
 - model, 194, 263
- barotropic
 - model, 194
 - vortex, 301
- boundary condition
 - Dirichlet, 228, 254
 - imposed, 250
 - natural, 250, 254, 371
 - Neumann, 228, 255
- bounded derivative method, 224–7, 289, 390
- Brunt-Väisälä frequency, 221, 395

- characteristic scale
 - horizontal, 4, 12, 72, 207, 221
 - vertical, 4, 136, 187, 221
- cloud drift winds, 16, 137
- constraint
 - geostrophic (*see also* geostrophic relation), 257
 - inequality, 257
 - non-holonomic, 246, 250
 - quasi-geostrophic, 261
 - strong, 251, 255
 - weak (*see also* penalty method), 255
- continuity equation, 220, 252
- control variable, 365, 371, 373
- convection, 3, 397
- Coriolis force, 3
 - parameter, 53, 167, 187, 220
- correction vector (*see also* analysis increment), 26, 377
- cost function (*see also* functional), 59, 256

- damping procedures, 190, 322, 338
- data
 - manifold, 305
 - rejection, 353
 - selection, 175–6
 - void, 23, 48, 60, 180

- data assimilation
 - continuous, 28, 333
 - cycle, 24
 - intermittent, 26
 - model, 25
 - in the oceans, 399
- descent methods, 364
 - conjugate gradient, 369, 404
 - Newton descent, 369
 - steepest descent, 367
- direct insertion, 333, 377
- divergence, 4, 195, 252
 - divergent wind component, 160, 224
- dynamic relaxation, 357
- ellipticity
 - condition, 231, 313
 - problem, 261
- equivalent depth, 265, 270, 275
- energy
 - kinetic, 5, 29, 160, 207, 395
 - potential, 207
- Euler-Lagrange equations, 248, 256, 260, 370
- external (Lamb) mode, 268
- fast mode equation, 284
- filtered models, 188
- Fourier
 - expansion, 46, 50, 53, 59
 - transforms, 73, 79, 109, 119, 171
- forward interpolation, 26, 102, 180–3, 364, 421
- functional (*see also* cost function)
 - definition, 246
 - stationary value, 246
 - continuous, 246
 - discrete, 251, 261
- gain matrix (*see also* weights), 377
- geostrophic
 - adjustment, 202
 - balance, 4, 118, 204, 226, 240, 253
 - coupling, 167, 170, 176, 179
 - departure, 215, 306, 316
 - mode (*see also* Rossby mode), 118, 197, 201
 - relation, 53, 55, 167, 170, 197
 - wind correction, 355
- Global Weather Experiment, 10, 392
- Gram matrix, 41, 49, 55
- Gram-Schmidt procedure, 44
- gravity wave shock, 354
- Hankel transforms, 77, 109, 162, 430
- Hinkelman-Phillips model, 212, 327
- Hough functions, 55, 274, 407
 - Rosby-Hough functions, 55, 169, 276
- humidity, 4, 391
- hydrostatic
 - balance, 4, 187, 220
 - equation, 220, 251, 264
- identical twin experiments, 339
- ill-conditioning, 44, 59, 111
- inertia-gravity waves, 186–8, 197, 204, 214, 276–8, 285–8
- initialization, 24, 186
 - Baer-Tribbia, 288
 - bounded derivative, 390
 - constrained, 201, 209, 228
 - convergence, 316
 - diabatic, 320
 - dynamic, 209, 322
 - of hydrological cycle, 392
 - implicit, 314
 - Laplace transform, 384
 - for limited area models, 314, 331, 384, 390
 - Machenhauer, 285
 - normal mode, 263
 - physical, 393
 - quasi-geostrophic, 224
 - variational, 256, 308
- initialized state (*see also* balanced state), 190
- innovation vector (*see also* observation increment), 26, 377
- in situ observations, 11
- internal mode, 268
- inverse methods, 401
- Kalman-Bucy filter, 181, 376
- Kelvin mode, 276
- l_1 , l_2 , norms, 40
- Lagrange interpolation, 43, 134, 421
- Lagrange multipliers, 100, 245, 249, 253, 258, 260, 371, 373, 414
- Laplace
 - tidal equations, 55, 274
 - transform, 214, 241, 321, 384
- least squares estimation, 21, 34
- lidar, 11, 17, 396
- maximum likelihood estimate, 35
- mesoscale, 4, 395
- method of residues, 386
- minimum variance estimate, 99
- network design, 11, 436
- observation error
 - bias, 25, 36, 99, 103
 - covariance matrix, 38, 104
 - gross, 24, 40
 - instrument, 12, 24
 - mis-specification, 143
 - normally distributed, 35, 101
 - of representativeness, 12, 24, 183
 - spatially correlated, 25, 38, 62, 137
 - spatially uncorrelated, 37, 65, 118, 121
 - spectrum, 119, 141
 - temporal correlation, 352, 410
 - unbiased, 35, 99, 103, 151
- observation increments (*see also* innovation vector), 23, 26, 66, 102
- omega equation, 209, 227, 236, 307

- optimal interpolation, 98, 105
 overfitting, 45
- penalty
 function, 58, 255
 method (*see also* weak constraint), 58
- Picard iteration, 287, 318
- polynomial expansion, 21, 42, 49
- positive definite, 43, 87, 109, 418
- potential vorticity
 Ertel, 240
 quasi-geostrophic, 202, 239
- predictability error, 346
- pressure gradient, 4, 223
- primitive equations
 linearized, 263
 model, 187, 219
 normal mode form, 281
 scale analysis, 219
- profiler, 11, 16, 396
- quadratic form, 37, 41, 46
- quality control, 25, 40
- radar, 11, 17, 397
- radiometers
 satellite-borne, 11–17, 104, 137, 333
- radiosondes, 11–16, 104, 111, 137, 165
- region (radius) of influence, 21, 33, 67
- residual, 37, 62
- Rossby
 mode (*see also* geostrophic mode), 118, 197
 number, 187, 222, 240, 306
 radius of deformation, 207, 219, 222, 240, 399
- rotational wind component, 160, 224, 302, 308
- separation constant, 265
- shallow water equations
 Cartesian form, 194
 linearized form, 195
 normal mode form, 199
 plane polar form, 203
- slack function, 258
- slow manifold, 292, 303, 360
- slow mode equation, 284
- spectrum (spectra)
 spatial, 5–7, 29
 temporal, 4–5
 white noise, 122, 383
- spin-up problem, 393
- spline functions, 60, 423
- stationary
 function, 246
 value, 244
- streamfunction, 156, 195, 213, 224
- structure equation
 horizontal, 265, 270, 291
 vertical, 265, 267
- successive corrections, method of, 64, 69
- single correction, 65
- spectral response, 71, 78
- super observation, 111, 135, 262
- surface stations, 11, 13
- synoptic
 chart, 17
 space scales, 4
 times, 10
- system error covariance, 376
- timescales, 187, 207
- underfitting, 45
- variational analysis
 four-dimensional, 258, 369
 three-dimensional, 58, 181, 251, 255, 365
- velocity
 longitudinal component, 158, 165
 potential, 155, 195, 213, 224
 transverse component, 158
 vertical, 220, 224, 252, 264
- virtual displacement, 243
- vorticity, 240
 vertical component, 195
- weights, analysis
 a posteriori (*see also* gain matrix), 30, 49, 56, 66, 102
 eigenstructure, 126
 a priori, 37, 66, 72, 91, 251
 optimum, 96, 100, 105, 382
 spectrum, 120, 141, 171
- World Weather Watch, 10