

Subject index

- acoustic diffraction tomography, 21
 acoustic techniques, 27–35; three-dimensional, 30–5
 acoustic visualization, 62–5
 active aggregation, 108; definition of 3
 advection-diffusion-reaction model, 254, 302,
 306–9 (*see also* diffusion, reaction-diffusion)
 aggregation; cues for, 251; definition of, 2;
 evolution of, 159; evolutionary aspects, 253;
 foraging, 167; indices of, 109; mating, 166;
 mechanical advantages, 167; positional effects,
 168; predation, 167; sensory modality, 323–7;
 terms of, 1; visual signals, 326–7
 aggregation device, 226 (*see also* attraction,
 external source)
 aggregation rate, 148–9
 alignment, 273 (*see also* polarization)
 amplification, 230, 293
 angular distribution, 266, 268, 290, 294
 aposematism, 180, 328
 asocial aggregation, 226
 attenuation, 322, 335
 attraction, 4, 127, 137; cues for, 115, 144; external
 source, 81; gravitational model, 318; influences
 on, 115, 136; visual mediation, 319
 attraction field, 115
 attraction focus, 116, 131 (*see also* attraction,
 external source; congregation focus)
 attraction-repulsion models, 314, 330–2, 333
 attractive bias, 115, 120–3
- binocular vision, 326
 bird flock, aerodynamic hypotheses, 70–2; cluster
 formation, 70, 76–85; internal structure, 78; line
 formation, 68, 70–6; optical resolution of, 72–4;
 radar resolution of, 74–5; V-formation, 69
- calibration, 90
 calibration frame, 58 (*see also* control frame;
 reference unit)
 calibration techniques, 39–40
 camera, digital, 46; metric, 38; nonmetric, 39;
 semi-metric, 39
 cellular-automaton simulation, 287
 chemical defense, 180
- chemical signals, 282, 298
 chemotaxis, 251, 260, 285
 chorus-line hypothesis, 76, 227
 cognition, 242
 cohesion, 160, 258, 273, 313, 318–9; curves, 334;
 definition of, 321; internal factors, 329; lateral
 line, 324; trail strength, 295
 collective behavior, 282 (*see also* epiphenomena;
 group response); sensory cues, 299
 collective decision making, 272–3, 278, 286 (*see
 also* information transfer; social taxis)
 collective searching, 278 (*see also* information
 transfer; social taxis)
 collinearity, 37–8
 computerized tomography, 18, 21 (*see also*
 inversion techniques)
 confusion effect, 167, 181, 238–9
 congregation, 108, 226; definition of, 4; properties
 of, 5–6 (*see also* emergent property,
 epiphenomena)
 congregation focus, 115, 132 (*see also* attraction
 focus)
 congregation rules, 139–40 (*see also* traffic rules)
 continuous tendency models, 318–22
 continuum model, 249–50, 252, 273, 287
 control frame, 40, 54 (*see also* calibration
 techniques, reference unit)
 control points, 39
 convolutions, 293
 cooperation, 178
 cooperative hunting, 233
 coordination, 313
 copepod swarm, 145
 coplanarity, 37–8
 correspondence, 25 (*see also* matching;
 photogrammetry)
 cost benefit ratio, 168, 198–9
 cost benefit threshold, 169
- density, effect of satiation, 201–2 (*see also*
 positional preferences, hunger); fish school, 304
 density distribution, 110
 density gradient, 122–3
 detection range, 265 (*see also* perception distance)

- diffusion, 10, 248, 262–3, 306
 diffusion equation, 116, 249–50
 diffusion models, 111 (*see also* Eulerian analysis)
 dilution effect, 167, 181
 directionality, 289, 293 (*see also* polarization)
- echo counting, 27
 echo integration, 27
 edges, 160, 206
 elective group size, 196, 205
 emergent property, 81, 166, 284, 297, 299 (*see also* epiphenomena)
 emission techniques, active, 23–4; passive, 23–4
 encounter rate, 259
 epiphenomena, 9, 254 (*see also* emergent property)
 equilibrium distance, 315, 318, 330
 Eulerian analysis, 108, 110–2, 113; definition of, 11 (*see also* diffusion)
 exploratory tendency, 320 (*see also* attraction, external source)
 explorer, 292, 298
- fish school, acoustic resolution of, 27–8; foveal sonar imaging of, 32–4; optical resolution of, 26; physiological constraint, 301, polarization of, 127; three-dimensional resolution of 54–5
 fish school structure, 127
 fluorescence imaging, 22–3
 follower, 211, 292, 298
 follower tendency, 320
 forage area copying, 279, 328
 Fourier transformation, 20–1, 29
 fractal analysis, 111
 fractal dimension, 149, 153, 156–8
 fractals, 11
 frame grabbing, 46
 flock-school-herd (FSH), 175 (*see also* congregation)
- gradient of response, 195
 gradients, 257, 276
 group fidelity, 240
 group fission, 82
 group geometry, 240 (*see also* group structure)
 group persistence, 197
 group response, 138–9 (*see also* emergent property); 282
 group selection, 166
 group shape, metabolic effects, 301
 group size, 110, 146, 169–70, 234, 272; effects on, 196; maximum, 302; minimum, 241; optimum, 198, 204–5, 254; stable, 204
 group size preference, 205
 group structure, 170, 322; facilitation of communication, 208; foraging, 233; hunger, 236; mechanical advantages, 208 (*see also* positional preferences); metabolic effects, 301, 308–9; ontogeny, 236; optimal, 214, 216; polarization, 227, 235; predation, 233; refuge, 236
- habituation, 239
 haphazard orientation, 145 (*see also* milling)
- harmonic models, 322
 holography, 22
- ideal free distribution, 204
 individual differences, 176, 335; aggression, 185–6; fear, 185; hunger, 184; motivation, 183; phenotypic, 183
 information, 207
 information gathering, 170
 information propagation, 258 (*see also* information transfer)
 information transfer, 4–5, 170, 247–8, 251; efficiency, 323, 327; sensory modality, 227–8
 interacting-particle model, 252
 interaction forces, external, 314; frictional, 314–5, 322; internal, 314
 interfish distance, 323 (*see also* nearest neighbor distance)
 internal spacing, visual cues, 227
 internal state, 313
 inverse square law, 208, 319
 inversion procedure, 19
- Lagrangian analysis, 108, 110–2, 130–2, 141, 249 (*see also* random walk); definition of, 11
 leader, 211; bird flock, 78; lack of, 284
 life-dinner principle, 169, 194, 203
 linear stability theory, 293
 loner, 185 (*see also* straggler)
- many eyes hypothesis, 228; foraging, 198; predation, 180 (*see also* vigilance)
 mass attack, 114–5, 118–20 (*see also* attractive focus; pheromones)
 mass spawning, 166
 matching, 47–50, 90, 148 (*see also* correspondence); probabilistic model, 91–4
 maximum group size, physiological hypothesis, 302
 maximum school dimension, 309
 mean field model, 252
 mechanoreception, 159, 324
 microscopy, confocal, 22; serial, 22
 milling, 235, 288
 Mills crossed array, 34
 model validation, 241, 299
 mosquito swarm, three-dimensional resolution of, 96–100
 motility, definition of, 115
 motivational state, 313
- nearest neighbor association, 134
 nearest neighbor distance, 109, 130, 133–5, 139–40, 153, 231–2, 304, 323, 325; angular velocity, 209; bird flock, 72–4; foraging, 329; loom, 210, 318; mosquito swarm, 101; tau, 211; time to collision, 211; V-formation, 72–4
 null models, 215
- object density, 19
 object space, 37

- oddity effect, 181
 open environment, 226; ocean, 61
 optical techniques, 26 (*see also* photogrammetry)
 optimal group structure, fish school, 214; null models, 216; V-formation, 214
 optimal position, 189, 209 (*see also* positional preferences)
 optimal sensitivity, 220
 optimality theory, 189
 optimum group size, 198, 204–5, 254

 parallax, 42, 326
 passive aggregation, definition of, 3
 passive congregation, definition of, 5 (*see also* FSH)
 patch dimension, 147–8
 patch dynamics, 147–8
 patch profitability, 252
 patch scale, 258
 patch size, 143
 patchiness, 61, 143, 195, 196, 257
 pattern, 247; balance of forces, 297; pelagic distribution, 65
 perception distance, 247, 329 (*see also* attractive bias; gradients)
 pheromones, 113–5 (*see also* attraction; mass attack), 285, 298, 299, 326
 photogrammetry, definition of, 36
 phytoplankton, 144
 pixel, 18
 polarization, 258
 population density, 112, 117 (*see also* density distribution)
 population flux, 111, 116–8 (*see also* Eulerian analysis)
 positional effects, environmental influence, 191; foraging, 178–9; genetic constraints, 191–2; homeostasis, 177; locomotion, 178; metabolism, 310; multiple factors, 189–91 (*see also* optimal position); predator avoidance, 179
 positional preferences, 174, 182
 predator inspection, 321
 predator swamping, 181 (*see also* dilution effect)
 preferred direction, 295
 projection slice theorem, 20

 random walk, 111, 115, 151, 260, 262–3, 314 (*see also* Lagrangian analysis)
 reaction-diffusion, 252 (*see also* diffusion equation)
 reactive distance, 324
 received intensity, 20
 reference unit, 96–9 (*see also* calibration frame; control frame)
 reflection techniques, 24–5
 relevant detail, 249
 repulsion, 4, 81, 127, 137
 resolution, range, 29; spatial, 18, 25; temporal, 25
 return tendency, 320 (*see also* attraction)
 Reynolds number, 314–5
 rules of interaction, 255, 265, 297 (*see also* traffic rules)

 scale, problem of, 237–8, 247–9
 school shape, 329
 school unit, 234, 241 (*see also* sensory integration system)
 schooling, deterministic model, 273; foraging benefits, 279
 Schreckstoff, 185 (*see also* pheromones)
 searching behavior, 261
 self-organization, 284, 286, 298
 selfish herd, 182
 sensitivity, 211, 230, 297
 sensory integration system, behavioral constraints, 239; definition of, 229; life history constraints, 242–3
 separation distance, 315, 318, 321
 signal propagation, spatial scale, 237
 signal to noise ratio, 29, 228, 260, 263
 social congregation, definition of, 5
 social medium, 230; propagation characteristics, 231–3
 social signals, 230
 social taxis, 260
 sonar, dual-beam, 28; split beam, 28
 spacing dynamics, body size, 328–9; external factors, 328; group size, 328 (*see also* interfish distance; nearest neighbor distance)
 spatial behavior, 287
 spatial summation, 228
 spatio-temporal model, 287
 spectral analysis, 323; pelagic animals, 61
 stable group size, 204
 state vector, 18–9
 statistical mechanics, 248
 stereoscopy, 42–50, 91; digital, 45
 stochastic processes, 250
 stragglers, 138, 169 (*see also* loners)
 submersible, 169
 swarm, communication within, 159; definition of, 97; mysids, 197; zooplankton, 53–6, 144
 swarm maintenance, cues for, 160
 swarm marker, 97, 148 (*see also* attraction, external source)
 swarm migration model, 292
 swarm shape, 102
 swarm structure, 160
 synchrony, 279
 synchrony, 76–7, 171, 241–2; visual cues, 242

 target strength, 27–8
 theoretical models, 207, 333–4
 three-dimensional tracking, 50–2; automatic, 57–9, 130; birds, 75; mosquitoes, 96, 99, 102; path sinuosity, 111; schooling fish, 128
 three-dimensional visualization, 42–3, 47; copepod swarm, 146
 threshold tendency models, 315–8
 traffic pattern, 290 (*see also* trail following)
 traffic rules, 12, 172 (*see also* rules of association); fish schools, 139
 traffic volume, 295 (*see also* trail following)
 trail decay, 291–2

- trail following, 282; function of, 282–4, 290;
mammals, 284; molluscs, 285; Myxobacteria,
285; social insects, 282, 285; trade-offs, 297–8
marking, 284, 295 (*see also* pheromones);
trail network, evolution of, 286–7; spatial pattern, 287
translation mechanisms, 313, 318 (*see also*
information transfer)
transmission techniques, 19–23
traveling wave solutions, 292
triangulation techniques, 24–5
Turing model, 253
- vertical migration, 195, 238; zooplankton, 63
vigilance, 180, 329
voxel, 18
- wave of excitation, 230, 237
- zone of approach, 317 (*see also* attraction)
zone of avoidance, 317 (*see also* repulsion)
zooplankton patch, acoustic resolution of, 62–6
zooplankton swarm, 144; escape response, 194–5;
resolution of 53–4, 55–6

Taxonomic index

BACTERIA, 260; Myxobacteria, 285
Myxococcus xanthus, 244

BIRDS

blackbird, 69
 Brown Pelican, *Pelecanus occidentalis*, 74
 Budgerigar, *Melopsittacus undulatus*, 75
 Canada Geese, *Branta canadensis*, 69, 72, 74, 208,
 214, 215
 chaffinch, 329
 Dunlin, *Calidris alpina*, 77–8
 European Starling, *Sturnus vulgaris*, 68, 76, 77–8,
 79, 183
 pigeon, 78; wood pigeon, 185
 quail, 240
 sanderling, 240
 tit, 240
 vulture, 75
 White Pelican, *Pelecanus erythrorhynchos*, 73,
 214, 215

FISH

anchovy, 26, 181; northern anchovy, *Engraulis
 mordax*, 235
 Australian salmon, *Arripis trutta*, 198
 blackshin shiners, *Notropis heterodon*, 329
 catfish, *Plotosus* sp., 328
 chromis, blacksmith, *Chromis punctipinnis*, 129,
 310, 334; blue-green chromis, *Chromis viridis*,
 329
 cod, *Gadus morhua*, 28
 hammerhead shark, 26
 herring, 184; blueback herring, *Alosa aestivalis*,
 235; flat-iron herring, *Harengula thrissina*,
 141
 mackerel, *Scomber* sp., 26, 182; Atlantic
 mackerel, *Scomber scombrus*, 28; jack
 mackerel, 184; *Trachurus japonicus*, 26;
Trachurus symmetricus, 209
 minnow, 185, 329; bluntnose minnow, 184, 279;
 fathead minnow, *Pimephales promelas*, 140;
Gnathopogon elongatus, 322–3; *Leuciscus
 hakuensis*, 319

orange roughy, *Hoplostethus atlanticus*, 54
 roach, *Rutilus rutilus*, 184
 saithe, *Pollachius virens*, 33, 182, 218, 219, 325
 smallmouthed bass, 279
 striped bass, *Morone saxatilis*, 235
 striped mullet, *Mugil cephalus*, 183, 302–3
 tuna, 240; bluefin tuna, *Thunnus thynnus*, 214
 yellow perch, 240
 zebrafish, 280

INSECTS

ant, 282–3, 298; army ant, *Eciton hamatum*,
 286–7; *Eciton burchelli*, 286–7; *Dorylus* sp.,
 286, 288
 bark beetle, 110, 112; southern pine beetle,
Dendroctonus frontalis, 114–5
 caterpillar, 285; of cinnabar moth, 328
 locust, 258, 325
 midge, 325
 mosquito, *Culex pipiens pallens*, 91, 96, 98–9;
Culex pipiens quinquefasciatus, 103
 sycamore aphid, 109
 water flea, *Bosmina* sp., 168, 182
 whirligig beetle, *Dineutes* sp., 184

MAMMALS

caribou, 285
 dolphin, 233, 239, 241, 242, 324, 326; Hawaiian
 spinner dolphin, 241
 elk, 285
 sheep, 240
 wildebeest, 285

MOLLUSCS

limpet, 285
 slug, 285
 snail, 285

PROTISTS

slime mold, 285; *Dictyostelium discoideum*, 236

ZOOPLANKTON

cnidarian, 280

Cambridge University Press
978-0-521-46024-8 - Animal Groups in Three Dimensions
Edited by Julia K. Parrish and William M. Hamner
Index
[More information](#)

378

Taxonomic index

copepod, 195, 324; *Acartia* spp., 156; *Cyclops abyssorum*, 238; harpacticoid copepod, *Coullana canadensis*, 145, 150, 152, 153, 154, 155; *Labidocera pavo*, 160
ctenophore, 280
Daphnia sp., 181

euphausiid, 194, 195; Antarctic krill, *Euphausia superba*, 196, 259, 278
mysid, 56; *Paramesopodopsis rufa*, 197
salp, 280
sergestid shrimp, 59