

## Index of Meteorite names

- Acapulco 174, 176, 181–2, 183, 248, 249, 250, 273, 274, 369, 373  
 Acfer 059 172, 181–2  
 Acfer 094 50, 100, 121–2, 123  
 Acfer 182 103, 113, 117, 119  
 Acfer 187 118  
 Adelaide 121, 122  
 Adrar 003 87  
 Alais 98, 101  
 Allan Hills (ALH) 76003 131  
 ALH 76004 21, 59  
 ALH A77003 110  
 ALH A77005 15, 312, 318  
 ALH A77081 249  
 ALH A77257 264  
 ALH A77307 109, 110  
 ALH A78019 261, 264  
 ALH A81005 280, 297, 302  
 ALH 82101 110  
 ALH 82106 264  
 ALH 83014 261  
 ALH 84001 307, 311, 315–16, 318  
 ALH 84025 256  
 ALH 85001 283  
 ALH 85085 119, 120, 193  
 ALH 88045 103  
 Allegan 170, 171, 177  
 Allende 4, 55, 59, 76, 80, 93, 110, 111, 112, 114, 115, 138, 168, 172, 173, 177, 431  
 Al Rais 111, 116  
 Angra dos Reis 280, 291, 292, 293, 295  
 Appley Bridge 49  
 Asuka (A) 87031 264  
 A 881371 292  
 A 881394 373  
 A 881757 298, 300, 301, 303, 304  
 Aubres 267, 269  
 Ausson 170  
  
 Bacubirito 327  
 Ballinoo 327  
 Barratta nos. 1 and 2 15  
 Barwell 131, 170, 176, 181–2, 185, 434, 438  
  
 Beaver Creek 176  
 Belgica 7904 94, 107, 405  
 Bench Crater 101  
 Bencubbin 118, 358, 360, 361, 416–17  
 Binda 280, 284, 289  
 Bishopville 270  
 Bishunpur 6, 50, 73, 87, 90, 137, 180  
 Bjurböle 42, 131, 175, 176  
 Bocaiuva 358, 360  
 Bohumilitz 327  
 Brachina 251, 256, 274  
 Brenham 395  
 Brownfield (1937) 59  
 Brunflo 155  
 Burnwell 147, 148, 411  
 Bustee 268, 269, 270, 271  
 Butsura 438  
  
 Caddo County 254, 256  
 Calcalong Creek 298, 300  
 Camel Donga 283  
 Campo del Cielo 274  
 Canyon Diablo 169, 170  
 Cape York 322, 327, 330, 332, 343, 390  
 Carlisle Lakes 128, 130, 139, 140  
 Carlton 254, 255  
 Cerro los Calvos 147, 148, 410  
 Chainpur 50, 73, 135, 137, 166, 175, 176, 181–2, 222  
 Chassigny 245, 279, 280, 305, 307, 314–15, 317  
 Chervony Kut 369, 373  
 Chihuahua City 342  
 Chinguetti 354  
 Clark County 344  
 Clover Springs 354  
 Cold Bay 347, 358  
 Cold Bokkeveld 104, 105, 106, 107, 108, 403  
 Coolidge 47, 111, 121, 122  
 Crab Orchard 351, 354  
 Crumlin 21  
 Cumberland Falls 268, 270  
  
 Dar al Gani 165  
 Dar al Gani 262 302, 303

*Index of Meteorite names*

479

- Dar al Gani 400 279, 297, 301  
 Dar al Gani 476 308, 312, 313, 318  
 Dayton 254, 255  
 Deep Springs 360  
 Dhajala 43, 77–81, 130  
 Dhofar 081 303  
 Dhofar 378 317  
 Dingo Pup Donga 257, 261, 264  
 Divnoe 256  
 D'Orbigny 292, 293, 295  
 Dyalpur 257, 258, 263, 273, 274
- Eagles Nest 257  
 Eagle Station 343, 347, 358, 360  
 Efremovka 172, 181–2  
 Elephant Moraine (EET) A79001 280, 305, 306–7,  
 308, 311, 312, 313, 318  
 EET A79002 289  
 EET 83334 103  
 EET 84032 251  
 EET 87517 264  
 EET 87521/96008 298, 300, 301, 304  
 EET 96080 400  
 Emery 351, 354  
 Esquel 9, 346, 347  
 Estherville 351
- Felix  
 Föllinge 341  
 Forest Vale 167, 170, 181–2, 373  
 Frontier Mountain (FRO) 90011 249
- Galim (a) 157  
 Galim (b) 157  
 Gibeon 330, 332  
 Glorieta Mountain 395  
 Goalpara 257, 258–9, 263  
 Governador Valadares 314  
 Grosnaja 110  
 Grosvenor Mountains (GRO) 95577 118  
 Guareña 167, 170, 171  
 Gudder 170
- Hadley Rille 142  
 Hainholz 354  
 Hajmah (a) 249, 259  
 Hammadah al Hamra 237 119  
 Hammond Downs 16  
 Haverö 263, 264, 273, 274  
 Henbury 8, 343, 431  
 Homestead 170
- Ibitira 282, 283, 288  
 Innisfree 11  
 Itzawisis 347, 358  
 Ivuna 25, 98, 101
- Jamestown 327, 330, 344  
 Jilin 4  
 Johnstown 279, 283, 289, 290, 295, 296  
 Juvinas 290
- Kaba 110, 114  
 Kaidun 107, 118, 145  
 Kakangari 24, 147, 248  
 Kapoeta 279, 283, 290, 291, 295, 296  
 Karoonda 25, 47, 97, 103, 112, 115, 117  
 Kernouve 46, 130, 170, 176, 400, 438  
 Khairpur 143, 166  
 Knyahinya 170, 171, 181–2  
 Kobe 115, 116  
 Kodaikanal 342  
 Kota-kota 143  
 Krasnojarsk 345  
 Krymka 50, 59, 73, 74, 134, 137, 193, 408
- Lafayette 314, 317  
 Landes 249, 416  
 La Primitiva 332  
 Lea County 002 147  
 Leedey 375  
 Leoville 111  
 Lewis Cliff (LEW) 86010 179, 181–2, 183, 292, 369,  
 373  
 LEW 87009 115, 116  
 LEW 87051 292  
 LEW 87232 147  
 LEW 88180 146  
 LEW 88516 313  
 LEW 88774 266  
 Linville 344  
 Little River (a) 15  
 Little River (b) 15  
 Lodran 248, 249, 250  
 Loongana 001 121, 122  
 Los Angeles (LA) 001 317
- MacAlpine Hills (MAC) 88104 302  
 MAC 88136 143  
 MAC 88177 251  
 Maltahöhe 254, 255  
 Marion (Iowa) 170  
 Mayo Belwa 270, 272  
 Mbale 161  
 Mbosi 358, 360  
 Meteorite Hills (MET) A78008 264  
 Mezö-Madaras 59, 135, 166  
 Mighei 25, 101  
 Mincy 10, 354  
 Mocs 46, 155  
 Modoc 176  
 Mokoia 168, 181–2  
 Monahans 161, 176, 181–2  
 Monument Draw 249  
 Moorabie 146, 147, 148, 410  
 Morristown 395, 396  
 Moti-ka-nagla 21  
 Mount Egerton 267, 272  
 Mount Morris (Wisconsin) 250, 253, 254, 256  
 Mulga West 111  
 Mundrabilla 416, 431  
 Mundrabilla 012 111  
 Murchison 4, 93, 101, 102, 169

- Nadiabondi 170, 171  
 Nakhla 305, 311, 314, 317, 318, 368, 371  
 Nedagolla 332  
 Nelson County 344  
 Netschaëvo 148, 342, 411, 417  
 Ngawi 94, 409  
 Nilpena  
 Ningqiang 115, 116, 117  
 North Haig 257, 262  
 Northwest Africa 032 298, 303, 304  
 Northwest Africa 505 399  
 Northwest Africa 801 140  
 Northwest Africa 1152 76  
 Norton County 4, 267, 268, 271, 273, 274  
 Novo Urei 257, 263, 264  
 Nuevo Laredo 284, 295, 296  
  
 Ochansk 21  
 Oktibbeha County 341, 416  
 Omolon 369  
 Orgueil 87, 98, 99, 100, 101, 168, 172, 176  
 Ormans 25, 102, 112  
 Osterplana 155, 159  
  
 Paneth's Iron 15  
 Parnallee 135, 166, 174, 417  
 Pasamonte 283, 284, 288  
 Pecora Escarpment (PCA) 82506 264  
 Phum Sambo 176  
 Picacho 395  
 Pine River 254  
 Piplia Kalan 282, 283  
 Pitts 254  
 Pontlyfni 248, 250, 253, 254, 256, 273, 274  
 Prairie Dog Creek 135  
 Puente del Zacate 343  
  
 Qingzhen 146, 167, 176, 181–2  
 Queen Alexandra Range (QUE) 93069 300, 302  
 QUE 94201 308, 311, 312, 317  
 QUE 94269 297  
 QUE 94281 298, 303  
  
 Reckling Peak (RKP) A79015 354  
 Renazzo 25, 59, 87, 103, 111, 113, 116, 117, 118, 431  
 Revelstoke 4, 98  
 Richardton 165, 170, 176, 181–2  
 Roosevelt County 027 261, 262  
 Rumuruti 24–5, 128, 139, 140  
  
 Sahara 99555 292  
 Sahara 00182 118  
 Ste Marguerite 170, 176, 177, 179, 180, 181–2, 183, 373  
 St Marks 143  
 St Mesmin 49, 131, 162, 167  
 St Sauveur 146  
 St Séverin 167, 170, 171, 176, 181–2  
 Salta 406  
  
 São João Nepomucena 344  
 Semarkona 50, 72, 90, 94, 133, 134, 136, 137, 138, 177, 181–2, 218, 408, 409, 436–7  
 Serra de Magé 283, 295, 296  
 Shallowater 157, 175, 176, 267, 269, 272–3, 373, 416  
 Sharps 89, 90, 135, 137, 138  
 Shaw 42  
 Shergotty 305, 308, 311, 312  
 Shingle Springs 344  
 Siena 6  
 Sikhote-Alin 4, 327  
 Sioux County 7, 295, 379  
 Skookum 327  
 Springwater 369  
 Stannern 295  
 Steinbach 344  
 Supuhee 92  
 Suwahib (Buwah) 146, 147, 148, 410  
  
 Tagish Lake 89, 98, 122, 181–2  
 Tatahouine 289  
 Tenham 16, 46  
 Thiel Mountains 346  
 Tieraco Creek 395  
 Tierra Blanca 254, 256  
 Tieschitz 42, 59, 67, 73, 87, 135, 136, 137, 165, 166, 167, 218, 413  
 Tonk 98  
 Tucson 358, 360  
 Tuxtuac 167, 170  
  
 Udaipur 59  
 Udei Station 251, 254, 416  
 Uden 138  
 Uwet 327  
  
 Veramin 354  
 Vigarano 25, 80, 102, 108, 110, 111, 112, 114  
  
 Walters 176  
 Warrenton 110  
 Watson 417  
 Weatherford 118, 358, 360, 416–17  
 Willaroy 147, 148, 410  
 Winona 253, 254–5, 256  
 Wray (a) 147, 148  
  
 Yamato (Y) 6901 167  
 Y 74013 289  
 Y 74025 254  
 Y 74063 249  
 Y 74130 264  
 Y 74357 251  
 Y 74659 264  
 Y 75032 289  
 Y 75274 274  
 Y 791197 300, 302  
 Y 791198 90  
 Y 791199 289

*Index of Meteorite names*

481

Y 791200 289	Y 82192/82193/86032 300, 302
Y 791492 289	Y 8451 349–50
Y 793169 298, 303–4	Y 86720 94, 107, 405
Y 793274 298, 303	
Y 793605 308, 312, 313	Zag 176, 177, 181–2
Y 82162 94, 98, 99, 100, 101	Zagami 306–7, 308, 312

## General index

- aberrant grains 400  
 absolute age 155  
   calibration 184  
   principal systems 157  
 acapulcoites-lodranites 243–53, 275  
   chemical compositions 273, 274  
   diagnostic features 249  
   grain-size 251  
   grain-size, texture, shock stages, modes 252  
   melting 375  
   mineralogy 246, 251  
   relict chondrules 249  
   shock stages 251  
   texture 249–51  
   thermal history 251  
   trapped noble gases 253  
   veining 249  
 accretion disk, protosolar 48, 210, 421  
   CI composition 210  
   cold disk 433  
   gas 412, 433  
   ices 433  
   organics, interstellar 426, 433  
   oxygen isotopic ratio 412–13  
   solids/grains 412–33  
   vaporization of solids 210, 433  
   *see also* protosolar matter, protosolar nebula  
 accretionary lapilli 233  
 achondrites 6, 245, 247  
   Al-Mg ‘ages’ 178  
   angrites, *see* angrites; *see also* basalt-like  
     achondrites  
   Ca-rich and Ca-poor 245  
   differentiated 244, 245, 277–9, 286–7, 318  
   gas retention ages 159  
   HED 280–91, *see also* HED  
   lunar 6, 296–305, *see also* lunar meteorites  
   martian 6, 305, *see also* martian meteorites  
   numbers of 12, 295–6  
   olivine-pigeonite or olivine-pyroxene, *see* ureilites  
   primitive, *see* primitive achondrites  
 ADOR initial Sr 163  
 adsorption, anomalous 429  
 aerodynamic sorting 203  
 aerolite 5  
 age  
   absolute, *see* absolute age; *see also* Rb-Sr; U-Pb;  
     parent body processes  
   cosmic ray exposure, *see* cosmic ray exposure age  
   of the Earth 165, *see also* Earth’s age  
   formation, *see* formation age  
   gas retention, *see* gas retention age  
   metamorphic, *see* metamorphic age  
   relative, *see* relative age  
   shock metamorphic, *see* shock metamorphic age  
   terrestrial, *see* terrestrial age  
 agglomeratic chondrule, *see* chondrule, granular  
   olivine  
 Agrell, S. O. 223  
 Ahrens, L. H. 192  
 aircraft, operated by NASA 8  
 åkermanite 36  
 Al, determination by difference 26  
   lithophile 37  
   normalization 195, 205, 207  
   refractory 35  
<sup>26</sup>Al 77, 81, 186  
   heating 369  
   initial <sup>26</sup>Al/<sup>27</sup>Al ratio 78, 177, 178, 180, 373, 434,  
     436–7  
   local synthesis 434  
 Al-Mg method 177  
   ‘delta’ notation 178–9  
   calibration 183  
   isochron plot 177, 178  
 alabandite, ferroan 142  
 albite 36  
 alkalis, Na, K, moderately volatile 35  
 ALL initial Sr 165  
 Allan Hills, *see* Antarctica  
 aluminosilicate 424  
 amoeboid olivine aggregates, *see* CAIs  
 amorphous material, in matrix 50  
 amphoterites, *see* chondrites  
 Anders, E. 216, 422  
 angrites 291–4

- age 292, 273  
 Ca/Al ratio 292, 295  
 chemical analyses 295  
 chemical composition 295–6  
 diagnostic mineralogy 246, 278–80  
 Fe/Mn ratio 295  
 mg# 295  
 mode 280  
 olivine pyroxenite 291  
 oxygen isotopic ratios 292  
 Rb/Sr modelling 292  
 silica undersaturated 294  
 volatile poor 292  
 angrites mineralogy 286–7, 293–4  
   anorthite 293  
   diopside-hedenbergite pyroxene 293  
   high Ca, Ti, Al ‘fassaite’ 293  
   kirschsteinite 293  
   larnite 293  
   minor/trace minerals (baddeleyite, celsian) 293–4  
   olivine 292, 293–4  
   pyroxene 293–4  
 angrites texture 292–3  
   granular 292  
   groundmass 292  
   hypidiomorphic granular 292  
   poikilitic 292  
   porphyritic 292  
   subophitic 292  
   unbrecciated 292–3  
   unshocked 292  
 angrites thermal history 294  
   burial depth 294  
   cooling rate 294  
   parent body size 377  
 anorthite 36, 80, 81  
   anorthite-gehlenite-forsterite-spinel system 79, 235  
 anorthosite 296  
 ANT suite 296  
*Antarctic Meteorite Newsletter* 16  
*Antarctic Meteorite Research* 16, 308, 316  
 Antarctica  
   numbers of specimens 12  
   Queen Maud Land, Yamato Mountains 12  
   terrestrial ages 13  
   Victoria Land, Allan Hills 12, 15  
 Apollo 14, Apollo 16 302  
 Apollo missions 3, 10, 296  
   returned samples, nomenclature 15  
 aqueous metamorphism, *see* chondrites; parent body processes  
<sup>39</sup>Ar-<sup>40</sup>Ar method 159, 160  
<sup>39</sup>Ar recoil 161  
 Arizona State University 11  
 armored chondrule, *see* chondrule  
 As vs Ga 356, 357  
   condensation curve 357  
 As vs Ni 356, 357  
 asteroid 1989DA 11  
 asteroid resonances, *see* Jupiter-asteroid resonances  
 asteroidal basaltic meteorites, *see* angrites; HED  
 asteroidal heating 369; *see also* parent body processes  
 asteroidal volcanism  
   duration 366, *see also* parent body processes  
   products 295–6  
 asteroids  
   early history 366–77; *see also* parent body processes  
   Earth-crossing 10, 11  
   source of achondrites 10  
   source of non-chondritic meteorites 366–8; *see also* meteorites, sources of  
 asymmetric accretion, *see* giant planet  
 ataxite 331, *see* iron meteorites, structural classification  
 atmophile elements 37  
 atmospheric entry 1–2, 13  
 Au  
   condensation 202  
   moderately volatile 35  
 aubrites, brecciated 243–8, 267–72, 275  
   age 267  
   chemical composition 273  
   diopside 267  
   fusion crust 267  
   oldhamite 267  
   parent bodies 267  
   relationship, EH, EL groups 267  
   summary 274  
 aubrites mineralogy 270  
   diagnostics 246  
   enstatite 270  
   igneous clast 268, 270  
   inhomogeneity 270  
   kamacite, schreibersite, sulfides 270  
   modes, compositions 271  
   pyroxene 270  
 aubrites polymict breccias 268  
   chondritic clasts 268  
   igneous clast, Bustee 268, 269, 270, 271  
   impact melt clasts 268  
   regolith breccias 268, 272  
 aubrites texture 268–9  
   matrix 268  
 aubrites thermal history 271  
   cooling rate 271  
   crystallization from melt 271  
   igneous clast, Bustee 271  
   regolith breccias 268, 272  
   shock stage 267–72  
   shock vaporization in Mayo Belwa 272  
   temperature 271  
   Ti in troilite 267, 271  
   vugs 272  
   *see also* Mount Egerton; Shallowater  
 augite 130  
 austenite 324  
  
 BABI initial Sr 163  
 baddeleyite 293–4  
 bandwidth (kamacite), *see* iron meteorites, octahedrite structure

- basalt 6  
 Solar System basalts compared 414; *see also* lunar, mare basalts
- basaltic hornfels 281
- basaltic melt loss 377
- basaltic meteorites, *see* angrites; diogenites; eucrites; HED; howardites; lunar and martian meteorites
- basaltic rocks 278
- basalt-like achondrites 7, 10
- <sup>10</sup>Be 158, 183, 186, 203
- Bern (University) 422
- Bi 35, 36, 38, 216
- biaxial classification scheme 23, 49
- 'big delta' ( $\Delta$ ) notation 38–9
- brachinites 248, 356  
 chemical composition 273, 274  
 diagnostic mineralogy 246  
 grain-size, mode, shock stage, texture 252  
 metamorphism 248–57  
 mineralogy 257  
 oxygen isotopes 256; *see also* primitive achondrites  
 texture 251, 257  
 texture cumulate 257  
 thermal history 257
- breccia  
 breccia types, EOC 131, HED 281  
 igneous 6  
 polymict (mesosiderite) 345  
 polymict surface 289; *see also* chondrites
- Brezzina lamellae 343
- Brezina, A. 245; *see also* chondrites, classification (RTB)
- bright fireball 2
- British Museum (Natural History) 16
- bronzite-olivine chondrites, *see* chondrites
- Brownlee particles 89
- <sup>14</sup>C dating 13
- C/O ratios, in stars 424
- <sup>41</sup>Ca 186
- <sup>48</sup>Ca 81
- Ca, lithophile 37
- Ca, refractory 35
- Ca-, Al-rich inclusions (CAIs) 54, 75–84, 139, 141, 144  
 figures 55  
 summary 239
- CAI  
 amoeboid olivine aggregates 76, 80–1  
 Ca/Al ratios 82  
 chemical fractionation 208  
 classification 77–81  
 compact type A 80  
 cooling rate 237, 238  
 corundum-hibonite 82  
 fluffy type A 80  
 forsterite-bearing 80  
 fremdlingen 79  
 FUN inclusions 81, 238  
 fundamental properties 230  
 group II 83, 84  
 group IV 84  
 groups I, III, V and VI 83  
 heat-source 238  
 igneous texture in POIs 81  
 isotopic heterogeneity 422  
 layered 240  
 layered rims 81  
 mass-dependent isotopic fractionation 234  
 melilite alteration 81  
 melilite-rich 82  
 oxygen isotopic ratios 92–3, 237, 238, 412  
 plagioclase-olivine inclusions (POIs) 81  
 porous hibonite aggregates 81  
 REE patterns 83  
 refractory elements 82  
 reversed zoning 237, 238  
 rim sequences 81  
 secondary sodalite, grossular 77  
 spinel spherule 105  
 spinel-hibonite 82, 236, 237  
 spinel-pyroxene 76  
 spinel-pyroxene-olivine inclusions 237  
 spinel-rich fine-grained 80, 82, 105  
 type A 76, 80, 82, 235, 236  
 type B (B1, B2 and B3) 76, 79–80, 82, 235, 236  
 type C 80, 235, 236  
 ultrarefractory 83–4, 234, 237  
 Wark-Lovering rims 81, 105
- CAI age 172, 181–2, 373  
 Al-Mg systematics 78, 177, 178–9, 180, 229, 437  
 older than chondrules 229, 437  
 preaccretion storage 172, 230, 437
- CAI alteration 81, 211, 230, 237–8  
 aqueous 238  
 in small bodies 230  
 isotopic disequilibrium 238  
 nebular 237–8  
 oxygen isotopic exchange 238  
 replacement reactions 237  
 temperature 237–8
- CAI mineralogy 54, 64, 237  
 nucleation barriers 238
- CAI origin 82, 203, 210, 229–33, 239, 241
- CAI origin by condensation  
 from dust enriched gas 233  
 of liquids 193, 233  
 of solids 233
- CAI origin by condensation/evaporation 83, 210, 234  
 composition 233–6  
 formation sequence 233
- CAI origin by condensation/evaporation of liquids 233, 234–6  
 disequilibrium 234–6  
 dust enriched gas 234
- CAI origin by evaporation/condensation 233  
 of solids in accretion disk (x-wind) 233, 240

- CAI origin by fluctuating x-wind 233, 238–9, 437, 440  
 conditions 239  
 radial transport 239, 437  
 storage 437, 440
- CAI origin by melting refractory minerals 233  
 multiple heating 233  
 reaction, refractory assemblages with fluids 233
- CAI textures 54, 230  
 nucleation barriers 238
- CAI thermal history 236–7  
 secondary melting/reheating 237
- calcite 424
- Ca-poor pyroxene 22, 40, 41, 42, 130, 290, 339  
 Ca content 49  
 clinoenstatite lamellae 44  
 striated 139
- capture theory 421; *see also* Solar System, origin
- Ca-pyroxene 290, 339
- carbide 37
- carbide- and magnetite-rich assemblages 92
- carbon dioxide 37
- carbon monoxide 37
- carbon, as CO<sub>2</sub> 22, 26–7, 35, 37
- carbonaceous asteroid, icy-heating, fluid flow 404–5, 406; *see also* parent body processes
- carbonaceous chondrites, *see* chondrites
- carbonaceous chondrite fission xenon (CCFXe) 431; *see also* Xe-HL
- carbonate 54, 424  
 oxygen isotopic ratios 94, 402–3
- carbonyl sulfide 87
- Carlisle Lakes-like, *see* chondrites, R group
- carlsbergite 339
- Ca-Tschermaks pyroxene 36
- Cd 35, 38
- celsian 293–4
- chalcophile Ca, K, Mg, Mn, in enstatite chondrites 28
- chalcophile elements 36, 37
- Challenger expedition 7
- charged particle-tracks 172
- chemical affinity of elements 37
- chemical analyses, techniques 25–6, 27  
 instrumental 26–7  
 limitations 26–7  
 sample size 26  
 wet 26
- chemical compositions  
 angrites and HED 295  
 aubrites, primitive achondrites and ureilites 273  
 chondrite groups 29
- chemical group, *see* chondrites
- chemical thermodynamics 35
- chemistry of chondrites 18–52
- Chicago (University) 38, 422
- Chicxulub 2, 3
- Chladni, E. F. F. 345
- chondrite chemical groups 23, 28, 29, 30, 207
- chondrite distribution (class, group, type) 40, 42
- chondrite diversity 421
- chondrite groups, chemical compositions 193–219
- chondrite groups, chemical fractionation 33, 190–1, 194–5, 196, 199, 200, 201, 205, 207, 209–13  
 duration 434  
 heliocentric zones 434, 435  
 recycled component 437  
 uncertainties 209  
 x-wind model 213–15, 434
- chondrite groups, diagnostic petrography 41, 124, 149
- chondrite groups, grouplet 24, 47
- chondrite groups, origin 193–216, 219
- chondrite groups, volatile elements 209
- chondrite parent body, ordinary chondrites, size 414; *see also* parent body processes
- chondrite parent body structure 190–1, 413  
 burial depth, type 3 413  
 primary bodies, 'onion-shell' 414  
 'rubble-pile' 225, 414
- chondrite petrography 96–7  
 most primitive 43, 49, 50, 51  
 petrologic (petrographic) type 23, 40–2, 47, 49  
 petrologic subtype 40, 47, 49–50  
 uncertainty 49
- chondrite precursors 208, 214  
 differentiated bodies 225  
 heliocentric zones 434  
 onion-shell bodies 224  
 parent bodies 434  
 presolar dust 433  
 slightly differentiated bodies 224  
 small bodies 224
- chondrite, veined, premetamorphic 434–8
- chondrite volatiles 216–18  
 trace elements 217
- chondrite water content 41
- chondrite weathering 20  
 quantitative measurement 45; *see also* weathering scale
- chondrites 5, 18–52, 239
- chondrites accretion 209–15, 216  
 cold/hot 399–401  
 trigger 434  
 two-stage 437; *see also* parent body processes
- chondrites accretion/fragmentation, repetitive 210, 215
- chondrites  
 aggregate rocks 19, 50  
 Al contents 28  
 Al/Si ratios 22, 28, 31  
 amphoterites 22, 245  
 analytical data-base 27  
 aqueous metamorphism 20, 40, 50, 141, 210, 216, 404–5, 406; *see also* parent body processes  
 aqueous metamorphism, age 181–2  
 breccias 23, 24, 48–9, 145; *see also* chondrite groups, monomict, polymict, etc.  
 breccias, classification 48, 51  
 breccias, history 162  
 premetamorphic age 434–8  
 bronzite-olivine 20, 22  
 bulk compositions 19, 23, 28, 29, 30  
 Ca contents 28

- chondrites (*cont.*)  
 Ca/Al ratios 28, 30, 32  
 Ca/Si ratios 22, 28, 30, 31  
 carbon contents 22, 27, 28, 31  
 carbonaceous and non-carbonaceous groups  
 diagnostic features 124  
 interelement ratios 28, 51, 194–5, 196, 197  
 chondrites, carbonaceous groups 22, 25, 28, 39, 40,  
 47, 96–104, 126  
 ages 168, 172–6  
 aqueous alteration 97  
 chemical fractionation among groups 195, 206,  
 207  
 moderately volatile elements 214  
 volatile trace elements 217  
 historical 97–8  
 matrices in CO, CV, CK, CR, CH 112  
 parent body processing 168–9  
 petrologic types 97, 104  
 summary 123–5  
 textures, modes 102, 104  
 types I, II, and III 47  
 type 4 47  
 chondrites, carbonaceous, ungrouped 50, 121–3  
 matrix 121  
 summary of properties 122  
 carbonaceous, ungrouped: Acfer 094 121–3  
 presolar grains 123  
 unequilibrated 121  
 unshocked 121  
 carbonaceous, ungrouped: Adelaide 121  
 anorthite-rich CAIs 121  
 related to CO or CV, not to CM 121  
 carbonaceous, ungrouped: Coolidge and  
 Loongana 001 grouplet 121  
 lightly shocked 121  
 oxygen isotopic ratios 121  
 types 3.8–4 121  
 carbonaceous, ungrouped: Tagish Lake 123  
 carbon-rich 123  
 carbonate-rich lithology 123  
 CM1 clast 123  
 density 123–4, 312  
 like micrometeorites 123  
 petrography 123  
 porosity 123  
 Carlisle Lakes R3 140  
 Carlisle Lakes-like grouplet 139  
 chondrites, CH 25, 29, 30, 42, 119–21, 149  
 CH alteration 120  
 CH high-temperature component 120  
 CAIs 120; alteration 120; grossite 120;  
 rims 120  
 chondrule types 120  
 lithic, chondrule and mineral clasts 120  
 CH low-temperature component 120  
 dark inclusions/matrix lumps 113  
 like CI 120  
 matrix olivine 117  
 matrix, rims 120  
 reduction 120  
 CH metal-rich 120  
 CH metamorphism 121  
 impact into regolith 121  
 CH mode 120  
 CH polymict regolith breccias 120  
 CH related to CR, Bencubbin 118, 416–17,  
*see* petrogenetic associations  
 CH siderophile element enriched 119  
 CH texture, chondrule size 103, 113, 120  
 clasts of petrologic types 1–3  
 CH weathering 113  
 chemical classes 25, 27–34, 47–51  
 chemical fractionation 195, 205, 207; *see also*  
 chondrite groups, chemical fractionation;  
 nebular condensation; x-wind model  
 chemical groups 24–5, 27–34, 51  
 chemical-petrologic classification 23, 40, 47  
 chemistry 18–22, 27–34, 52, 193, 194–6  
 chronology 152–82, 186  
 chondrites, CI 25, 29, 30, 39, 42, 90, 98–101, 149  
 CI alteration, conditions 407  
 age 168  
 CI composition like interstellar solids 426  
 CI fusion crust, interior 99  
 CI high-temperature components 100  
 olivine 100  
 CI low-temperature components 100  
 magnetite, phyllosilicates, sulfide 99  
 organics 100, 429  
 presolar grains 100  
 pristine solids 218  
 CI metamorphism 100–1  
 thermally metamorphosed, oxygen isotopes 94  
 CI oxygen isotopes 100, 402–3  
 CI solar composition 19, 101, 192  
 CI texture 99  
 veining 100–1  
 chondrites, CK 25, 29, 30, 35, 39, 42, 90, 98–101,  
 149  
 CK breccia matrix 112, 115, 116  
 olivine 117  
 CK high-temperature components 116  
 chondrule types 116  
 CK low-temperature components 116  
 CK metamorphism 116  
 CK petrologic types 115  
 CK plagioclase 116  
 CK shock stage 116  
 CK sulfides (Os, Ru) 116  
 CK texture 103, 115  
 chondrites classification 18–48, 51, 52  
 classification, by olivine and pyroxene composition  
 22  
 classification, high- and low-Fe groups 22  
 classification, petrologic 24  
 classification, Prior's mineralogic 20–2  
 classification, Rose-Tschermak-Brezina (RTB) 20  
 classification, shock 24  
 classification, Van Schmus-Wood (biaxial) 23, 47,  
 48, 49, 51, 97, 130  
 clastic matrix 85, 87, 140

## General index

487

- chondrites, CM 25, 29, 30, 42, 82, 90, 100–7, 149, 193, 194
- CM alteration, conditions 407  
age 168
- CM brecciation 103, 108, 403
- CM deformation 105
- CM high-temperature components 104–6  
chondrules 104  
isolated mineral grains 106  
olivine 105, 106
- CM low-temperature components 107  
dust mantles 103, 105  
matrix composition 90, 91  
organics 429  
presolar grains 107, 194
- CM metal 106
- CM metamorphism 107  
oxygen isotopic ratios 94, 402–3
- CM moderately volatile elements 194
- CM texture 102, 103, 104, 105
- CM volatile elements 217
- CM xenoliths in howardites 290
- CM1 104, 107
- chondrites, CO 25, 29, 30, 39, 40, 42, 43, 49, 90, 107–11, 149, 193, 194, 216
- CO alteration 109  
conditions 407
- CO high-temperature components 108–9  
CAIs 109  
chondritic xenoliths 109  
chondrule composition 68, 69  
chondrule types 108; chondrules and matrix 112  
isolated mineral grains 109
- CO low-temperature components 109  
matrix and rims 109; composition 90, 91  
matrix olivine 110
- CO metamorphism 109
- CO petrologic subtypes 109, 110
- CO texture 102, 108
- CO volatile elements 217
- chondrites, components of 53  
chondrule/matrix ratios 193  
dirty ice 219  
diverse 193; single suite 54  
high- and low-temperature 54, 216  
oxygen isotopic ratios 92–4  
cooling rates, *see* parent body processes  
cosmic ray exposure (CRE) age 154–5
- chondrites, CR 29, 30, 42, 73, 74, 75, 90, 116–19, 149
- CR  $^{15}\text{N}/^{14}\text{N}$  ratios 118–20
- CR alteration of CAIs and chondrules 119
- CR aqueous alteration 119  
conditions 407  
preaccretionary 119
- CR breccias, regolith breccias 118
- CR high-temperature components 118–19  
CAIs, melilite-rich and spinel-rich 118  
chondrule types 118; Ca-, Al-rich 118; metallic 118  
isolated mineral grains 118–19  
metal grains 119
- CR low-temperature components 119  
dark inclusions 119  
matrix and rims 118, 119; composition 90, 91  
matrix olivine 117  
partial reduction 119
- CR metamorphism 119
- CR mode 118
- CR petrologic types 118
- CR related to CH, Bencubbin 118, 416–17, *see* petrogenetic associations
- CR texture 118
- CR xenoliths in howardites 290
- CR2 103  
cristobalite grains 84  
crystalline 20
- chondrites, CV 25, 29, 30, 40, 42, 43, 49, 75, 82, 90, 111–15, 149, 216
- CV alteration 114  
age, Mn-Cr 172  
conditions 407  
duration, hydrous and thermal metamorphism 172–3
- CV dehydration 114
- CV high-temperature components 118–19  
CAIs 77–81, 113  
chondrules 113; Ca-Al-rich 113; composition 68, 69  
igneous clasts 113
- CV low-temperature components 113–14  
dark inclusions 113  
matrix and rims 113–14; composition 90, 91  
matrix olivine 110, 112  
presolar grains 114
- CV metamorphism 114
- CV metasomatism of CAIs and chondrules 114
- CV shocked clasts 113
- CV subgroups 111
- CV subtypes 110, 111, 115
- CV texture 55, 102, 111–13
- CV thermal metamorphism 114
- CV volatile elements 217
- CV2 111  
dehydration 114, 141, 216, 403–5  
early history, summary 185
- chondrites, EH 24, 29, 30, 32, 36, 42, 142–4, 145, 149
- EH age, Rb-Sr 166
- EH cosmic ray exposure ages 156
- EH diagnostic minerals 66; niningerite 142
- EH distinct from EL 142
- EH high-temperature components 145–6  
CAIs 144  
chondrule types 145–6  
FeO content 146  
preaccretionary equilibration 145  
silica minerals 145–6
- EH lithophile elements 142, 145
- EH low-temperature components 146  
matrix 145, 146  
presolar grains 146

- chondrites, EH (*cont.*)  
 EH metamorphism 146  
 anhydrous prograde 146  
 redox conditions 146  
 thermometry 146  
 EH shock stages 146  
 EH siderophile elements 145  
 EH texture 145  
 breccias 145  
 mainly type 3 145  
 matrix 145  
 melt breccias 145, 146  
 EH xenoliths in Kaidun 145  
 EH3 chondrule ages, I-Xe 176; Rb-Sr 167  
 EH3, chondrule compositions 68, 69  
 EH3 distinguishing features 142  
 chondrites, EL 24, 29, 30, 32, 36, 42, 142, 144–5, 149  
 EL age, Rb-Sr 167  
 EL cosmic ray exposure ages 156  
 EL diagnostic minerals 66; ferroan alabandite 142  
 EL distinct from EH 142  
 EL high-temperature components 144  
 CAIs 141  
 chondrules, metal, sulfides 144  
 EL lithophile elements 142, 145  
 EL low-temperature components 144  
 EL metamorphism 145  
 dry annealing, EL3 145  
 early shock effects, EL6 145  
 EL shock stages 145  
 EL texture 144  
 chondrules in clastic matrix 144  
 EL3 distinguishing features 142  
 EL6s dominate 144  
 elemental abundances 22, 27, 29, 30  
 elemental fractionation, *see* chondrite groups, chemical fractionation  
 chondrites, enstatite 20, 22, 28, 39, 42, 127–8, 142–6  
 age, I-Xe 176, Rb-Sr 166–7  
 classification schemes 142  
 classified list 142  
 introduction 142–4  
 lithophile elements 142  
 origin 212, 213–14, 216  
 oxygen isotopes 39, 94, 142  
 oxygen-poor 143  
 shock classification 142  
 subclassification, Zhang *et al.* (1995) scheme 144  
 type I and intermediate type 145  
 type II 144  
 chondrites, EOC 6, 130, 138–9  
 EOC ages, *see* chondrites ordinary  
 EOC aqueous alteration 139  
 EOC bleached chondrules 139  
 EOC breccia types, 48–9, 131  
 light–dark structure 131  
 monomict fragmental 131  
 polymict 131–6; polymict fragmental 131  
 post-metamorphic 131  
 premetamorphic 131, 434–8  
 regolith 131–9  
 EOC Fe total vs olivine composition 129  
 EOC high-temperature components 138–9  
 igneous clasts 139, 185  
 EOC hot accretion - 5.167,  
 EOC L group 500 Myr shock event 139  
 EOC low-temperature components 139  
 xenoliths, types 1 and 2 139  
 EOC metamorphism 139  
 duration 171–2  
 EOC petrologic types 4–6 138  
 EOC prograde thermal metamorphism 139  
 Fe/Mn ratio 407  
 olivine and Ca-poor pyroxene compositions 409  
 olivine/Ca-poor pyroxene ratio 407, 409  
 pyroxene equilibration 139  
 redox state 406, 407–8  
 thermal annealing 139  
 EOC precursors 139  
 EOC shock stages 139  
 EOC texture 6, 55, 138  
 brecciated 138  
 equilibrated ordinary, *see* EOC  
 Fe distribution 32, 34  
 Fe/Si ratios 28–33  
 fossil 15  
 gas retention ages 159  
 granulitic texture 20, 21  
 chondrites, H group 18–23, 24, 29, 30, 40, 42, 46, 128, 149  
 H group age, gas retention 159, 161; Rb-Sr 166; U-Pb 169–73  
 H group cosmic ray exposure ages 156  
 H group petrologic types 21, 129–32  
 H3 chondrules 81  
 H3 distinguishing features 133  
 H<sub>2</sub>O contents 22, 27, 29  
 high-temperature materials 84–5  
 history, 10 stages 153–4  
 hypersthene-olivine 20, 22  
 igneous activity 181–2  
 igneous clasts 113, 135, 136, 185  
 ages 176, 434, 436–7  
 REE 436–7  
 interchondrule matrix 85; *see also* matrix  
 interelement ratios 28, 51, 194–5, 196, 197  
 Kakangari (K) triplet 24, 39, 47, 147  
 chondrites, L group 11, 24, 29, 30, 35, 42, 46, 128, 149  
 L group chondrule content 194  
 L group cosmic ray exposure ages 156  
 L group gas retention ages 159, 160, 161  
 L group moderately volatile elements 194  
 L group secondary metal-loss 214  
 L group shock event 139, 158, 161  
 L petrologic types 21, 129–32  
 L3 distinguishing features 133, 193

- L6 polymict breccias 131
- LL group 22, 24, 29, 30, 40, 42, 46, 48, 128, 149
- LL group age, gas retention 159; Rb-Sr 166
- LL group cosmic ray exposure ages 159
- LL group secondary metal-loss 214
- LL group, shocked, Rb-Sr ages 167
- LL petrologic types 129–32
- LL3 chondrule compositions 69, 71; REE 72
- LL3 distinguishing features 133, 193; Fe/Mg ratio 193
- LL3.0 50
- LL3.1 50
- LL3.3 21
- LL3.4 50
- low-FeO ordinary chondrites 146–7
- low-temperature components (*see also* matrix) 85
- matrices in CH, CK, CO, CR, CV 112
- matrix composition 90, 91, 191
- matrix in type 1 87, 88, 90
- matrix in type 2 87, 88, 90, 192
- matrix in type 3 87, 88, 90
- matrix, recrystallized 88
- melting (primitive achondrites) 50
- metal-sulfide assemblages 74
- metamorphic age 162, 180, 181–2
- metamorphism, closed system 216; open system 216; *see also* parent body processes
- metamorphosed chondrules 85
- metamorphosed clasts 85
- Mg/Si ratios 22, 28, 30, 31
- mineral grains 84
- mineralogy 20, 54, 64–6
- Ni/Si ratios 28–33
- non-carbonaceous 127–50; summary 150
- chemical fractionation 195, 205, 207
- Si, Mg enrichment 214
- non-carbonaceous ungrouped 146–7, 148
- oxygen isotopic exchange 411
- oxygen isotopic ratios 148
- redox conditions 410
- non-carbonaceous ungrouped, Kakangari grouplet 147
- non-clastic matrix 85
- numbers 12, 128
- olivine, isolated grains 84
- orbits 10
- chondrites, ordinary 21, 23, 28, 39, 40, 43, 49, 127–41, 212
- ordinary ages, by Al-Mg 163–80; by I-Xe 176; Rb-Sr 165–7; U-Th-Pb 169–72
- ordinary, chemical classification 128–9
- ordinary equilibrated, *see* chondrites EOC
- ordinary petrologic type 3, *see* chondrites UOC
- ordinary petrologic types 4–7 138; *see also* chondrites EOC
- ordinary, time-temperature plot 180
- ordinary unequilibrated, *see* chondrites UOCs
- ordinary ungrouped, *see* chondrites non-carbonaceous ungrouped
- origin 224, 241; *see also* chondrite precursors
- alternative theories 190–1
- formation sequence 219
- two component model 216, 217
- oxidation of 22, 28
- oxygen isotopes 19, 23, 38–40, 47, 51, 54, 94, 127, 148, 402–3
- oxygen isotopic exchange 408, 409, 411
- plagioclase, isolated grains 84
- presolar component, *see* presolar grains
- primary properties 23, 38–40, 51, 194
- pyroxene, isolated grains 84
- quasi-solar composition 19, 50
- chondrites, R group 25, 28, 29, 30, 39, 42, 127–41, 149
- R group aqueous alteration 141
- R group chemical classification 128–9
- Carlisle-Lakes-like grouplet 139
- R group diagnostic features 140–1
- chondrule/matrix ratio 140
- Fe<sub>2</sub>O<sub>3</sub> 141
- R group high-temperature components 141
- CAIs 141
- chondrule types 141; chromite-rich 141; feldspar-rich 141; sulfide-rich 141
- equilibrated chondritic clasts 141
- mineral clasts 141
- noble metal-rich grains 141
- R group low-temperature components 141
- R group metamorphism 141
- dehydration 141
- R group mode 130
- R group numbers 128
- R group olivine 141
- R group oxygen isotopes 129
- disequilibrium 141
- isotopic exchange 409
- R group petrography 139
- Carlisle Lakes unbrecciated R3 140
- R group shock stages 140
- R group regolith breccias 140
- R group sulfides 141
- R group texture 140–1,
- clastic matrix, recrystallized 140
- clastic, R3-R6 breccias 140
- R3.6–3.8 Fe total vs olivine composition 129
- chondrites, recrystallization 23
- relative abundances, metal, sulfide, silicate 48
- secondary properties 23, 40–2, 51
- shock classification 24, 42–5, 51, 142
- shock metamorphism 20, 23, 42
- spherical 20
- stages in formation 210
- superior analyses of 22
- taxonomic conventions 24
- terrestrial age 154–5
- tertiary features 20, 23, 42–5
- texture 5, 20, 40, 54
- thermal metamorphism 20, 23, 40, 42, 50, 141, 210, 216; *see also* parent body processes
- Ti contents 28

- chondrites, recrystallization (*cont.*)  
 Ti/Si ratios 22  
 type 1 40  
 type 2 40,  
 type 3 21, 40  
 type 3, subclassification 43, 134  
 type 4 21, 40, 138  
 type 5 21, 40  
 type 6 21, 40, 138  
 type 7 41, 42 (lithic clasts)
- chondrites, unequilibrated ordinary, *see* UOC  
 ungrouped 24; *see also* carbonaceous ungrouped;  
 non-carbonaceous ungrouped  
 UOC 6, 130, 132–8  
 UOC age, Rb–Sr 165–7  
 UOC anhydrous precursors 137  
 UOC aqueous alteration 136, 137  
 bleached chondrules 135, 137  
 conditions 407  
 fluids, C–O–H-bearing 137, 408, 414  
 UOC breccias 133, 135  
 EOC clasts 133  
 genomict 136  
 igneous clasts 133, 135, 136  
 polymict 133  
 xenocrysts 133, 136
- UOC high-temperature components 133–6  
 CAIs 136; spinel-rich 136  
 chondrule composition 68–72; Ca–Al-rich 133;  
 chondrules with glass 132; with twinned  
 clinoenstatite 132  
 chondrule types 133; equilibration 133
- UOC low-temperature components 136–7  
 amorphous ‘glue’ 137  
 awaruite 408  
 carbide 136  
 calcite 137  
 clastic grains 136  
 clay 137  
 fayalitic olivine 137, 409  
 graphite-magnetite assemblages 137  
 LIME olivine 136  
 magnetite 136, 408; oxidation of kamacite 408  
 matrix and chondrule rims 136–7  
 particle size-distribution 136  
 presolar grains 136, 137, 218  
 sulfide veins 87  
 white matrix 137
- UOC metamorphism 60, 137  
 metal and sulfide polygonal, amoeboid 132  
 metal-sulfide chondrules 132, 136  
 oxidation state 408–10  
 oxidizing agent 408  
 oxygen isotopic exchange 408, 409, 411  
 physical conditions 138
- UOC mode 132
- UOC parent-body processes 136; *see also* parent  
 body processes
- UOC recrystallized matrix 136  
 UOC shock stages 138  
 UOC texture 132–3
- UOC thermal metamorphism 136, 137; *see also*  
 parent body processes  
 variations, primary chemical 19, 20  
 variations, secondary textural 19, 20, 40–2  
 variations, tertiary (shock) 20
- chondroid 56
- chondrule analogs, crystalline lunar melt spherules  
 225  
 definition 55–6, 220  
 droplet 56, 59  
 formation, *see* chondrule origin  
 glass-rich 59, 63  
 granular olivine 56, 59, 63  
 granular olivine-pyroxene 63  
 igneous clastic 84  
 impact melt clasts 84  
 kamacite in 73  
 mesostasis 57, 61  
 metal in silicate 73  
 metal in type I 73–5  
 metallic and metal-sulfide 56, 59, 63, 73, 132  
 metallic, redox reactions, CR group 73, 75  
 mineralogy 54, 61, 64  
 moderately volatile elements 67
- chondrule origin 56, 203, 210, 215, 219–29, 231–3,  
 241  
 accretion with CAIs 227  
 by ablation in bipolar outflows 232  
 by collisional splashing from molten bodies 231  
 by condensation of liquids 227; from dust  
 enriched gas 212, 227, 228, 229, 231, 232;  
 enhanced compound chondrule formation 228  
 by disruption/reassembly of partly molten bodies  
 222, 223, 224, 231  
 by flares 232; ‘flash’ heating 221  
 by friction with gas in accretion shock 233  
 by gas-drag or radiation in nebular shocks 233  
 by heating solid precursors, in hot nebula 232  
 by impact melting of large bodies 231  
 by impact melting of planetesimals 231  
 by lightning 232  
 by meteor ablation in planetary atmospheres 231  
 by T Tauri outbursts (x-wind model) 232  
 by volcanism 231  
 CAI-chondrule time difference 227  
 chondrule density high 223  
 chondrule-forming association 220, 437  
 cold precursors 222  
 cooling mechanism 222  
 cooling rate 220  
 crystal nuclei 220  
 crystal-liquid fractionation 223  
 diverse cooling rates 222  
 diverse types 223  
 ‘flash’ heating 221  
 fractionated Ca/Al ratios 222, 223  
 from dust-ball/matrix precursors 226; with  
 presolar grains, nebular volatiles 226, 227  
 from dust enriched gas 212, 223, 227 228, 229,  
 231, 232  
 gradation to CAIs 227, 228

- heat source ( $^{26}\text{Al}$ ) 222
- high relative velocities 225
- immiscible liquids 223
- in FU Orionis outbursts 232
- in giant protoplanet atmospheres 231
- incompatible element enrichment 223
- lithic clasts, some igneous 223
- mass-dependent isotopic fractionation 222
- multiple events 222
- nebular theories 190–1, 220, 225, 232
- parent body magnetite 226
- peak temperature 220
- peak temperature control 223
- physical conditions 220–2
- planetary theories 190–1, 220, 222–5, 231
- presolar grains 225
- oxygen isotopic ratios 225, 226
- quasi-solar bulk composition 223
- relict grains 223–7, 238
- requirements of a theory 221
- rim formation 223
- type IA by evaporation of type IIA 222
- volatile content 222, 226–7
- x-wind model 226; CAIs 226; microchondrules 226
- primary (in compound) 57
- properties, constraints on origin 221
- secondary (in compound) 57
- types, distribution 54–5
- chondrule-matrix intergrowth 23, 40
- Chondrules and the Protoplanetary Disk* 17
- chondrules 5, 40, 48, 54, 55, 239
  - age 172, 175, 177
  - agglomeratic, *see* granular olivine
  - Al-Mg age 178–9, 180
  - Al-rich, Ca-, Al-rich 63, 81, 133
  - Al-rich, chemical compositions 81
  - armored 132
  - barred olivine 59, 62
  - bleached 131, 133, 135, 139, 400
  - Ca/Al ratios 70–5
  - CAIs within 62
  - chemical classification 60
  - chemical composition 54, 67, 68, 69, 70, 71, 228, 229
  - chromite with metal 75
  - chromite-rich 63, 141
  - classification 57–67
  - classification scheme (Sears *et al.*) 57
  - clast 55–6, 59
  - compositional range 56, 67
  - compound 57, 59
  - corroded metal 73
  - cryptocrystalline 63
  - dark-zoned, *see* granular olivine
  - dusty metal 73
  - Eu anomalies 72
  - Fe contents 57
  - ferromagnesian 57, 67
  - independent (as compound) 57
  - I-Xe age 176, 181–2
  - mutually indented 399, 400
  - non-porphyritic 61
  - oxidation state 57
  - oxygen isotopic ratios 54, 92–3, 94, 225, 226
  - phosphate with metal 75
  - poikilitic 62
  - porphyritic 61
  - porphyritic, chemical classification 62
  - porphyritic olivine 59, 61
  - porphyritic olivine-pyroxene 59, 61
  - porphyritic pyroxene 59, 61
  - porphyritic textural types 59, 61–2
  - pre-existing grains, *see* relict grains
  - proportions in chondrites 19, 55
  - radial pyroxene 59, 63
  - REE abundances 72; in troilite 226
  - refractory incompatible lithophile elements 70
  - relict grains in 62, 87, 143
  - schreibersite with metal 75
  - shape 56
  - sibling (in compound) 57
  - size-range 56
  - spheroidal metal 73
  - sulfide Ni content 73
  - survival of structures 14, 40, 41
  - textures 54, 56–7, 60
  - type 1, metal 73–5
  - type IA 60, 62
  - type IAB 62
  - type IB 62
  - type IIA 60, 62
  - type IIB 62
  - variability 56
  - x-wind model, *see* chondrule origin
- chromite 130, 339, 390
- chronology
  - calibration, relative ages to absolute 181–2, 184
  - core formation, melting 368–73; *see also* parent body processes
  - early Solar System 179–83, 184, 185, 422, 434–8; *see also* formation interval
- circumstellar dust/grains 422–4, 427
- clan 25
  - IAB 25
  - minichondrule 25
  - refractory-rich 25
  - volatile-rich
- class 25, 28
- classical chemical analysis, *see* chemical analysis
- classification, *see* chondrites, classification; differentiated meteorites
- clast chondrule, *see* chondrules
- C-O-H-bearing fluids 137
- cohenite 339
- comets, *see* meteorites, sources of
- Committee on Meteorite Nomenclature 15, 16, 45
- common elements (Mg, Fe, Si) 35, 36
- compass, for meteorite identification 15
- compatible elements 37–8
- concentration mechanism for meteorites 12
- concordia method (U-Pb) 169, 171

- condensable elements 35  
 condensation, *see* nebular condensation  
 condensation, duration 168  
 cooling rate, *see* metallographic cooling rate; parent body processes; petrogenetic associations  
 Copiapo-type inclusions 253  
 core-formation, *see* parent body processes; petrogenetic associations  
 core-mantle boundary (pallasites) 345  
 corona structure 350, 353, 355  
 corundum 36, 424  
 'cosmic' composition 424  
 Cosmic Mineralogy Working Group (of the IMA) 16  
 cosmic ray exposure (CRE) age 154–5  
 EH, EL, H, L and LL chondrites 156  
 cosmic ray exposure, complex 155  
 cosmic ray-produced (cosmogenic) nuclides 14, 156  
 cosmic spherules 7, 101  
 cosmochemical classification of elements 23, 24, 34–7, 38  
 cosmochemical fractionation 196–7  
 iron meteorites 336  
 cosmogenic nuclides, production rates 154  
 cosmogonic theories 421–2; *see also* Solar System origin  
 Cr 35, 37  
 crater, impact 2  
 cristobalite xenocryst 131  
 cryoconite 7  
 crystal lattice 37  
 crystal-liquid fractionation 84  
 C-type asteroid 403  
 Cu  
 chalcophile 37  
 siderophile 37  
 cumulates, igneous 278, *see* HED eucrites; *see also* petrogenetic associations, HED  
 Curie point 203
- D/H ratio 137  
 dark inclusions (matrix lumps) 92  
 oxygen isotopic ratios 94  
 dark-zoned chondrule, *see* chondrule, granular olivine  
 daubréelite 339  
 decay constant 157  
 $\lambda^{87}\text{Rb}$  163  
 delta ( $\delta$ ) notation 38  
 dendritic texture 67, 389  
 deuterium (D) enrichment 429  
 diagnostic mineralogy, achondrites 246, 278–80  
 diamond 424  
 differentiated achondrites, *see* achondrites  
 differentiated meteorites 243–7, 248, 277–318, 321–63, *see* Angrites; HED; iron meteorites; lunar meteorites; martian meteorites; stony iron meteorites  
 diffusion 391, 392  
 diogenite 25  
 debris, *see* HED meteorites; petrogenetic associations
- diopside 36, 130  
 Al-, Ti-rich 'fassaite' 80, 293  
 dirty ices, in chondrites 219  
 dispersed elements 37–8  
 dolomite 424  
 droplet chondrule, *see* chondrule  
 dunite 6; *see also* martian meteorites, Chassigny  
 dust, interplanetary, *see* interplanetary dust particles  
 dust, interstellar 1; *see also* interstellar dust  
 dust mantles 103, *see* chondrites CM  
 dust, presolar 5; *see also* presolar grains
- Eagle Station trio, *see* pallasites; ungrouped irons and stony irons  
*Earth and Planetary Science Letters* 16  
 Earth's age 165  
 core formation 372, 374–5  
 $^{87}\text{Sr}/^{86}\text{Sr}$  evolution 165  
 Eberhardt, P. 422  
 electron probe microanalysis 22, 47  
 elemental abundances, *see* chondrites  
 elemental partitioning, solid/liquid Fe,Ni metal 338  
 core-mantle, La,P, Mo,Ce, W,Ce 380; *see also* petrogenetic associations  
 Elliott, R. 400  
 engulfment, exoplanet by star 439  
 enstatite 36  
 enstatite achondrites, *see* aubrites; Mount Egerton; Shallowater  
 enstatite chondrite class 11, *see* chondrites  
 enstatite meteorites, parent bodies 273  
 equilibrium condensation, *see* nebular condensation  
 etching with acid 15  
 eucrite 25  
 debris 290, *see* HED meteorites  
 exoplanets 439  
 masses 439  
 observational bias 439  
 period 439; *see also* engulfment
- falls, *see* meteorite falls  
 fassaite, *see* diopside  
 fayalite 36  
 'condensation' 202  
 $^{60}\text{Fe}$  186  
 Fe, chalcophile 37  
 lithophile 37  
 siderophile 37  
 Fe,Ni metal 7, 15, 36  
 phase relations, sub-solidus 323, 324–5, 331, 391–5  
 phosphorus in 392  
 solid/liquid partitioning 323  
 Fe,Ni-FeS cotectic 375  
 Fe distribution 22, 37, 45  
 partitioning 338  
 Fe/Mg ratio 201  
 Fe/Mn ratios  
 EOCs 407  
 HED 278  
 lunar 278

- Fe/Mn vs Fe/Mg ratio 245  
 Fe/Ni/Co ratio 203  
 feldspar  
   age by Al-Mg 183  
   age by I-Xe 176, 177  
   grain-size, petrologic type 41, 49  
   isotropic 44  
 feldspar (*see also* plagioclase) 40, 42, 130, 167  
   in basaltic meteorites 278  
 feldspathoid 80  
 'feline' 417  
 ferric iron in chondrites 28, 141  
   weathering product 13  
 ferrite 324  
 ferroan alabandite 142  
 ferrosilite 36  
 FeS 36; *see also* troilite  
 finds, *see* meteorite finds  
 fireball  
   bright 2  
   Innisfree 11  
   meteorite-producing 4, 11  
 fission  
   asymmetric 431  
   neutron-rich 431  
 floccule theory 421; *see also* Solar System origin  
 flux  
   estimated annual 2, 3, 4; from sediments 2–3, 4;  
   from spacecraft 3, 4  
   extraterrestrial material on Earth 1–4  
 formation age 162  
 formation interval 162, 163, 173, 175, 183–4  
 formation, of a chondrite 162  
 forsterite 36, 197  
 'fossil' chondrites 155  
 fourier transform infrared spectroscopy (FTIR)  
   429  
 fractional condensation 197  
 fractional crystallization 196  
   Fe,Ni cores 338, 377, 388–91; *see also* parent body  
   processes; petrogenetic associations  
 fractional distillation 206, 214  
 fractional vaporization 197, 208  
 fremdlingen 79  
 FUN inclusions, *see* CAI  
 fusion crust 2, 13, 55  
  
 Ga condensation 202  
 gabbro 296  
   gabbroic inclusions 254  
 garnet 80, 368  
 gas retention age 158–62  
 gas, solar composition, *see* solar composition  
 Ge, siderophile 37, 388  
 gehlenite 36  
 Genesis mission 413  
 genomict breccias 48  
 geochemical classification of elements 23, 24, 34, 36,  
   37–8  
 geochemical fractionation 196–7  
   iron meteorites 336  
  
 Geochemical Society 16  
*Geochimica et Cosmochimica Acta* 16  
 giant planet  
   angular momentum 439  
   asymmetric accretion 439  
   capture 439  
   inward migration 439  
   orbital stabilization 439–40  
 glaciologists, Japanese 12  
 glass 40  
   glass veins 44  
 Goldschmidt, V. M. 37  
 graftonite 339  
 graphite 261, 339, 424, 426  
 graphite-magnetite aggregates 92  
 gravitational collapse 189  
  
 half-life 157  
 halite age by I-Xe 176, 177  
 haxonite 339  
 HD 82943 439  
<sup>3</sup>He, in sediments 3, 4  
 heat-affected zone 15, 332  
 HED meteorites 25, 278–91  
   age 372  
   breccia types 281  
   chemical analyses 295  
   chemical composition, Fe/Mn ratios  
   278  
   interrelationships 281  
   lunar origin 278  
   metamorphism, shock 281  
   metamorphism, thermal 281  
   modes 280, 295–6  
   related to mesosiderites 280  
   sampling 281  
   series 281, 382; Al<sub>2</sub>O<sub>3</sub> vs MgO 382  
   subclassification 285  
   textures 282–3  
 HED meteorites, diogenites  
   age 372  
   Ca/Al ratio 295  
   definition 281, 288  
   diagnostic minerals 246, 278  
   diagnostic properties 285  
   Fe/Mn ratio 295  
   mg# 295  
 HED meteorites, diogenites  
   mineralogy 286–7, 289  
   accessory minerals 289  
   modal variation 289  
   olivine content 289  
   plagioclase 289  
   pyroxene composition 289  
 HED meteorites, diogenites  
   texture 279, 283, 288–9  
   equigranular 289  
   large chromites 289  
   monomict breccias 288  
   shock effects, glassy matrix 289  
   unbrecciated 289

- HED meteorites, diogenites  
 brecciation 289  
 cooling rate 288–9  
 shock-heating 288–9  
 veining 289
- HED meteorites, eucrites 25, 281–8  
 age 288, 372, 373  
 basaltic 283, 285  
 Binda-type 285  
 Ca/Al ratio 292, 295  
 cumulate 281, 283, 284, 285, 384  
 definition 285  
 Fe/Mn ratio 295  
 figure 7  
 lava-like 284, 285  
 main group 285  
*mg#* 295  
 Moore County-type 285  
 non-cumulate 283, 285  
 ordinary 284, 285  
 polymict 285  
 primary magmas 370–1  
 subclassification 285  
 surface 284, 285
- HED meteorites, eucrites  
 diagnostic minerals 246, 278  
 modes 280, 295–6
- HED meteorites, eucrite  
 fractionation trends  
 A (Nuevo Laredo) 284, 285, 288  
 B (Stannern) 284–8  
 low pressure 370–1  
 parent liquids 384  
 polybaric fractionation 370–1  
 Sm vs *mg#* 383
- HED meteorites, eucrites  
 mineralogy 284–7, 288  
 phase relations 370–1  
 plagioclase zoned 284; with calcic cores 284;  
 unzoned 284  
 pyroxene series 284
- HED meteorites, eucrites  
 texture 282–3  
 cumulate 281, 283, 284, 285, 384  
 hornfels 281, 284  
 metamorphic stages 283, 284  
 monomict breccias 283  
 non-cumulate 283, 285  
 ophitic 284  
 plagioclase clouded 282, 284; zoned 284  
 polymict eucrites 284, 285  
 pyroxenes clouded 284; exsolved 283,  
 284  
 unbrecciated 282, 283
- HED meteorites, eucrites  
 thermal history 288  
 basaltic melts 288  
 cooling rate 288–9  
 crystallization temperature 288  
 cumulate eucrites 288
- heat-source 288  
 impact brecciation 288  
 ordinary eucrites 288  
 parent body size 377  
 peak metamorphic temperature 288
- HED meteorites, genesis 374–5, 381–7; *see also*  
 parent body processes; petrogenetic  
 associations
- HED meteorites, howardites  
 Ca/Al ratio 295  
 definition 281, 285  
 diagnostic minerals 246, 278  
 Fe/Mn ratio 295  
*mg#* 295  
 regolith properites 290
- HED meteorites, howardites  
 mineralogy 286–7, 290–1  
 Ca-pyroxene eucritic 290  
 minor minerals 290  
 orthopyroxene diogenitic 290  
 plagioclase eucritic 290  
 sources 291
- HED meteorites, howardites  
 texture 279, 290  
 brecciation 290  
 ‘chondrules’ 290  
 clast types 290, 291; CM and CR chondrite  
 290  
 components 291; Fe, Ni 290; glass 290;  
 howardite 290  
 irradiation effects 290  
 light-dark structure 290  
 matrix 291; clastic 290; shock-welding 290
- HED meteorites, howardites  
 thermal history 291  
 age 291  
 duration of activity 291  
 impact-heating 291; matrix unaffected 291;  
 selective outgassing 291
- HED parent body differentiation 183, 372  
 core formation 372  
 evolution, magma ocean, crystallization 386  
 melt loss 377; *see also* parent body processes;  
 petrogenetic associations
- hercynite spinel 36
- hexahedrite, *see* iron meteorites, structural  
 classification
- <sup>182</sup>Hf 186
- Hf-W method 372  
 calibration 372; against Al-Mg 373; H4 chondrites  
 373; Pb-Pb 373
- Hg 35, 38
- hibonite 36, 80, 426
- highly labile elements 37–8
- highly volatile elements 35, 36, 37, 38
- history of meteoritics 24
- howardite-eucrite-diogenite meteorites, *see* HED
- hydration of silicates 36
- hydrocarbons 424
- hydrogen, as water 35
- hypersthene-olivine chondrites, *see* chondrites

- I, isotopic homogeneity 175  
 $^{129}\text{I}$  86  
 initial  $^{129}\text{I}/^{127}\text{I}$  ratio 174, 373  
 IDPs 1, 9  
 non-porous hydrated 9  
 porous, anhydrous 9; cometary 9  
 igneous rocks (achondrites) 6  
 ilmenite 339  
 immiscible liquids 376, 389, 390  
 impact, hypervelocity 434–8; effects 438; shock  
 pressure 438; timing 437; *see also* polymict  
 breccia  
 impact crater 2  
 impact melt 2  
 impact spherules 48, 56; *see also* shock melting  
 impact reworking 162  
 impact, very large 3–4  
 impingement 391  
 In 35, 36, 38  
 incompatible elements 37–8  
 inductively coupled plasma mass-spectroscopy  
 (ICPMS) 50  
 initial  $^{87}\text{Sr}/^{86}\text{Sr}$ , *see* Rb-Sr method;  $^{87}\text{Sr}/^{86}\text{Sr}$   
 instrumental neutron activation analysis (INAA) 26,  
 27  
 International Mineralogical Association (IMA) 16  
 interplanetary dust particles, *see* IDPs  
 interstellar cloud 189  
 interstellar dust particles, in Solar System 1  
 interstellar dust/grains 422, 423, 424–5  
 composition 425  
 disruption, growth, size, structure 424, 425  
 interstellar gas, ‘metals’ depleted 423  
 interstellar grains, chronology 423  
 organic 429  
 interstellar medium 423  
 bulk chemical composition 424  
 processes 424–5  
 interstellar SiC  
 presolar age 425  
 survival 425  
 interstellar solids, CI composition 426  
 iodine-xenon, *see* I-Xe  
 ionic radius 37  
 ion-molecule reactions 429  
 Ir 37, 389  
 compatible in kamacite 37  
 incompatible in silicate 37  
 iron meteorite groups  
 crystal/liquid fractionation 356  
 intergroup fractionation trend (As and Ga) 356  
 intragroup fractionation 356  
 iron meteorites 5, 6, 244, 321–62, 363  
 12 groups 333  
 anomalous 333  
 chemical classification 322–3, 331–6; Ga, Ge Ir  
 contents 331, 334–5, 336; history 331–3; Ni  
 content 331, 334–5, 336  
 chemical groups 331; constitution 333; diagnostic  
 properties 334–5; inter- and intra-group  
 variation 338; properties 334–5, 338–44  
 classification 7, 322–3  
 cooling rate 325–9  
 etching with nital 323  
 fall statistics, masses, survival 322  
 gas retention ages 159  
 groups  
 IAB (includes (IIICD) 25, 249, 341, 345; age  
 373; inclusion types 341; ‘meteoritic complex’  
 341; Ni-rich Oktibbeha County 341; properties  
 334–5; silicate inclusions 341; silicate,  
 chondritic 248; *see also* winonaites  
 IC 341–2; properties 334–5  
 IIAB 342; properties 334–5  
 IIC 342; properties 334–5  
 IID 342; properties 334–5  
 IIE 342, 345; chondritic inclusions (Netschaëvo)  
 342; fractionated silicate (Kodaikanal) 342; H  
 group chondrite 342; oxygen isotopes 342;  
 properties 334–5; silicate inclusions 254, 342;  
*see also* petrogenetic associations  
 IIF 343; linked to Eagle Station trio 343, 360;  
 properties 334–5  
 IIIAB 8, 25, 341, 343; age 373; burial depth 391;  
 chemical complexity 343; chromite 390;  
 cooling rate 367, 391, 393; core formation  
 372, 374–5, 376; crater forming 343; oxygen  
 isotopes 343; phosphate 343, 390; properties  
 334–5; relationships 343; rhadbite 343; silicate  
 343; *see also* parent body processes;  
 petrogenetic associations  
 IIICD silicates, mineralogy 255; texture 254;  
*see also* IAB and winonaites  
 IIIE 343–4; properties 334–5  
 IIIF 344; properties 334–5; variable bandwidth  
 344  
 IVA 344; complex cooling history 344; oxygen  
 isotopes 344; properties 334–5; pyroxenes  
 344; related to L or LL chondrites? 344; silica  
 (tridymite) 344; single core origin 344, 368;  
*see also* petrogenetic associations  
 IVB 344; properties 334–5  
 heat-affected zone 332, 341  
 literature - 10.010b - 10.f010  
 magmatic 12, 323  
 explosive volcanism 377  
 molten cores 338  
 Ni partition 388  
 origin 336, 357  
 sulfur poor 377  
 minerals 339  
 non-magmatic 12, 323  
 origin 338  
 octahedrites 8, 324–5, 327, 331  
 bandwidth (kamacite) 330, 331  
 bandwidth measurement 340  
 formation 325–9  
 kinetic effects 330–1  
 ‘M’-shaped profile 329  
 Ni redistribution 325–9; *see also* octahedral  
 planes; Widmanstätten pattern  
 origin, grouped and ungrouped irons 357, 362

- iron meteorites (*cont.*)  
 proportion of finds 13  
 recrystallized 332  
 structural (textural) classification 6, 322–3, 324–5, 327  
   ataxite 327, 331  
   hexahedrite 324, 327, 331  
   octahedrite 8, 324–5, 327, 331  
 structure 324–31  
   atmospheric flight 341  
   cross-hatched kamacite 341  
   fusion crust 341  
   heat-affected zone 332, 341  
   intragroup variation 340  
   recrystallized kamacite 341  
   shock effects 341  
 summary 362  
 total abundance 12  
 ungrouped 332, 333, 357; *see also* ungrouped irons  
   and stony irons
- isochron 163  
 internal 165  
 pseudo-isochron 177  
 whole-rock (whole-meteorite) 165
- isotope dilution 27
- isotopic anomalies 77, 81, 137, 238, 422
- isotopic fractionation 38, 77, 234, 402–3
- isotopic homogeneity 157
- isotropic plagioclase 44
- I-Xe ages  
 Acapulco 369  
 H, L, LL and EH chondrites 176  
 Shallowater 267
- I-Xe method 173–4, 177  
 calibration 183  
 feldspar 177  
 isotopic closure 175  
 phosphate 177  
 prograde metamorphism 177  
 reference standards 175  
 retrograde metamorphism 177  
 time differences 175
- Japanese glaciologists 12
- Johnson Space Center 15, 16
- Journal of Geophysical Research* 16
- Jupiter-asteroid resonances 11
- $^{40}\text{K}$ - $^{40}\text{Ar}$  method 157, 159
- K/Ca ratio 161
- K/T boundary 3
- kamacite 41, 324, 329, 330, 341, 391, 392  
 swathing 346
- K-feldspar 339
- kinetic heating experiments 208
- kirschsteinite 293
- KREEP 296
- K/T boundary - 1. 026
- L group chondrites  
 ages 158  
 degassed 11
- Laplacian theory 421; *see also* Solar System origin
- larnite 293
- laser heating 161
- layered rims, *see* CAIs
- $^6\text{Li}$  439
- life, origin, requirements 441
- life-supporting planets, *see* planets
- light-dark structure 131, 290
- limonitic staining 45
- lithic clasts 54
- lithium tetraborate glass 27
- lithophile 34
- lithophile elements 36, 37
- local nucleosynthesis 158, 179, 183, 203
- loess deposits 3
- London 16
- Long Duration Exposure Facility (LDEF) 3
- $^{176}\text{Lu}$  157
- Luna missions 10
- lunar breccias and ‘soils’ 297  
 cumulates 297  
 exotic siderophile elements 297  
 Fe/Mn ratios 278  
 highland/mare mixtures 297  
 impact glass 297
- lunar highlands 296
- lunar magnetic field 431
- lunar mare basalts 296–7  
 LT, VLT 296  
 pyroxene, augite 296  
 pyroxene, pigeonite 296  
 pyroxene, zoned 296  
 pyroxferroite 297
- lunar maria 300
- lunar melt spherules 225  
 crystalline, as chondrule analogs 225
- lunar meteorite series 298  
 highlands/mare meteorite ratio 298  
 multiple ejections 298  
 sampling sites 298
- lunar meteorites 11, 297–8, 301, 414  
 classification, components 299  
 cosmic ray exposure 296  
 ejection events 297  
 finds 280, 296–305
- lunar highlands and highlands/mare breccias 279, 298–303  
 fusion crusts 298  
 texture 300; anorthositic clasts 300; breccia 300;  
 clast population 300, 302; grain-size 300;  
 impact melt glass 300; lithic clasts 300; mafic  
 clasts 300; matrix 300; matrix glass 300;  
 microbreccia 300; mineral clasts 300; regolith  
 breccia 300
- lunar highlands anorthositic breccias 298, 299, 301
- lunar highlands breccias  
 ANT rocks 302  
 extra-lunar contribution 302  
 glass compositions 302  
 highlands basalt 300  
 mare contribution 303  
 mineralogy 300–3

- olivine 300
- plagioclase 300
- pyroxene 300
- lunar highlands/mare breccias 299
  - Al<sub>2</sub>O<sub>3</sub> content 303
  - ANT clasts 303
  - basalt, VLT 303
  - chondritic component 303
  - glasses 303
  - impact melts, sources 303
  - metal 303
  - mineralogy 300–3
  - modal abundances 303
  - plagioclase 303
  - pyroxene 303
- inventory 299
- lunar mare basalt, mare basalt breccia 298, 303–4
  - ages 304
  - glass, igneous 304
  - impact melt 304
  - LT 303
  - maskelynite 304
  - mineralogy 304
  - plagioclase 304
  - pyroxene 304; zoned 304
  - pyroxferroite 304
  - symplectite 304
  - textures 303–4; ‘gabbroic’ 301, 304; porphyritic 303; subophitic 303
  - Ti-rich 304
  - VLT 301, 304
- lunar mare basalts 299
- lunar mare breccia 298, 299
- lunar mare/highlands breccias 298, 299
- lunar mineralogy 246, 278–80, 287
  - sources of data 298
  - summary 305
  - thermal history 304–5
    - breccia maturity 305
    - multiple impacts 304
    - shock metamorphism 304
    - solar wind gases 305
    - sources, igneous bodies 304
    - thermal cycling 305
  - transit times 297
- lunar multi-ring basins 302
- lunar remote sensing 296
- lunar rocks, diagnostic features 297
- lunar samples, returned 296, 302
- ‘M’-shaped profile 329, *see* taenite
- macrochondrule 56
- magnetic rake 7
- magnetite 28, 36, 54, 79–80, 99, 216
  - I-Xe age 176
  - oxygen isotopic ratios 49, 402–3
  - parent body origin 216, 384
- major element fractionation 196–203
  - x-wind model 203–9, 435
- majorite 44
- maria 10
- Mars
  - achondrite source 6, 10
  - atmosphere, NASA Viking craft 280, 305, 306–7
  - core formation 372, 374–5
  - life 307
  - mantle melting 317–18
- martian meteorites 11, 278–80, 297, 305, 414
  - ages
    - crystallization 305, 309
    - cosmic ray exposure 307
    - transit times 318
  - martian meteorites ALH 84001 307, 314
    - genesis 316, 318; carbonate origin 316; cumulus orthopyroxene, chromite 316; evaporite 316; magnetite 316; shock effects 316
    - mineralogy 316; carbonate 316; chromite 316; chromite metamorphism 316; mode 315; orthopyroxene 316
    - texture 315; euhedral chromite 316; layered carbonates 311, 315; shock, crushed zones 315; shock, plagioclase/maskelynite 316
  - martian meteorites basaltic shergottites 307, 308–12
    - mineralogy 311; late stage minerals 312; olivine 311–12; oxides, Fe<sup>3+</sup> 312; phosphate 312; plagioclase/maskelynite 311–12; pyroxene, compositional range 311; pyroxene, extreme zoning 311; shock melts 312–13
    - related to lherzolitic shergottites, REE contents 318
    - texture 310, 312–13; co-existing lithologies 308, 310; impact glass, pockets, veins 306–7, 308; interpretation 311, 312; magmatic flow 311; maskelynite 308; pyroxene lineation 308; xenoliths 311
  - martian meteorites Chassigny dunite 279, 314–15
    - mineralogy 315; amphibole 314; biotite 315; Ca-pyroxene 315; olivine 314, 315; plagioclase 315; sanidine 315; Ti minerals 315
    - texture 311, 314–15; cumulate 315; melt inclusions 315; olivine, form 314; origin 318; poikilitic Ca-pyroxene 314; shock effects 315
  - classification 309
  - diagnostic petrology 307
    - Fe<sup>3+</sup> 307
  - ejection events 318
  - fusion crusts 307–8
  - hydrous minerals 307
- martian meteorites inventory 309
- martian meteorites lherzolitic shergottites 307, 312–13, 317
  - mineralogy 312–13; Fe<sup>3+</sup> shock-produced 313; magmatic inclusions 313; olivine 313; plagioclase/maskelynite 313; pyroxene, Ca-enrichment 313; pyroxene, augite 313; shock melts 312–13
  - texture 310, 312–13; impact glass 312; interpretation 312; interstitial crystalline 312; mosaicism 312; poikilitic 312; preferred orientation 312
    - related to basaltic shergottites 318
  - mineralogy 246, 287
  - modes 309, 315
  - name 307

- martian meteorites nakhlites (olivine clinopyroxenites) 313–14  
 distinct meteorites 314  
 mineralogy 314; amphibole 314; aqueous alteration 314; Ca-pyroxene cores 314; and rims 314; evaporites 314, 316; glass 314; halite 314; K-feldspar 314; minor minerals 314; olivines 314; oxides 314; plagioclase 314; salts 314  
 texture 311, 313–14; alteration 313; augite (Ca-pyroxene) 313; augite preferred orientation 313; cumulate 313; flow alignment 313; igneous glass 313; magmatic inclusions 313; mesostasis 313; olivine, form 314; origin 318, 371; poikilitic halite 313; unshocked 314  
 orthopyroxenite, *see* ALH 84001  
 oxygen isotopic ratios 307  
 rock-types 307–8, 310–11  
   basaltic shergottite 307  
   dunite Chassigny 307  
   lherzolithic shergottite 307  
   nakhlite olivine clinopyroxeneite 307  
   orthopyroxeneite ALH 84001 307  
   picritic shergottite 307  
 Rb/Sr systematics 317–18  
 shared properties 317  
 summary 317  
 martian meteorites thermal history 317  
   basaltic shergottites cooling rate 317; pyroxene cumulates 317; solidified melts 317  
   lherzolithic shergottites 317  
   nakhlites 317; aqueous activity 317  
   parent magmas hydrous 317  
   shock pressure, shock effects 317  
   trapped Mars' atmosphere 305, 306–7  
   unbrecciated 307  
 maskelynite 44  
 mass-independent isotopic fractionation 77  
 matrix 19, 23, 40, 41, 48, 50, 54, 85–90, 239  
   age 175  
   chemical composition 54, 85–90, 91, 192  
   clastic precursor 218  
   definition 85–8  
   discrete lumps 85; *see also* dark inclusions  
   mineralogy 54, 64, 88–9  
   secondary minerals 218  
   opaque matrix 85  
   origin 88, 217, 218–19, 241  
   oxygen isotopic ratios 92–3, 94  
   parent body processing 89, 216, 218  
   presolar component 218, 426; *see also* presolar grains; carbide- and magnetite-rich assemblages; graphite- magnetite aggregates; chondrites, petrologic types 1, 2 and 3  
 Maurette, M. 8  
 melilite 36  
   Al-rich 80  
   alteration 106  
 melt droplets 48  
 melt, impact 2  
 melting, *see* parent body processes  
 melting, shock 42  
 merrillite 339  
 mesosiderites 7, 10, 25, 244, 321–50, 363  
   age 373  
   cooling rate 367, 395  
   introduction 350  
   numbers of 12, 354  
   summary 362; *see also* petrogenetic associations  
 mesosiderites classification 351, 353–4, 355  
   igneous type 355  
   metamorphic types 355  
   mineralogical types, ratio, eucritic/diogenitic material 353–5  
   origin, igneous texture 355  
   textural types 355  
 mesosiderites mineralogy 352–3  
   breccia clasts 353  
   Ca-poor pyroxene 353  
   Ca-pyroxene 352  
   chromite/ilmenite ratio 353  
   corona structure, merrillite 353  
   corona structure, olivine 353  
   diogenitic affinity 352  
   dunite clasts 353  
   eucritic affinity 352  
   Fe/Mn ratio 353  
   HED affinity 352  
   kamacite 353  
   lithic clasts 352  
   mafic rocks 352  
   metal veins 353  
   metal, sulfide 352, 353  
   mineral clasts 352–3  
   minor minerals 353  
   olivine composition 349  
   orthopyroxenite 352  
   plagioclase 352, 353  
   schreibersite 353  
   silicate clasts 352–3  
   silicate matrix 353  
   sulfide 352  
   troilite 353  
   Widmanstätten pattern 353  
 mesosiderites texture 350–1, 352  
   breccias, polymict 350  
   corona structure 350, 351, 355  
   matrix 350, 351  
   melt 350, 351  
   metal content 350  
   metamorphic 350–2  
   octahedrite structure 324–5, 353  
   poikilitic plagioclase 352, 355  
   poikiloblastic pyroxene 352, 355  
 mesostasis (chondrule) 40, 41  
 metal 26, 37, 41, 48, 106, 119, 120, 130, 132  
 metal loss, secondary? 214  
 metal magnetization 203  
 metal, recrystallization 332  
 metal segregation 203  
 metal/silicate fractionation 33, 195, 196, 199, 201, 205, 210, 211

- metal loss from CI 202, 211
  - thermometry 202–3
- 'metals' 423
- metallic chondrule, *see* chondrule
- metallic Fe, Ni, *see* Fe, Ni metal
- metallographic cooling rate 329, 391–5
  - 'M' profiles 391
  - cloudy taenite, island width 392, 393
  - impingement 391
  - kamacite bandwidth 391
- magmatic iron and stony iron meteorites 367
- ordinary chondrites 413–14
  - homogenization of metal 413
  - metamorphic temperature 413
  - quench texture 413
  - volatile Fe, Ni 413
- taenite half-width 329, 391, 413
- taenite in chondrites 391
- uncertainty 393
  - volume diffusion 391
- metal-sulfide assemblages, UOCs and CR 74
- metal-sulfide chondrule, *see* chondrule
- metal-sulfide dendritic spherules 67
- metamorphic age 162–80, 437, 438
  - Rb-Sr in feldspar 167
  - Rb-Sr in phosphate 167
- metamorphism, *see* chondrites; parent body processes
- meteor 1
- meteorite classification (historical) 24
- meteorite, definition 2
- meteorite falls 11–13
- meteorite finds 4, 11–13
  - distinction from terrestrial rocks 13, 15
  - relative abundance of irons 13
  - weathering of 12, 13, 14, 45–6
- meteorite flux 4, 13, 14, 46
- meteorite grouplet 24
- meteorite literature 17
- meteorite magnetism 15
- meteorite names 15–16
  - individuals of multiple falls 15, 16
  - of abundant finds 15
  - overlapping strewnfields 16
  - pairing 16
- Meteorite Observation and Recovery Program (MORP) 11
- meteorite parent bodies
  - interrelationships 48
  - number 418; *see also* parent body processes; petrogenetic associations
- meteorite recognition 13–15
- meteorite recovery 11–13
- meteorite streams 11
- meteorites, compositional differences, Antarctic–non-Antarctic 13
  - concentration mechanism 12
  - differentiated 5
  - fossil 11, 15
  - gross classification 5
  - lunar 11, *see* lunar meteorites
  - martian 11, *see* martian meteorites
  - pairing 12, 16
  - primitive (chondrites) 5
  - relative abundances, major types 12
  - sources of 10–11
    - asteroids 10
    - comets 10, 11
    - Moon 10
    - stony 5
    - stony iron 5, 7
      - relative abundance 12
  - terrestrial ages of 13
  - types of 4–10
  - ungrouped - 2.120
- Meteorites and the Early Solar System* 17
- meteorites within meteorites 48
- Meteoritical Bulletin* 12, 15, 16, 45, 299, 309
- Meteoritical Society 15, 16, 45
- Meteoritics and Planetary Science* 12, 16, 366
- meteoroid 1, 2
  - Innisfree 11
  - pre-atmospheric size 155
- <sup>26</sup>Mg 77
- Mg, lithophile 37
- Mg/Al ratio 195
- Mg/Si fractionation 195, 197, 198–9, 210, 211
  - compensation for 199–202
  - forsterite 197
  - Si gain 205
- Mg/Si fractionation
- MGP, *see* pallasites, main group
- microchondrule 56
- micrometeorites 2, 4, 7–10
  - alteration of 8
  - atmospheric heating 8
  - CM-like 101
  - from Antarctic ice 8
  - from central Pacific 7
  - from Greenland ice cap 7
  - from South Pole 8
  - from the stratosphere 8
  - scoriaceous texture 8
  - size-range 8
  - source, asteroidal or cometary 3
- micrometeoroid mass-distribution 3
  - from radar observations 3
- microprobe analysis 22, 40
- mineral clasts 54
- mineral stability 36
- Mineralogical Society of America 16
- mineralogic classification (Prior) 20–2
- <sup>53</sup>Mn 186
  - initial <sup>53</sup>Mn/<sup>55</sup>Mn ratio 372, 373
- Mn, moderately volatile 35
- Mn-Cr method
  - age, diogenites, eucrites 369
  - calibration 179
  - Chervony Kut 369
  - LEW 86010 369
  - pallasites 369
- Mo 38
- model ages 168

- moderately volatile elements 35, 36, 38, 194, 214, 356
- monomict breccias 48
- Moon
- core formation 372
  - meteorites 296
  - source of achondrites 6
  - tektites 296; *see also* meteorites, sources of
- mosaicism 44, 258–9
- Mössbauer spectroscopy 13, 45
- Mount Egerton 272
- $^{15}\text{N}$  enrichment 332, 429
- Na 35, 37
- Namibia, meteorite finds 12
- nanodiamond 426; *see also* diamond
- NASA aircraft 8
- Johnson Space Center 15, 16
  - scientists 15
- National Institute of Polar Research, Tokyo 16
- Natural History Museum, London 16
- Naturhistorisches Museum, Vienna 245
- $^{21}\text{Ne}$  production 156
- nebular condensation
- common elements 211
  - constrained equilibrium 198
  - dust- and tar-enriched 213
  - dust-enriched 198, 211, 212, 228, 229
  - equilibrium 35, 36, 190–1, 192, 197–203, 210, 235, 357
  - equilibrium, conditions for 35
  - ice/water enriched 198, 212
  - iron meteorites 337
  - loss of residual dust/gas 210, 215–16
  - objections 440
  - tar/carbon enriched 198, 211
  - thermometry 35, 36, 197
  - volatiles 216
- Ne-E 422, 431
- carrier 422
- nepheline 81
- Neptune 440
- Neumann lines 324
- neutron activation analysis (NAA) 26; *see also*
- instrumental; radiochemical
- neutron-rich fission 431
- New Mexico, meteorite finds 12; *see also* Roosevelt County
- Newcastle University, England 431
- Ni 35
- in metal 26
  - in sulfide 41, 73
- Ni/Mg ratio 201
- Nininger Collection of Meteorites 11
- niningerite 142
- nital, etchant 323
- nitride 37
- nitrogen 27, 35; *see also*  $^{15}\text{N}$
- noble gases 35
- carrier 429, 430
  - carrier distribution 430
  - components 429
  - exotic 427–33
  - fractionation, elemental 429
  - fractionation, isotopic 429
  - in chondrites, origin 427
  - in chondrites, trapped 427–33
  - interstellar condensation 431
  - planetary 428–31
  - planetary Xe, isotopic composition 430
  - solar origin 428, 430
  - trapping mechanism 429
  - x-wind model 430
- noble metals 35, 80
- non-chondritic stony meteorites, mineralogy 246
- norite 296
- norm, normative composition 57
- nucleosynthesis 422
- timing, *see* formation interval
- nuclides, cosmogenic 154
- Nullarbor area, meteorite finds 12, 15
- octahedral planes, orientation 330
- octahedrite, *see* iron meteorites, octahedrites
- Odessa-type inclusions 253
- olivine 7, 22, 35, 40, 41, 42, 50, 100, 106, 286–7, 339, 349, 424
- homogenization 60
- olivine clinopyroxenite 307; *see also* martian meteorites, nakhlites
- olivine-pigeonite achondrites, olivine-pyroxene achondrites, *see* ureilites
- optical microscopy 45, 47
- of iron meteorites 340
- orbital zones 214
- orbits, Earth-crossing asteroids 10, 11
- Innisfree family 11
- ordinary chondrite class 25
- Ordovician limestone 15
- meteorites 11, 155
- organic compounds 89, 426, 433
- orthopyroxene 290
- orthopyroxenite 307, *see* martian meteorites
- Os in sulfide 116
- Os isotopic ratios 3, 4
- oxidation of Fe metal 136, 408
- oxidation, terrestrial 45
- oxides 37, 424, 426, 427
- oxygen fugacity 406
- related to temperature 406, 408
- oxygen isotopic ratios 19, 23, 24, 38–9, 77, 92–3, 100, 136, 238, 248, 254, 278, 280, 192, 380, 403, 409, 427
- chondrite groups 39, 94
  - CI, CM 402–3
  - differentiated meteorites 247, 265
  - iron and stony iron meteorites, ungrouped 360
  - ordinary chondrites, ungrouped 148
- oxygen
- $^{16}\text{O}$ -poor gas 412
  - $^{16}\text{O}$ -rich solids 411, 412
  - mass-dependent isotopic fractionation 412–13

- mass-independent isotopic fractionation 412–13
  - self-shielded 412
  - source in chondrites, isotopic mixing 412–13
- oxygen-bearing compounds 37
- pairing of meteorites 154–5
- Pallas, P. S. 345
- pallasites 7, 9, 25, 244, 322, 345, 347–50, 358
  - Cold Bay, Eagle Station, Itzawisis 347
  - Eagle Station trio 347
    - angular olivine 348
    - composition 348
    - distinguishing features 348–9
    - FeO/MnO ratio 348–9
    - Ge/Ga ratio 348, 349
    - metal composition 348
    - pyroxene, Ca-poor 349
    - pyroxene, Ca-rich 349
  - main group 347–8
    - age 373
    - chromite 348
    - cooling rate 367, 395
    - melting 376
    - metal 348, 395
    - metal structure, modal variation, olivine texture 346, 347–8
    - mineralogy 347–8
    - minor minerals 348
    - olivine composition 348, 349, 396
    - olivine Fe/Mn ratio 348
    - olivine, phosphoran 348
    - origin 346–7
    - phosphates 348
    - pyroxene 348
    - symplectic intergrowths 348; *see also* petrogenetic associations
  - octahedrite structure 324–5
  - pyroxene doublet 347, 349
    - olivine 349
    - Vermilion 347
      - mode, texture, mineralogy 350
    - Y 8451 347
      - mode, texture, mineralogy 349
  - relative abundance 12
    - subclassification, metal and olivine compositions, oxygen isotopes 347–50
    - texture 345, 346–7
  - parent bodies, number 418
  - parent body processes 365–418; *see also* petrogenetic associations
    - basaltic melt loss, body size, volatile content 377; *see also* HED parent body
    - break-up 162
      - body size 367
      - cooling rate, controls 367
      - cooling to isotopic closure 391
      - depth of burial 367, 391
      - reassembly 224, 405
    - core formation 323, 365, 375, 376
      - elemental distribution 380
      - timing 372, 388
    - timing on Earth, Mars, Moon, HED body 373, 374–5
- fractional crystallization 377
  - mineral assemblages 385
  - Vesta-wide magma ocean 385
  - volume crystallized 385
- heating, external or internal 375, 413
  - cold/hot accretion 399–401
  - heating rate 368, 404–5
  - heat-producing nuclides 375
  - melt migration 375, 376
  - time to melting, controls 368, 369
- heating water-poor bodies 376
  - redox state 405–12
- heating water-rich/icy bodies 401–5
  - capillary fluid flow 402–3, 404–5
  - controlling factors 401, 403, 406
  - explosive disruption 401, 403, 405
  - initial composition 401, 403
  - multiple parent bodies 403
  - oxygen isotopic fractionation, mixing, model and observation 402–3
- literature 365–6
- melting 365, 369, 376
  - duration in asteroids, Mars, Earth, Moon 366, 368–73
    - heating experiments, modelling 375
  - immiscible liquids 376, 390
  - metal, sulfide 375
  - silicate 376
  - sulfur loss 376
  - volatiles, effects of 376
- metal homogenization 401
- metallographic cooling rate 401
- metamorphism, chondrite 399–406, 414
  - <sup>26</sup>Al heating 399, 403
  - <sup>26</sup>Al heating vs accretion time, diameter 369
  - petrologic series 399; *see also* chondrite parent body structure
- metamorphism, prograde 365, 399, 405–12
  - Fe/Mn ratio 407
  - heating and oxidation 405, 408
  - heating and reduction, nebular setting 405
  - mineral barometers 368
  - olivine/Ca-poor pyroxene ratio 407
  - oxidizing agent 405, 408
  - primary oxidation state (Burnwell) 411
  - pressure 406
  - reducing agent 406
  - size 367
  - thermometry 376, 401, 409, 410
- metamorphism, retrograde 365, 369, 399, 403
  - brecciation, dark inclusions, mixed petrologic types 405
  - P*(H<sub>2</sub>O), temperature, water/rock ratio 405, 407
- metamorphism, shock 365
- oxygen isotopic exchange 403, 409, 411
  - mass-dependent fractionation, 409, 411; *see also* oxygen, source in chondritic bodies
- post-metamorphic breccias 400
  - aberrant grains 400

- parent body processes (*cont.*)  
 sampling 365  
 summary 418  
 volcanism, body size 366  
 duration 366  
 explosive, pyroclastic 375, 377
- Paris, University of 170
- Pb 35, 37, 38, 216
- Pb-Pb age, EOCs 170, 179, 369
- Pb-Pb method 169
- Pd-Ag age 369, 391, 396, 414
- <sup>107</sup>Pd 186
- <sup>107</sup>Pd/<sup>108</sup>Pd ratio 373
- perovskite 36, 80
- petrogenetic associations 7, 25, 244, 364–418  
 aubrites, enstatite chondrites 415, 416  
 EL, EH and aubrites differ 416  
 parent bodies 416  
 CR, CH, Bencubbin/Weatherford 118, 415, 416–17
- diogenite genesis  
 low-density magma 387  
 orthopyroxene-rich magma 387
- eucrite genesis 381–4  
 chemical composition 379  
 convective overturn, cumulate eucrites 381, 387  
 equilibrium crystallization 385  
 eucrite-howardite-diogenite series 381  
 FeO reduction 383  
 fractional crystallization 381, 385  
 magma ocean 381, 384, 387  
 metal-silicate equilibration 384  
 partial cumulates 383, 387  
 partial melting 376, 381, 384, 387  
 slow convection 387  
 vigorous convection 387
- HED body 378  
 crust layered 387  
 early melting 384  
 eucrite fractionation 378–80  
 genetic complexity 381–4  
 mantle, core compositions, thermal history 378–80  
 oxygen isotopic ratio 380  
 parental chondrite group 380–1  
 Vesta core 378  
 Vesta density 378  
 Vesta layered 382
- HED-IIIAB iron-MGP-mesosiderite 365, 415  
 bulk composition, genesis 378–99  
 core, mantle model compositions 379  
 FeO/MnO ratio 379  
 melting 376  
 melting experiments 378  
 metallic and silicate melts 378, 384  
 mg# 379  
 Ni in metal 379  
 partition coefficient 378, 388  
 S in core 379  
 thermodynamic modelling 378; *see also* parent body processes, fractional crystallization
- HED-IIIAB iron-MGP-mesosiderite parent bodies 397  
 cooling rates, burial depth 398  
 HED and MES separate bodies 398  
 IIIAB core separate 398  
 MES metal unfractionated 398  
 metallic pods, MGP core-mantle boundary 398
- IAB/IIICD irons and winonaites 414–15, 416  
 multiple bodies 414–16  
 parent body disrupted, reassembled 416  
 timing 416
- III silicate, H chondrite 415, 417  
 ages 417  
 III metal 417  
 multiple impacts 417  
 olivine/pyroxene ratio 417  
 oxygen isotopic ratios 148, 417  
 oxygen reservoirs 417  
 silicate differentiated 417
- IIIAB iron genesis, fractional crystallization 388–91  
 Cape York composition 390  
 early formation 388  
 Ge partition 388  
 Ir/Au ratio 389  
 metal dendrites 389  
 Ni partition 388  
 one/two liquids 389, 390  
 sulfide liquid 390  
 sulfur content 389, 390, 395
- IIIAB-MGP-mesosiderite metal evolution 394–5
- IVA irons, L or LL chondrite, oxygen isotopic ratios 415, 418
- mesosiderites, differentiated body, impact, genesis 396–7  
 age, Ar-Ar 397  
 age, Pd-Ag 396  
 breccias of core, crust, mantle 396, 397  
 cooling rate, metal 396  
 cooling rate, silicate 396, 397  
 metal composition 396  
 precursor bodies 397  
 regolith 397  
 related to IIIAB iron 395, 396  
 shock heating 397  
 silicates, interpretation 396–7
- MGP core-mantle mixing, genesis 395–6  
 cooling rate 395, 396  
 dunite 395  
 metallic melt 395  
 olivine composition 396  
 related to IIIAB iron 395, 396  
 sulfur content 395
- summary 418  
 tabulation 415
- ureilite, carbonaceous chondrite 415, 417–18  
 basaltic fraction 417  
 cumulates/residues 417  
 dark inclusion precursor 417  
 feline igneous clast 417  
 multiple parent bodies 417–18  
 oxygen isotopic ratios 417, 418

- petrologic (petrographic) type, *see* chondrites
- phase separation
- incomplete 26
  - physical means 26
  - selective chemical attack 26
- phenocryst 61
- Philosophical Transactions of the Royal Society* 423
- phosphate 130, 167, 170
- ages 170, 171, 176, 177, 343, 390
- phosphate, in fremdlingen 79–80
- phosphide 392
- phosphorus 35, 37, 38, 392
- photosphere, solar 34
- phyllosilicate 54
- plagioclase (*see also* feldspar, K-feldspar) 40, 116, 286–7, 339, 368
- plagioclase-olivine inclusions, *see* CAIs
- planar fractures 44
- planet, giant, *see* giant planet
- planetary fractionation pattern 428
- Planetary Materials* 17
- planetary noble gases, *see* noble gases
- planets
- giant, unbound 438, *see also* exoplanets
  - life-supporting 441
- plateau age 161
- plessite 329, 339
- poikilitic plagioclase 352, 355
- poikiloblastic pyroxene 352, 355
- polished thin-sections 45
- polycrystalline taenite 67
- polycrystalline texture 67
- polymict breccia 48, 361
- p-process 432
- presolar grains 54, 88, 100, 107, 123, 136, 143, 145, 146, 194, 215, 216, 218, 399, 423, 424, 426
- acid resistance 425
  - chondritic 422–7
  - comparison, circumstellar grains 425
  - isotopic signature 426
  - stellar sources 422, 426, 427
  - survival 426
- presolar minerals, inventory 426
- pressure, solar gas 35
- primitive achondrites 12, 25, 50, 243–9, 257, 275
- chemical compositions 273
  - classification, relationships, oxygen isotopes 247, 248–9
  - grain-size, texture, shock stages, modes 250, 252
  - melting 376
  - Mn/Mg ratio 273
  - noble gases 50
  - summary 274, *see* acapulcoites/lodranites; brachinites, winonaites and IAB chondritic inclusions
- primordial noble gases 50; *see also* noble gases
- Prior's rules 22
- protojupiter 421, 438
- accretion trigger 434
  - aggregation and growth 438
  - capture 422, 438–9, 440
  - gravitational collapse 438; *see also* giant planet origin 438–41
- protosolar matter 422–7
- composition, form 433–4
  - gas 433
  - grains 433
  - historical 422–3
  - homogenized 426
  - ices 433; *see also* accretion disk
- protosolar nebula, hot 197, 209–10, 213, 433
- <sup>244</sup>Pu 172, 431
- <sup>244</sup>Pu/<sup>238</sup>U ratio 183, 186
- pyroxene 40, 286–7, 424; *see also* Ca-poor pyroxene; Ca-pyroxene
- pyroxene series, in HEDs 284
- pyroxenite 6
- Q gases, Q phase 429
- Queen Maud Land, *see* Antarctica
- quintessence 429
- radiochemical neutron activation analysis (RNAA) 27
- radionuclides, long-lived 155
- primordial 155–8
  - short-lived 157, 183
  - short-lived primordial 186, 368
  - short-lived, initial ratios 186
- rare earth elements (REE) 27, 35
- as pressure indicators 371
  - distribution, garnet/melt 368
- Rayleigh equation 388
- <sup>87</sup>Rb 157
- Rb-Sr age compared with U-Pb 166
- Rb-Sr method 163–9
- isochron 164
  - summary 168
- Re (rhenium) 35
- <sup>187</sup>Re 157
- reduced (EH, EL) chondrites 28
- refractory, refractory elements 33, 35, 36, 38
- refractory lithophile element fractionation 33, 195, 196, 197, 198–9, 210
- refractory lithophile elements 82
- refractory minerals 197, 205, 211
- refractory siderophile elements 82
- regolith breccias 48, 104–6, 139, *see* aubrites; HED howardites; lunar meteorites
- Reichenbach lamellae 343
- relative ages 157
- calibration 184
- relict grains, *see* chondrules
- resonances, *see* Jupiter-asteroid resonances
- rhabdite 343
- rim sequences, *see* CAIs
- ringwoodite 44
- Roosevelt County, New Mexico 15
- Rose, G. 278
- Rose-Tschermak-Brezina (RTB) classification, *see* chondrites, classification
- r-process 432
- Ru in sulfide 116

- Sahara meteorite finds 12, 15  
 sarcopside 339  
 scanning electron microscope (analytical) (SEM) 40  
 Scheil equation 388  
 scheibersite 255, 324, 332, 339  
 scoriaceous texture, *see* micrometeorites  
 secondary ion mass spectroscopy (SIMS) 423  
 separation, silicate from metal 26  
 Shallowater unbrecciated enstatite achondrite 269, 272–3  
   age by I-Xe 267  
   collisional origin 273  
   cooling history 273, 329  
   mineral abundances, compositions 271  
   mineral assemblage 272–3  
   parent bodies 273  
 shock classification, *see* chondrites  
 shock melting 42, 44, 67  
 shock metamorphic age 158, 159, 161  
 shock pressure 44, 428  
 shock veins 44, 438  
 short-lived radioactivities, *see* radionuclides, short-lived  
 Si enrichment 214  
 Si, lithophile 37  
 Si normalization 194, 207  
 Si/Al ratio 195  
 Si<sub>3</sub>N<sub>4</sub> 424, 426  
 SiC 424, 425, 426  
 siderite (meteorite) 5  
 siderolite 5  
 siderophile elements 36, 37  
 silicates 37, 38  
 silicides 143  
<sup>147</sup>Sm 157  
 SMOW, *see* Standard Mean Ocean Water  
 SNC (Shergottites, Nakhilites, Chassignites) meteorites 25, *see* martian meteorites  
 sodalite 81  
 solar composition 19, 34, 35, 36, 101, 210, 424  
   oxygen isotopic 198  
 Solar System, origin 189–91, 192, 420–2  
   capture theory 189, 421  
   disk disruption 439, 440  
   floccule theory 421  
   Laplacian theory 421  
   meteoritic constraints, summary 442  
   nebular condensation 192  
   planetesimal growth 440  
   stable configuration 440; *see also* chronology; x-wind model  
 solar wind 48, 131  
 solar-type stars 439  
 solar-type systems 441  
 south-east Arabia, meteorite finds 12  
 south-west USA, meteorite finds 12  
 spallation 439  
 spectra, unevolved stars 424  
 spinel 36, 80, 426; *see also* oxides  
 s-process 432  
<sup>87</sup>Sr/<sup>86</sup>Sr evolution 165  
<sup>87</sup>Sr/<sup>86</sup>Sr initial ratio 163, 165  
 Standard Mean Ocean Water (oxygen) 38  
 stardust 5  
 stellar nucleosynthesis 158  
 stellar processing/grain formation 423  
 stellar spectra, *see* spectra  
 stepwise heating 161  
 stony iron meteorites 321–63  
   historical introduction 345–55  
   minerals 339  
   summary 362  
 stony iron meteorites, *see* mesosiderites, *see* pallasites  
 substellar masses, *see* planets, giant unbound  
 sulfide 37, 48, 132, 136, 141, 143, 424  
   in fremdlingen 79–80  
   Ni content 41, 136  
 sulfide formation 35, 36, 210, 211  
   Mg- and Ca-sulfides 212  
 sulfide-metal assemblages, UOCs and CR 74  
 sulfur ‘condensation’ 202  
   carbon enriched gas 211  
 Sun, spin axis 438  
 superheavy element 431  
   detection, half-life 431–2  
 superior analyses, *see* chondrites  
 surface deposits, bodies with no atmosphere 48  
 swathing kamacite 346  
 Sweden 11, 155  
 symplectic intergrowth 348  
 T Tauri Sun 203, 209, 213, 218, 238, 440  
 taenite  
   ‘M’-shaped profile 328–9  
   half-width method 329  
 technical advances 50  
 tektites 296  
   terrestrial origin 296  
 terrestrial (mass-dependent) fractionation line 38  
 terrestrial age 13, 46, 154–5  
 tetraenaite 339  
 Th  
   <sup>232</sup>Th 157  
   refractory 35  
 thermal metamorphism, *see* chondrites; HED eucrites; mesosiderites; parent body processes  
 thermoluminescence (TL) 23, 40, 43, 47, 50  
 thin-section, petrologic 14  
 Thomson, W. 329  
<sup>50</sup>Ti 81  
   Ti 35  
 TiC 424  
 Tl 35, 36, 38, 216  
 Tokyo 16  
 tridymite 339, 368  
 troctolite 296  
 troctolitic xenolith 131, 185  
   I-Xe, mineralogy, oxygen isotopes, REE 185  
 troilite 130, 324, 332, 339, 424  
   Pb isotopes, Canyon Diablo 169, 170  
   Pb isotopes ordinary chondrites 170

- Tschermak, G. 278; *see also* chondrites, classification (RTB)  
tungsten, *see* <sup>182</sup>W
- U  
<sup>235</sup>U, <sup>238</sup>U 157  
refractory 35  
unbrecciated enstatite achondrite 269, 272–3  
unbrecciated metal-rich meteorite 272  
undercooling 392  
undifferentiated bodies 224, 440  
undulose extinction 44  
ungrouped iron, Bocuauva 359  
  Fe/Mn ratio 359  
  Ge/Ga ratio 359  
  plagioclase composition 359  
  relationships 358, 360–1  
  silicate inclusions 359  
ungrouped iron, Deep Springs, oxygen isotopes 360  
ungrouped iron, Mbozi 358–9  
  Ge/Ga ratio 359  
  like Eagle Station trio 358, 361  
  like IIF irons 358  
  silicate inclusions 359  
ungrouped iron, Tucson 359  
  anorthite 359  
  enstatite 359  
  forsterite 359  
  Ge/Ga ratio 359  
  no close relative 358, 361, 362  
  oxygen isotopes 359, 360  
  Si in metal 359  
  silicate inclusions 359  
ungrouped irons  
  interrelationships, parent bodies 356–7, 358  
  ‘primary’ cosmochemical properties 356  
  secondary ‘geochemical’ properties 356  
ungrouped irons and stony irons 355–62  
  abundance statistics 356  
  examples 358  
  mass-distribution 356  
  origin, grouped and ungrouped irons, *see* iron meteorites  
  oxygen isotopes 360  
  properties 358  
ungrouped polymict stony iron breccias  
  <sup>15</sup>N enriched 359  
  barred olivine-pyroxene silicate 359  
  Bencubbin and Weatherford 359, 361  
  CR group affinity 359  
  metal ‘slugs’ 359  
  oxygen isotopes 359, 360  
  related to Tucson, Eagle Station? 358, 361–2  
  xenoliths, carbonaceous and ordinary chondrite 359  
ungrouped stony irons, Eagle Station trio, diagnostic properties 358, 359–60, 362  
University of California at Los Angeles 27  
U-Pb age, EOCs, phosphate 71  
  comparison with Rb-Sr 166
- Uranus 440  
ureilites 243–9, 257–67, 275  
  augite 257  
  Ca/Al ratios 273  
  carbon-rich matrix/mesostasis 259  
  with planetary noble gases 259  
  chemical composition 273, 274  
  diagnostic mineralogy 246  
  enstatite (‘bronzite’) 257  
  Mn/Mg ratios 273  
  modes 263  
  origin 259–60  
  oxygen isotopic ratios 259, 265  
  pigeonite 257  
  reversed zoning 259  
  smelting 266  
  subgroups 265  
  summary 274  
  texture, shock effects 258–9, 262  
ureilites monomict  
  ages 259  
  augite 263  
  carbonaceous matrix 261  
  ‘clinobronzite’ (clinoenstatite) 263  
  Cr distribution 266  
  Cr minerals 262–6  
  euhedral graphite 261  
  feldspar 262  
  foliation 260  
  fractionation series 263, 265  
  groups 263  
  metal veins 259  
  metal-rich spherules in olivine 261  
  mineralogy, carbon polymorphs 264  
  olivine 264  
  olivine core composition 262  
  olivine, high CaO 263  
  olivine, high Cr<sub>2</sub>O<sub>3</sub> 263  
  oxygen isotopes 263, 265  
  pigeonite 263  
  pigeonite Cr<sub>2</sub>O<sub>3</sub> content 264  
  poikilitic ureilites 261, 263  
  pyroxene 264  
  reduction rims in olivine 259, 261  
  smelting 263  
  subclassification 262–6  
  texture 258–9, 260–1  
ureilites polymict  
  age by Mn-Cr 262  
  angrite clasts 266  
  chondritic clasts 262, 266  
  exotic clasts 266  
  exotic olivine 266  
  feldspar 266  
  mineralogy 266  
  plagioclase clasts 266  
  texture 262  
ureilites thermal history 266  
  melting 376  
  planetary noble gases 267  
  smelting 266

- Urey, H. C. 192  
U-Th-Pb method 169–73  
summary 172, 173
- valency 37  
Vdovykin, G. P. 262  
Vesta, asteroid 4 Vesta 278; *see also* petrogenetic associations, HED parent body  
Victoria Land, *see* Antarctica  
Vienna 245  
Viking landers, *see* Mars  
VLT mare basalt 296  
volatile elements 36, 216–17, 218  
accretion in pristine dust 218  
condensation 216–18  
loss during metamorphism 216  
volcanic droplets 56  
volcanism, related to parent body size 366  
volume diffusion coefficient 392  
vugs 293
- $^{182}\text{W}$  evolution 374–5  
W0 45  
W1–W6 45  
Walker, R. M. 423  
Wark-Lovering rims, *see* CAIs  
Washington University, St Louis 423  
water condensation 36  
water, oxidizing agent 405  
weathering of meteorites, *see* meteorite finds, weathering of  
weathering scale 45  
wehrlite 256  
wet chemical analysis, *see* chemical analysis  
Widmanstätten pattern 6, 8, 15, 327, 329, 330, 332  
Wiik, H. B. 27, 29  
Williams, I. P. 11  
winonaites and chondritic silicate in IAB irons 243–9, 253–6, 275  
ages by Ar–Ar 256  
chemical compositions 273, 274  
diagnostic mineralogy 246  
grain-size, shock stages, texture 252  
IIICD subgroup 255  
oxygen isotopes 254  
shock stages 255  
texture 250, 251, 254–5  
veining 254  
winonaites mineralogy 255–6  
alabandite 255  
Cr-minerals 255  
daubréelite 255  
schreibersite 255  
winonaites origin, crystal-liquid fractionation (Caddo County) 256  
heterogeneous precursor 255  
partial differentiation 256  
winonaites thermal history 256  
cooling rates 256  
wüstite 14
- Xe, planetary, *see* noble gases, planetary  
 $^{129}\text{Xe}/^{128}\text{Xe}$  ratio 174  
 $^{129}\text{Xe}/^{130}\text{Xe}$  vs  $^{128}\text{Xe}/^{130}\text{Xe}$  174; *see also* I-Xe  
Xe-HL 422, 431  
bimodal gas-release 432  
carrier 422, 432  
implantation, stellar origins 432  
ion implantations 432  
isotopic composition 432  
xenocryst 62  
X-ray diffraction (XRD) 22  
X-ray fluorescence (XRF) 22, 26–7, 50  
XRF, low Z elements (Na, Mg, Al, Si) 27  
x-wind model 190–1, 192, 203–9, 210, 213–15, 218, 235, 238, 434, 435
- Yamato Mountains, *see* Antarctica
- Zn  
chalcophile 37  
lithophile 37  
zodiacal light 2