

Index

- ab initio* methods, 19, 35
- absorption cross section, 27, 32–33, 144ff
- as Fourier transformation of the autocorrelation function, 74
- classical, 102–105
- partial, 33
- absorption spectrum, 10ff
- action-angle variables, 94
- adiabatic
- basis, 62ff
- decay, 217
- potential, 135, 156
- representation, 34, 349–352
- separation, 36, 117ff, 155–159, 171, 188ff, 193ff
- adiabatic approximation
- vibrational excitation, 61–67
- Airy function, 115
- alignment, 285
- angular distribution, 15, 284ff
- angular momentum
- orbital, 8, 56
- rotational, 8, 56
- total, 8, 56, 256, 264
- anisotropy
- of potential energy surface, 60, 125ff, 222ff
- parameter, 15, 159, 270, 284
- ArH₂, 296, 305
- ArHCl, 2
- ArHF, 302
- artificial channel method, 71
- asymmetric top, 267, 302
- autocorrelation function, 73ff, 181ff, 339
- damping of, 160ff
- short-time behavior, 113, 116
- superposition of sinusoidal functions, 143ff
- avoided crossing, 36, 134, 351ff
- basis size
- of coupled equations, 54
- Beer's law, 27
- Bi₂, 378
- Boltzmann distribution, 9, 233, 257, 282
- bond coordinates, 223, 254
- Born-Oppenheimer approximation, 19, 33–37, 61, 347, 369
- bound-state energies
- calculation of, 41–42
- boundary conditions
- for radial functions, 55, 70
- general form, 45
- in full collisions, 48
- in photodissociation, 45ff, 268
- boxing method, 104–105
- branching ratio
- chemical, 12
- electronic, 13, 347, 357

- BrCN, 127
 Breit-Wigner expression, 159
- CF₃I, 132ff, 210–213
 Chebychev polynomial, 82
 chemical channels, 12ff
 chemical lasers, 6
 CH₂I₂, 337
 CH₃I, 6, 210–213, 233, 331, 333, 337, 357–359, 378
 (CH₃)₃CONO, 276
 (CH₃)₂NNO, 276, 287
 CHOCHO, 287
 CH₃ONO, 20–23, 62, 127, 147–152, 156, 207, 217ff, 249, 259, 276, 286, 308
 CH₃SNO, 119
 classical path approximation, 89–90
 classical trajectory, 95–97
 ClCN, 60, 96, 124, 127, 254ff
 ClNO, 2, 107, 119, 127ff, 163–166, 217ff, 223ff, 249, 254, 337
 close-coupling method, 69ff
 for electronic excitation, 350
 for rotational excitation, 56–60
 for rotational excitation, $J \neq 0$, 265
 for vibrational excitation, 53–56
 time-dependent, 84ff, 355
 closed channel, 44, 70
 closure relation, 28, 44
 CO₂, 216
 Co(CO)₃NO, 127
 coherent excitation, 368–370
 collisions
 full, 8ff, 159ff
 half, 8ff
 complex scaling, 174
 conical intersection, 360
 continuum basis, 43–48
 continuum wavefunction
 calculation of, 69–71
 coordinate system
 body-fixed, 262
 space-fixed, 262
 Coriolis coupling, 266, 304, 306
- coupled equations
 for coherent excitation, 369
 for electronic transitions, 34
 for excitation by a photon, 28ff
 for rotational excitation, 58ff
 for the decay of excited states, 140–141
 for vibrational excitation, 53–55
 in the adiabatic representation, 63
 time-dependent, 85
 cross-correlation function, 336, 339
 CS₂, 216
- decay of excited states, 138–143
 decay rate
 partial, 142, 307, 311
 total, 142, 144, 307
- diabatic
 basis, 62
 potential, 135, 348
 representation, 296, 352–356
- diffuse vibrational structures, 118ff, 177–201
 due to excitation of large-amplitude bending, 193–200
 due to excitation of symmetric and anti-symmetric stretch motion, 179–193
- dipole selection rule, 9, 160, 170
 Dirac delta-function, 31, 44, 145
 discrete variable representation, 85
 dissociation channels, 42ff
 dissociation wavefunction
 partial, 46, 58, 64, 71
 relation to the evolving wavepacket, 77ff, 154
 total, 50–51, 60, 71, 152, 243
- driven equations method, 71
 dynamical mapping, 210
- Ehrenfest's theorem, 61, 87, 97
 elastic limit
 for vibrational excitation, 131
- electric dipole
 approximation, 29
 operator, 27ff

- electronic quenching, 347
 energy
 excess, 3
 internal, 3, 96
 mean, 14
 photon, 3
 relative, 14
 translational, 3, 43, 95
 vibrational, 43
 energy gap law, 300
 exchange reaction, 168
 excitation function
 rotational, 97, 121, 126ff, 245ff
 vibrational, 98, 129
 exit channel dynamics, 222

 Fermi's Golden Rule, 49
 Feynman's path integral, 188
 finite elements method, 71
 FNO, 242–248
 force, 95, 97
 intermolecular, 19
 intramolecular, 19
 Fourier transformation, 183, 227
 between coordinate and momentum spaces, 83ff
 between time and energy domains, 74, 78ff
 Franck-Condon distribution, 203–206
 Franck-Condon factor
 one-dimensional, 65, 117, 157
 rotational, 226, 228
 vibrational, 204
 Franck-Condon mapping, 206
 free wave, 44

 glyoxal, 13

 H_3^+ , 200
 H atom
 in homogenous magnetic field, 79, 189, 199ff
 Hamilton equations, 87, 94–97
 Hamilton function, 94
 Hamiltonian
 classical path, 89
 mean field, 88
 molecular, 28, 34, 349
 HCN, 168
 HCO, 168
 H_2CO , 127, 207, 249, 288
 HeCl_2 , 300, 309ff, 313
 HeHF , 2, 301ff
 HeICl , 310
 helicity quantum number, 264, 303
 $(\text{HF})_2$, 2
 HgI_2 , 378
 HN_3 , 127, 276, 288, 292
 HNCO , 127, 288
 H_2O , 2, 10–16, 23–26, 178, 223, 228ff, 285ff, 337
 first absorption band, 189–191, 213–215, 230–233, 258ff, 272–275, 278–282, 319–324, 338–344
 rotational levels, 267
 second absorption band, 106, 193–200, 238–241
 vibrational states, 319–320
 H_2O_2 , 2, 127, 207, 235–238, 256–257, 286ff, 289ff
 HOD , 12ff, 106, 324–329
 HONO , 127, 207, 220ff, 233, 249, 276, 286
 H_2S , 215ff, 233, 337, 344–345, 359–365
 hyperspherical coordinates, 171

 I_2 , 373
 ICN , 127, 207, 276, 286, 375, 378
 IHI , 168–172
 importance sampling, 105
 impulsive model, 251–255
 interaction picture, 83
 interaction potential, 40, 95, 202ff, 304, 311
 internal vibrational energy
 redistribution, 5, 149

 Jacobi coordinates, 38–41, 57, 224ff, 254, 263, 293ff
 mass-scaled, 40, 171ff

- kinetic coupling, 40, 171, 224, 353
 Kohn variational principle, 71
 Kramers-Heisenberg-Dirac
 expression, 334
- Laguerre polynomial, 100
 Legendre polynomial, 59, 284, 294
 lifetime, 142, 145, 157ff
 local coordinates, 38
 local modes, 319ff
 Lorentzian, 145
 line shape, 143–147
- mixing angle, 353
 momentum gap law, 300
 Monte Carlo sampling, 104–105
 Mulliken difference potential, 316
 multiphoton dissociation, 3
 multiple collision, 240
- Na₂, 378
 NaI, 376ff
 NCNO, 288
 NeCl₂, 310ff
 NeDF, 302
 NeHF, 302
 NeICl, 310
 NH₃, 166–168, 337
 nonadiabatic
 coupling, 140, 219
 decay, 219
 normal coordinates, 38
- O₃, 127, 331, 337
 Chappuis band, 216
 Hartley band, 192ff
 OCS, 127
 OH
 Λ -doublet states, 271ff
 rotational levels, 271ff
 open channel, 44, 70
 orientation, 285
- pair-pair correlation, 287–292
 parity, 264, 304
 partial width, 146
- periodic orbit
 anti-symmetric stretch, 186
 bending, 196ff
 hyperspherical, 186
 symmetric stretch, 185
 unstable, 79, 184–189
- perturbation theory
 first-order, 30, 371
 for rotational excitation, 126
 time-dependent, 28–31, 140ff
- phase-space, 95
 phase-space distribution function,
 98–102
 for normal coordinates, 101
 Wigner, 99
- phase-space theory, 250
 photochemistry, 6
 photodetachment spectroscopy, 168ff
 photodissociation
 direct, 4, 109ff
 indirect, 4, 109, 134ff
 of single quantum states, 15ff,
 277–282
- photodissociation amplitude
 partial, 49, 60, 64, 68, 335
- photodissociation cross section,
 16–18, 48–50
 differential, 15, 270
 integral, 15, 17, 270
 partial, 18, 49, 65, 81ff, 117, 121,
 146, 164, 323ff
 state-to-state, 267–270
 total, 18, 49, 68
- photofragment yield spectra, 163, 217
 potential energy surface, 19–26
 potential matrix
 for rotational excitation, 59, 265
 for vibrational excitation, 54ff, 202,
 296–297
- predissociation
 electronic, 4, 363
 rotational, 301–307
 vibrational, 5, 296–301, 363
- principal value, 141
 prior distribution, 250

416

probability current, 45
 quantum beats, 149
 radiationless transition, 347
 radiative recombination, 331
 Raman scattering, 331
 time-dependent view, 335–337
 time-independent view, 334–335
 Rayleigh scattering, 333
 recoil velocity, 283
 recurrence, 79, 134ff, 149, 161ff, 181ff
 reflection principle, 110, 316–319
 multi-dimensional, 115–118
 one-dimensional, 67, 110–115
 rotational, 120–125, 236
 vibrational, 128–132, 209
 resonance, 134, 137ff, 152ff
 assignment, 152ff
 condition, 33
 due to excitation of bending
 motion, 163–168
 due to excitation of symmetric and
 anti-symmetric stretch motion,
 168–173
 Feshbach, 298, 303, 305
 in full collisions, 159–160
 reactive, 168
 shape, 303, 305
 stationary wavefunction, 154ff
 resonant transition, 31
 revival, 373
 rotating wave approximation, 30
 rotation matrix, 264
 rotational constant, 58
 rotational excitation
 elastic case, 225–233
 inelastic case, 234–241
 sources of, 222ff
 rotational rainbow, 123, 125
 supernumerary, 123, 125
 rotational sudden approximation,
 67–69
 RRKM theory, 250
 scalar properties, 222

Index

scattering
 theory, 43, 137, 152
 scattering-coordinates, 38–41
 scattering matrix \mathbf{S} , 45, 48, 70, 159
 Schrödinger equation
 electronic, 19, 34
 nuclear, 35
 selection rules
 in photoabsorption, 269ff
 shift
 partial, 142
 total, 142, 144
 skewing angle, 171
 SO₂, 216
 spectral resolution
 relation to resolution in the time
 domain, 160ff
 spherical harmonic, 58, 68, 226, 264
 semiclassical approximation, 227
 spin-orbit states, 271ff
 split operator method, 83
 stabilization procedure, 174
 state distributions
 rotational, 13ff
 vibrational, 13ff
 stationary phase approximation, 69
 statistical adiabatic channel model,
 250
 sum rule, 51
 thermal averaging, 17, 282
 time-dependent SCF approximation,
 88–89
 time-evolution operator, 75
 torque, 25, 95ff, 196, 222ff, 234
 transition
 bent-bent, 128
 bent-linear, 193ff
 linear-bent, 60, 127
 parallel, 269, 284, 357
 perpendicular, 269, 284, 357
 transition dipole moment function,
 36, 269, 283
 transition frequency, 27, 29, 371
 transition rate, 31

Index

417

- for van der Waals molecules, 299
- transition state, 168, 241
 - spectroscopy, 173
- transition-state wavefunction, 242ff
- triatomic molecule
 - general, 262ff
 - linear, 37–48, 53–56, 73ff, 115ff, 128ff, 179ff
 - rigid rotor model, 56–60, 121ff, 193ff
 - symmetric, 168ff
- turning point, 111, 114, 121
- uncertainty relation
 - coordinate-momentum, 99
 - time-energy, 78, 92, 114, 371
- unimolecular reaction, 5
- van der Waals molecule, 2, 174, 293–313
- vector correlations, 15, 283–287
- vector properties, 222
- vibrational excitation
 - elastic case, 203–207
 - inelastic case, 208–213
 - symmetric molecules, 213–216
- wavenumber, 44, 59
- wavepacket, 73–78, 143ff
 - as coherent superposition of stationary states, 73ff, 367
 - evolution of, 76–78
 - Gaussian, 86–87
 - generated by a δ -pulse in time, 80ff
 - initial condition, 74
 - short-time behavior, 113
 - spatial propagation, 83ff
 - temporal propagation, 82ff
- wavetrain, 369
- weighting function, 121
- Wigner $3j$ -symbol, 59
- WKB approximation, 114
- WKB phase, 316